

COPILOT ADOPTION + BUSINESS VALUE

ValueLens Report Interpretation Guide

A simple, page-by-page guide for internal and external audiences

Microsoft • September 2026

Use current tenant data when presenting. Screenshots show fabricated sample data.

Use ValueLens to move from signals to responsible action

The report connects adoption, habit, workflow, readiness, feedback, and modeled value.

Understand adoption

- Who is active—and where?
- Is usage broad, deep, and recurring?
- Which tasks and agents drive activity?

Explain value responsibly

- Where might time be saved?
- Which assumptions drive estimates?
- How strong is the model fit?

Prioritize action

- Where should enablement focus?
- Who may be ready for Cowork or a license?
- What feedback and trends need follow-up?

Best practice: use the report to start a business conversation—not to make an isolated people decision.

How this report works

THE REPORT PAGES, IN ORDER


- 1 User Activation** — who has started using Copilot or agents
- 2 Adoption and Reach** — is usage broad, deep, and sustained
- 3 Habit Formation** — is usage becoming part of normal work
- 4 Agent Registry** — what exists, who owns it, and what shows use
- 5 Task Breakdown** — which workflows drive Copilot and agent activity
- 6 Value Breakdown** — where modeled time saved and value comes from
- 7 Model Fit** — how much observed activity the value model explains
- 8 Cowork Fit** — which observed work patterns look suited to Cowork
- 9 Cowork Readiness** — where a rollout should be explored next
- 10 License Readiness** — which unlicensed users may warrant a license
- 11 User Feedback** — what users are saying, and where to improve
- 12 Adoption Leaderboard** — which teams and tools show the strongest usage
- 13 Weekly Trend** — where adoption is changing over time
- 14 Impact Table** — how a signal becomes an estimated value outcome

HOW TO USE THIS MAP

Use this index to jump straight to any page during a working session or Q&A — each number here matches the page number shown in the corner of that page.

USER ACTIVATION

Who has started using Copilot or agents?



HOW TO READ THIS PAGE

1 SET THE SCOPE

Choose date, organization, and the Licensed, Unlicensed, or Agents view.

2 READ ACTIVATION

Use total users, active users, and active rate as the headline.

3 COMPARE TEAMS


Read active versus inactive by organization to find adoption gaps.

HOW TO TAKE ACTION

Prioritize access checks, onboarding, and local champions where inactive populations are meaningful. Validate data coverage before labeling a team inactive.

ADOPTION AND REACH

Is usage broad, deep, and sustained?



HOW TO READ THIS PAGE

1 CHOOSE THE AUDIENCE

Confirm the audience tab, date range, and organization filter.

2 READ REACH + DEPTH

Compare active users, sessions, sessions per user, and the trend.

3 FIND THE WORKFLOW MIX


Use the activity treemap and session-depth view to see what drives use.

HOW TO TAKE ACTION

Broad but light use suggests workflow coaching. Narrow but deep use suggests scaling proven practices to more teams.

HABIT FORMATION

Is usage becoming part of normal work?



HOW TO READ THIS PAGE

1 READ MATURITY

Use the inactive-to-power stages to understand the distribution.

2 CHECK LAPSE

Review recent and longer-term lapse rates before calling usage durable.

3 LOOK FOR MOVEMENT


Compare monthly active days and stage changes—not only the current snapshot.

HOW TO TAKE ACTION

Move beginners toward repeat use, re-engage lapsed users, and learn from power users. Use maturity as an enablement signal—not a performance score.

AGENT REGISTRY

What exists, who owns it, and what shows observed use?



HOW TO READ THIS PAGE

1 READ THE ESTATE

Start with total, active, known users, sessions, and registry coverage.

2 SEPARATE CATALOG FROM USE

Catalogued agents and agents with observed activity answer different questions.

3 INSPECT DETAIL


Use owner, platform, status, and agent filters to investigate specific entries.

HOW TO TAKE ACTION

Assign owners, complete missing metadata, consolidate duplicates, and review low-use agents. No observed use is not proof that an agent is unused.

TASK BREAKDOWN

Which workflows are driving Copilot and agent activity?



HOW TO READ THIS PAGE

1 SET THE AUDIENCE

Choose licensed, unlicensed, agents, Copilot, or Cowork and filter the period.

2 COMPARE TASKS

Use users and sessions to separate reach from repeat activity.

3 READ THE MIX


Use task and activity breakdowns to see which workflows dominate.

HOW TO TAKE ACTION

Prioritize enablement around repeatable, high-value workflows. Pair volume with quality and outcome evidence before claiming success.

VALUE BREAKDOWN

Where is modeled time saved and assisted value coming from?



HOW TO READ THIS PAGE

1 SET ASSUMPTIONS

Confirm hourly salary, effort scenario, date, audience, and organization.

2 READ MODELED VALUE

Review expert-equivalent hours, assisted value, and annualised value together.

3 TRACE CONTRIBUTORS


Use task, organization, agent, and product filters to see what drives the estimate.

HOW TO TAKE ACTION

Present this as modeled assisted value—not realized cash savings. Validate assumptions locally and keep compared figures on the same filters.

MODEL FIT

How much observed activity can the value model explain?



HOW TO READ THIS PAGE

1 READ COVERAGE

Start with matched share and the count of signals that do not map.

2 COMPARE SOURCES

Review model fit by task and product to find uneven coverage.

3 INSPECT GAPS


Unmatched activity can indicate new workflows, weak mappings, or incomplete data.

HOW TO TAKE ACTION

Improve mappings and source quality before relying on detailed value estimates. Treat low fit as a model diagnostic—not low user value.

COWORK FIT

Which observed work patterns appear suited to Cowork?



HOW TO READ THIS PAGE

1 READ THE FIT MIX

Compare Cowork-aligned work with patterns better served elsewhere.

2 CHECK WHY IT FITS

Use workflow, role, and prompt characteristics to understand the match.

3 VALIDATE CANDIDATES

Inspect the ranked detail rather than using the headline percentage alone.

HOW TO TAKE ACTION

Use fit as a directional pilot signal. Confirm role, workflow, data access, and business need before recommending deployment.

COWORK READINESS

Where should a Cowork rollout be explored next?



Cowork Readiness Where to rollout Cowork next

COWORK READINESS — OBSERVED SIGNALS

2.37
Prompts / session

1.18
Apps / active day

86.1%
Using agents


COWORK READINESS — RANKED CANDIDATES

Organization	Rank	Apps / day	Prompts / session	Cowork Fit: Agent User Share
IT	1	1.24	2.28	100.0%
Executive Office	2	1.22	2.42	100.0%
Risk & Compliance	3	1.19	2.25	100.0%
Strategy	3	1.18	2.27	100.0%
HR	4	1.13	2.58	87.5%
Marketing	4	1.15	2.38	100.0%
Procurement	4	1.21	2.15	100.0%
Finance	5	1.17	2.26	88.9%
Sales	5	1.13	2.22	94.4%
Engineering	6	1.19	2.38	70.0%
Operations	6	1.22	2.60	81.3%

Rank 1 = strongest Cowork candidate.

Cowork Readiness Score = cross-app breadth (45%) + session depth (35%) + existing agent use (20%), each scaled to the highest value in the current selection. Existing Cowork users excluded, so organisations where everyone already uses Cowork have no candidates left and are not listed.

COWORK READINESS MAP — TOP RIGHT = READIEST



Top right = readiest for Cowork: users already working across several apps each day (right) and holding longer, multi-prompt sessions (up).

Bubble size = eligible candidate users.

Breadth and depth are 80% of the Cowork Readiness Score; each is scaled to the highest value in the current selection, not an external benchmark. Existing Cowork users excluded.

Date

01/06/2026

31/08/2026

Organization

All

HOW TO READ THIS PAGE

1 READ THE SCORE

Start with ranked candidates and the behaviors included in readiness.

2 USE THE QUADRANT

Top-right candidates combine stronger readiness with meaningful activity.

3 CHECK CONTEXT


Validate cross-app use, agent use, role, organization, and recent behavior.

HOW TO TAKE ACTION

Prioritize a manageable pilot cohort and test outcomes. Do not use readiness scores for employee evaluation or automatic entitlement.

LICENSE READINESS

Which unlicensed users may warrant a license conversation?



HOW TO READ THIS PAGE

1 FOCUS ON UNLICENSED USE

Confirm the page is filtered to the intended unlicensed population and period.

2 READ RANK + PRIORITY

Use the candidate table and priority matrix together.

3 CHECK RECENCY


Review active days, weekly volume, and dormancy before escalating.

HOW TO TAKE ACTION

Validate role, business need, data quality, and existing access before licensing. Use the score to triage—not to automate a decision.

USER FEEDBACK

What are users saying, and where should experience improve?



HOW TO READ THIS PAGE

1 READ VOLUME + RATE

A satisfaction rate is more reliable when feedback volume is sufficient.

2 COMPARE SURFACES

Use satisfaction by product, surface, or agent to locate weak experiences.

3 FOLLOW THEMES


Use trends and recurring words as leads, then review context and verbatims safely.

HOW TO TAKE ACTION

Prioritize high-volume, low-satisfaction experiences and recurring themes. Protect privacy and avoid overreacting to small samples.

ADOPTION LEADERBOARD

Which teams and tools show the strongest observed usage?



HOW TO READ THIS PAGE

1 CHOOSE THE RANKING

Confirm whether you are comparing organizations, users, apps, surfaces, or activities.

2 READ SCALE + INTENSITY

Use active users, sessions, and sessions per user together.

3 FIND EXEMPLARS

Look for repeatable practices behind strong results—not just the top name.

HOW TO TAKE ACTION

Use the leaderboard to find champions and peer examples. Do not turn adoption rankings into individual performance management.

WEEKLY TREND

Where is adoption changing over time?



HOW TO READ THIS PAGE

1 SELECT THE MEASURE

Choose active users, sessions, value, or another available metric.

2 READ THE HEATMAP

Compare teams across weeks; color intensity shows relative concentration.

3 LOOK FOR PATTERNS

Sustained changes matter more than a single spike or missing week.

HOW TO TAKE ACTION

Connect shifts to launches, training, seasonality, or data gaps. Investigate changes before attributing cause.

IMPACT TABLE

How does an observed signal become an estimated value outcome?



Impact Table > AI Tasks Performed → Human Estimate → Value

The editable human-time assumptions behind the Activity & Value page. Use the category sliders



Select Category

SIGNAL TO VALUE — TABLE

Signal	AI Tasks	Use Case	Value Outcome	Human Equivalent (Minutes)	Research Source (URL) - Time Savings
Outlook/OutlookSidepane + EmailMessage + Read	Email Summarising	Triaging inbox, summarising threads, catching up after leave	Time Saved (Email)	4	Dabbish & Kraut (CMU 2006); Mark et al. 2012
Outlook/OutlookSidepane + Send/Draft + EmailMessage	Email Drafting	Composing replies, cold outreach, formal correspondence	Time Saved (Email)	8	McKinsey 2023; Brynjolfsson et al. (NBER 2023)
png/jpg/gif + Read	Image / Media Analysis	Accessibility descriptions, content cataloguing, image review	Content Output	8	W3C WAI; DAM Institute (2022)
TeamsMessage/TeamsChat/ TeamsChannel + Post/CreateChat	Teams Messaging	Team coordination, quick decisions, status updates	Communication Time Saved	8	Microsoft WTI (2023); Grammarly (2023)
No specific resource/plugin/action signals matched	General Chat	General Q&A or conversational usage without document grounding	General AI Productivity	10	Microsoft WTI (2023); IDC (2018)
PeopleInferenceAnswer resource	People Lookup	Org navigation, finding experts, team-building	Search Time Saved	10	Gartner (2021); Microsoft Viva (2022)
Action = mcp_MeetingManagement	Meeting Scheduling	Calendar management, finding availability, booking rooms	Communication Time Saved	12	Doodle (2019); HBR (2017)
Agent name: knowledge/faq/wiki/buddy/guide OR has SharePoint access	Agent: Knowledge Base	Policy lookup, process guidance, FAQ resolution, documentation search	Search Time Saved	12	HDI (2023); Gartner (2022)

HOW TO READ THIS PAGE

1 SELECT A CATEGORY

Narrow the table to the workflow area you are reviewing.

2 TRACE THE LOGIC

Follow signal → AI task → use case → outcome → human estimate → source.

3 TEST ASSUMPTIONS

Review editable time assumptions and the cited research behind them.

HOW TO TAKE ACTION

Validate assumptions with business owners and document any changes. Research estimates are evidence inputs—not guaranteed outcomes.

Keep the interpretation grounded

UPDATED INTERNAL DEMO

Open the ValueLens Power BI demo

Tenant access may be required.

PUBLIC REPOSITORY

ValueLens for Microsoft Copilot

Templates, setup paths, data dictionary, and sources.

<https://github.com/microsoft/ValueLens-for-Microsoft-Copilot>

THREE CAVEATS TO CARRY FORWARD

- 1 Audit logs are the primary signal, not a complete source of truth for licensing or full-fidelity reporting.
- 2 Assisted value is modeled from task baselines, effort scenarios, and hourly rates; it is not guaranteed savings.
- 3 The screenshots in this guide use fabricated sample data. Replace them with current tenant data when presenting.