

# Module: Create Cloud Flows for Device Request Notifications

## Overview

In this module, you will create a Power Automate cloud flow to notify IT administrators when new device requests are submitted. This automation supports timely review and action aligned to the defined business processes and user personas.

## Learning Objectives


By the end of this module, you will: - Activate the cloud flow artifact from the plan. - Generate a notification flow using Copilot-suggested patterns. - Configure Dataverse triggers and email actions. - Publish the flow for use in end-to-end testing.

## Prerequisites

- Completion of Model-driven App module.
- Dataverse tables (Device Requests) available and populated with sample data.
- Access to Power Automate via <https://make.powerapps.com> in your environment.
- Email account able to receive notification messages.


## Create cloud flows

- 1 . Next, let's create the device request notification flow




- 2 . Copilot will suggest flow patterns based upon the business problem stated. Here we have full flexibility to work with copilot to frame our automation

needs. For this scenario, I will pick the suggested flow shown in image below and select **Keep it and continue**:



If no suggestion was returned, add the following prompt to the flow generation:  
Be notified via email when a new device request is submitted to the Device Request Dataverse table so that I can take timely action.

### 3. Setup the suggested connections for the flow and click **Create**



#### 4. Select the flow trigger action and choose the **Device Request** table.

The screenshot shows the Power Automate interface. On the left, the 'Parameters' tab is active for the trigger 'When a row is added, modified or deleted'. The 'Table name' field is highlighted with a black arrow and contains the text 'Choose a table'. Below it, a red error message states 'Table name' is required. The 'Scope' is set to '2'. The 'Select columns' field is empty. The 'Filter rows' field contains the expression 'Odata expression to limit rows that can trigger the flow, eg, statecode eq 0'. The 'Advanced parameters' section shows 'Showing 0 of 2'. On the right, a visual representation of the flow shows the trigger action followed by a 'Send an email' action, both marked with a red 'Invalid parameters' error.

#### 5. Select the **Send an email** action and set the properties as follows:

- **To:** Use your own user account here.
- **Subject:** New Device Request Submitted.
- **Body:** Request Name.

This is the notification email that goes out to your IT admins whenever a new device order request is submitted.

The screenshot shows the 'Send an email' action configuration in Power Automate. The 'Parameters' tab is active. The 'To' field is populated with 'RD Reza Dorrani'. The 'Subject' field is 'New Device Request Submitted'. The 'Body' field is 'Request Name'. The 'Advanced parameters' section shows 'Showing 0 of 7'. On the right, a visual representation of the flow shows the trigger action followed by the 'Send an email' action.

Figure: Configure the notification email action to notify IT admins on new requests.

## 6 . Now in Body – let's add dynamic content for Request Name

Body \*

Enter the data from previous step. You can also add

Request Name

Send an email

Parameters Settings Code view Testing About

To \*

Reza Dorrani

Enter part of a name or email address to find more people

Subject \*

New Device Request Submitted

Body \*

Request Name

request name

When a row is added, modified or deleted

Request Name

## 7 . Next step: **Publish** the flow

Power Automate

Back Device Request Notification

Send an email

Parameters Settings Code view Testing About

To \*

Reza Dorrani

Enter part of a name or email address to find more people

Subject \*

New device request submitted

Body \*

Request Name

When a row is added, modified or deleted

Send an email

Published

PREVIEW

Save draft Test Publish Copilot New designer

Connected to Office 365 Outlook CentralizedDeviceOrdering-#b3d. Change connection reference

Bug Note: If you receive an error on saving, create new Connection References for each connection.

## 8 . Close the browser tab

Note: You can continue to create more artifacts using the technologies suggested by the Solutions Agent

## Recommended Next Step

Proceed to the End-to-End Testing module to validate the integrated solution artifacts.