

View and export logs

A success-rate chart confirms that an app was failing, but not why — a connector timeout, a permissions error, or a change a maker made. The answers are in the runtime event logs. In this lab you go from a metric to the individual events behind it and export them for whoever needs to fix the problem.

Step 1: Open the Get error logs panel

1. You should still be in the Power Platform admin center from the previous lab. If not, sign in to the [Power Platform admin center](#) using your lab environment administrator credentials. Select **Monitor** > **Logs**, and then select **Get error logs** in the center of the page. The **Get error logs** panel opens.
2. In **Select a product**, choose a product (for example, **Power Apps**).




Figure: Get error logs panel with the product dropdown and app list.

Step 2: Select a resource and metric

1. In the **Select an app** list — which shows each app with its health metrics at a glance, just like the Monitor product pages — select an app with recent activity, then select **Next**.




Figure: Select an app list in the Get error logs panel.

2. On the **Select the metrics and time range** page of the panel, choose a metric (for example, **App open success rate**) and a **Time range** (for example, **Last 7 days**). Then select **Get error logs**.




Figure: Metrics and time range selection in the Get error logs panel.

Step 3: Review the logs table

1. After selecting **Get error logs**, wait for the **logs table** to load. A header confirms what you generated — the resource name, the metric, and the generation date — and the entries beneath are the runtime events behind the metric you chose.

Timestamp	User ID	Resource type	Resource sub ...	Attributes	Context
12/3/2025, 10:30:26 PM	452197c3-03ca...	PowerApps	CanvasApp	["powerapps.client_state":"healthy","powerapps.payloa...	["sessionId":"","correlationId":"64ee5242-d0f...
12/3/2025, 10:30:25 PM	452197c3-03ca...	PowerApps	CanvasApp	["powerapps.client_state":"healthy","powerapps.payloa...	["sessionId":"","correlationId":"9730fcf-b76f...
12/3/2025, 10:30:24 PM	452197c3-03ca...	PowerApps	CanvasApp	["powerapps.client_state":"healthy","powerapps.payloa...	["sessionId":"","correlationId":"a5203703-9d1...
12/3/2025, 10:30:24 PM	452197c3-03ca...	PowerApps	CanvasApp	["powerapps.client_state":"healthy","powerapps.payloa...	["sessionId":"","correlationId":"3dcc7068-271...
12/3/2025, 10:30:23 PM	452197c3-03ca...	PowerApps	CanvasApp	["powerapps.client_state":"healthy","powerapps.payloa...	["sessionId":"","correlationId":"a00f01fd-79b...
12/3/2025, 10:30:21 PM	452197c3-03ca...	PowerApps	CanvasApp	["powerapps.client_state":"healthy","powerapps.payloa...	["sessionId":"","correlationId":"d3baa1aa-e7c...
12/3/2025, 10:30:21 PM	452197c3-03ca...	PowerApps	CanvasApp	["powerapps.client_state":"healthy","powerapps.payloa...	["sessionId":"","correlationId":"9b80d8ab-4e...
12/3/2025, 10:30:20 PM	452197c3-03ca...	PowerApps	CanvasApp	["powerapps.client_state":"healthy","powerapps.payloa...	["sessionId":"","correlationId":"b38e1ddf-5c8...

Figure: Generated logs table.

2. Use the **Search** box above the table and the column sorting to narrow the entries to what you're investigating.
A healthy lab tenant may have few or no error events — an empty logs table means nothing has failed. On a production tenant (as recommended at the start of the monitoring labs), this table shows the events behind real incidents.

Two boundaries to know: logs cover up to **seven days** — a week less than the metrics themselves — and generated logs remain available **only until you leave the page**, so review them thoroughly or download them before you get new logs.

Step 4: Export the logs

Export the logs to share them with the maker who needs the event details or to attach them to a support ticket.

1. Select **Download .csv** above the table to export the generated logs.
2. Save the file, open it on your machine, and confirm that you can see:
 - **Timestamps** and **User IDs** — who encountered the event, and when.
 - **Resource type** and **subtype** — which kind of resource the event came from.
 - **Attributes** — the event's details as JSON, including the client state.

- **Context** — session and correlation IDs, which Microsoft Support asks for when you raise a ticket.

Additional resources

- [Monitoring overview \(Microsoft Learn\)](#) — What Monitor covers, including the availability and retention of metrics and event logs.

Next lab

Charts and logs answer questions only after you ask. To be notified when a metric crosses a threshold, continue with [Create a custom alert rule](#).