

Apply the policy to your environment


With the key vault access and the Reader role in place, you can now attach the enterprise policy to a Power Platform environment. From that point on, the environment data is encrypted with Woodgrove Bank's own key — and the bank's risk team has its “kill switch”: disabling the key in the vault revokes access to the data.

This final step is done in the Power Platform admin center.

When you confirm this change, the environment is **taken offline** and encryption begins. Depending on the amount of data, this can take up to two days to complete. In a production tenant, schedule this during a planned maintenance window and communicate the downtime to environment users in advance.

Step 1: Open the Power Platform admin center

1. Sign in to the [Power Platform admin center](#) using your lab environment administrator credentials.
2. Select **Environments** and confirm you can see the environment you want to encrypt (this lab uses **Sales Trial**).



The screenshot shows the Power Platform admin center interface. The left sidebar contains navigation links: Home, Environments, Analytics, Billing (Preview), Settings, Resources, Help + support, Data integration, Data (preview), Policies, Tenant isolation (preview), Customer Lockbox, Enterprise policies (preview), Billing policies, and Admin centers. The main content area is titled 'Environments' and displays a table of environments. The table has columns for Environment, Type, State, Database, Managed, Region, Created on, Created by, and Last access. The first row, 'Sales Trial', is highlighted. Other environments listed include 'fno-scm-cmk-prod-1', 'test dynamic user group', 'fno-scm-cmk-sb-1', 'CMKQmosTest', 'CMKHMSep30', 'UKCMKTest1', 'CMKUSTestEnv2', 'CMKGermanyTestEnv1', 'CMKUSTestEnv1', 'CMKSwitzerlandTestEnv_new2', 'CMKSwitzerlandTestEnv1', 'Contoso', 'CMKCanTest3', 'cmkcanfnotest1', and 'CMKCanTest2'.

Environment	Type	State	Database	Managed	Region	Created on	Created by	Last access
Sales Trial	Trial (25 days remaining)	Ready	Yes	No	United States	05/04/2023 12:10 PM	...	-
fno-scm-cmk-prod-1	Sandbox	Ready	Yes	No	Canada	01/11/2023 1:04 PM	...	-
test dynamic user group	Sandbox	Ready	Yes	No	United States	12/12/2022 3:01 PM	...	-
fno-scm-cmk-sb-1	Sandbox	Ready	Yes	No	Canada	11/09/2022 1:10 PM	...	-
CMKQmosTest	Sandbox	Ready	Yes	No	United States	11/01/2022 7:06 AM	...	-
CMKHMSep30	Sandbox	Ready	Yes	No	United States	09/30/2022 9:11 AM	...	-
UKCMKTest1	Sandbox	Ready	Yes	No	United Kingdom	09/21/2022 9:35 AM	...	-
CMKUSTestEnv2	Sandbox	Ready	Yes	No	United States	08/16/2022 11:13 AM	...	-
CMKGermanyTestEnv1	Sandbox	Ready	Yes	No	Germany	08/03/2022 1:30 PM	...	-
CMKUSTestEnv1	Sandbox	Ready	Yes	No	United States	08/03/2022 9:35 AM	...	-
CMKSwitzerlandTestEnv_new2	Sandbox	Ready	Yes	No	Switzerland	08/01/2022 6:09 PM	...	-
CMKSwitzerlandTestEnv1	Sandbox	Ready	Yes	No	Switzerland	07/28/2022 9:51 AM	...	-
Contoso	Sandbox	Ready	Yes	No	Canada	07/26/2022 1:49 PM	...	-
CMKCanTest3	Sandbox	Ready	Yes	No	Canada	07/26/2022 1:15 PM	...	-
cmkcanfnotest1	Sandbox	Ready	No	No	Canada	07/01/2022 10:05 AM	...	-
CMKCanTest2	Sandbox	Ready	Yes	No	Canada	06/27/2022 11:26 AM	...	-

Figure: Confirm the target environment is visible in the admin center.

Step 2: Open your enterprise policy

1. Expand **Policies** and select **Enterprise policies (preview)**.
2. Select your policy (this lab uses **CMKWUSSalesEP1**) to open its details.

3. Confirm that the **Encryption key** and **Key vault name** match the key you created in [Prepare your Azure Key Vault](#).
4. Select **Add environments**.




Figure: The policy shows the linked key and vault; no environments are attached yet.

A policy is a pointer to a key in your Azure Key Vault. It can be added to multiple environments, as long as they are in the same region as the policy — this is how CMK scales: rather than an environment group rule, one enterprise policy protects as many environments as you attach to it.

Step 3: Select the environment

1. On the **Select environments** step, choose the environment you want to encrypt (this lab uses **Sales Trial**).
2. Select **Continue**.




Figure: The list is filtered to environments in the same region; only Sandbox environments are supported in the preview.

Step 4: Review, save, and confirm

1. On the **Review and finish** step, confirm the policy name and the added environment.
2. Select **Save**.
3. In the **Update your environments and policies** dialog, read the warning, and then select **Confirm**.




Figure: Confirming takes the environment offline and starts encryption.

Step 5: Monitor encryption status

1. On the policy page, note the banner: **We're updating environments for CMKWUSSalesEP1. This can take up to two days to complete.**
2. Use the **Environments with this policy** list to track each environment's **Environment status** and **Encryption status**.
3. When encryption completes, your environment data is encrypted with your customer-managed key.




Figure: Track encryption progress in the Environments with this policy list.

Step 6: Validate the configuration

Use the checklist below to confirm that Woodgrove Bank's key ownership requirement is fully met:

1. The enterprise policy lists your environment under **Environments with this policy**.
2. The environment's **Encryption status** shows it is encrypted with your key.
3. The key vault access policy grants the enterprise policy **Get**, **Wrap Key**, and **Unwrap Key** — and nothing more.
4. The enterprise policy has the **Reader** role at its resource scope.

The environment data is now encrypted with a key that your organization creates, rotates, and can revoke.

- Remember the CMK preview constraints: policies apply to environments in the same region only (create a separate policy per region), only Sandbox environments are supported in the preview experience, the vault requires soft-delete and purge protection, and the environment is offline during encryption.

Congratulations! You completed the Customer-managed keys (CMK) module. You prepared an Azure Key Vault, created an enterprise policy, granted it least-privilege access, and encrypted a Power Platform environment with your own customer-managed key.

Further reading

- [Manage your customer-managed encryption key](#)
- [Azure Key Vault soft-delete overview](#)
- [Azure Key Vault purge protection](#)
- [Assign Azure roles using Azure PowerShell](#)