

Automate Work in Power Apps with Supervised Agents

Power CAT

Power CAT | The Intelligent Enterprise - Power Platform & AI for Frontier Firms

Automate Work in Power Apps with Supervised Agents

*Create autonomous agents connected to Power Apps MCP server
Intelligent Apps and Agents*

Lab overview

This lab shows how to use the Power Apps MCP server and Agent Feed to build autonomous agents that can act on Power Apps and Dataverse data while keeping approval and supervision inside a model-driven app.

App scenario

Northwind Traders wants to automate product and supplier workflows that currently depend on manual email handling and follow-up actions, while still allowing users to review and complete agent-driven tasks inside the app.

Learning outcomes

By the end of this lab, you will be able to:

- Configure Copilot Studio agents that use Power Apps MCP server tools.
- Add email and Dataverse triggers that automate agent execution.
- Publish agents into Agent Feed for review inside a model-driven app.
- Validate end-to-end agent behavior across multiple Northwind scenarios.

Definitions and key capabilities

Copilot autonomous agents are AI-powered systems built within Microsoft Copilot Studio that independently reason, plan, and act to complete tasks on behalf of individuals, teams, or entire organizations. These agents go beyond traditional automation by dynamically responding to business signals-such as data changes, system alerts, or scheduled events-without requiring human intervention.

An **MCP (Model Context Protocol) server** is a standardized service that lets AI agents safely discover and use external tools, data, and workflows-making AI systems extensible, composable, and enterprise-ready without custom integrations.

The **Power Apps MCP server** is a Model Context Protocol service that lets Copilot Studio agents securely read from and act on Power Apps and Dataverse data-automating tasks like data entry and updates with built-in human review and control.

Agent Feed is a built-in supervision and task inbox in Power Apps (and model driven apps) that

- shows **what autonomous Copilot Studio agents are doing**,

- surfaces **agent generated tasks for human review or approval**,
- and lets users **monitor, intervene, and complete human-in-the-loop steps** without leaving the app.

Documentation and learning resources

[Work with Power Apps MCP Server - Power Apps | Microsoft Learn](#)

Prerequisites

[Workshop prerequisites](#)

Step 1: Before you begin, review the consolidated [Workshop prerequisites](#) to ensure you have maker access to Power Platform and you have access to **Power Apps**

Step 2: You can create apps in a **Power Platform environment** (Dev/Sandbox preferred)

Step 3: Install the Northwind Traders solution - The Northwind Traders solution must be installed in your environment. Follow the shared import and sample-data setup instructions in the [solutions README](#) before you start this lab.

Step 4: You are working in an environment where the **early** release option is checked

Step 5: Ensure your user is part of the Copilot Studio Authors within the Power Platform Admin portal in the tenant settings. Ask your admin for help




Figure: Copilot Studio Authors in PPAC Tenant Settings.

Step 6: The user executing the lab needs to have an Outlook license as the Outlook connector is used and the executing user needs to send emails as part of the lab

Lab steps

Agent 1: Northwind product management Agent

Business use case

Scenario: The Northwind Traders organization has created a Power Apps solution to manage purchase orders, products, and related business operations. The production team uses email to submit new product requests to the Power Apps solution, which currently requires manual processing and tracking. This creates bottlenecks, delays in response times, and potential errors in new product creation.

Simple business solution: Create an autonomous agent that can automatically handle product management without human intervention, including automatically processing new product creation requests from emails.

Module 1: Create new Copilot Studio agent

Step 1: Go to <https://make.preview.powerapps.com/> and click on **Solutions** in left Hand Navigation

Step 2: Select Current Preferred Solution tab and select Manage

The screenshot shows the Microsoft Power Apps 'Solutions' page. The left navigation pane includes options like Home, Create, Learn, Plans, Apps, AI hub, Tables, Flows, Solutions (selected), More, and Power Platform. The main content area has a top bar with actions: New solution, Edit, Delete, Create a plan, and Export solution. A green notification bar states 'Solution "Northwind Traders" imported successfully.' Below this is the 'Solutions' section. A card titled 'Current preferred solution' for 'Common Data Services Default Solution' is highlighted with a red box, and its 'Manage' button is also highlighted with a red box. To the right of this card is a 'Deploy' button. Below the card are three tabs: 'Unmanaged', 'Managed', and 'All'. A table lists the solutions:

Display name	Name
Northwind Traders	NorthwindTraders
✓ Common Data Services D...	Crb4c48
Default Solution	Default

Figure: Northwind Traders.

Step 3: Select Northwind Traders solution and click on Apply. This will make sure that all new artifacts will automatically, get added to this solution




Figure: The image displays a user interface with options for managing updates and solutions for a software application, specifically focusing on Common Data Services Default Solution (cr85a) for Northwind Traders (nwind).

Step 4: Select “Northwind Traders” Solution




Figure: Image 4.

Step 5: Select Objects->Agents

Step 6: Click on + New dropdown arrow and select Agent-> Agent




Figure: Image 5.

Step 7: Verify -user will be redirected to <https://copilotstudio.preview.microsoft.com/>

Step 8: If requested to get a trial license, follow the steps

Step 9: Select the Create an agent section




Figure: The image depicts a user interface for a platform where one can create agents and workflows for automating tasks, emphasizing speed, flexibility, and security.

Step 10: Name the agent as - Northwind Product Management Agent.
Click on Create




Figure: The image depicts a form with fields for naming an agent, specifically the Northwind Product Management Agent, with options to adjust agent settings and proceed to create or cancel the configuration.

Step 11: This will create a basic - Northwind Product Management Agent. Now, Click on Edit icon in the Agent Details section -




Figure: Agents.

Step 12: Next, Add Description- “Use the Invoke Data Entry tool to create a product record with the extracted information” and then click on Save




Figure: New Agent Details.

Step 13: Next, Add Power Apps MCP Server to Agent Tools, Under Overview Tab-> Click Add tool




Figure: Adding a tool to agent.

Step 14: In search bar type- Power Apps MCP Server




Figure: Adding PowerApps MCP Server.

Step 15: Select **Power Apps MCP Server**. If the connection is not present, create a new connection as shown below

Add tool

Let your agent do more. [Learn more](#)





Figure: The image shows a Power Apps MCP Server interface with an option to create a new connection.

Step 16: For connection creation, select Connect -> Azure AD and then Create



The image shows the Microsoft Power Apps interface for creating a new app. At the top, there is a purple Microsoft Power Apps logo. Below it, the text "Microsoft Power Apps" is displayed. Underneath, the text "MCP server for agent interaction" is shown. A red box highlights the "Connect" button, which is located next to a dropdown menu. The dropdown menu currently shows "Azure AD". At the bottom right, there are two buttons: "Create" (highlighted with a red box) and "Cancel".

Figure: The image shows a Microsoft Power Apps interface with options for MCP server interaction and Azure AD, including buttons for connecting and creating a new app.

Step 17: If the connection already existing, Select the Connection and Click on **Add and configure**




Figure: Add and configure PowerApps MCP server.

Step 18: Once configured, Power Apps MCP server will be added to Agent -> Tools. Click **Additional Details** and select **Maker-provided credentials** under **Credentials to use**.

The screenshot shows the configuration page for the 'Power Apps MCP Server'. The left sidebar has 'Details', 'Tools', and 'Resources'. The main content area is titled 'Details' and includes a 'Name' field with the value 'Power Apps MCP Server'. Below this, the 'Server' is identified as 'Microsoft Power Apps' and the 'Connection' is 'admin@M365x45916894.onmicrosoft.com'. The 'Available to' section shows 'Agent'. The 'Additional details' section is expanded, showing 'Ask the end user before running' set to 'No'. The 'Credentials to use' dropdown is open, showing 'Maker-provided credentials' selected, with 'End user credentials' also visible. Below this, a table lists tools: 'log_for_review', 'request_assistance', and 'invoke_data_entry', each with a description and a toggle switch.

Power Apps MCP Server

Details

Name

Power Apps MCP Server

Server

Microsoft Power Apps Power Apps MCP Server

Connection

admin@M365x45916894.onmicrosoft.com

Available to

Agent

Additional details

Ask the end user before running

Recommended for sensitive or regulated domains or when making changes for the user

No

Credentials to use

Control whether this action uses credentials you provide, or those of the end user.

Maker-provided credentials

End user credentials

✓ Maker-provided credentials

MCP tools enable servers to offer executable functionalities, allowing LLMs to interact with external systems and perform real-world actions.

Tool name	Description	
log_for_review	Log completed activity for passive human oversight.	☐
request_assistance	Request assistance from a human user.	☐
invoke_data_entry	Create one or more records in a data source like Dataverse, using contents from plain text or an email.	☐

Figure: changing Additional details.

Step 19: Under tools section, notice all 3 Tools are Enabled by default. Turn off toggle button in header and Enable only **invoke_data_entry** tool and disable other two tools and Click on **** Save button. ****




Figure: Enable only invoke_data_entry tool.

Enable only invoke_data_entry tool

Step 20: Go to Tools to verify PowerApps MCP Server is added and is **Enabled**




Figure: PowerApps MCP Server is Enabled.

Step 21: Next, Create Trigger- Send an email (v3). Go back to Overview Tab-> **Click Add trigger.** This will make our agent and autonomous agent




Figure: Add trigger.

Step 22: Select **When a new email arrives (V3)** and click **** Next**** and wait for Authentication, it should auto authenticate Copilot Studio and Office 365 Outlook

Add trigger

Manage how your agent responds to user input and external events. This is a billable feature and will consume messages. [Learn more.](#)

AllFeaturedLibrary

Q Search

11 triggers

**Recurrence**
Schedule

**When an item is created**
SharePoint

**When a file is created**
OneDrive for Business

**When a row is added, modified or deleted**
Microsoft Dataverse

**When a task is completed**
Planner

**When an item or a file is modified**
SharePoint

**When a new response is submitted**
Microsoft Forms

**When an item is created or modified**
SharePoint

**When a new channel message is added**
Microsoft Teams

**When a new email arrives (V3)**
Office 365 Outlook

**When a file is created (properties only)**
SharePoint

Next

Cancel

Figure: Add trigger.

Add trigger

Manage how your agent responds to user input and external events. This is a billable feature and will consume messages. [Learn more.](#)

When a new email arrives (V3)

Trigger your agent with certain message upon event: When a new email arrives (V3).

Trigger name

When a new email arrives (V3)

Sign in *

This trigger uses the following apps. A green check means you're ready to go.



Microsoft Copilot Studio

Microsoft Copilot Studio...



Office 365 Outlook
Permissions

Office 365 Outlook Cre9...



Next

Cancel

Figure: Image 20.

[!TIP] You can rename your trigger to be relevant to the business requirement

Step 23: Configure Trigger as mentioned below -

Step 1: **Folder= Inbox**

Step 2: **Subject=Northwind Order**

Step 3: **Additional Instructions to Agent when Invoked by this trigger=**
Use Content from @triggerBody() - This is by default added to your trigger configuration

Now, Select **Create trigger** button to create the trigger for autonomous agent.

Add trigger

Manage how your agent responds to user input and external events. This is a billable feature and will consume messages. [Learn more.](#)

When a new email arrives (V3)

Trigger your agent with certain message upon event: When a new email arrives (V3).

Folder

Inbox

To (Optional)

Recipient email addresses separated by semicolons (If any match, the trigger will run).

CC (Optional)

CC recipient email addresses separated by semicolons (If any match, the trigger will run).

To or CC (Optional)

To or CC recipient email addresses separated by semicolons (If any match, the trigger wi...

From (Optional)

Sender email addresses separated by semicolons (If any match, the trigger will run).

Include Attachments (Optional)

Should the response of the trigger include the attachments content.

Subject Filter (Optional)

Northwind

Importance (Optional)

Select an item

Only with Attachments (Optional)

If set to true, only emails with an attachment will be retrieved. Emails without any attachments wil

Additional instructions to the agent when it's invoked by this trigger

Use content from  Body x

< Back


Create trigger

Cancel

Figure: configure trigger.

Step 24: Select the agent model

Under **Select your agent's model**, change the model to **GPT-5 Chat**.



Northwind Product Management Agent

Overview Knowledge Tools Agents Topics Activity Evaluation Analytics Channels

Details Edit

Name
Northwind Product Management Agent

Description
Use the Invoke Data Entry tool to create a product record with the extracted information


Select your agent's model
Your agent will primarily use the model for reasoning and responding. Experimental models are subject to [preview terms](#). [Learn more](#)

GPT-5 Chat

Figure: change GPT model.

Step 25: Add instructions to the agent

Below Select the Agent Model, navigate to **Add instructions**. In the instructions section, click **Edit**, include the instructions below, and click **Save**.



Instructions Edit

Describe what you want this agent to do, its tone, and rules.


Figure: Add Instructions.

Add Instructions

1. When an email arrives: Determine if it contains product-related information (either in the email body or attachments).
2. Use the `invoke_data_entry` tool to create a product (`nwind_products`) record with the extracted information in the following columns:

`nwind_description` `nwind_discontinued` `entityimageid` `importsequencenumber` `nwind_listprice` `nwind_minimumreorderquantity` `entityimage` `nwind_productsid` `nwind_productcode` `nwind_productname` `nwind_quantityperunit` `nwind_reorderlevel` `nwind_sampledataoriginalid` `nwind_standardcost` `statuscode` `statecode` `nwind_targetlevel` `timezoneruleversionnumber` `utconversiontimezonecode` `versionnumber` `owningbusinessunit`

3. If information is missing, still create the record with available data - leave unknown fields empty



The screenshot shows a dialog box titled "Instructions" with a "Cancel" button and a "Save" button (highlighted with a red rectangle). Below the title bar, there are two undo/redo icons and a "+ Add" button. The main content area contains three numbered instructions:

1. When an email arrives: Determine if it contains product-related information (either in the email body or attachments).
2. Use the `invoke_data_entry` tool to create a product (`nwind_products`) record with the extracted information in the following columns:
`nwind_description` `nwind_discontinued` `entityimageid` `importsequencenumber` `nwind_listprice` `nwind_minimumreorderquantity` `entityimage` `nwind_productsid` `nwind_productcode` `nwind_productname` `nwind_quantityperunit` `nwind_reorderlevel` `nwind_sampledataoriginalid` `nwind_standardcost` `statuscode` `statecode` `nwind_targetlevel` `timezoneruleversionnumber` `utcconversiontimezonecode` `versionnumber` `owningbusinessunit`
3. If information is missing, still create the record with available data - leave unknown fields empty

At the bottom right of the dialog, the text "757/8000" is visible.

Figure: The image displays a text snippet from a data entry form for an email system, with fields for product information and instructions on how to input data into a product record.

Step 26: Finally, publish the agent as illustrated below




Figure: Publish Agent.

Publish Agent

Module 2: Set up Agent Feed

Step 27: Now we will Add our agent created in Step 1 to the Agent Feed. Go to <https://make.preview.powerapps.com/> . Navigate to Northwind Traders solution and then Edit the Admin Management App




Figure: Edit Admin Mgt App.

Step 28: After the app opens in the edit mode, Select Agent icon (4th icon) tooltip shows “**Agents**” from Left hand navigation menu




Figure: Select agent.

Step 29: Add the product management agent to Agent Feed

Within the In your Environment section, locate Northwind Product Management Agent. Select the agent, click **...**, and select **Add to feed**.




Figure: The image depicts the Contoso Electronics dashboard in Power Apps, showcasing various management features such as agents, orders, inventory, suppliers, and customers.

Step 30: Verify the agent appears in Agent Feed

Once added to your feed, you will see the agent under **In your feed**.

The screenshot displays the 'Agents' configuration page in Power Apps. The top navigation bar includes 'Back', 'Add page', 'Settings', and a menu icon. The left sidebar contains icons for a document, calendar, connections, and the current 'Agents' section. The main content area is titled 'Agents' and includes a search bar and a 'Create agent' button. Below these are four expandable sections: 'Agent assistance', 'Agent feed', 'In your feed', and 'In your environment'. The 'In your feed' section is currently expanded, showing a list of agents. The first agent, 'Northwind Product Management', is highlighted with a red rectangular box. This agent is described as 'Using Power Apps MCP Server'. To the right of the main content area is a sidebar for 'Power Apps' with a list of application components: Order Details, Orders, Order Product Catalog, Inventory Transactions, Employees, Suppliers, Shippers, Purchase Orders, Customers, Purchase Order Details, Invoices, and Order Products.

← Back | + Add page | ⚙ Settings | ...

Agents

Configure AI experiences in your app.
These experiences are in preview.

Search

+ Create agent

- Agent assistance ⓘ
- Agent feed ⓘ
- In your feed ⓘ
- In your environment

Northwind Product Management
Using Power Apps MCP Server

Power Apps | Admin

- Order Details
- Orders
- Order Product Catalog
- Inventory Transactions
- Employees
- Suppliers
- Shippers
- Purchase Orders
- Customers
- Purchase Order Details
- Invoices
- Order Products

Figure: The image displays a user interface with a message indicating that an agent has been successfully upgraded to use the Enhanced Agent Feed within the MCP Server.

Step 31: Publish and Play Admin Management App



Figure: - Publish App and Play.

Step 32: Now, lets Verify Agent Feed Set up. Play the Admin Management App and Click on **Agent Feed**




Figure: Order Detail Status.



Agent feed



Order Details



Orders



Order Product Cate...



Inventory Transactio...



Employees



Suppliers



Shippers



Purchase Orders



Customers



Purchase Order Det...



Invoices



Order Products

Agent feed



Needs attention

Completed



Great job! You're all caught up



Nothing needs your attention right now. Check back later for new tasks from agents.

[View completed items](#)

Figure: Agent feed option.

Module 3: Test the agent

Step 33: Send New **Email** to the User You Logged in to [Office 365 outlook](#) - with the details below and send this email to your logged in demo account

Subject : Northwind Order - New Products

Enter the following content:

Please find below the details of our latest new products for Northwind Traders.

Supplier Details

Supplier: Exotic Liquids

Contact: Charlotte Cooper

Address: 49 Gilbert St, London, UK

Product	** Category **	** Unit Price**
Chai	Beverages	\$18.00
Chang	Beverages	\$19.00
Aniseed Syrup	Condiments	\$10.00

Please review the products and confirm you have added them. Let us know if you need any additional information from our side.

Thank you for your continued partnership.

Step 34: Once the email is sent, lets verify the Agent Activity. Go to **Northwind Product Management Agent** and click on **** Activity tab **** to monitor `invoke_data_entry`

 Northwind Product M...



Overview

Activity

+7

Published 2/26/2026

Publish

Settings

...

 Test

Last refreshed 46 sec. ago

Find run by ID

Name	Channels	Date ↓	Steps/Turns	Last step	Status
 Automated		02/26/26, 02:07 PM	1	 invoke_data_entry	 Complete

Figure: Image 33.

Step 35: Next, Monitor Agent feed in Power App. Play the Admin Management App and **Refresh** Agent feed to reload Agent feed of **3 Products** submitted in email (Chai, Chang, Aniseed Syrup)




Figure: Refresh agent.




Figure: verify Needs attention feed.

Step 36: Select “ Review new order Product for “ and click on “Accept and complete”. Repeat the same for all the 3 actions. * * * *

Agent feed

Needs attention **Completed**

Review new Order Product for Aniseed S...
New request identified. Please review the details to complete processing.

- Collected info about the table 'Order Product'
- Parsed email content for key details
- Scanned provided text for relevant data
- Extracted values for 3 columns
- Escalated proposed data for human review

Northwind Product Processing Agent 4 minutes ago

Review new Order Product for Chang
New request identified. Please review the details to complete processing.

Northwind Product Processing Agent 4 minutes ago

AI-generated content may be incorrect. [See terms](#)

Review new Order Product for Aniseed Syrup

Source

Product: Chai
Category: Beverages
Quantity: 100
Unit Price: \$18.00

Product: Chang
Category: Beverages
Quantity: 75
Unit Price: \$19.00

Product: Aniseed Syrup
Category: Condiments
Quantity: 40
Unit Price: \$10.00

Description

List Price

10.00

Minimum Reorder Quantity

Product Code

Product Name

Aniseed Syrup

Accept and complete **Dismiss**

Figure: Accept and complete Product data entry.

Step 37: Click on **Completed Tab in Agent Feed to confirm data has been added to Order Products table**

Agent feed

Needs attention **Completed**

Review new Order Product for Northwin...
Record saved to Order Product table with 8 columns

- Collected info about the table 'Order Product'
- Parsed email content for key details
- Scanned provided text for relevant data
- Extracted values for 3 columns
- Escalated proposed data for human review

Northwind Invoice Data Agent Just now

Review new Order Product for Northwin...
Record saved to Order Product table with 2 columns

Northwind Invoice Data Agent Just now

Review new Order Product for Northwin...
Record saved to Order Product table with 1 column

Northwind Invoice Data Agent Just now

Review new Order Product for Aniseed S...
Record saved to Order Product table with 4 columns

Northwind Invoice Data Agent 2 hours ago

Review new Order Product for Chai
Record saved to Order Product table with 3 columns

Northwind Invoice Data Agent 2 hours ago

Review new Order Product for Chang
Record saved to Order Product table with 3 columns

Northwind Invoice Data Agent 2 hours ago

Order Products

Product Name	Product Code	List Price	Standard Cost	Quantity Per Unit	Discontinued	Minimum Reorder Quantity	Reorder Level	Target Level
Aniseed Syrup		10.00		40	No			
Chai		18.00		100	No			
Chang		19.00		75	No			
Northwind Traders Almonds	NWTFN-74	10.00	7.50	5 kg pkg	No	5	5	20
Northwind Traders Beer	NWTFB-34	14.00	10.50	24 - 12 oz bottles	No	15	15	60
Northwind Traders Biscuits Mix	NWTFBM-19	9.20	6.90	10 boxes x 12 pieces	No	5	5	20
Northwind Traders Brownie Mix	NWTFBM-85	12.49	9.00	3 boxes	No	5	10	20
Northwind Traders Cajun Seasoning	NWTFCO-4	22.00	16.50	48 - 6 oz jars	No	10	10	40
Northwind Traders Cake Mix	NWTFBM-96	15.99	10.50	4 boxes	No	5	10	20
Northwind Traders Chai	NWTFB-1	18.00	13.50	10 boxes x 20 bags	No	10	10	40
Northwind Traders Cherry Pie Filling	NWTFCV-91	2.00	1.00	15.25 OZ	No	10	10	40
Northwind Traders Chicken Soup	NWTFSC-99	1.95	1.00		No		100	200
Northwind Traders Chocolate	NWTFCA-48	12.75	9.56	10 pkgs	No	25	25	100
Northwind Traders Clam Chowder	NWTFSC-41	9.65	7.24	12 - 12 oz cans	No	10	10	40
Northwind Traders Coffee	NWTFB-43	46.00	34.50	16 - 500 g tins	No	25	25	100
Northwind Traders Corn	NWTFCV-93	1.20	1.00	14.5 OZ	No		10	40
Northwind Traders Crab Meat	NWTFM-40	18.40	13.80	24 - 4 oz tins	No	30	30	120
Northwind Traders Curry Sauce	NWTFB-8	40.00	30.00	12 - 12 oz jars	No	10	10	40
Northwind Traders Dried Apples	NWTFDN-51	53.00	39.75	50 - 300 g pkgs.	No	10	10	40
Northwind Traders Dried Peas	NWTFDN-7	30.00	22.50	12 - 1 lb sacks	No	10	10	40

Figure: Data added to Order Products table.

Agent 2: Northwind issue management Agent

****Business use case****

Scenario: The Northwind Traders organization has created a Power Apps solution to manage purchase orders, products, and related business operations. Suppliers are created in the system frequently. When

an international supplier gets created, the Northwind Traders team needs to perform additional action outside the system. This has been a manual process to date. It has happened multiple times that the manual process was not completed, and Northwind Traders were out of compliance risking disciplinary actions.

Simple business solution: Create an autonomous agent that can automatically intercept the creation of international suppliers in the system and ensure the manual process gets executed.

Copilot autonomous agents are AI-powered systems built within Microsoft Copilot Studio that independently reason, plan, and act to complete tasks on behalf of individuals, teams, or entire organizations. These agents go beyond traditional automation by dynamically responding to business signals, such as data changes, system alerts, or scheduled events, without requiring human intervention. Combining autonomous agents with the **Power Apps MCP server** provides a Power Apps-optimized capability to intercept and supervise work from within **Agent Feed**.

Step 1: Modify Northwind traders - supplier table

Add Country_Region to Supplier Form and View

Step 38: In the maker portal (<https://make.preview.powerapps.com/>), change the environment and open the Northwind Traders solution

In the maker portal, change the environment to your early release developer environment. In our example, the environment is called **Intelligent Apps 2**. Your environment will have a different name.



Environment
Intelligent Apps 2









Select environment

Spaces to create, store, and work with data and apps.
[Learn more](#)

Need your own environment? (It's free.)

Create and test apps in your own environment, with full-featured Power Apps development tools, premium connectors, and Dataverse.

Try it now

 Search

 Filter 

 Build apps with Dataverse (3)

Intelligent Apps 1

 Intelligent Apps 2

MOD Dev 2

Figure: Environment picker (your environment name will be different).

Go to the Northwind Traders solution.




Figure: Click on Northwind Traders to open the solution.

Step 39: Edit the **Supplier** table and add the **Country_Region** field to the main form and Active Suppliers view

Expand Tables and select **Supplier table**. Click **Forms** and then click **Information** on the *Main* form type.

Northwind Traders > Tables > Supplier

Table properties

Name	Primary column	Description
Supplier	Company	
Type	Last modified	
Standard	1 day ago	

Schema ⓘ

Columns

Relationships

Data experiences ⓘ

Forms

Views

Figure: Form under Data experiences.

Northwind Traders > Tables > Supplier > Forms ▾

Name ↑ ▾

Form type ▾

Status

Information

⋮

Main

On

Figure: The image displays a section of a software interface, specifically a Northwind Traders database, showcasing an unmanaged form with no active status, and a card without any information.



Step 40: Edit the Main form in a new tab

Northwind Traders > Tables > Supplier > Forms ▾

Name ↑ ▾	Form type ▾	Status ▾	Manage
☒ Information	Main	On	No
☐ Information	Edit Turn off Form settings Advanced Remove	Edit Edit in new tab	No
☐ Information			No

Figure: Edit.

Step 41: Drag Country_Region onto the form

Table columns

Search

Filter

+ New table column

☒ Show only unused table columns

Address

Business Phone

City

Country_Region

Created By

Created By (Delegate)

Created On

E-mail Address

New Supplier

Supplier

General

Related ▾

Display name

Country_Region

Schema name

nwind_Country_Region

Logical name

nwind_country_region

Description

--

Figure: Country_Region in Table Columns.

Figure: After dragging Country_Region onto form.

Step 42: Click **Save and publish** the Main Information form

Figure: Save and publish in top right.

Step 43: Go back to the **Supplier** table, and click **** Views **** and edit the **** Active Suppliers****:




Figure: Views under Data Experiences.




Figure: The image displays a Microsoft Power BI dashboard with a navigable view of suppliers, featuring options to activate or deactivate various supplier views, such as active, inactive, advanced, and associated supplier views.

Step 44: Click **View column** and select **** Country_Region ****:




Figure: Add Country_Region to view.

Step 45: Click **Save and publish the view**




Figure: Save and publish.

Module 2: Create new Copilot Studio agent

Step 46: Inside the Northwind Traders solution expand **Agents** . Select **+ New** -> **** Agent -> Agent****:




Figure: Create new agent.

Step 47: Ensure the environment selected is the one initially selected. This will open a new window within Copilot Studio. Click on **Create an agent**:





Figure: Create Agent.

Step 48: Name the agent as Northwind Issue Management Agent and click on Create



Name your agent ×

Northwind Issue Management Agent

> Agent settings (Optional)

Create Cancel

Figure: The image shows a user interface with a form to name a Northwind Issue Management Agent, with options to create or cancel.

[!NOTE] Once the agent is created, it will get added in the preferred default solution. Go back to Northwind Trader solution, add existing agent and select Northwind Issue Management Agent.




Figure: The image displays a Power Apps interface for adding a new agent to the Northwind Issue Management Agent, with options to select from existing solutions or unlisted agents.

Step 49: Once the agent is ready, enter the below Description and then click **Save**

This agent helps Northwind Traders to request for human assistance if a qualified Issue occurred which the agent cannot resolve itself. One use case includes an international supplier is created. For international suppliers, actions outside of the system need to be completed first before the supplier can be created in the system.

Details

Cancel

Save

Name *

Northwind Issue Management Agent



Change icon

Used to represent the agent. Icon should be in PNG format.

Description ⓘ

This agent helps Northwind Traders to request for human assistance if a qualified Issue occurred which the agent cannot resolve itself. One use case includes an international supplier is created. For international suppliers, actions outside of the system need to be

331/1024

Figure: Northwind Issue Management Agent.

Details

Edit



Name

Northwind Issue Management Agent

Description ⓘ

This agent helps Northwind Traders to request for human assistance if a qualified Issue occurred which the agent cannot resolve itself. One use case includes an international supplier is created. For international supplier, actions outside of the system need to be completed first before the supplier can be created in the system.

330/1024

Figure: Image 54.

Step 50: Add the issue-management instructions

Scroll down and click **Instructions**, click **Edit**, copy and paste the text mentioned below, and click **Save**.

When this agent is triggered by the creation of a supplier with a country other than USA, it should request human assistance. For the request assistance, set the title by prefixing the value of supplier1, space and supplier2 with "Assistance needed:". In the task description, include the first name, last name, company and job title, and the Country value as steps. Also include a navigation link to the Dataverse supplier record.

Instructions

Edit

When this agent is triggered by the creation of a supplier with a country other than USA, it should request human assistance. For the request assistance set the title by prefixing the value of supplier1, space and supplier2 with "Assistance needed: ". In the task description include the first name, last name, company and job title, and the Country value as steps. Also include a navigation link to the Dataverse supplier record.

Figure: Instructions.

Step 51: Scroll down to **Tools** and click **+ Add Tool**

Step 52: Type **Power Apps MCP** into the **Search** bar, click **Enter**, and select **Power Apps MCP Server**

Add tool

×

Let your agent do more. [Learn more](#)

Power Apps MCP

× ▶

All

Connector

Prompt

Flow

REST API

Model Context Protocol

Microsoft Power Apps

[See all](#)



Power Apps MCP Server
Microsoft Power Apps

Figure: Adding Power Apps MCP Server.

Step 53: Select your existing connection or create a new connection. If you are creating a new connection, select Azure AD and then Click **Add and configure**




Figure: Connection dialog.

Step 54: Expand **Additional Details** and change **Credentials to use** to **Maker-provided credentials**

←

Power Apps MCP Server

▼

Enabled ☒

...

Save

21/64

Details

Tools

Resources

Server

 Microsoft Power Apps
Power Apps MCP Server

Connection

 admin@M365x74232022.onmicro...  ▼

Available to

 Northwind Issue Management Agent

▼ Additional details

Ask the end user before running

Recommended for sensitive or regulated domains or when making changes for the user

No ▼

Credentials to use 

Control whether this action uses credentials you provide, or those of the end user.

Maker-provided credentials ▼

Figure: Configure Power Apps MCP server.

Step 55: Scroll down to Tools and observe that all Power Apps MCP tools are enabled. Here we can turn off tools not to be used if desired




Figure: Power Apps MCP Tools.

Step 56: Go to **Overview**, scroll to **Triggers**, and click **+ Add Trigger**




Figure: Set up your agent.

Step 57: Select **When a row is added, modified or deleted**, and click **Next**

Add trigger

×

Manage how your agent responds to user input and external events. This is a billable feature and will consume messages. [Learn more.](#)

All

★ Featured

📖 Library

🔍 Search

11 triggers



Recurrence
Schedule



When an item is created
SharePoint



When a file is created
OneDrive for Business



When a row is added, modified or deleted
Microsoft Dataverse



When a new response is submitted
Microsoft Forms



When an item is created or modified
SharePoint



When a new channel message is added
Microsoft Teams



When a new email arrives (V3)
Office 365 Outlook

Next

Cancel

Figure: Select Dataverse trigger.

Step 58: In the trigger configuration page, update any connections if required and click on Next

Add trigger

Manage how your agent responds to user input and external events. This is a billable feature and will consume messages. [Learn more.](#)

When a row is added, modified or deleted

Trigger your agent with certain message upon event: When a row is added, modified or deleted.

Trigger name

When a row is added, modified or deleted

Sign in *

This trigger uses the following apps. A green check means you're ready to go.



Microsoft Copilot Studio

Microsoft Copilot Studio...

✓

...



Microsoft Dataverse

stabor@thepoweraddict...

✓

...

Next

Cancel

Figure: The image depicts a user interface for adding a trigger in Microsoft Copilot Studio, which activates an agent when a row is added, modified, or deleted in Microsoft Dataverse.

Step 59: Fill in **Change type**, **Table name**, and **Scope**

- Change type: **Add or Modified**
- Table name: **Suppliers**
- Scope: **Organization**
- Keep the default values for all other fields.

Click **Create trigger**.

Page 48 of 82

Add trigger



Manage how your agent responds to user input and external events. This is a billable feature and will consume messages. [Learn more.](#)

When a row is added, modified or deleted

Trigger your agent with certain message upon event: When a row is added, modified or deleted.

* Change type

Added or Modified

* Table name

Suppliers

* Scope

Organization

Select columns

Enter a comma-separated list of column unique names. The flow triggers if any of them are modified

Filter rows

Odata expression to limit rows that can trigger the flow, eg. statecode eq 0

Delay until (Optional)

Enter a time to delay the trigger evaluation, eg. 2020-01-01T10:10:00Z

[Back](#)

Create trigger

Cancel

Figure: Configure trigger.

Step 60: Now you are ready to **Publish** your agent. Click ** Publish**

Step 61: Select **Force newest version** and click ** Publish . You can Close** the pop-up message

Publish this agent

Review and verify your agent's settings, then publish it with the channels you selected.



Review the following before publishing:

2 items ^

Full Access for Editors

Users with Editor permission will have full access to embedded connections used by Flows or Triggers added to this agent.

Your agent includes triggers that use the author's credentials

If the instructions in these triggers share data with other users, those users can use the original author's credentials to access information or complete a task.
[Learn more](#)



Force newest version

Force the newest version for ongoing chats in persistent channels like Microsoft Teams.

This ensures users in Teams receive your latest updates right away — but may disrupt any active conversations currently in progress.

Publish

Cancel

Figure: Agent publishing.

Module 3: Add agent to Agent Feed

Now, you are ready to add your new **Northwind Issue Management Agent** to the Northwind Admin App.

Step 62: Return to <https://make.preview.powerapps.com/> with the correct environment, select and go to **Solutions** > **Northwind Traders**

Step 63: Expand **Apps** and **Edit** the **Amin Management App**:




Figure: Edit the Admin Management App.

Step 64: On the left-hand navigation, click **Agents**




Figure: Agents menu.

Step 65: Add the **Northwind Issue Management Agent** to feed:




Figure: Add agent to agent feed.

Step 66: You should see **both agents** added to your **** agent feed****:




Figure: 2 agents in agent feed.

Step 67: In the top right header, click **Save and Publish**:




Figure: Save and Publish.

Module 4: Test the agent

Now, let's test the Northwind Issue Management Agent. We will create a new supplier record with country = Canada which will trigger the agent and create a task in the Agent Feed for the user to review and complete before the new supplier record will be created.

Step 68: Click the **Ellipsis next to the Admin Management App and click **** Play ****:**




Figure: Play Admin Management App.

Step 69: Once the Admin Management App has opened, click ** Suppliers **** and **+ New**:**




Figure: + New Button.

Step 70: Enter the following values:

- First Name: **Joanne**
- Last Name: **Doe**
- Company: **Oltiva**
- Job Title: **Microchip Manufacturer**
- Country_Region: ****Canada****




Figure: Create a new supplier.

[!TIP] You can use Form Fill assist agent to fill the form.

Step 71: Click the **Ellipsis** and click **** Save & Close****




Figure: The image shows a user interface screen with fields for entering new supplier information, including first and last name, company name, job title, and country region.

Step 72: Go back to <https://copilotstudio.preview.microsoft.com/> to open your Northwind Issue Management Agent

Step 73: Scroll down to **Triggers** and select the When a row is added, modified or deleted trigger. This will open the Power Automate flow which triggers the agent. On the **Overview** screen, check the **Run History** for a **Succeeded** run:

[!NOTE] the flow may get opened in edit mode. Click on the back button to show the flow run details.




Figure: Code view.

A screenshot of the Power Platform 'My flows' page. The left sidebar shows a navigation menu with options like Home, Create, Templates, Learn, My flows (selected), Approvals, Solutions, Automation center, Process mining, AI hub, and More. The main content area displays the details of a flow named 'When a row is added, modified or deleted'. The flow is in 'On' status, created on Feb 26, 2026, at 12:14 PM, and modified at 12:15 PM. The primary owner is 'MOD Administrator'. Below the flow details is a section titled '28-day run history' with a table showing the last run. The table has columns for 'Start', 'Duration', and 'Status'. The last run started on 'Feb 26, 07:25 PM (1 min ago)', lasted '00:00:02', and has a status of 'Succeeded' (highlighted in green).

Start	Duration	Status
Feb 26, 07:25 PM (1 min ago)	00:00:02	Succeeded

Figure: Power Automate Flow Run History.

Step 74: Review the agent activity

Go back to the agent and navigate to **Activity**. Once refreshed, you will see a new activity where one step named **request_assistance** was executed with **In progress** status.

Name	Channels	Date ↓	Steps/Turns	Last step	Status
Automated		02/26/26, 07:33 PM	1	request_assistance	In progress

Figure: Image 76.

[!NOTE] : In case the request_assistance step does not trigger the first time, create another new **Supplier** record.

Step 75: The activity remains In Progress until the related task in Agent Feed is completed

Step 76: Refresh the app and review the assistance task

Go back to the **Admin Management App** and refresh the app. A new task will appear under Agent Feed with the title **Assistance needed: Joanne Doe**.

Power Apps Admin Management App	
Agent feed	Agent feed
Order Details	Needs attention Completed
Orders	Assistance needed: Joanne Doe
Order Product Ca...	The following supplier requires assistance because the country is not USA. Steps: - First...
Inventory Transac...	Northwind Issue Management Agent 6 minutes ago
	Active Supplier
	☐ First Na...
	☐ John
	☐ Ulla
	☐ Jane

Figure: Agent feed with required assistance task.

Step 77: Hover of the task to make the Complete icon visible:




Figure: Complete icon on Agent feed task.

Step 78: Click **Complete**

This moves the task to the **Completed** section under Agent Feed.





Figure: Completed Agent feed task.

Step 79: Navigate back to the Activity view under the Northwind Issues Agent. You will notice after refreshing the view the status will change to Completed



The screenshot shows the 'Northwind Issue Man...' interface with the 'Activity' tab selected. The table below displays the activity details.

Name	Channels	Date ↓	Steps/Turns	Last step	Status
Automated		02/26/26, 07:33 PM	1	request_assistance	Complete

Figure: Completed request_assistance agent activity.

*** Agent 3: Northwind Supplier Management Agent -----

Business use case

Scenario: The Northwind Traders organization has created a Power Apps solution to manage purchase orders, products, and related business operations. Supplier contacts are created manually today when a supplier contact sends an email which is leading to inefficiencies and inconsistencies frequently.

Simple business solution: Create an autonomous agent that can automatically create the supplier contact from an email. The autonomous agent will also create a log entry in the Agent feed to make it fast and easy for a human to review the automatically created suppliers' contacts.

Copilot autonomous agents are AI-powered systems built within Microsoft Copilot Studio that independently reason, plan, and act to complete tasks on behalf of individuals, teams, or entire organizations. These agents go beyond traditional automation by dynamically responding to business signals-such as data changes, system alerts, or scheduled events-without requiring human intervention. Combining autonomous agents with the ** Power Apps MCP server ** provides the Power Apps optimized capability to intercept from within ** Agent Feed**.

Module 1: Create new Copilot Studio agent

Step 80: In the maker portal (<https://make.preview.powerapps.com/>), change the environment and open the Northwind Traders solution

In the maker portal, change the environment to your early release developer environment. In our example, the environment is called **Intelligent Apps 2**. Your environment will have a different name.

 Environment
Intelligent Apps 2



Select environment

Spaces to create, store, and work with data and apps.
[Learn more](#)

Need your own environment? (It's free.)

Create and test apps in your own environment, with full-featured Power Apps development tools, premium connectors, and Dataverse.

[Try it now](#)

 Filter 

 **Build apps with Dataverse (3)**

Intelligent Apps 1

 **Intelligent Apps 2**

MOD Dev 2

Figure: Environment picker (your environment name will be different).

Go to the Northwind Traders solution.




Figure: Click on Northwind Traders to open the solution.

Step 81: Expand **Agents** . Select **+ New** > **Agent** > **Agent**:




Figure: Create new agent.

[!TIP] Ensure the environment selected is the one initially selected. This will open a new window within Copilot Studio:




Figure: Environment Selector.

Step 82: Scroll down to **Create an agent**:




Figure: Create Agent.

Step 83: Name the agent **Northwind Supplier Management Agent** and click **Create**




Figure: Image 83.

Step 84: Once the agent is ready, In the Agent Details section, click on **Edit** and enter the below Description and Click **Save**

This agent can automatically create a supplier contact from an email. The autonomous agent will also create a log entry in the Agent feed to make it fast and easy for a human to review the automatically created supplier contacts.

Details



Name
Northwind Supplier Management Agent

Description

This agent can automatically create a supplier contact from an email. The autonomous agent will also create a log entry in the Agent feed to make it fast and easy for a human to review the automatically created suppliers contacts.

230/1024

Edit

Figure: The image shows a user interface detailing a Northwind Supplier Management Agent's functionality for automated creation and logging of supplier contacts.

Step 85: Add the supplier-management instructions

Scroll down and click **Instructions**, click **Edit**, copy and paste the following, and click **Save**.

When an email is received concerned with a supplier this agent must check if the supplier already exists based on the first and last name of the supplier (mwind_suppliers). If the supplier does not yet exist, the agent must create the supplier in the system. When a new supplier is added in the system, this agent must log the details for human review. The review item title should be based on the last name and first name of the supplier and must use the exact prefix "Review new Supplier Contact:". In the review description, write a concise, natural language summary of the booking that includes main fields like First Name, Last Name, Company, and Country_Region, so a reviewer can quickly understand what was processed without opening the record. Ensure the description reads as a short paragraph and accurately reflects the current values from the booking record.

Instructions

Edit

When an email is received concerned with a supplier this agent must check if the supplier already exists based on the first and last name of the supplier (mwind_suppliers). If the supplier does not yet exist, the agent must create the supplier in the system.

When a new supplier is added in the system this agent must log the details for human review. The review item title should be based on the last name and first name of the supplier and must use the exact prefix "Review new Supplier Contact: ". In the review description, write a concise, natural-language summary of the booking that includes main fields like First Name, Last Name, Company, and Country_Region, so a reviewer can quickly understand what was processed without opening the record. Ensure the description reads as a short paragraph and accurately reflects the current values from the booking record.

Figure: Instructions.

Step 86: Scroll down to **Tools** and click **+ Add Tool**

Step 87: Type **Power Apps MCP** into the **Search** bar, click **Enter**, and select **Power Apps MCP Server**

Add tool

Let your agent do more. [Learn more](#)

Power Apps MCP



Connector

Prompt

Flow

REST API

Model Context Protocol

Microsoft Power Apps

[See all](#)



Power Apps MCP Server
Microsoft Power Apps

Figure: Adding Power Apps MCP Server.

Step 88: Select your existing connection or create a new connection. If you are creating a new connection, select Azure AD. Click **Add and Configure** button




Figure: Connection dialog.

Step 89: Expand **Additional Details** and change **Credentials to use** to **Maker-provided credentials**

← **Power Apps MCP Server** ▾ Enabled ☒ ... **Save**

21/64

Details

Tools

Resources

Server

Microsoft Power Apps
Power Apps MCP Server

Connection

admin@M365x74232022.onmicro... ▾

Available to

Northwind Issue Management Agent

▾ **Additional details**

Ask the end user before running
Recommended for sensitive or regulated domains or when making changes for the user

No ▾

Credentials to use

Control whether this action uses credentials you provide, or those of the end user.

Maker-provided credentials ▾

Figure: Configure Power Apps MCP server.

Step 90: In **Tools**, click **+ Add Tool** to add a second MCP server

Step 91: Type **Dataverse MCP** into the **Search** bar, click **Enter**, and select **Dataverse MCP Server**

[!NOTE] A deprecated version of the Dataverse MCP Server is also available. Be sure to select the current version, which typically appears as the first result in the search list.

Add tool

Let your agent do more. [Learn more](#)

🔍 Dataverse

All

🔗 Connector

📄 Prompt

🔄 Flow

</> REST API

🔗 Model Context Protocol

Connector action
Provides Remote MCP Server access to Dataverse



Microsoft Dataverse MCP Se...
Microsoft Dataverse



Dataverse MCP Server (Depr...
Microsoft Dataverse



Microsoft Dataverse MCP Se...
Microsoft Dataverse

Figure: Adding Dataverse MCP Server.

Step 92: Select your existing connection or create a new connection

If you are creating a new connection, select **OAuth** and then click **Add and Configure**.



Microsoft Dataverse MCP Server

Provides Remote MCP Server access to Dataverse

[Connector documentation](#)

Connection admin@M365x74232022.onmicrosoft.com

Add and configure

Figure: Connection dialog.

Step 93: Expand **Additional Details** and change **Credentials to use** to **Maker-provided credentials**

Once done, click **Save**.

Server

Microsoft Dataverse
Microsoft Dataverse MCP Server

Connection

admin@M365x74232022.onmicro... ✓

Available to

Northwind Supplier Management Agent

▼ **Additional details**

Ask the end user before running
Recommended for sensitive or regulated domains or when making changes for the user

No

Credentials to use ⚠️
Control whether this action uses credentials you provide, or those of the end user.

Maker-provided credentials

Figure: Configure Dataverse MCP server.

Northwind Supplier Management Agent Overview Knowledge Tools Agents Topics Activity Evaluation +2

← Microsoft Dataverse MCP Server Enabled ☒ Save

Details

Inputs

Tools

Resources

Credentials to use ⚠️
Control whether this action uses credentials you provide, or those of the end user.

Maker-provided credentials

Inputs

+ Add input

Figure: The image depicts the Microsoft Dataverse MCP Server configuration page in the Northwind Supplier Management Agent, where a user is presented with an option to input credentials.

Step 94: Go to **Overview**, scroll to **Triggers**, and click **+ Add Trigger**




Figure: Add trigger.

Step 95: Select **When a new email arrives (V3)** and click **Next**




Figure: Add Email trigger.

Step 96: Configure the trigger name

Click **Next** again on the **Add trigger** screen. Set the Trigger Name to **When an email is received from a supplier** and then click **Next**.

×

[Learn more.](#)

Trigger your agent with certain message upon event: When a new email arrives (V3).

When an email is received from a supplier

This trigger uses the following apps. A green check means you're ready to go.



Microsoft Copilot Studio...



Office 365 Outlook Nort...



Figure: The image shows an interface in Microsoft Copilot Studio with a trigger set up to respond to new emails from a supplier.

Step 97: Configure the trigger by selecting Folder = Inbox and click Create trigger

Add trigger

Manage how your agent responds to user input and external events. This is a billable feature and will consume messages. [Learn more.](#)

When a new email arrives (V3)

Trigger your agent with certain message upon event: When a new email arrives (V3).

Folder

Inbox

To (Optional)

Recipient email addresses separated by

CC (Optional)

CC recipient email addresses separated by

To or CC (Optional)

To or CC recipient email addresses separated by

From (Optional)

Sender email addresses separated by

Include Attachments (Optional)

Should the response of the trigger include the attachments?

Subject Filter (Optional)

String to look for in the subject line.

Importance (Optional)

Select an item

Only with Attachments (Optional)

If set to true, only emails with an attachment will be retrieved. Emails without any attachments will be ignored.

Additional instructions to the agent when it's invoked by this trigger

Use content from Body x

< Back

Create trigger

Cancel

Figure: The image illustrates an Office 365 Outlook interface with a section dedicated to setting up an email trigger, allowing users to specify conditions like new emails, attachments, and subject filters to automate responses.

Add trigger



Manage how your agent responds to user input and external events. This is a billable feature and will consume messages. [Learn more.](#)

When a new email arrives (V3)

Trigger your agent with certain message upon event: When a new email arrives (V3).

Folder

Inbox



To (Optional)

Recipient email addresses separated by semicolons (If any match, the trigger will run).

CC (Optional)

CC recipient email addresses separated by semicolons (If any match, the trigger will r...

To or CC (Optional)

To or CC recipient email addresses separated by semicolons (If any match, the trigger...

From (Optional)

Sender email addresses separated by semicolons (If any match, the trigger will run).

Include Attachments (Optional)

Should the response of the trigger include the attachments content.



< Back

Create trigger

Cancel

Figure: Configure trigger with Inbox.

Step 98: Publish the agent

You are now ready to **Publish** your agent. Click **Publish**.

Step 99: Select **Force newest version** and click **Publish**

You can **Close** the pop-up message afterward.

Publish this agent

Review and verify your agent's settings, then publish it with the channels you selected.



Review the following before publishing:

2 items ^

Full Access for Editors

Users with Editor permission will have full access to embedded connections used by Flows or Triggers added to this agent.

Your agent includes triggers that use the author's credentials

If the instructions in these triggers share data with other users, those users can use the original author's credentials to access information or complete a task.

[Learn more](#)



Force newest version

Force the newest version for ongoing chats in persistent channels like Microsoft Teams.

This ensures users in Teams receive your latest updates right away — but may disrupt any active conversations currently in progress.

Publish

Cancel

Figure: Agent publishing.

Module 2: Add agent to Agent Feed

Now, you are ready to add your new **Northwind Supplier Management Agent** to the Northwind Admin App.

Step 100: Return to <https://make.preview.powerapps.com/> with the correct environment and go to **Solutions > Northwind Traders**

Step 101: Expand **Apps** and **Edit the Admin Management App**




Figure: Edit the Admin Management App.

Step 102: On the left-hand navigation, click **Agents**




Figure: Agents menu.

Step 103: Add the Northwind Supplier Management Agent to feed:




Figure: Image 96.

Step 104: Verify that **3 agents** are added to your **agent feed**




Figure: 2 agents in agent feed.

Step 105: In the top right header, click **Save and Publish:**




Figure: Save and Publish.

Step 106: Once publishing is completed, click **Back**

Module 3: Test the agent

Now, let's test the Northwind Supplier Management Agent. We will have a supplier email and the email will trigger to check if the supplier contact already exists. If not, the agent will create the supplier contact in Dataverse. Once created, the agent will log an activity for review by a human in the agent feed.

Step 107: Click the **Ellipsis** next to the Admin Management App and click **Play the app**




Figure: Play Admin Management App.

Step 108: Send an email to your users Inbox:

Subject: Supplier Communication

Body: Hello Contoso,

I am your supplier. This is a reminder to pay your invoice.

Best regards,

Anna Doe

Step 109: Go back to <https://copilotstudio.preview.microsoft.com/> to open your Northwind Supplier Management Agent

Step 110: Scroll down to **Triggers** and click on the existing triggers. This will open the Power Automate flows which trigger the agent

[!NOTE] The Power Automate flow may open in the edit mode. Click on the Back button to see the flow details.




Figure: Add trigger.

On the **Overview** screen for each flow, check the **Run History** for a **Succeeded** run:

Flows > When an email is received from a supplier

Details [Edit](#)

Flow
When an email is received from a supplier

Description
Trigger your agent with certain message upon event: When a new email arrives (V3).

Primary owner
Sarah Tabor

Status
On

Created
Apr 6, 2026, 01:56 PM

Modified
Apr 6, 2026, 01:56 PM

Type
Automated

Plan
This flow runs on owner's plan

28-day run history ⓘ [Edit columns](#) [All runs](#)

Figure: Power Automate Flow Run History.

Step 111: Review the supplier-management agent activity

Go back to the agent and navigate to **Activity**. Once refreshed, you will see a new activity where 6-7 steps were executed and the last step, **Power Apps MCP Server**, is in **Completed** status.

Northwind Supplier M... Overview **Activity** +7 Published 2/27/2026 [Publish](#) [Settings](#) ...

Last refreshed now Find run by ID

Name	Channels	Date ↓	Steps/Turns	Last step	Status
Automated		02/27/26, 06:31 PM	6	Power Apps MCP Server	Complete

Figure: Image 100.

[!NOTE] : In case the agent does not trigger correctly the first time, send another email.

You can also click on the activity to see the entire workflow.




Figure: The image displays a user interface of the Northwind Supplier Management Agent, showcasing various tools and functionalities for managing supplier information, including email notifications, data entry, and human assistance.

Step 112: Refresh the app and review the logged supplier task

Go back to the **Admin Management App** and refresh the app. A new task will appear in Agent Feed with the title **Review new Supplier: Doe Anna**.




Figure: Image 102.

[!NOTE] : In case the task does not show in the Agent feed, clear your browser cache and refresh the application (Ctrl & F5).

Step 113: If the activity in the agent feed is not already completed, mark the activity as Completed as highlighted in the below image




Figure: The image shows an interface with a user interface for managing suppliers, including a section for an employee named Anna Doe, indicating an issue with a new supplier’s country being non-USA and requiring review.

Step 114: Click on Suppliers in the sitemap. This will open the Active Suppliers view. You can see that a new supplier contact has been created:




Figure: New supplier contact from email.

Summary & best practices

- Use maker-provided credentials and the minimum required MCP tools for each agent scenario.
- Keep agent instructions explicit so actions and review items remain deterministic.
- Validate the end-to-end flow in Agent Feed after every trigger or tool change before moving on.

Lab completion

Congratulations! You have completed the Power Apps MCP server agents and Agent Feed lab.

Additional resources

- [Design autonomous agent capabilities - Microsoft Learn](#)
- [Microsoft Copilot Studio - Microsoft Learn](#)
- [Work with Power Apps MCP Server - Power Apps | Microsoft Learn](#)
- [Agent Feed configuration steps - Maker](#)
- [Enhanced Agent feed - End user](#)
- [Power Platform Integration - Microsoft Learn](#)
- [Dataverse Integration - Microsoft Learn](#)