

# View and export logs

A success-rate chart confirms that an app was failing, but not why — a connector timeout, a permissions error, or a change a maker made. The answers are in the runtime event logs. In this lab you go from a metric to the individual events behind it and export them for whoever needs to fix the problem.

## Step 1: Open the Get error logs panel

1. You should still be in the Power Platform admin center from the previous lab. If not, sign in to the [Power Platform admin center](#) using your lab environment administrator credentials. Select **Monitor** > **Logs**, and then select **Get error logs** in the center of the page. The **Get error logs** panel opens.
2. In **Select a product**, choose a product (for example, **Power Apps**).




Figure: Get error logs panel with the product dropdown and app list.

## Step 2: Select a resource and metric

1. In the **Select an app** list — which shows each app with its health metrics at a glance, just like the Monitor product pages — select an app with recent activity, then select **Next**.




Figure: Select an app list in the Get error logs panel.

2. On the **Select the metrics and time range** page of the panel, choose a metric (for example, **App open success rate**) and a **Time range** (for example, **Last 7 days**). Then select **Get error logs**.





Figure: Metrics and time range selection in the Get error logs panel.

## Step 3: Review the logs table

1. After selecting **Get error logs**, wait for the **logs table** to load. A header confirms what you generated — the resource name, the metric, and the generation date — and the entries beneath are the runtime events behind the metric you chose.



Power Platform admin center

Search for settings, pages, and more

Monitor

Overview Alerts Logs Products Power Apps Power Automate Copilot Studio

Logs

Use error logs to look for patterns and anomalies in Power Platform items. Note: logs are only available until you leave the page, so review them thoroughly or download logs to .csv before you get new logs.

+ Get error logs

Dairy Inventory Tracker: App open success rate

Generated on 12/4/2025

Download .csv

| Timestamp              | User ID          | Resource type | Resource sub ... | Attributes                                               | Context                                          |
|------------------------|------------------|---------------|------------------|----------------------------------------------------------|--------------------------------------------------|
| 12/3/2025, 10:30:26 PM | 452197c3-03ca... | PowerApps     | CanvasApp        | ["powerapps.client_state":"healthy","powerapps.payloa... | ["sessionId":"","correlationId":"64ee5242-d0f... |
| 12/3/2025, 10:30:25 PM | 452197c3-03ca... | PowerApps     | CanvasApp        | ["powerapps.client_state":"healthy","powerapps.payloa... | ["sessionId":"","correlationId":"9730fcf-b76f... |
| 12/3/2025, 10:30:24 PM | 452197c3-03ca... | PowerApps     | CanvasApp        | ["powerapps.client_state":"healthy","powerapps.payloa... | ["sessionId":"","correlationId":"a5203703-9d1... |
| 12/3/2025, 10:30:24 PM | 452197c3-03ca... | PowerApps     | CanvasApp        | ["powerapps.client_state":"healthy","powerapps.payloa... | ["sessionId":"","correlationId":"3dcc7068-271... |
| 12/3/2025, 10:30:23 PM | 452197c3-03ca... | PowerApps     | CanvasApp        | ["powerapps.client_state":"healthy","powerapps.payloa... | ["sessionId":"","correlationId":"a00f01fd-79b... |
| 12/3/2025, 10:30:21 PM | 452197c3-03ca... | PowerApps     | CanvasApp        | ["powerapps.client_state":"healthy","powerapps.payloa... | ["sessionId":"","correlationId":"d3baa1aa-e7c... |
| 12/3/2025, 10:30:21 PM | 452197c3-03ca... | PowerApps     | CanvasApp        | ["powerapps.client_state":"healthy","powerapps.payloa... | ["sessionId":"","correlationId":"9b80d8ab-4e...  |
| 12/3/2025, 10:30:20 PM | 452197c3-03ca... | PowerApps     | CanvasApp        | ["powerapps.client_state":"healthy","powerapps.payloa... | ["sessionId":"","correlationId":"b38e1ddf-5c8... |

Figure: Generated logs table.

2. Use the **Search** box above the table and the column sorting to narrow the entries to what you're investigating.  
A healthy lab tenant may have few or no error events — an empty logs table means nothing has failed. On a production tenant (as recommended at the start of the monitoring labs), this table shows the events behind real incidents.

 Two boundaries to know: logs cover up to **seven days** — a week less than the metrics themselves — and generated logs remain available **only until you leave the page**, so review them thoroughly or download them before you get new logs.

## Step 4: Export the logs

Export the logs to share them with the maker who needs the event details or to attach them to a support ticket.

1. Select **Download .csv** above the table to export the generated logs.
2. Save the file, open it on your machine, and confirm that you can see:
  - **Timestamps** and **User IDs** — who encountered the event, and when.
  - **Resource type** and **subtype** — which kind of resource the event came from.
  - **Attributes** — the event's details as JSON, including the client state.

- **Context** — session and correlation IDs, which Microsoft Support asks for when you raise a ticket.

## Additional resources

- [Monitoring overview \(Microsoft Learn\)](#) — What Monitor covers, including the availability and retention of metrics and event logs.

## Next lab

Charts and logs answer questions only after you ask. To be notified when a metric crosses a threshold, continue with [Create a custom alert rule](#).