

Clean up default environment

Your guardrails protect everything built from now on, but they don't touch what is already there. The default environment is still crowded with the apps and flows that accumulated before any of this existed — the original problem leadership asked you to solve. This final lab is the cleanup: you triage what's there and migrate the apps worth keeping into governed, managed environments where they belong.

Think of the default environment as the attic of your tenant: for years, everything with nowhere else to go ended up there — apps, flows, and connectors with no owner and no guardrails. Every one of them is a small, unmanaged risk, and together they're the reason the oversharing incident was possible in the first place. Since you switched on environment routing, nothing new lands there anymore. What remains is deciding, app by app, what happens to the backlog: keep it and move it somewhere governed, quarantine it, or delete it.

There's a payoff beyond risk reduction. Once the clutter is gone, the default environment can finally settle into the narrow role it's best suited for: ad hoc personal productivity with Microsoft 365 products — quick, individual helpers, not a home for anything shared, business-critical, or long-lived. Everything of substance belongs in governed environments.

 Want to restrict the default environment even further? A recommended hardening approach is to enable it as a **Managed Environment** and apply the same kinds of controls you built for the Safe Innovation Zone: very strict sharing limits, and an advanced connector policy configured directly on the environment that allows only the bare minimum of connectors. Because the environment is managed, even connectors that classic DLP could never block can be locked down. You can't remove access to the default environment, but you can make it a place where very little can go wrong. See [Secure the default environment](#) for the full set of recommendations.

 The move-apps recommendation is currently a **preview** feature. During the preview, only canvas apps and SharePoint forms that don't use any shared connectors or resources can be moved — the recommendation only shows the apps and forms that are eligible.

 App sharing is **not** carried over during migration. The app is recreated in the destination environment with its permissions stripped, so after the move you must add the users to the target environment and reshare the app with them. If you leave the original app in place (the **None** option), users can still open it but see a banner indicating that the app has moved.

You have two ways to work through the backlog, and this lab shows both:

- **Manual cleanup** using the Power Platform admin center, which allows you to review, move, or remove apps one by one.
- **Automated cleanup** using Power Automate, which enables bulk processing and migration of apps based on recommendations. See [Reference: Automated cleanup](#) below.


Step 1: Review recommendations

You can't clean up what you can't see, so the first move is reconnaissance. The platform has already done the hard part for you: the admin center's recommendations flag exactly which production-grade apps are sitting in the default environment and are eligible to move. Your job here is to pull up that list, understand it, and get it in front of the people who'll help you act on it.

 The "Improve environment hygiene" recommendation may not appear on new or clean tenants that have no apps in the default environment. If this is the case, you can skip this section.

 To see all recommendations available in the platform, regardless of whether they apply to the current tenant, visit the [Recommendations page URL](#).

1. Sign in to the [Power Platform admin center](#) using your lab environment administrator credentials.
2. In the Power Platform admin center, navigate to **Actions > Recommendations**.
3. Locate the recommendation **Improve environment hygiene by moving the production apps out of the default environment**.



Severity	Recommendation	Affected resources	Last refresh	Category	Resource type
High	Enable Global Secure Access for Agents across all environments to ensure full visibility and control of ag...	14	Today	Security	Environment
High	Manage canvas app access through sharing settings	5	Today	Security	Environment
High	Manage agent access through sharing settings	12	Today	Security	Environment
High	Turn on tenant isolation for all environments in this tenant	1	Today	Security	Tenant setting
High	Enable Customer Lockbox to control Microsoft operator access to your content	1	Today	Security	Tenant setting
High	Improve environment hygiene by moving the production apps out of the default environment PREVIEW	304	Yesterday	Operational efficien...	App
Medium	Maintain tenant hygiene by cleaning up quarantined apps	3	Yesterday	Operational efficien...	App
Medium	Maintain tenant hygiene by cleaning up unused apps	108	Yesterday	Operational efficien...	App

Figure: Recommendations page in the Power Platform admin center.

4. Select the recommendation to view details in the side panel.

The screenshot shows the Power Platform admin center interface. On the left, the 'Recommendations' section is active, displaying a list of recommendations with their severity levels (High, Medium) and descriptions. The right side panel is open, showing details for the recommendation 'Move production apps out of the default environment'. This panel includes a 'Why is this important?' section, a 'What can I do?' section, and a table of affected apps. The table lists app names, types, owners, monthly active users, and last modified dates. Below the table, there are action buttons: 'Move', 'Download as CSV', 'Share in Teams', and 'View Details'. The 'Download as CSV' button is highlighted with a yellow box.

App name	App type	Owner	Monthly active users	Last modified
☐ App_A_164	Canvas	Amy Alberts	0	09/04/2026
☐ App_A_114	Canvas	Amy Alberts	0	09/04/2026
☐ App_A_108	Canvas	Amy Alberts	0	09/04/2026
☐ App_A_241	Canvas	Amy Alberts	0	09/04/2026
☐ App_A_122	Canvas	Amy Alberts	0	09/04/2026
☐ App_A_126	Canvas	Amy Alberts	0	09/04/2026
☐ App_A_239	Canvas	Amy Alberts	0	09/04/2026
☐ App_A_129	Canvas	Amy Alberts	0	09/04/2026
☐ App_A_223	Canvas	Amy Alberts	0	09/04/2026
☐ App A_180	Canvas	Amy Alberts	0	09/04/2026

Figure: Recommendation details in the side panel.

5. Download the list of affected apps using **Download as CSV** for analysis or record-keeping.

This screenshot is identical to the one above, but with the 'Download as CSV' button in the side panel highlighted with a yellow box, indicating the next step in the process.

Figure: Download the app list as CSV.

resourceName	resourceId	recommendationName	resourceOwnerid	resourceType	resourceEnvironment	environmentName	lastModified	appType
resourceName	resourceId	recommendationName	resourceOwnerid	resourceType	resourceEnvironment	environmentName	lastModified	appType
App_A_154	426637fe-6d9d-4346-a3a3-76139ca3d010	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_114	44415276-1541-4a44-a0d1-01bc791087b1	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_108	470c84d1-2165-4014-814f-c356326c5b57	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_241	1921a015-8958-4d9f-8cb1-e439e40c5a7a	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_122	470ab4b0-9c96-44ec-a76d-49861426b6a2	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_126	5677ac18-0f11-45cb-aa3a-76393d9aabb5e	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_239	3f703b1c-a071-46af-b346-4b4643abbb99	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_129	424cc6a3-e551-4c44-a011-df585899402e	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_223	4d6dc7a-85d8-4860-a801-9e38d8025cd	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_180	52d8425-5475-4025-afed-fcbf116e4840	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_157	2f6064d2-5982-45a3-9a49-804263214869	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_137	5a83bdc5-177e-4c50-a3d2-43b0a6b0eb68	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_135	8745b2ae-0b46-4b71-8ad7-5a2f5e4c7146	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_104	5d857699-7c2b-46da-86d5-c57859528688	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_159	89108c90-c861-404a-bca4-365a94781352	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_119	62a87046-309f-413a-9c78-1e1ec8100f5	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_233	70152a44-8618-4d6f-97b6-d1ba0096970c	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_105	612c2565-3872-42a8-6251-f6716c2636a6	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_115	714964b0-864d-42d2-65c5-4bb2a1e4b691	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_234	95b2ca17-dfca-4889-950d-95849a5a9b3b	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_188	72b7262d-e41b-4892-85f7-c7d3a124c	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_161	4cd4824-1947-426e-ba5f-348cd5179f5e	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_130	7f883ba0-f1cc-4289-97ac-a9591168187b	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_191	97f048f7-8922-4481-b0a5-1380d725a3b	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_240	728ca9c4-4702-43d9-9a28-419183a3c407	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_141	a7d444dc-c91e-46dc-bb97-8d20887ec0d9	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_163	7d208372-5a4c-48ba-b1d1-2112b9ba9b8e	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_213	8e111549-cdb0-4cc9-9a82-6246ba58b0c7	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_181	b1f82d76-ea4b-41b7-b33c-24bdc04b9d17	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_141	622c8645-7104-436e-9013-53c0707f6222	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_118	8f658b90-a208-42d2-ba52-78807d25c611	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_228	6a343abf-48ba-4851-8cda-959039246fce	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_229	8d19e95-5b5c-4e03-4a4b-4d472da6567	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_100	b75ae674-33ba-48fb-a81f-9dc5921cacb3	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_162	5862110-295c-47fb-ba9b-6c0ca02d05d5	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_131	96b91a2f-ca67-4aaa-b9ae-9a2893743a9	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_208	as62867-98b6-45fc-b10f-6d92adbdbdbb	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas
App_A_227	8d1d4995-7b8b-4175-8189-318644136fa1	DefaultAppMigrationRecommendationV2	011d209-97ba-4bb0-a79-b640da125457	PowerApp CanvasApp	0	Contoso (Default-S)	2026-04-01	Canvas

Figure: Downloaded app list opened for review.

6. Use **Share in Teams** to share the recommendation with your team and coordinate efforts.

Power Platform admin center

Recommendations

Improve tenant hygiene by taking immediate or automated actions to the recommendations below. Dismiss security recommendations that are no longer relevant.

Severity	Recommendation
High	Enable Global Secure Access for Agents across all environments to ensure full visibility and control of app...
High	Manage canvas app access through sharing settings
High	Manage agent access through sharing settings
High	Turn on tenant isolation for all environments in this tenant
High	Enable Customer Lockbox to control Microsoft operator access to your content
High	Improve environment hygiene by moving the production apps out of the default environment
Medium	Maintain tenant hygiene by cleaning up quarantined apps
Medium	Maintain tenant hygiene by cleaning up unused apps

Share this recommendation

Share to:

Say something about this

Hello, could you please let me know if you still use these apps?

Advisor

Move production apps out of the default environment

These apps are actively used by several users from the default environment. To reduce security risks and performance issues, consider moving these apps to a Managed Environment. With a Managed Environment, you can customize security features, set granular DLP policies, receive alerts and best-practice recommendations to ensure all your resources are performing optimally.

Figure: Sharing recommendations via Microsoft Teams.

Step 2: Move an app to a managed environment

Now the triage becomes action. You pick one app from the list and walk it through the guided migration wizard — out of the ungoverned attic and into a managed environment where your rules apply. Along the way you make the call that matters for every migration: what happens to the original left behind.

1. Back in the recommendation pane, select an app and select **View details**.




Figure: Selecting an app to view details.




Figure: App details panel showing usage and ownership information.

💡 From the details screen, you can open the app itself using the **Go to app** link — provided you have access to it (for example, the app is shared with you directly, or you are a system administrator in that environment). This is a quick way to see what you're about to move.

- Go back from the details page to the recommendation panel — the app list with the **Move**, **Download as CSV**, **Share in Teams**, and **View Details** commands. Select the app you want to move and select **Move**.




Figure: Move button to start the migration wizard.

3. A guided migration wizard opens, named after the app you selected, and walks you through three stages shown on the left: **Environment**, **Messages**, and **Review + approve**. On the **Environment** stage, select the destination environment from the list, and then select **Next**.




Figure: Destination environment selection in the migration wizard.

 The list of available destinations only contains **Managed Environments** — unmanaged environments aren't offered, because the whole point of the move is to bring the app under governance. Remember also that sharing is not preserved — you reshare the app in the destination after the move completes.

4. On the **Messages** stage, indicate who should receive messages about the move. You can remove users who are listed, or add new users by entering a name in the **Send to** box. Select **Next**.
5. On the **Review + approve** stage, review the environment and message recipients you chose. Then, under **Action for source app after migration**, select what happens to the original app in the default environment:
 - **None** — leave as is.
 - **Quarantine** — restrict access to the owner only.
 - **Delete** — permanently remove the app.

Select **Move** to submit the migration.




Figure: Reviewing the move and choosing what happens to the original app.

💡 As an alternative to deleting, select **None** and then modify the original app by adding an initial screen with a hyperlink directing users to the app's new location. Rename the original app to include the suffix "(Moved)" to clearly indicate its status.

6. A success banner appears at the top of the pane: "Request Received — your move request is in progress and may take a while." Select **Close** to dismiss the wizard.




Figure: Move request received confirmation in the wizard.

7. Back in the recommendation panel, the migrated app is greyed out and cannot be selected while the move is in progress. Once the migration completes, a tick appears next to the app, confirming it has been moved to the target environment.




Figure: Migration complete confirmation with a tick next to the app.

Reference: Automated cleanup (Power Automate)

! This section is a reference lab you can complete in your own time — it isn't part of the guided workshop session. Treat the flow as a working example rather than an absolute recipe: it shows one

way to automate the cleanup, and you're encouraged to expand and adapt it to fit your organization's own approval processes, environments, and cleanup criteria.

Moving one app through a wizard is fine; moving three hundred is not a job for clicking. For cleanups at scale, you can create a Power Automate flow that retrieves the apps flagged by the Advisor recommendation and migrates each one into a **preselected destination environment** — one managed environment that you choose up front. The flow does exactly what the manual wizard did in Step 2, but driven by the recommendation's own data and repeated automatically for every flagged app.

The destination and selection logic are the parts you'd most likely adapt for your organization: as written, the flow consolidates every flagged app into your one designated managed environment, but you could just as easily match each app to its owner's personal developer environment, route different apps to different environments based on ownership or department, or filter the flagged app list against a pre-approved set of app IDs to migrate only a subset.

Flow overview

1. Sign in to [Power Apps](#) with the user credentials of your lab tenant, select an environment from the selector at the top right area of the screen, and then create a new **Instant flow** with a **manual trigger**, and call it:

Move Apps from Default - Bulk




Figure: Manual trigger for the cleanup flow.

💡 To be able to follow along, switch to the Classic workflow designer if the New designer is opened automatically. Select **Switch without saving** if prompted to save the workflow before switching to classic designer.

2. Use the **Power Platform for Admins V2** connector and select the **Get recommendation resources** action. If this is the first time you're using this connector in the environment, you're prompted to

create a connection: select **OAuth Connection** as the authentication type and select **Sign in** (on subsequent uses, your existing connection is picked up automatically). In the action's parameters, select the recommendation: **Secure high-value apps with premium governance**.

 This is the backend/API name for the advisor recommendation you opened in Step 1 ("Improve environment hygiene by moving the production apps out of the default environment").




Figure: Get recommendation resources action with the recommendation selected.

3. Add the **Power Platform for Admins** action (not V2) and select **List environments as admin**. Since this is a different connector, you might be prompted to authenticate again the first time you use it in this environment.




Figure: List environments as admin action.

4. Create a **For each** loop: add a new step, select **Control** from the list of actions, and then select **Apply to each**. Click into the **Select an output from previous steps** field, open **Add dynamic content**, search for `value`, and select **value** from the **Get recommendation resources** group (described as “List of recommendation resources”). This is the set of apps the recommendation flagged for migration, and everything you add inside this loop runs once per app.

⚠ Several actions expose a token named **value** — make sure you pick the one under **Get recommendation resources**, not the ones from **List Environments as Admin** or **Get recommendations**.




Figure: Apply to each loop.

5. Inside the loop, add a **Filter array** action (under **Data Operations**). This action narrows the full list of tenant environments down to the single environment you want the apps moved into — the flow’s designated destination. Click into the **From** field (“Array to filter”), open **Add dynamic content**, search for `value`, and this time select **value** from the **List Environments as Admin** group (described as “Environment value object array”) — the counterpart of the token you picked in the previous step.




Figure: Filter array action with the environments array in the From field.

6. Click into the first **Choose a value** box of the condition row beneath, open **Add dynamic content**, and under the **List Environments as Admin** group select **ID** (described as “Environment ID field”).




Figure: Selecting the ID field for filtering.

7. Keep the operator as **is equal to**, and in the second **Choose a value** box, paste the **Environment ID** of your destination environment — for example, the managed environment you moved an app into during Step 2. To find it, open the [Power Platform admin center](#), select **Manage > Environments**, choose your destination environment, and copy the **Environment ID** from the **Details** section. Only that one environment passes the filter.




Figure: Filter matching the designated destination environment by ID.

8. Still inside the first loop, directly after the **Filter array** action, add another **Control > Apply to each** — the designer names it **Apply to each 2**. Click into its **Select an output from previous steps** field, open **Add dynamic content**, search for **body**, and select **Body** from the **Filter array** group. This second loop iterates over the filter's result — which, with the environment ID filter above, is exactly one environment: your designated destination.

⚠ Watch the look-alikes again: a lowercase **body token also appears under **List Environments as Admin**. Pick the capitalized **Body** under **Filter array** — the filtered list, not the unfiltered one.**




Figure: Second Apply to each using filtered results.

9. Inside the second loop, add a **Compose** action (under **Data Operations**) to store the environment ID for each app being processed. Click into its **Inputs** field, open **Add dynamic content**, and select **ID** from the **Filter array** group.




Figure: Compose action with the environment ID from Filter array as input.

10. Inside the second loop, directly after the **Compose** action, add the **Execute recommendation** action from the **Power Platform for Admins V2** connector (searching for **exec** in the action list finds it quickly). This is the action that performs the actual migration, once per app. Configure the card as follows (if the **Body** fields aren't visible, select **Show advanced options**):

- **Recommendation Name:** Secure high-value apps with premium governance
- **Action Name:** Migrates an application to a Managed Environment
- **Api-version:** 2024-10-01
- **Body App Id - 1:** open **Add dynamic content**, search for **Resource ID**, and select **Resource ID** ("The resource unique ID") from the **Get recommendation resources** group.
- **Body Environment - 1:** select **Environment ID** ("The environment unique ID") — again from the **Get recommendation resources** group, not the similarly named tokens under **List Environments as Admin**.
- **Body Destination environment - 1:** select **Outputs** from the **Compose** group — the destination environment ID you stored in the previous step.

The remaining fields — **Body Contacts - 1** (who to notify of the migration) and **Body Finalize Action - 1** (what happens to the source app after it's migrated, such as quarantine) — are optional and can be left empty for this reference flow. The completed card should look like this:




Figure: Fully configured Execute recommendation action card.
Here is the full flow from trigger to execution:




Figure: Complete automated cleanup flow overview.

11. Select **Save** in the command bar, and then select **Test > Manually > Test** to run the flow and verify it executes successfully.
12. After testing, review the flow run history to confirm that apps were processed as expected.

🎉 Congratulations! You completed Module 1. You walked in with an ungoverned default environment and a fresh oversharing incident, and you walked out with a Safe Innovation Zone: makers routed into governed environments, rules that hold under pressure, a standardized path to

production, and the original mess cleared out. The guardrails are built — but building them is only half the job. In Module 2, you gain the visibility to confirm they're working and to catch whatever slips through.

Further reading

- [Environment groups](#)
- [Environment routing](#)
- [Advanced connector policies](#)
- [Move apps from the default environment](#)
- [Power Platform Pipelines](#)