

Generative Pages in Power Platform

Level	100 - 200
Persona	All Makers
Estimated duration	75 minutes
Author / team	Power CAT
Last updated	2026-03-16
Version	[v4]

Contents

Power CAT | The Intelligent Enterprise | Power Platform1

Lab Overview2

Core concepts2

Documentation & learning resources.....2

Prerequisites3

Lab Steps3

 Learn how to Create Modern Generative Pages.....3

 Additional Tips to work with App Agent and Gen Pages.....22

 Optional Lesson 1 – Integrate Gen Pages with Canvas Apps24

 Optional Lesson 2 - Integrate Gen Pages with Power Automate Flows30

Lab Overview

This lab demonstrates how Generative Pages (App Agent) in Power Platform enables makers and developers to rapidly design and evolve applications using natural language. You will build a modern business app using AI-assisted page generation, iterative UX refinement, and automated logic, backed by Dataverse for secure and scalable data storage.

Throughout the lab, you will use prompts to generate and refine model-driven app pages, understand how prompt intent shapes UX and functionality, and integrate Generative Pages with Canvas Apps and Power Automate to deliver an end-to-end solution. The lab also covers best practices for prompt design, governance, and extensibility to ensure production-ready apps with built-in security, RBAC, and enterprise scale.

Core concepts

Gen Pages bring together:

- **AI-powered modernization** for replacing classic model-driven forms and views with rich, interactive pages generated from natural language
- **Dataverse** as the native data backbone, with automatic binding to tables, columns, and relationships
- **Managed Platform** for governed deployment across environments with full ALM support

Concept	Why it matters
AI-powered modernization	Gen Pages replaces classic model-driven forms and views with rich, modern experiences — generated from natural language prompts. It reduces design effort while elevating the end-user experience.
Dataverse data binding	Pages connect directly to Dataverse tables, columns, and relationships — ensuring data consistency, security trimming, and real-time sync without manual configuration.
ALM / Solution awareness	Gen Pages are solution-aware by default. Every page is packaged within a Dataverse Solution, enabling confident promotion across dev, test, and production environments.

Documentation & learning resources

[Overview of Generative Pages](#)

[FAQ about Generative Pages in Model Driven applications](#)

Prerequisites

[Generative Pages - Prerequisites](#)


Before starting this lab, ensure:

1. You have access to **Power Apps**.
2. You can create apps in a **Power Platform environment** (Dev/Sandbox preferred).
3. You have imported Northwind Traders solution in your environment
4. You are signed in with a user that has:
 - Maker permissions
 - Dataverse access (default environment is acceptable for lab)


Lab Steps

copLearn how to Create Modern Generative Pages


1. Navigate to make.powerapps.com and select your Power Platform development environment. Next, go to solutions and select pre-installed Northwind Traders solution –




2. Create a new Model Driven app called Order Hub Demo.




3. Once the app is loaded, Select Pages icon (1st tab on the left Panel), click on New and select Add Dataverse table tab.




4. Add 3 existing tables from Northwind Traders solution – Order, Order Details and Order Product tables. Click on Add.



5. Now we are going to **use App agent to build our first Generative Page**. Select the Page icon, click on +New and select Describe a Page



6. Review the App agent experience, including suggested prompts and controls




1. **Sample Prompts Gallery** – Pre-built prompt suggestions to help you get started quickly with common page patterns like galleries, directories, and checklists.
2. **Prompt Box** – Describe the page you want to build in natural language. The app agent interprets your intent and generates the page accordingly.
3. **Attach Images** – Upload screenshots or wireframes to give the app agent a visual reference for the layout and UX you have in mind.
4. **Add Table** – Connect an existing Dataverse table so the app agent grounds the generated page in your real data model.
5. **Submit** – Sends your prompt to the app agent to kick off page generation.


7. Enter the following prompt to help generate the Order Details page. Make sure to add Order, Order Details and Order Product tables before submitting the prompt.

PROMPT:

I want a modern looking page for Orders. Users should be able to View Orders and its related data. When I select an Order, the record should expand and show me the related order details and the product associated with that Order.



💡 **Note:** Make sure to add your Dataverse tables along with the instructions. Add all the 3 tables to your prompt



The page should display an orders gallery, and expanding an item should reveal key order details.


Orders					
	Order #	Ship Name	City	Order Date	Status
^	0905	Jarrod Chew	Washington	1/12/2026	Closed
Order Details					
	Product	Quantity	Unit Price		
	Northwind Traders Chocolate	10	12.75		
v	0927	Mollie Cole	Cupertino	1/11/2026	Closed
v	0914	Brian Barto	Redmond	1/8/2026	New
v	0919	Isabella Toscani	New York	1/4/2026	Shipped
v	0924	Mia Storey	Washington	12/29/2025	Closed
v	0906	Jayson Mattos	Cupertino	12/27/2025	Closed

💡 **Important Callout** – App agent can understand and interpret the same prompt differently. Therefore, code and UI/UX generated by the agent can defer for each page. You will be required to work with the agent to modify the UX as desired.


The prompts given in this lab are based on the UX created by the agent at the time of lab creation. Not all prompts may be relevant in individual cases.

TIP: Keep prompts high-level. Gen Pages is designed for iterative refinement

8. Review the steps the App agent took. In the left conversation pane, expand **Agent Thoughts** and **Summary** to see how it interpreted your request, captured requirements, made assumptions, and generated the code.



9. Click on `</>` Code section to see the react code that was implemented to render this UX.



The screenshot shows a code editor with a 'Preview' and 'Code' tab. The 'Code' tab is active, displaying a React component. The code imports various components from 'react' and '@fluentui/react-components' and '@fluentui/react-icons'. It defines a 'GeneratedComponent' using 'React.FC' and implements a 'useEffect' hook to fetch data from an API. The component uses 'DataGrid' and 'Table' components to render a table of data.

```
1 import React, { useEffect, useState } from 'react';
2 import {
3   DataGrid,
4   DataGridHeader,
5   DataGridBody,
6   DataGridRow,
7   DataGridCell,
8   DataGridHeaderCell,
9   TableCellLayout,
10  createTableColumn,
11  Text,
12  Button
13 } from '@fluentui/react-components';
14 import { ChevronDownRegular, ChevronUpRegular } from '@fluentui/react-icons';
15 import type {
16   GeneratedComponentProps,
17   ReadableTableRow,
18   nwind_orders,
19   nwind_orderdetails,
20   nwind_products,
21   QueryTableOptions
22 } from './RuntimeTypes';
23
24 const GeneratedComponent: React.FC<GeneratedComponentProps> = ({ dataApi }) => {
25   const [orders, setOrders] = useState<ReadableTableRow<nwind_orders>[]>([]);
26   const [expandedOrderId, setExpandedOrderId] = useState<string | null>(null);
27   const [orderDetailsMap, setOrderDetailsMap] = useState<Record<string, Array<{ detail: ReadableTableRow<nwind_orderdetails>; productName: string }>>>({});
28
29   useEffect(() => {
30     const fetchOrders = async () => {
31       const query: QueryTableOptions<nwind_orders> = {
32         select: ['nwind_ordersid', 'nwind_ordernumber', 'nwind_orderdate', 'nwind_shipname'],
33         pageSize: 20,
34       };
35     };
36   });
37
38   return (
39     <DataGrid>
40       <DataGridHeader>
41         <DataGridRow>
42           <DataGridHeaderCell>Order ID</DataGridHeaderCell>
43           <DataGridHeaderCell>Order Number</DataGridHeaderCell>
44           <DataGridHeaderCell>Order Date</DataGridHeaderCell>
45           <DataGridHeaderCell>Ship Name</DataGridHeaderCell>
46         </DataGridRow>
47       </DataGridHeader>
48       <DataGridBody>
49         <DataGridRow>
50           <DataGridCell>{orders[0].nwind_ordersid}</DataGridCell>
51           <DataGridCell>{orders[0].nwind_ordernumber}</DataGridCell>
52           <DataGridCell>{orders[0].nwind_orderdate}</DataGridCell>
53           <DataGridCell>{orders[0].nwind_shipname}</DataGridCell>
54         </DataGridRow>
55       </DataGridBody>
56     </DataGrid>
57   );
58 }
```

10. Now, let's enhance our Generative Page UX to add more functionality and styling. Give the below prompt to the agent (left side chat box) –

PROMPT:

Apply a modern, visually expressive style suitable for a model-driven app page, while preserving clarity and accessibility.

Use brighter, saturated colors for page headers and section titles (e.g. blue, purple, teal, or magenta), and lighter tints of those colors for section backgrounds or highlights.

Keep body content on neutral or softly tinted surfaces to maintain contrast and readability.

Introduce subtle animations for hover, focus, and state changes (short, smooth transitions only; no continuous motion).

Maintain clear contrast ratios for all text and interactive elements, and always preserve visible focus indicators.

Use color to guide attention, not to decorate every element.

Avoid heavy shadows, aggressive gradients, or layout overrides that conflict with the platform.

💡 **Note:** This prompt is to add some design and styling guidelines. Use such prompt template to share your company design guidelines.

Orders					
	Order #	Ship Name	City	Order Date	Status
▼	0905	Jarrold Chew	Washington	1/12/2026	Closed
^	0927	Mollie Cole	Cupertino	1/11/2026	Closed
Order Details					
Product		Quantity	Unit Price		
Northwind Traders Curry Sauce		3	40		
Northwind Traders Syrup		50	10		

11. Give another prompt to further highlight records (conditional formatting)

PROMPT:


Highlight the records where shipping fee is > 50\$.

Orders						
	Order #	Ship Name	City	Order Date	Status	Shipping Fee
▼	0905	Jarrold Chew	Washington	1/12/2026	Closed	\$7.00
▼	0927	Mollie Cole	Cupertino	1/11/2026	Closed	\$7.00
▼	0914	Brian Barto	Redmond	1/8/2026	New	\$0.00
▼	0919	Isabella Toscani	New York	1/4/2026	Shipped	\$5.00
▼	0924	Mia Storey	Washington	12/29/2025	Closed	\$50.00
▼	0906	Jayson Mattos	Cupertino	12/27/2025	Closed	\$7.00
▼	0922	Bianca Pagnotto	Los Angeles	12/26/2025	Shipped	\$0.00
▼	0920	Giulia Iadanza	Menlo Park	12/25/2025	New	\$60.00
▼	0932	Stan Johnson	Washington	12/19/2025	New	\$0.00
▼	0935	Lorenzo Ford	New York	12/16/2025	Shipped	\$100.00
▼	0904	Winston Stitt	New York	12/15/2025	Closed	\$4.00


12. Let's add a prompt to improve the Order details Panel which was initially generated by the agent.


PROMPT:

When a user expands an order, render an expanded view that includes detailed order information, shipping details, and the complete shipping address. Display order and product information within a single, structured tile. Position this tile horizontally adjacent to the shipping details tile to enable clear side-by-side comparison. Add an additional tile dedicated to visualizing the shipping address on an interactive map. Make sure that map should automatically load and pin the delivery address from the shipping details, centered on that location. Retain the scroll bar to navigate through the orders gallery.




13. Next, expand the arrow on the right Navigation Pane and rename the Generative Page to **Modern Order Page**.






14. Next, Save , Publish and Play the app to preview the Modern Order Generative Page.




15. In the App runtime, go to left navigation bar and browse to Modern Order Page.



In the next steps, you'll learn how to create a variety of modern UX patterns and explore the art of the possible with Generative Pages.

16. Let's create a new Page for creating New Orders.


Select the Page icon, click on +New and select Describe a Page



17. Add the following prompt on the agent home screen. Make sure to add Order, Order Details and Order Product tables before submitting the prompt.

PROMPT:

I want to create a modern looking form with animations and styling with modern colorful background. I need to be able to enter all the order details. I also want to see the product catalog to be able to add to the order. Ensure all the columns except Order Number, Status and state code shows up in the form. For each of the column, show me column name as well. Once the record is created grab the order number and then create a related Order details. Add a separate section to enter all shipping details and another section for payments and taxes. Do not create any mock data.



Here is a sample page that gets created

Create New Order

Order Details

Order Notes

Order Date

Paid Date

Payment Type

Shipping Details

Ship Name

Address

City

State

Postal Code

Country

Payments & Taxes

Shipping Fee

0

Taxes

0

Tax Rate

0

Product Catalog

Northwind Traders Pineapple

Code: NWTCFV-90

Price: \$1.8

+ Add

Northwind Traders Crab Meat

Code: NWTCM-40

Price: \$18.4

+ Add

Northwind Traders Long Grain Rice

Code: NWTG-52

Price: \$7

+ Add

Northwind Traders Almonds

Code: NWTDN-74

Price: \$10

+ Add

Northwind Traders Brownie Mix

Code: NWTBGM-85

Price: \$12.49

+ Add

18. As we give prompts to the App Agent, we can also provide a sample image for reference. Save the image below and share it with the agent along with the prompt -

Sample Image:

Create New Order

Cancel Create

Order Details

Notes
Enter notes

Order Date
01/16/2028

Paid Date
01/16/2028

Shipped Date
01/16/2028

Shipping Information

Ship Name
Ship Name

Ship Address
Ship Address

Ship City
Ship City

Ship State/Province
Ship State/Province

Ship Zip/Postal Code
Ship Zip/Postal Code

Ship Country
Ship Country

Payment & Tax

Payment Type
Enter payment type

Shipping Fee
0

Taxes
0

Tax Rate
0

Tax Status
1

Cart
No products added yet.

Product Catalog

Northwind Traders Almonds
\$10.00
Add to cart

Northwind Traders Beer
\$14.00
Add to cart

Northwind Traders Biscuits Mix
\$9.25
Add to cart

Northwind Traders Biscuits Mix
\$12.49
Add to cart

Give the following prompt and attach image as shown below:

PROMPT:

Display the full product catalog as a vertical gallery positioned on the right side of the order form. Each product entry should be presented as a card that includes a product image as a thumbnail. The gallery should paginate the catalog to show 4 products per page, with clear navigation controls that allow users to move between pages within the catalog. Ensure the layout remains visually aligned with the form and supports smooth browsing without disrupting the order-creation flow.



Describe your page



Number to create related Order Details. Add separate sections for shipping details and payment & taxes. Use real data from the attached tables — no mock data. Order Order Detail Order Product



App Agent

Sure! I'll start by planning the structure of your page, and then I'll generate the code to bring it to life.



Agent Thoughts



Summary



Your page is now generated!



Undo



For page, with user navigation controls that allow users to move between pages within the application. The layout remains consistent across all pages and supports a responsive design without disrupting the

Add screenshot

Browse...



GPT-5.0 (default)



AI-generated content may be incorrect. [Learn more](#)

Here is an example of a sample page the agent may generate –

Order Information

Notes

Mon Mar 16 2026

Payment Type

Shipping Details

Ship Name

Address

City

State

Zip

Country

Payment & Taxes

0

0

0

Save Order

\$18.40

+ Add to Order



Northwind Traders Long Grain Rice
\$7.00

+ Add to Order



Northwind Traders Almonds
\$10.00

+ Add to Order

Previous

1 / 12

Next

 **Tip** – If the authoring experience doesn't show the scroll bar or if you are unable to browse to the end of the page, publish the app and validate the implementation in runtime. If there are still issues, then work with the agent to improve the experience.

19. Add one more prompt

PROMPT:

I want to see a thumbnail of the product image, and ability to add to cart and increase or decrease product quantity

Order Information

Notes

Mon Mar 16 2026

Payment Type

Shipping Details

Ship Name

City

Zip

Address

State

Country

Payment & Taxes

0

0

0

Selected Products:

Northwind Traders Long Grain Rice

4

Northwind Traders Almonds

1

Save Order

\$18.40

+ Add to Order



Northwind Traders Long Grain Rice

\$7.00

+ Add to Order



Northwind Traders Almonds

\$10.00

+ Add to Order

Previous

1 / 12

Next

20. Rename the Generative Page to New Order Creation, Publish and Play the app.

The screenshot displays the Microsoft Power Apps Studio interface. The main canvas shows a form titled "New Order Creation" with several sections: "Order Information" (Notes, Date: Mon Mar 16 2026, Payment Type), "Shipping Details" (Ship Name, Address, City, State, Zip, Country), "Payment & Taxes" (Amounts: 0, 0), and "Selected Products" (Northwind Traders Pineapple, Quantity: 1). To the right, a "Product Catalog" sidebar lists items like "Northwind Traders Pineapple" with a price of \$1.80. The right-hand pane shows the "New Order Creation" page configuration, including "Display options" (Content type: Generative page), "Title" (New Order Creation), "UX Agent project name" (New Order Creation), "Icon" (Default icon), and "ID" (subarea_dff66744). The "Advanced settings" section is also visible.

Order Information

Notes

Mon Mar 16 2026

Payment Type

Shipping Details

Ship Name

Address

City

State

Zip

Country

Payment & Taxes

0

0

0

Selected Products:

Northwind Traders Pineapple

1

Product Catalog

Northwind Traders Pineapple

\$1.80

1

New Order Creation

Display options

Content type

Generative page

Generative page

b281bcd9-9523-4b0a-8c6b-254128d65080

Title

New Order Creation

UX Agent project name

New Order Creation

Icon

Default icon

ID *



subarea_dff66744

Advanced settings


Accessibility: Investigate

Additional Tips to work with App Agent and Gen Pages


- If the agent fails to generate the code, you can click on Retry to attempt code generation again.



- If you want to revert any changes, you can select undo option to revert the code changes done by the agent.



- To review the code changes, in the authoring studio, select the Code tab and click on Compare



- If the generated code does not function as expected or run into errors, provide the error details back to the agent and ask to fix those errors.
- Sometimes, the agent may just create UI with mock data if the prompt is not clear. Giving instructions like do not create mock data or use data from the table can help create a more accurate data driven page.
- As the page gets complex, adding statements such as “Do not make any other change to the code” or “keep the entire code as is, only make changes to a particular feature” can ensure code reliability.
- If you want to avoid showing app banner and other pages when running the App, append &navbar=off to the URL to only show the respective gen page.


Optional Lesson 1 – Integrate Gen Pages with Canvas Apps

By letting your Canvas App open Generative Pages, you get:

- A clean way to add new functionality without rebuilding screens
- Faster ways to deliver improvements
- A natural progression path for apps that need more structured pages
- The ability to pass context (like a record ID) between apps

21. Create a new gen page which can read parameters from browser URL.

22. In Pages tab, click on +New and select Describe a Page.



23. Give the below mentioned prompt to the app agent to design a page to show order details. Make sure to add Order, Order Details and Order Product tables.

PROMPT:

I want to design a modern looking page, where I can enter order number and see all the details of the order including its related products. Use modern design and color themes to create this page.

Tables

Order

Order Detail

Order Product

I want to design a modern looking page, where I can enter order number and see all the details of the order including its related products. Use modern design and color themes to create this page. /

+

Tools

GPT-5.0 (default) ▾

Order Lookup

Order #0935

Order Date: 12/16/2025

Ship To: Lorenzo Ford, 200 Central Park West, New York, NY, 10024, USA

Payment Type: Check

Shipping Fee: \$100.00

Taxes: \$0.00

Products

Product Name	Quantity	Unit Price	Discount	Total
Northwind Traders Chocolate	40	\$12.75	0%	\$510.00
Northwind Traders Clam Chowder	10	\$9.65	0%	\$96.50


Note: The page will initially only show the Search box with the button. Type in an order number – 0935 to see the Order details.

24. Once the page is generated and it meets design expectations - add the following prompt to update the page to read the order number from browser parameter.

PROMPT:

Instead of fetching order number from search box, I want to retrieve the details of an Order by extracting the order number from the web browser URL. The URL includes this value inside the data parameter, where the order number appears in the format {"ordernum":"<ordernum>"}. A generic example of the URL structure is: `https://<your-org>.crm.dynamics.com/main.aspx?appid=<app-id>&pagetype=<page-type>&id=<record-id>&data={"ordernum":"0935"}`.


The sample page should look something like this –




25. Rename the page to "Order Details from Canvas App", publish the app and note the generative page id.

Play the app, navigate to new page and copy the browser URL as well (this will include details like orgurl – appid – gen page id).


<https://orgxxxxxx.crm.dynamics.com/main.aspx?appid=31d20044-5d21-f111-88b4-000d3a11fba4&pagetype=genux&id=f41033e2-1c8f-4243-99a5-28336267204a>



26. Next, in a separate browser tab - Navigate to Northwind traders solution and Edit Northwind Order (Canvas) app in a new tab.




27. Within the Northwind Orders (Canvas) app, Navigate to Screen 1.
On the left navigation Tree View, select Gallery 1 control.



28. In Gallery1, select the Next arrow Icon and add the following code to the Canvas app

```
Launch(  
    "https://<orgName>.crm.dynamics.com/main.aspx" &  
    "?appid=<ModelDrivenAppID>" &  
    "&pagetype=genux" &  
    "&id=<GenPageID>" &  
    "&data=" &  
    EncodeUrl("{\"ordernum\":\"" & Gallery1.Selected.'Order Number'  
& ""}")" & "&navbar=off"  
)
```



Example below: You can paste your entire Gen Page URL as shown below.

```
Launch(  
    "https://orgcb9d0289.crm.dynamics.com/main.aspx?appid=47974104-9227-f111-8341-00224808c5ee&pagetype=genux&id=cd698c91-1d29-4ee1-878c-48bc4e1d0485" &  
    "&data=" &  
    EncodeUrl("{\"ordernum\":\"" & Gallery1.Selected.'Order Number'  
& ""}")" & "&navbar=off"  
)
```

29. Save and publish the Canvas app. Run the app and select an order to view order details. Alternatively play the app in studio and select any order. This should launch a generative page with the order details of the selected record.

Order Details

Order #0937

Order Date: 2026-06-04T07:00:00Z

Ship To: Brian English

Address: 789 29th Street, Denver, USA

Shipping Fee: \$200.00

Products

Product Name	Quantity	Unit Price	Total
Northwind Traders Raspberry Spread	90	\$25.00	\$2250.00
Northwind Traders Fruit Salad	40	\$39.00	\$1560.00

Optional Lesson 2 - Integrate Gen Pages with Power Automate Flows

By integrating Gen Pages with Power Automate flows, users can leverage deeper integration with other data sources. In this lesson we will learn how gen pages can pass on JSON objects to flow and enter records in a SharePoint list.

30. Create a SharePoint List (in any SharePoint site where you have access to create a list) called Order Details and add columns Order Number (Single line of Text), Order Note (Single line of Text), Order Date (Date and Time – Date only), Receiver Name (Single line of Text) and Receiver address (Single line of Text).

+ Add new item

Edit in grid view
Undo
Share
Copy link
Export
Forms
Automate
Integrate
...

Order Details ☆

Title	Order Number	Order Note	Order Date	Receiver Name	Receiver Address	+ Add column
-------	--------------	------------	------------	---------------	------------------	--------------

31. Next, we will create a simple generative page to create an Order Details form. In the Order Hub Demo Model driven app, add a new generative page and give the following prompt. Make sure, to not select any table to this page. This will generate a skeleton page without any associated data source.

PROMPT:

Create a modern looking form to enter order details. add the following fields - Order Number, Order Note, Order Date, Receiver Name and Receiver address. Once the user clicks on the submit button, generate and show a json object of all the fields and their values.

Describe your page

< Build a gallery page for accounts Build a contact directory layout Build a checklist view for tasks Build >

Create a modern looking form to enter order details. add the following fields - Order Number, Order Note, Order Date, Receiver Name and Receiver address. Once the user clicks on the submit button, generate and show a json object of all the fields and their values.

+ - Tools GPT-5.0 (default) ▶

AI-generated content may be incorrect. [Learn more](#)

32. Once the page is generated, enter some demo data and click on submit. The page should return a JSON object.

Enter Order Details

Submit

Submitted JSON:

```
{
  "orderNumber": "1000",
  "orderNote": "This is a demo note to place an order",
  "orderDate": "2026-01-15",
  "receiverName": "John Doe",
  "receiverAddress": "100th St, Seattle, WA, 98001"
}
```

33. Next, create a Power Automate flow. Navigate to make.powerautomate.com and ensure you are in the same power platform environment as your Power App (Model-driven app).

34. Add a “When a HTTP Request is received” trigger.

Build an instant cloud flow

Triggered manually from any device, easy-to-share instant flows automate tasks so you don't have to repeat yourself.

Examples:

- Get an automatic mobile alert whenever a VIP client emails you
- Save all your email attachments to a folder automatically

SharePoint

For a selected record (V3)
Dynamics 365 Business Central

For a selected row
Excel Online For Business

HTTP

HTTP Webhook
HTTP


When a row is selected
Microsoft Dataverse (legacy)

When a Teams webhook request is r...
Microsoft Teams Webhook

When Power Virtual Agents calls a fl...
Power Virtual Agents (V2)


☒ When an HTTP request is received
Request

Skip Create Cancel



35. Configure the trigger – Who can run the flow : Anyone.

Select the Use Sample payload to generate schema and enter the json object returned by the gen page.





When an HTTP request is received



Parameters

Settings

Code view

About

Who can trigger the flow? *

Anyone



HTTP URL

URL will be generated after save




Request Body JSON Schema

```
{
  "type": "object",
  "properties": {
    "orderNumber": {
      "type": "string"
    },
    "orderNote": {
      "type": "string"
    },
    "orderDate": {
      "type": "string"
    },
    "receiverName": {
      "type": "string"
    },
    "receiverAddress": {
      "type": "string"
    }
  }
}
```

[Use sample payload to generate schema](#)

36. Next add an action – SharePoint – Create Item.

Then map the trigger outputs to the corresponding SharePoint fields as shown in image below.



37. Save the flow. This will generate an endpoint for the flow (select the trigger action – when an http request is received). Copy this HTTP URL.



38. Go back the generative page and add the following prompt.

PROMPT:

Post the generated json object to the following endpoint - <HTTP URL as shown above>

39. Publish the gen page. Add some sample data and click on Submit button. Backend flow should run and record should be created in SharePoint.

Order Details ☆						
Title	Order Number	Order Note	Order Date	Receiver Name	Receiver Address	+ Add column
Demo	1001	Order for customer AA	1/15/2026	John Doe	100th St, Seattle, WA, 98001	

Congratulations!

You've successfully completed the
Generative Pages Lab