

Enterprise Governance

A decision framework for policy and measurement

Start with evidence

Use Enterprise Cloud as the baseline. Check current GitHub documentation and customer policy before making an access, data, tool, or rollout decision.

A training slide cannot establish feature availability, entitlement, retention, or compliance.

Governance turns uncertainty into decisions

Governance decides what can run, under which limits, and what evidence will change that decision.

Question	Record
Can this use case start?	Scope, owner, data boundary, and approval
Is it safe to continue?	Quality, usage, and review evidence
Can it expand?	The approver and the added boundary
Should it pause?	Trigger, recovery, and next review date

Policy text alone is not a rollout plan. Someone must own the decision.

A boundary has inputs, actions, and outputs

Classify more than the prompt text:

Inputs: repository files, issues, tool results
Actions: read, summarize, write, deploy
Outputs: chat, commit, pull request, external system
Evidence: logs, review, approval, metric

For each item, decide what is allowed, who approves exceptions, and what must stay out of the workflow. That creates a boundary people can operate.

Measurements need a decision attached

Signal	Example decision
Review rework rises	Pause expansion and inspect the workflow
Usage reaches a guard	Stop automated runs until the owner reviews
Acceptance rate is stable	Continue the bounded trial
Restricted data appears	Stop, preserve evidence, and escalate

An activity count without a threshold and response tells the team very little.

Preflight

Confirm	Why it matters
Sandbox or repository	Keeps the trial bounded
Owner and reviewer	Makes decisions accountable
Data classification	Defines what may enter the workflow
Approved features and tools	Prevents an unsupported path
Meter and stop guard	Limits metered work
Manual fallback	Keeps learning moving when access is blocked

Policy decision sequence

Evidence map → bounded trial → observed review evidence →
continue, expand, gather more evidence, or pause

Unknown is a decision state. Record the owner and evidence needed. Do not treat it as approval.

Data and tool boundaries

Classify the repository and inputs before using an assistant. Keep restricted content out of prompts, issues, comments, and training tools.

Review MCP servers, approved package sources, and external tools the same way: owner, purpose, permitted data, permissions, logging, and fallback.

Measurement guardrail

Activity is not value. Compare bounded work with acceptance criteria, human review, safety evidence, and a known baseline.

Guardrail item	Required decision
Meter	Customer - owned source and unit
Window	When observations are collected
Threshold	When an alert fires
Escalation	Who responds
Stop	When automated work pauses
Fallback	Manual work while evidence is pending

Rollout gates

Gate	Evidence
Start	Approved policy, data boundary, tools, reviewer, and fallback
Continue	Quality, safety, review, and meter evidence
Expand	Explicit approval from required owners
Pause	Unresolved policy, data, quality, or measurement concern

Lab handoff

Create an evidence map, choose a fictional policy scenario, define a measurement guardrail, then propose reversible gates.

The final record names owners, evidence, and the next action.