

CLINICAL NOTES

Shave bxs skin, all ?MM

MACROSCOPIC EXAMINATION

1. Labelled left hand #1 (request form states left hand dorsum lesion 1): A shave of skin measuring 6 x 3 x 1mm bearing a light tan macule measuring 4 x 2mm. Blocked in toto. 1A.

2. Labelled left hand #2 (request form states left hand dorsum lesion 2): A shave of skin measuring 5 x 3 x 1mm bearing a grey tan macule measuring 2 x 1mm. Blocked in toto. 2A.

3. Labelled back: A shave of skin measuring 8 x 6 x 1mm bearing a cream to grey macule measuring 6 x 5mm. Bisected blocked in toto. 3A.

MICROSCOPIC EXAMINATION

1. Labelled left hand #1 (request form states left hand dorsum lesion 1), shave: Sections show MELANOMA IN-SITU (LEVEL 1) characterised by proliferation of atypical melanocytes arranged as confluent solitary units and nests at the junctional zone with pagetoid scatter. Some of the nests bulge into the papillary dermis, but definite stromal invasion is not seen in this biopsy. Parts of the biopsy are quite superficial not including the basal epidermis. Melanoma in-situ is transected at peripheral and deep edges. No changes of regression are seen.

2. Labelled left hand #2 (request form states left hand dorsum lesion 2), shave: Sections of the biopsy show changes of PIGMENTED SOLAR KERATOSIS with a moderate lichenoid lymphocytic infiltrate. Focally there is possibly an increase the number of basal melanocytes within the epidermis. Special stains are being performed to further assess the melanocytic proliferation and a FURTHER REPORT WILL BE ISSUED.

3. Labelled back, shave: Sections of the shave specimen show SOLAR LENTIGO with a patchy lichenoid lymphocytic infiltrate. No atypical melanocytic proliferation is seen.

SUMMARY

1. LEFT HAND DORSUM #1, SHAVE - MELANOMA IN-SITU (LEVEL 1).
2. LEFT HAND DORSUM #2, SHAVE - PIGMENTED SOLAR KERATOSIS. FURTHER REPORT PENDING.
3. BACK, SHAVE - SOLAR LENTIGO WITH LICHENOID LYMPHOCYTIC REACTION.



CLINICAL NOTES

Shave bxs skin, all ?MM

MACROSCOPIC EXAMINATION

1. Labelled left hand #1 (request form states left hand dorsum lesion 1): A shave of skin measuring 6 x 3 x 1mm bearing a light tan macule measuring 4 x 2mm. Blocked in toto. 1A.
2. Labelled left hand #2 (request form states left hand dorsum lesion 2): A shave of skin measuring 5 x 3 x 1mm bearing a grey tan macule measuring 2 x 1mm. Blocked in toto. 2A.
3. Labelled back: A shave of skin measuring 8 x 6 x 1mm bearing a cream to grey macule measuring 6 x 5mm. Bisected blocked in toto. 3A.

MICROSCOPIC EXAMINATION

1. Labelled left hand #1 (request form states left hand dorsum lesion 1), shave: Sections show MELANOMA IN-SITU (LEVEL 1) characterised by proliferation of atypical melanocytes arranged as confluent solitary units and nests at the junctional zone with pagetoid scatter. Some of the nests bulge into the papillary dermis, but definite stromal invasion is not seen in this biopsy. Parts of the biopsy are quite superficial not including the basal epidermis. Melanoma in-situ is transected at peripheral and deep edges. No changes of regression are seen.
2. Labelled left hand #2 (request form states left hand dorsum lesion 2), shave: Sections of the biopsy show changes of PIGMENTED SOLAR KERATOSIS with a moderate lichenoid lymphocytic infiltrate. Focally there is possibly an increase the number of basal melanocytes within the epidermis. Special stains are being performed to further assess the melanocytic proliferation and a FURTHER REPORT WILL BE ISSUED.
3. Labelled back, shave: Sections of the shave specimen show SOLAR LENTIGO with a patchy lichenoid lymphocytic infiltrate. No atypical melanocytic proliferation is seen.

SUMMARY

1. LEFT HAND DORSUM #1, SHAVE - MELANOMA IN-SITU (LEVEL 1).
2. LEFT HAND DORSUM #2, SHAVE - PIGMENTED SOLAR KERATOSIS. FURTHER REPORT PENDING.

3. BACK, SHAVE - SOLAR LENTIGO WITH LICHENOID LYMPHOCYTIC REACTION.

