

[Info - 9:32:19 AM] Pylance language server 2021.6.3 (pyright e66600b2) starting

[Info - 9:32:19 AM] Server root directory: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist

[Info - 9:32:19 AM] No configuration file found.

[Info - 9:32:19 AM] No pyproject.toml file found.

[Info - 9:32:19 AM] Setting pythonPath for service "Play Ground": "C:\Users\Mr Cephas\AppData\Local\Programs\Python\Python38\python.exe"

[Warn - 9:32:19 AM] stubPath c:\Users\Mr Cephas\Desktop\Play Ground\typings is not a valid directory.

[Info - 9:32:20 AM] Assuming Python version 3.8

[Info - 9:32:20 AM] Assuming Python platform Windows

Search paths for c:\Users\Mr Cephas\Desktop\Play Ground

c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedhed-fallback\stdlib

c:\Users\Mr Cephas\Desktop\Play Ground

c:\Users\Mr Cephas\Desktop\Play Ground\typings

c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedhed-fallback\stubs\...

c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\bundled\stubs

c:\Users\Mr Cephas\AppData\Local\Programs\Python\Python38\DLLs

c:\Users\Mr Cephas\AppData\Local\Programs\Python\Python38\Lib

c:\Users\Mr Cephas\AppData\Local\Programs\Python\Python38

c:\Users\Mr Cephas\AppData\Roaming\Python\Python38\site-packages

c:\Users\Mr Cephas\AppData\Local\Programs\Python\Python38\Lib\site-packages

[Info - 9:32:21 AM] Searching for source files

[Info - 9:32:21 AM] Found 1 source file

[Info - 9:32:21 AM] Background analysis(1) root directory: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist

[Info - 9:32:21 AM] Background analysis(1) started

Background analysis message: setConfigOptions

Background analysis message: ensurePartialStubPackages

Background analysis message: setTrackedFiles

Background analysis message: markAllFilesDirty

Background analysis message: setFileOpened

Background analysis message: getSemanticTokens full

[BG(1)] getSemanticTokens full at c:\Users\Mr Cephas\Desktop\Play Ground\app.py ...

[BG(1)] parsing: c:\Users\Mr Cephas\Desktop\Play Ground\app.py (140ms)

[BG(1)] parsing: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedhed-fallback\stdlib\builtins.pyi [fs read 8ms] (339ms)

[BG(1)] binding: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedhed-fallback\stdlib\builtins.pyi (136ms)

[BG(1)] binding: c:\Users\Mr Cephas\Desktop\Play Ground\app.py ...

[BG(1)] parsing: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedhed-fallback\stdlib\turtle.pyi [fs read 3ms] (86ms)

[BG(1)] binding: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedhed-fallback\stdlib\turtle.pyi (37ms)

[BG(1)] binding: c:\Users\Mr Cephas\Desktop\Play Ground\app.py (128ms)

[BG(1)] parsing: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedhed-fallback\stdlib\typing.pyi [fs read 1ms] (56ms)

[BG(1)] binding: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedhed-fallback\stdlib\typing.pyi (32ms)

[BG(1)] parsing: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedhed-fallback\stdlib_typedhed__init__.pyi [fs read 1ms] (24ms)

[BG(1)] binding: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedhed-fallback\stdlib_typedhed__init__.pyi (2ms)

[BG(1)] parsing: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedhed-fallback\stdlib\typing_extensions.pyi [fs read 1ms] (9ms)

[BG(1)] binding: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedhed-fallback\stdlib\typing_extensions.pyi (4ms)

[BG(1)] parsing: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedhed-fallback\stdlib\random.pyi [fs read 1ms] (25ms)

[BG(1)] binding: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedhed-fallback\stdlib\random.pyi (8ms)

[BG(1)] parsing: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedshed-fallback\stdlib\abc.pyi [fs read 1ms] (3ms)

[BG(1)] binding: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedshed-fallback\stdlib\abc.pyi (0ms)

[BG(1)] getSemanticTokens full at c:\Users\Mr Cephas\Desktop\Play Ground\app.py (1089ms)

Background analysis message: getSemanticTokens range

[BG(1)] getSemanticTokens range 0:0 - 29:20 at c:\Users\Mr Cephas\Desktop\Play Ground\app.py (24ms)

Background analysis message: analyze

[BG(1)] analyzing: c:\Users\Mr Cephas\Desktop\Play Ground\app.py ...

[BG(1)] checking: c:\Users\Mr Cephas\Desktop\Play Ground\app.py (23ms)

[BG(1)] analyzing: c:\Users\Mr Cephas\Desktop\Play Ground\app.py (24ms)

Background analysis message: resumeAnalysis

Background analysis message: getDiagnosticsForRange

Background analysis message: getDiagnosticsForRange

[FG] parsing: c:\Users\Mr Cephas\Desktop\Play Ground\app.py (55ms)

[FG] parsing: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedshed-fallback\stdlib\builtins.pyi [fs read 5ms] (251ms)

[FG] binding: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedshed-fallback\stdlib\builtins.pyi (195ms)

[FG] binding: c:\Users\Mr Cephas\Desktop\Play Ground\app.py ...

[FG] parsing: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedshed-fallback\stdlib\turtle.pyi [fs read 3ms] (101ms)

[FG] binding: c:\Users\Mr Cephas\.vscode\extensions\ms-python.vscode-pylance-2021.6.3\dist\typedshed-fallback\stdlib\turtle.pyi (33ms)

[FG] binding: c:\Users\Mr Cephas\Desktop\Play Ground\app.py (140ms)