Nuance PowerMic Web Extension

Deployment Guide
Version 26.4

© 2026 Nuance Communications, Inc. All rights reserved.

Trademarks

Nuance®, the Nuance logo, Dragon, the Dragon logo, PowerScribe™ and PowerMic™ are trademarks or registered trademarks of Nuance Communications, Inc. and/or its subsidiaries in the United States and/or other countries.
Other names and trademarks referenced herein are trademarks or registered trademarks of their respective owners.

Copyright notice

This publication is copyrighted, and all rights are reserved by Nuance Communications, Inc. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language or computer language, in any form or by any means, electronic, mechanical, magnetic, optical, chemical, manual, or otherwise, without the prior written permission of Nuance Communications, Inc., 1 Wayside Rd., Burlington, MA 01803.

Copyright © 2002-2026 Nuance Communications, Inc. All rights reserved.

Disclaimer

All content within this guide is intended for general information only. Nuance, its affiliates, agents and employees, and all persons acting on its or their behalf ("Nuance"), disclaims to the maximum extent permitted by law, any and all liability that may be based on this information or errors or omissions in this guide. Nothing stated or posted in this guide or available through any services is intended to be, and must not be taken to be, the practice of medicine or the provision of medical care.

Reasonable efforts were used to present an accurate guide. Given the constant advances in technology, medical knowledge, and legal and regulatory frameworks in which healthcare services operate, Nuance reserves the right to change, amend, update or replace the information contained in this guide, in part or entirely, for any reason or no reason. Nuance will endeavor, without implied guarantee, to keep the content and information contained in this guide reasonably current and accessible, but Nuance will not be liable for environmental and operational changes, errors or omissions, or factors it does not control, including without limitation, failure of electronic and mechanical equipment, communication over the internet, computer viruses, unauthorized access or misuse. Nuance does not guarantee, represent, or warrant that your use of the services will be uninterrupted, error-free, accurate, reliable or will meet your requirements. Nuance does not guarantee that you will be able to access or use the platform (either directly or through third-party networks) at the time or location of your choosing. Mention of non-Nuance products or services is for information purposes only and constitutes neither an endorsement nor a recommendation.

To the maximum extent permitted by law, the information in this guide is provided "AS IS," "AS AVAILABLE," "WITH ALL FAULTS," and without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular

purpose, and non-infringement. Nuance shall not under any circumstances be liable to any person for any special, incidental, indirect or consequential damages, including, without limitation, damages resulting from use of or reliance on the information presented, loss of profits or revenues or costs of replacement goods, even if informed in advance of the possibility of such damages. Your use of, or inability to use, or activity in connection with the services and information in this guide is at your sole risk. Nuance expressly disclaims any responsibility for any damage, injury, harm, cost, expense, or liability arising out of or related to your use or misuse of this guide.

Nuance Communications
One Wayside Road
Burlington, MA 01803
www.nuance.com/healthcare

© 2026 Nuance Communications, Inc. All rights reserved.

Table of contents

Overview **5**
Requirements 5
Installation procedure 6
Installation in Citrix environments **7**
Uninstalling 8
Installation in local environments **9**
Silent setup **10**
Installation 10
Uninstalling 10
Troubleshooting - Citrix installation **11**
General issues 11
Verifying the installation 11
Logging 13
Troubleshooting - local installation **14**
General issues 14
Verifying the installation 14
Logging 15

© 2026 Nuance Communications, Inc. All rights reserved.

Overview

The Nuance PowerMic Web Extension and Nuance PowerMic Web Adapter provide button control support for Dragon Medical SpeechKit (Browser edition) integrations in Google Chrome in Citrix or local environments.

The Nuance PowerMic Web Extension is a Google Chrome extension published via the Chrome web store.

The Nuance PowerMic Web Adapter is a separate desktop component to enable the passing of button controls to the PowerMic Web Extension.

Requirements

Dragon Medical SpeechKit

See the release notes for theDragon Medical SpeechKit (Browser edition) you're deploying.

Nuance PowerMic Citrix Extension

See the *Citrix Configuration for Nuance PowerMic* guide.

Nuance PowerMic Web Adapter

- One of the following operating systems:
  Microsoft Windows 10
  Microsoft Windows 11
  Microsoft Windows Server 2016
  Microsoft Windows Server 2019
  Microsoft Windows Server 2022

Nuance PowerMic Web Extension

- Google Chrome 56 or higher

© 2026 Nuance Communications, Inc. All rights reserved.

Supported microphones

	Citrix XenApp	Citrix XenDesktop	Local environment
Nuance PowerMic II	yes*	yes*	yes
Nuance PowerMic II with barcode scanner	yes*	yes*	yes
Nuance PowerMic III	yes*	yes*	yes
Nuance PowerMic 4	yes	yes	yes

* To enable Nuance PowerMic controls, install the server and client components of the Nuance PowerMic Citrix Extension; for more information, see the documentation delivered with the product.
If your Citrix system is configured to use USB redirection, you don't need to install the server and client components to get button events from the Nuance PowerMic devices.

** To enable button controls for third-party devices, install the corresponding redistributable packages and the Nuance PowerMic Web Adapter on the Citrix server/virtual desktop.

Installation procedure

To install the Nuance PowerMic Web Extension and Nuance PowerMic Web Adapter in Citrix or local environments, do the following:

1. Make sure your system fulfills the requirements.
2. For Citrix environments (administration rights are required), see Installation in Citrix environments.

   For local environments (no administration rights are required), see Installation in local environments.

© 2026 Nuance Communications, Inc. All rights reserved.

Installation in Citrix environments

To use a Nuance PowerMic device with the Google Chrome browser in a Citrix environment, install the Nuance PowerMic Web Adapter on the Citrix server/virtual desktop (administration rights are required) and Nuance PowerMic Web Extension for your users via Google Chrome policy.

Important: Make sure you uninstall the current versions of the Nuance PowerMic Web Extension and Nuance PowerMic Web Adapter before installing new ones.

Proceed as follows:

1. Log on to the Citrix server/virtual desktop as an administrator.
2. Open the `PowerMicWebExtensionRedist` folder and select `NuancePowerMicWebAdapterSetup - AdminInstall.bat`.

   Nuance PowerMic Web Adapter is installed at the following location:

   `C:\Program Files (x86)\Common Files\Nuance\NuancePowerMicWebAdapter\<version>` (64-bit Windows)
   `C:\Program Files\Common Files\Nuance\NuancePowerMicWebAdapter\<version>` (32-bit Windows)

   Nuance PowerMic Web Extension is installed silently via Google Chrome policy; the following registry key and value are created by the setup:

   ```
   HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Google\Chrome\ExtensionInstallForcelist
   fmiojochalhealflohaicjncoofdjjfb;https://clients2.google.com/service/update2/crx
   ```

   For more information on installation via Google Chrome policy, see Google Chrome policy documentation.

Note: To enable button support in Citrix environments, install the Nuance PowerMic Citrix Client Extension. Download the extension on the 'Virtual environment support' page of the Dragon Medical One Resource Center linked in your welcome kit.

© 2026 Nuance Communications, Inc. All rights reserved.

Uninstalling

1. Log on to the Citrix server/virtual desktop as an administrator.
2. Open the `PowerMicWebExtensionRedist` folder and select `NuancePowerMicWebAdapterSetup - AdminUninstall.bat`.

Remarks

- When you upgrade from version 18.3 to 21.3, you need to manually remove the Adapter package and the `com.nuance.pmicadapter` registry key; when upgrading from version 19.2 to 21.3, this isn't necessary.

  Location of the adapter package:
  `C:\Program Files (x86)\Common Files\Nuance\NuancePowerMicWebAdapter\<version>` (64-bit Windows)
  `C:\Program Files\Common Files\Nuance\NuancePowerMicWebAdapter\<version>` (32-bit Windows)

  Location of the `com.nuance.pmicadapter` the registry key:
  `HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Google\Chrome\NativeMessagingHosts\com.nuance.pmicadapter` (64-bit Windows)
  `HKEY_LOCAL_MACHINE\SOFTWARE\Google\Chrome\NativeMessagingHosts\com.nuance.pmicadapter` (32-bit Windows)
- If you install the Nuance PowerMic Web Extension via Google Chrome policy, your users can't remove the extension or install it from the Google Chrome web store.
- The `NuancePowerMicWebAdapterSetup - AdminInstall.bat` setup uninstalls any old versions of the Nuance PowerMic Web Adapter and Nuance PowerMic Web Extension.
- By default, Nuance PowerMic Web Extension is automatically updated by Google Chrome for the current user when a new version of the extension is available on the Google Chrome web store. If automatic updates are disabled, you must update the extension via Google Chrome policy.
- Nuance PowerMic Web Adapter isn't updated automatically; you must uninstall the current version of the adapter and install the new one.
- All new Dragon Medical SpeechKit (Browser edition) versions are backward compatible with the versions of Nuance PowerMic Web Extension and Nuance PowerMic Web Adapter released in the previous 12 months; make sure not to use earlier releases.

© 2026 Nuance Communications, Inc. All rights reserved.

Installation in local environments

To use a Nuance PowerMic device with the Google Chrome browser in a local environment, the user must install the Nuance PowerMic Web Extension and Nuance PowerMic Web Adapter on the local PC (no administration rights are required).

Proceed as follows:

1. Connect the Nuance PowerMic device to the local PC.
2. Open the app integrating Dragon Medical SpeechKit (Browser edition) and follow the installation instructions.

Remarks

- Once installed, the Nuance PowerMic Web Extension and Nuance PowerMic Web Adapter will update automatically.
- If you have any problems following the procedure above, you can install the Nuance PowerMic Web Extension from the Chrome web store; browse for https://chrome.google.com/webstore/detail/nuance-powermic-web-exten/fmiojochalhealflohaicjncoofdjjfb and select **Add to Chrome**. In Google Chrome settings, make sure that the Nuance PowerMic Web Extension is enabled.

© 2026 Nuance Communications, Inc. All rights reserved.

Silent setup

Installation

You can install the Nuance PowerMic Web Adapter setup silently via the command line using the following command:

```
"<path>\NuancePowerMicWebAdapterSetup_<version>.exe" /Update
```

Uninstalling

You can uninstall the Nuance PowerMic Web Adapter setup silently via the command line using the following command:

```
"<path>\NuancePowerMicWebAdapterSetup_<version>.exe" /Update /Uninstall
```

Note: The `/Uninstall` parameter only works if the Nuance PowerMic Web Adapter setup was installed for all users with the `/CentralDeployment` parameter (with admin rights).

© 2026 Nuance Communications, Inc. All rights reserved.

Troubleshooting - Citrix installation

This chapter describes problems related to button controls in Citrix environments.

General issues

In case of problems, make sure of the following:

- Nuance PowerMic Web Adapter and Nuance PowerMic Web Extension are correctly installed. For more information, see: Verifying the installation.
- Nuance PowerMic Web Extension is added to Chrome extensions and enabled (in the Google Chrome menu, expand **More tools** and select **Extensions**).
- The Nuance PowerMic Web Adapter.exe process is running (check the Task Manager).

Verifying the installation

Nuance PowerMic Web Adapter

To verify that the Nuance PowerMic Web Adapter is correctly installed on the Citrix server/virtual desktop, do the following:

1. On the Citrix server/virtual desktop, open the `C:\Program Files (x86)\Common Files\Nuance\NuancePowerMicWebAdapter\<version>` folder (64-bit Windows) or `C:\Program Files\Common Files\Nuance\NuancePowerMicWebAdapter\<version>` folder (32-bit Windows) and check that the following files exist:

```
NucaPowerMicWebAdapter.exe
NucaPowerMicWebAdapter.ini
manifest.json file
AdapterAutoUpdate.cfg

Philips.SpeechMike folder
Nuance.PowerMic folder
NcaAudioDev.dll
NcaAudioDev.ini
NuCaButtonController.dll
psplog.dll
SmControlDrv.dll
SmControlDrv.ini
```

© 2026 Nuance Communications, Inc. All rights reserved.

```
SpeexLicense.txt
mfc140.dll
mfc140u.dll
mfcm140.dll
mfcm140u.dll
msvcp140.dll
concrt140.dll
ucrtbase.dll,
vccorlib140.dll,
vcruntime140.dll.
api-ms-win-core-*.dll
api-ms-win-crt-*.dll
```

2. Start the Registry Editor.
3. Browse for:

   `HKEY_LOCAL_MACHINE\SOFTWARE\Google\Chrome\NativeMessagingHosts\com.nuance.pmicadapter` (32-bit Windows)
   `HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Google\Chrome\NativeMessagingHosts\com.nuance.pmicadapter` (64-bit Windows)

   Check that the installation path in the `REG_SZ` value (`<installation_path>/manifest.json`) points to the correct version number.

Nuance PowerMic Web Extension

To verify that the Nuance PowerMic Web Extension is correctly installed on the Citrix server/virtual desktop, do the following:

1. Start the Registry Editor.
2. Browse for (32-bit and 64-bit Windows):

   `HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Google\Chrome\ExtensionInstallForcelist`

   Check that the `REG_SZ` value contains:
   `fmiojochalhealflohaicjncoofdjjfb;https://clients2.google.com/service/update2/crx`
3. In the Local Group Policy Editor, browse for `Computer Configuration/Administrative Templates/Google/Google Chrome/Extensions`.
4. Select **Configure the list of force-installed apps and extensions** and check that this setting is enabled.
5. In **Extensions/App IDs and update URLs to be silently installed**, select **Show**; the corresponding dialog box opens.

© 2026 Nuance Communications, Inc. All rights reserved.

6. In the **Show Contents** dialog box, check that the value contains:
   `fmiojochalhealflohaicjncoofdjjfb;https://clients2.google.com/service/update2/crx`

Logging

The Nuance PowerMic Web Extension and Nuance PowerMic Web Adapter log files are stored with the Dragon Medical SpeechKit (Browser edition) client logs in the Dragon Medical system.

If you have issues, Nuance technical support needs the following information to retrieve the relevant log files:

- The user name of the speech recognition user who experienced the issue.
- The date and time when the issue occurred.

© 2026 Nuance Communications, Inc. All rights reserved.

Troubleshooting - local installation

This chapter describes problems related to button controls in local environments.

General issues

In case of problems, make sure of the following:

- Nuance PowerMic Web Adapter is correctly installed. For more information, see: Verifying the installation.
- Nuance PowerMic Web Extension is added to Chrome extensions and enabled (in the Google Chrome menu, expand **More tools** and select **Extensions**).
- The Nuance PowerMic Web Adapter.exe process is running (check the Task Manager).

Verifying the installation

Nuance PowerMic Web Adapter

To verify that the Nuance PowerMic Web Adapter is correctly installed on the client PC, do the following:

1. On the client PC, open the `C:\Users\<user>\AppData\Local\Programs\Nuance\NuancePowerMicWebAdapter\<version>` folder (64-bit and 32-bit Windows) and check that the following files exist:

```
NucaPowerMicWebAdapter.exe
NucaPowerMicWebAdapter.ini
manifest.json file
AdapterAutoUpdate.cfg

Philips.SpeechMike folder
Nuance.PowerMic folder
NcaAudioDev.dll
NcaAudioDev.ini
NuCaButtonController.dll
psplog.dll
SmControlDrv.dll
SmControlDrv.ini
SpeexLicense.txt
```

© 2026 Nuance Communications, Inc. All rights reserved.

```
mfc140.dll
mfc140u.dll
mfcm140.dll
mfcm140u.dll
msvcp140.dll
concrt140.dll
ucrtbase.dll,
vccorlib140.dll,
vcruntime140.dll.
api-ms-win-core-*.dll
api-ms-win-crt-*.dll
```

2. Start the Registry Editor.
3. Browse for:

   `HKEY_CURRENT_USER\Software\Google\Chrome\NativeMessagingHosts\com.nuance.pmicadapter` (32-bit and 64-bit Windows)

   Check that the installation path in the `REG_SZ` value (`<installation_path>/manifest.json`) points to the correct version number.

Logging

The Nuance PowerMic Web Extension and Nuance PowerMic Web Adapter log files are stored with the Dragon Medical SpeechKit (Browser edition) client logs in the Dragon Medical system.

If you have issues, Nuance technical support needs the following information to retrieve the relevant log files:

- The user name of the speech recognition user who experienced the issue.
- The date and time when the issue occurred.

© 2026 Nuance Communications, Inc. All rights reserved.