

Reporting API - Example Routes

REST endpoints on the `reporting.benyezhi.site` vhost, backing the `analytics.static_data` table (MySQL).

- **Base URL:** `https://reporting.benyezhi.site`
- **Runtime:** Node.js / Express (`127.0.0.1:3002` , Apache-proxied at `/api`)
- **Content type:** `application/json`

Routes

Method	Route	Description
GET	<code>/api/static</code>	Retrieve every entry in the static table
GET	<code>/api/static/{id}</code>	Retrieve the single entry whose <code>id</code> matches
POST	<code>/api/static</code>	Add a new entry (no <code>id</code> in the request)
PUT	<code>/api/static/{id}</code>	Update the entry whose <code>id</code> matches
DELETE	<code>/api/static/{id}</code>	Delete the entry whose <code>id</code> matches

- GET without an `id` returns the collection; with an `id` , one record.
- POST must **not** send an `id` (auto-generated by the DB).
- PUT and DELETE **require** an `id` in the path.

Response envelope

Field	Notes
<code>status</code>	"success" or "error"
<code>source</code>	"database" when served from MySQL, "mock_fallback" on DB failure
<code>count</code>	Present on collection responses
<code>data</code>	The record(s)
<code>message</code>	Result text for PUT / DELETE and errors