


PCB-01 V2 assembly locator, NW

Revision V2 | component-side (top) view | coordinates in mm | generated from current .kicad_pcb



- 1 C1 470uF 50V
- 2 C2 470uF 50V
- 3 C4 10uF 50V X7R 10%
- 4 C7 2.2uF 100V X7R 10%
- 5 C8 100nF 100V X7R 10%
- 6 C9 22uF 25V X7R 10%
- 7 C10 22uF 25V X7R 10%
- 8 C11 1uF 50V X5R 10%
- 9 D3 BAT54W-G3-08
- 10 H1 M3 NPTH
- 11 J1 43045-0200 POWER
- 12 Q1 DMP6023LE-13
- 13 R3 10k 1%
- 14 R4 4.7k 1%
- 15 R5 4.7k 1%
- 16 R6 4.7k 1%
- 17 R7 4.7k 1%
- 18 R14 100ohm 1%
- 19 R15 100ohm 1%
- 20 SW1 PTS645SK43SMTR92LFS
- 21 TP1 RAW24
- 22 TP2 VM24
- 23 TP9 TP9
- 24 TP10 TP10
- 25 TP11 TP11
- 26 TP12 TP12
- 27 TP13 TP13
- 28 TP14 TP14
- 29 TP16 TP16
- 30 TP24 TP24

- 31 TP25 TP25
- 32 TP26 TP26
- 33 U3 TPSM365R6V3RDNR

PCB-01 V2 assembly locator, NE


Revision V2 | component-side (top) view | coordinates in mm | generated from current .kicad_pcb



- 1 C17
22uF 25V X7R 10%
- 2 C18
100nF 16V X7R 10%
- 3 C19
1uF 25V X5R 10%
- 4 C20
100nF 16V X7R 10% U...
- 5 C42
100nF 16V X7R 10%
- 6 C44
DNP USB tuning
- 7 C45
DNP USB tuning
- 8 D4
BAT54W-G3-08
- 9 D5
BAT54W-G3-08
- 10 D6
BAT54W-G3-08
- 11 H2
M3 NPTH
- 12 J4
USB4105-GF-A
- 13 R11
10k 1%
- 14 R12
10k 1%
- 15 R13
10k 1%
- 16 R18
10k 1%
- 17 R19
4.7k 1%
- 18 R20
4.7k 1%
- 19 R58
22R
- 20 R59
22R
- 21 R60
5.1k
- 22 R61
5.1k
- 23 SW2
PTS645SK43SMTR92LFS
- 24 TP30
TP30
- 25 TP31
TP31
- 26 U2
ESP32-C6-WROOM-1-N8
- 27 U12
TMP1075DGKR
- 28 U13
TPD2EUSB30DRTR
- 29 U14
TPD2EUSB30DRTR

PCB-01 V2 assembly locator, SW


Revision V2 | component-side (top) view | coordinates in mm | generated from current .kicad_pcb



- 1 C3 10uF 50V X7R 10%
- 2 C5 100nF 50V X7R 10%
- 3 C12 1uF 50V X5R 10%
- 4 C13 47nF 100V X7R 10%
- 5 C14 1uF 50V X5R 10%
- 6 C15 1uF 50V X5R 10%
- 7 C16 22uF 25V X7R 10%
- 8 D1 MMSZ5242B-7-F
- 9 D2 SMCJ24A
- 10 D7 BAT54W-G3-08
- 11 H3 M3 NPTH
- 12 J2 43650-0300
- 13 L1 SWPA6045S470MT
- 14 NT1 PGND-AGND tie
- 15 R1 10k
- 16 R2 100k
- 17 R8 10k 1%
- 18 R9 10k 1%
- 19 R10 100k 1%
- 20 R16 0ohm I2C isolation ...
- 21 R17 0ohm I2C isolation ...
- 22 R24 100ohm 1%
- 23 R26 1k 1%
- 24 R27 100k 1%
- 25 R28 4.7k 1%
- 26 R29 10k 1%
- 27 R30 10k 1%
- 28 TP3 PGND
- 29 TP4 AGND
- 30 TP5 TP5
- 31 TP7 TP7
- 32 TP8 TP8
- 33 TP17 TP17
- 34 TP18 TP18
- 35 TP19 TP19
- 36 TP20 TP20
- 37 TP27 TP27
- 38 TP28 TP28
- 39 TP29 TP29
- 40 U1 MCF8316DVRGRFR

PCB-01 V2 assembly locator, SE

Revision V2 | component-side (top) view | coordinates in mm | generated from current .kicad_pcb



- 1 C22 100nF 16V X7R 10%
- 2 C23 10uF 25V X5R 10%
- 3 C24 100nF 16V X7R 10%
- 4 C25 100nF 16V X7R 10%
- 5 C26 10uF 63V X7R 10%
- 6 C27 100nF 100V X7R 10%
- 7 C28 10uF 25V X7R 10%
- 8 C29 100nF 50V X7R 10%
- 9 C30 10nF 50V C0G 5%
- 10 C31 10nF 50V X7R 10%
- 11 C33 100nF 50V X7R 10%
- 12 C34 100nF 50V C0G 1%
- 13 C35 2.2uF 50V X5R 10%
- 14 C41 100nF 16V X7R 10%
- 15 C43 100nF 16V X7R 10%
- 16 D8 BAT54W-G3-08
- 17 D9 BAT54SLT1G
- 18 H4 M3 NPTH
- 19 J3 B3B-PH-K-S(LF)(SN)
- 20 Q2 2N7002K-7
- 21 Q3 2N7002K-7
- 22 R25 100k 1%
- 23 R31 100k 1%
- 24 R32 10k 1%
- 25 R33 10k 1%
- 26 R34 10k 1%
- 27 R35 10k 1%
- 28 R36 100ohm 1%
- 29 R37 10k 1%
- 30 R38 100ohm 1%

- 31 R39 47ohm 1W 1%
- 32 R40 910k 0.1%
- 33 R41 100k 0.1%
- 34 R42 10k 1%
- 35 R43 10k 1%
- 36 R44 10k 1%
- 37 R45 100ohm 1%
- 38 R46 10k 1%
- 39 R47 10k 1%
- 40 R48 562k 1%
- 41 R49 10k 1%
- 42 R50 10k 1%
- 43 R51 47.0k 0.1%
- 44 R52 10.0k 0.1%
- 45 R53 35.7k 1%
- 46 R54 90.9k 0.1%
- 47 RV1 3224W-1-204E
- 48 SW3 PTS645SK43SMTR92LFS
- 49 TP6 TP6
- 50 TP15 TP15
- 51 TP21 TP21
- 52 TP22 TP22
- 53 TP23 TP23
- 54 U4 TPS7A1601ADGNR
- 55 U5 SN74LVC1G74DCTR
- 56 U6 SN74LVC1G74DCTR
- 57 U7 TPS3435CAKAGDDFR
- 58 U8 LM2907M/NOPB
- 59 U9 TLV1701AIDBVR
- 60 U10 SN74LVC1G17DCKR

- 61 U11 SN74LV