```
midael1975 / advanced-css
To write the CSS advanced code
☆ Star
                                                                                                  ● Unwatch ▼
  <> Code
               ! Issues
                            ! Pull requests
                                               Actions
                                                              Projects
                                                                             ₩ Wiki
                                                                                          ① Security
                                                                                                         <u></u> Insights
                                                                                                                        鈴 Settings
  ې main ◄
 advanced-css / actv03 / styles.scss
       midael1975 init commit 🗸
                                                                                                                              (1) History
  १३ 1 contributor
  190 lines (163 sloc) | 2.65 KB
        // Variable assignment
         //set breakpoint sizes
        $break-small: 20em;
        $break-medium: 31em;
        $break-large: 60em;
        $body-background-color: #FAEBD7;
        $header-background-color: #6495ED;
        $color-nav: white;
         $nav-act:#DEB887;
         $family: unquote("family=Lora&family=Roboto");
         @import url('https://fonts.googleapis.com/css2?=#{$family}');
         body {
            background-color: $body-background-color;
            font-size: 18px;
            margin: 0;
         header {
            background-color: $header-background-color;
            align-items: center;
            justify-content: center;
            padding: 5px 0;
            height: auto;
            padding-right: 10px;
            padding-left: 20px;
            text-decoration: none;
        h1 {
            color: $body-background-color;
             text-align: right;
            text-decoration: none;
        nav {
            text-align: right;
            padding-right: 10px;
            font-family: 'Roboto', sans-serif;
            list-style: none;
            /*removes the bullets! */
         @mixin hover {
            text-decoration: underline;
        nav a:hover {
```

```
color: $color-nav;
    @include hover;
@mixin active {
    color: $nav-act;
    @include active;
main {
    background-color: $body-background-color;
article {
    background-color: $color-nav;
    margin: auto;
    display: block;
    margin: 20px 30px 20px 20px;
figure {
    margin: auto;
    display: block;
img {
    width: 80%;
    margin: auto;
    display: block;
.post-date {
    padding-top: 20px;
    padding-left: 20px;
section a {
    color: black;
section a:active {
    @include active;
    color: $header-background-color;
section h2,
    text-align: left;
    margin-left: 20px;
p a:hover {
    @include hover;
article h2 a:hover {
    color: $header-background-color;
    @include hover;
article h2 a:active {
    @include active;
h2 {
    font-family: 'Lora', serif;
@mixin large-text {
```

```
display: grid;
       grid-template-columns: 300px 1fr;
   header {
       grid-column: 1/2;
   main {
       grid-column: 2/3;
   article {
       width: 60%;
       margin: auto;
       display: block;
       margin-top: 30px;
   img {
       width: 50%;
@media (min-width: 61em) {
   @include large-text;
@media (max-width: 60em) {
   @include large-text;
   body,
   main {
       background: red;
@media (max-width: 31em) {
   body,
   main {
       background: cyan;
       display: block;
@media (max-width: 20em) {
   body,
   main {
       background: green;
       display: block;
@media (max-width: 480px) {
   body,
   main {
       background: yellow;
        display: block;
```