

State Supplementary Results

Round 20

16 September, 2026
Scenario Modeling Hub Team¹

This supplementary report contains state-level results for each state. These results mirror those at the national level. See covid19scenariomodelinghub.org and the main report for more details.

Round 1 2025/26 Specifications

	No vaccine recommendation	Vaccine recommended to all ages once a year in the fall • Vaccination starts Aug 13, 2025 and Aug 14, 2026	Vaccine recommended to all ages; twice a year for high-risk • Fall first-dose vaccination starts Aug 13, 2025 and Aug 14, 2026 • Second dose vaccination for high-risk starts February 15, 2026 • Coverage of second dose is 50% of that of first dose
No vaccine recommendation • No new vaccination during the 2026-27 season	Scenario A		
Business as usual coverage • Uptake in all population subgroups, including high-risk, is the same as reported for COVID-19 in 2025-26		Scenario B	Scenario C
Optimistic vaccination coverage • Uptake in all population subgroups saturates at levels of the 2025-26 influenza vaccine		Scenario D	Scenario E

¹Compiled by Lucie Contamin, Shaun Truelove, Cécile Viboud.


Alabama

Differences between scenarios - Alabama

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Alabama. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization




Ensemble Projections - Alabama

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Alabama ensemble projection intervals – Hospitalizations




Alabama ensemble projection intervals – Deaths



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Alabama

Ensemble projections for cumulative hospitalizations by scenario, Alabama. We project substantial continued burden of hospitalization from COVID-19, with 9263 cumulative hospitalizations projected by the end of the full projection period (95% PI 7068 - 13113) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).




Individual Model Projections - Alabama


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Alabama Individual Model Projections & 95% Projection Intervals Hospitalizations




Alabama Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Alabama Individual Model Projections & 95% Projection Intervals – Deaths



Alabama Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Alaska

Differences between scenarios - Alaska

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Alaska. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization




Ensemble Projections - Alaska

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Alaska ensemble projection intervals – Hospitalizations



Alaska ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Alaska

Ensemble projections for cumulative hospitalizations by scenario, Alaska. We project substantial continued burden of hospitalization from COVID-19, with 833 cumulative hospitalizations projected by the end of the full projection period (95% PI 559 - 836) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Alaska ensemble projections & 95% projection intervals




Individual Model Projections - Alaska


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Alaska Individual Model Projections & 95% Projection Intervals Hospitalizations




Alaska Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Alaska Individual Model Projections & 95% Projection Intervals – Deaths



Alaska Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Arizona

Differences between scenarios - Arizona

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Arizona. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Arizona


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Arizona ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Arizona ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Arizona

Ensemble projections for cumulative hospitalizations by scenario, Arizona. We project substantial continued burden of hospitalization from COVID-19, with 7902 cumulative hospitalizations projected by the end of the full projection period (95% PI 6266 - 13187) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Arizona ensemble projections & 95% projection intervals




Individual Model Projections - Arizona


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Arizona Individual Model Projections & 95% Projection Intervals
Hospitalizations




Arizona Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Arizona Individual Model Projections & 95% Projection Intervals – Deaths



Arizona Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Arkansas

Differences between scenarios - Arkansas

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Arkansas. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization




Death

Percent and number of deaths averted by immunization




Ensemble Projections - Arkansas

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Arkansas ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Arkansas

Ensemble projections for cumulative hospitalizations by scenario, Arkansas. We project substantial continued burden of hospitalization from COVID-19, with 4055 cumulative hospitalizations projected by the end of the full projection period (95% PI 2921 - 5142) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Arkansas ensemble projections & 95% projection intervals




Individual Model Projections - Arkansas


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Arkansas Individual Model Projections & 95% Projection Intervals Hospitalizations




Arkansas Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Arkansas Individual Model Projections & 95% Projection Intervals – Deaths



Arkansas Individual Model Projections & 95% Projection Intervals Cumulative Deaths




California

Differences between scenarios - California

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for California. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - California


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

California ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals


California ensemble projection intervals – Deaths



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - California

Ensemble projections for cumulative hospitalizations by scenario, California. We project substantial continued burden of hospitalization from COVID-19, with 54130 cumulative hospitalizations projected by the end of the full projection period (95% PI 34956 - 72776) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).




Individual Model Projections - California


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


California Individual Model Projections & 95% Projection Intervals Hospitalizations




California Individual Model Projections & 95% Projection Intervals
Cumulative Hospitalizations



California Individual Model Projections & 95% Projection Intervals – Deaths



California Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Colorado

Differences between scenarios - Colorado

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Colorado. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Colorado


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Colorado ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals


Colorado ensemble projection intervals – Deaths



Cumulative Ensemble Projections - Colorado

Ensemble projections for cumulative hospitalizations by scenario, Colorado. We project substantial continued burden of hospitalization from COVID-19, with 5761 cumulative hospitalizations projected by the end of the full projection period (95% PI 4641 - 6929) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Colorado ensemble projections & 95% projection intervals




Individual Model Projections - Colorado


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Colorado Individual Model Projections & 95% Projection Intervals
Hospitalizations




Colorado Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Colorado Individual Model Projections & 95% Projection Intervals – Deaths



Colorado Individual Model Projections & 95% Projection Intervals
Cumulative Deaths




Connecticut

Differences between scenarios - Connecticut

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Connecticut. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Connecticut


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Connecticut ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals


Connecticut ensemble projection intervals – Deaths



Cumulative Ensemble Projections - Connecticut

Ensemble projections for cumulative hospitalizations by scenario, Connecticut. We project substantial continued burden of hospitalization from COVID-19, with 5399 cumulative hospitalizations projected by the end of the full projection period (95% PI 4487 - 6566) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Connecticut ensemble projections & 95% projection intervals




Individual Model Projections - Connecticut


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Connecticut Individual Model Projections & 95% Projection Intervals Hospitalizations




Connecticut Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Connecticut Individual Model Projections & 95% Projection Intervals Deaths



Connecticut Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Delaware

Differences between scenarios - Delaware

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Delaware. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Delaware


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Delaware ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Delaware ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Delaware

Ensemble projections for cumulative hospitalizations by scenario, Delaware. We project substantial continued burden of hospitalization from COVID-19, with 1659 cumulative hospitalizations projected by the end of the full projection period (95% PI 1105 - 2100) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Delaware ensemble projections & 95% projection intervals




Individual Model Projections - Delaware


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Delaware Individual Model Projections & 95% Projection Intervals
Hospitalizations




Delaware Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Delaware Individual Model Projections & 95% Projection Intervals – Deaths



Delaware Individual Model Projections & 95% Projection Intervals Cumulative Deaths




District of Columbia

Differences between scenarios - District of Columbia

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for District of Columbia. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization




Ensemble Projections - District of Columbia

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

District of Columbia ensemble projection intervals – Hospitalizations



District of Columbia ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - District of Columbia

Ensemble projections for cumulative hospitalizations by scenario, District of Columbia. We project substantial continued burden of hospitalization from COVID-19, with 1165 cumulative hospitalizations projected by the end of the full projection period (95% PI 750 - 2354) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

District of Columbia ensemble projections & 95% projection intervals




Individual Model Projections - District of Columbia


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


District of Columbia Individual Model Projections & 95% Projection Intervals
Hospitalizations




District of Columbia Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



District of Columbia Individual Model Projections & 95% Projection Intervals Deaths



District of Columbia Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Florida

Differences between scenarios - Florida

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Florida. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Florida


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Florida ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Florida ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Florida

Ensemble projections for cumulative hospitalizations by scenario, Florida. We project substantial continued burden of hospitalization from COVID-19, with 45712 cumulative hospitalizations projected by the end of the full projection period (95% PI 26192 - 53595) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Florida ensemble projections & 95% projection intervals




Individual Model Projections - Florida


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Florida Individual Model Projections & 95% Projection Intervals
Hospitalizations




Florida Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Florida Individual Model Projections & 95% Projection Intervals – Deaths



Florida Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Georgia

Differences between scenarios - Georgia

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Georgia. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Georgia


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Georgia ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals


Georgia ensemble projection intervals – Deaths



Cumulative Ensemble Projections - Georgia

Ensemble projections for cumulative hospitalizations by scenario, Georgia. We project substantial continued burden of hospitalization from COVID-19, with 12554 cumulative hospitalizations projected by the end of the full projection period (95% PI 8781 - 18222) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Georgia ensemble projections & 95% projection intervals




Individual Model Projections - Georgia


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Georgia Individual Model Projections & 95% Projection Intervals Hospitalizations




Georgia Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Georgia Individual Model Projections & 95% Projection Intervals – Deaths



Georgia Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Hawaii

Differences between scenarios - Hawaii

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Hawaii. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Hawaii


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Hawaii ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Hawaii ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Hawaii

Ensemble projections for cumulative hospitalizations by scenario, Hawaii. We project substantial continued burden of hospitalization from COVID-19, with 1665 cumulative hospitalizations projected by the end of the full projection period (95% PI 984 - 2493) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Hawaii ensemble projections & 95% projection intervals




Individual Model Projections - Hawaii


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Hawaii Individual Model Projections & 95% Projection Intervals Hospitalizations




Hawaii Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Hawaii Individual Model Projections & 95% Projection Intervals – Deaths



Hawaii Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Idaho

Differences between scenarios - Idaho

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Idaho. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Idaho


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Idaho ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals


Idaho ensemble projection intervals – Deaths



Cumulative Ensemble Projections - Idaho

Ensemble projections for cumulative hospitalizations by scenario, Idaho. We project substantial continued burden of hospitalization from COVID-19, with 2257 cumulative hospitalizations projected by the end of the full projection period (95% PI 1473 - 3235) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Idaho ensemble projections & 95% projection intervals




Individual Model Projections - Idaho


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Idaho Individual Model Projections & 95% Projection Intervals Hospitalizations




Idaho Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Idaho Individual Model Projections & 95% Projection Intervals – Deaths



Idaho Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Illinois

Differences between scenarios - Illinois

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Illinois. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization




Death

Percent and number of deaths averted by immunization




Ensemble Projections - Illinois

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.




Illinois ensemble projection intervals – Deaths



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Illinois

Ensemble projections for cumulative hospitalizations by scenario, Illinois. We project substantial continued burden of hospitalization from COVID-19, with 22163 cumulative hospitalizations projected by the end of the full projection period (95% PI 16293 - 28739) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).




Individual Model Projections - Illinois


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Illinois Individual Model Projections & 95% Projection Intervals Hospitalizations




Illinois Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Illinois Individual Model Projections & 95% Projection Intervals – Deaths



Illinois Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Indiana

Differences between scenarios - Indiana

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Indiana. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Indiana


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Indiana ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals


Indiana ensemble projection intervals – Deaths



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Indiana

Ensemble projections for cumulative hospitalizations by scenario, Indiana. We project substantial continued burden of hospitalization from COVID-19, with 12747 cumulative hospitalizations projected by the end of the full projection period (95% PI 9333 - 18761) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).




Individual Model Projections - Indiana


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Indiana Individual Model Projections & 95% Projection Intervals
Hospitalizations




Indiana Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Indiana Individual Model Projections & 95% Projection Intervals – Deaths



Indiana Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Iowa

Differences between scenarios - Iowa

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Iowa. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Iowa


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Iowa ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Iowa ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Iowa

Ensemble projections for cumulative hospitalizations by scenario, Iowa. We project substantial continued burden of hospitalization from COVID-19, with 4287 cumulative hospitalizations projected by the end of the full projection period (95% PI 3084 - 6691) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Iowa ensemble projections & 95% projection intervals




Individual Model Projections - Iowa


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Iowa Individual Model Projections & 95% Projection Intervals Hospitalizations




Iowa Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Iowa Individual Model Projections & 95% Projection Intervals – Deaths



Iowa Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Kansas

Differences between scenarios - Kansas

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Kansas. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Kansas


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Kansas ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals


Kansas ensemble projection intervals – Deaths



Cumulative Ensemble Projections - Kansas

Ensemble projections for cumulative hospitalizations by scenario, Kansas. We project substantial continued burden of hospitalization from COVID-19, with 4124 cumulative hospitalizations projected by the end of the full projection period (95% PI 3278 - 5636) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Kansas ensemble projections & 95% projection intervals




Individual Model Projections - Kansas


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Kansas Individual Model Projections & 95% Projection Intervals
Hospitalizations




Kansas Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Kansas Individual Model Projections & 95% Projection Intervals – Deaths



Kansas Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Kentucky

Differences between scenarios - Kentucky

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Kentucky. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Kentucky


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Kentucky ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Kentucky ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Kentucky

Ensemble projections for cumulative hospitalizations by scenario, Kentucky. We project substantial continued burden of hospitalization from COVID-19, with 7987 cumulative hospitalizations projected by the end of the full projection period (95% PI 5640 - 11960) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Kentucky ensemble projections & 95% projection intervals




Individual Model Projections - Kentucky


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Kentucky Individual Model Projections & 95% Projection Intervals
Hospitalizations




Kentucky Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Kentucky Individual Model Projections & 95% Projection Intervals – Deaths



Kentucky Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Louisiana

Differences between scenarios - Louisiana

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Louisiana. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization




Death

Percent and number of deaths averted by immunization




Ensemble Projections - Louisiana

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Louisiana ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Louisiana

Ensemble projections for cumulative hospitalizations by scenario, Louisiana. We project substantial continued burden of hospitalization from COVID-19, with 7606 cumulative hospitalizations projected by the end of the full projection period (95% PI 4593 - 9089) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Louisiana ensemble projections & 95% projection intervals




Individual Model Projections - Louisiana


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Louisiana Individual Model Projections & 95% Projection Intervals
Hospitalizations




Louisiana Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Louisiana Individual Model Projections & 95% Projection Intervals – Deaths



Louisiana Individual Model Projections & 95% Projection Intervals
Cumulative Deaths




Maine

Differences between scenarios - Maine

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Maine. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Maine


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Maine ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Maine ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Maine

Ensemble projections for cumulative hospitalizations by scenario, Maine. We project substantial continued burden of hospitalization from COVID-19, with 1136 cumulative hospitalizations projected by the end of the full projection period (95% PI 689 - 2143) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Maine ensemble projections & 95% projection intervals




Individual Model Projections - Maine


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Maine Individual Model Projections & 95% Projection Intervals
Hospitalizations




Maine Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Maine Individual Model Projections & 95% Projection Intervals – Deaths



Maine Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Maryland

Differences between scenarios - Maryland

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Maryland. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Maryland


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Maryland ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Maryland ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Maryland

Ensemble projections for cumulative hospitalizations by scenario, Maryland. We project substantial continued burden of hospitalization from COVID-19, with 6465 cumulative hospitalizations projected by the end of the full projection period (95% PI 4933 - 8231) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Maryland ensemble projections & 95% projection intervals




Individual Model Projections - Maryland


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Maryland Individual Model Projections & 95% Projection Intervals Hospitalizations




Maryland Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Maryland Individual Model Projections & 95% Projection Intervals – Deaths



Maryland Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Massachusetts

Differences between scenarios - Massachusetts

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Massachusetts. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization




Death

Percent and number of deaths averted by immunization




Ensemble Projections - Massachusetts

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.



Massachusetts ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Massachusetts

Ensemble projections for cumulative hospitalizations by scenario, Massachusetts. We project substantial continued burden of hospitalization from COVID-19, with 12292 cumulative hospitalizations projected by the end of the full projection period (95% PI 10302 - 13735) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Massachusetts ensemble projections & 95% projection intervals




Individual Model Projections - Massachusetts


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Massachusetts Individual Model Projections & 95% Projection Intervals Hospitalizations




Massachusetts Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Massachusetts Individual Model Projections & 95% Projection Intervals Deaths



Massachusetts Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Michigan

Differences between scenarios - Michigan

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Michigan. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Michigan


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Michigan ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Michigan ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Michigan

Ensemble projections for cumulative hospitalizations by scenario, Michigan. We project substantial continued burden of hospitalization from COVID-19, with 16866 cumulative hospitalizations projected by the end of the full projection period (95% PI 13353 - 26399) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Michigan ensemble projections & 95% projection intervals




Individual Model Projections - Michigan


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Michigan Individual Model Projections & 95% Projection Intervals Hospitalizations




Michigan Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Michigan Individual Model Projections & 95% Projection Intervals – Deaths



Michigan Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Minnesota

Differences between scenarios - Minnesota

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Minnesota. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization




Death

Percent and number of deaths averted by immunization




Ensemble Projections - Minnesota

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Minnesota ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Minnesota

Ensemble projections for cumulative hospitalizations by scenario, Minnesota. We project substantial continued burden of hospitalization from COVID-19, with 7150 cumulative hospitalizations projected by the end of the full projection period (95% PI 5202 - 10333) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Minnesota ensemble projections & 95% projection intervals




Individual Model Projections - Minnesota


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Minnesota Individual Model Projections & 95% Projection Intervals Hospitalizations




Minnesota Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Minnesota Individual Model Projections & 95% Projection Intervals – Deaths



Minnesota Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Mississippi

Differences between scenarios - Mississippi

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Mississippi. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Mississippi


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Mississippi ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals


Mississippi ensemble projection intervals – Deaths



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Mississippi

Ensemble projections for cumulative hospitalizations by scenario, Mississippi. We project substantial continued burden of hospitalization from COVID-19, with 4420 cumulative hospitalizations projected by the end of the full projection period (95% PI 2905 - 5805) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).




Individual Model Projections - Mississippi


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Mississippi Individual Model Projections & 95% Projection Intervals
Hospitalizations




Mississippi Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Mississippi Individual Model Projections & 95% Projection Intervals Deaths



Mississippi Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Missouri

Differences between scenarios - Missouri

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Missouri. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Missouri


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Missouri ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals


Missouri ensemble projection intervals – Deaths



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Missouri

Ensemble projections for cumulative hospitalizations by scenario, Missouri. We project substantial continued burden of hospitalization from COVID-19, with 9294 cumulative hospitalizations projected by the end of the full projection period (95% PI 7614 - 11759) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).




Individual Model Projections - Missouri


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Missouri Individual Model Projections & 95% Projection Intervals
Hospitalizations




Missouri Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Missouri Individual Model Projections & 95% Projection Intervals – Deaths



Missouri Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Montana

Differences between scenarios - Montana

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Montana. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization




Death

Percent and number of deaths averted by immunization




Ensemble Projections - Montana

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.



Montana ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Montana

Ensemble projections for cumulative hospitalizations by scenario, Montana. We project substantial continued burden of hospitalization from COVID-19, with 1800 cumulative hospitalizations projected by the end of the full projection period (95% PI 1316 - 2889) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Montana ensemble projections & 95% projection intervals




Individual Model Projections - Montana


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Montana Individual Model Projections & 95% Projection Intervals
Hospitalizations




Montana Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Montana Individual Model Projections & 95% Projection Intervals – Deaths



Montana Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Nebraska

Differences between scenarios - Nebraska

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Nebraska. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization




Death

Percent and number of deaths averted by immunization




Ensemble Projections - Nebraska

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Nebraska ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Nebraska

Ensemble projections for cumulative hospitalizations by scenario, Nebraska. We project substantial continued burden of hospitalization from COVID-19, with 2808 cumulative hospitalizations projected by the end of the full projection period (95% PI 2034 - 4071) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Nebraska ensemble projections & 95% projection intervals




Individual Model Projections - Nebraska


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Nebraska Individual Model Projections & 95% Projection Intervals Hospitalizations




Nebraska Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Nebraska Individual Model Projections & 95% Projection Intervals – Deaths



Nebraska Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Nevada

Differences between scenarios - Nevada

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Nevada. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Nevada


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Nevada ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Nevada ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Nevada

Ensemble projections for cumulative hospitalizations by scenario, Nevada. We project substantial continued burden of hospitalization from COVID-19, with 2796 cumulative hospitalizations projected by the end of the full projection period (95% PI 1792 - 3550) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Nevada ensemble projections & 95% projection intervals




Individual Model Projections - Nevada


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Nevada Individual Model Projections & 95% Projection Intervals Hospitalizations




Nevada Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Nevada Individual Model Projections & 95% Projection Intervals – Deaths



Nevada Individual Model Projections & 95% Projection Intervals Cumulative Deaths




New Hampshire

Differences between scenarios - New Hampshire

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for New Hampshire. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - New Hampshire


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

New Hampshire ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

New Hampshire ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - New Hampshire

Ensemble projections for cumulative hospitalizations by scenario, New Hampshire. We project substantial continued burden of hospitalization from COVID-19, with 2204 cumulative hospitalizations projected by the end of the full projection period (95% PI 1681 - 3630) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

New Hampshire ensemble projections & 95% projection intervals




Individual Model Projections - New Hampshire


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


New Hampshire Individual Model Projections & 95% Projection Intervals
Hospitalizations




New Hampshire Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



New Hampshire Individual Model Projections & 95% Projection Intervals Deaths



New Hampshire Individual Model Projections & 95% Projection Intervals Cumulative Deaths




New Jersey

Differences between scenarios - New Jersey

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for New Jersey. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - New Jersey


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

New Jersey ensemble projection intervals – Hospitalizations




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

New Jersey ensemble projection intervals – Deaths



Cumulative Ensemble Projections - New Jersey

Ensemble projections for cumulative hospitalizations by scenario, New Jersey. We project substantial continued burden of hospitalization from COVID-19, with 16111 cumulative hospitalizations projected by the end of the full projection period (95% PI 11903 - 22460) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).




Individual Model Projections - New Jersey


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


New Jersey Individual Model Projections & 95% Projection Intervals
Hospitalizations




New Jersey Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



New Jersey Individual Model Projections & 95% Projection Intervals – Deaths



New Jersey Individual Model Projections & 95% Projection Intervals Cumulative Deaths




New Mexico

Differences between scenarios - New Mexico

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for New Mexico. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - New Mexico


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

New Mexico ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

New Mexico ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - New Mexico

Ensemble projections for cumulative hospitalizations by scenario, New Mexico. We project substantial continued burden of hospitalization from COVID-19, with 3337 cumulative hospitalizations projected by the end of the full projection period (95% PI 2071 - 4280) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).


New Mexico ensemble projections & 95% projection intervals




Individual Model Projections - New Mexico

There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.


Individual model projections and ensemble by scenario for hospitalizations and deaths.




New Mexico Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



New Mexico Individual Model Projections & 95% Projection Intervals – Deaths



New Mexico Individual Model Projections & 95% Projection Intervals Cumulative Deaths




New York

Differences between scenarios - New York

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for New York. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization




Death

Percent and number of deaths averted by immunization




Ensemble Projections - New York

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.




New York ensemble projection intervals – Deaths



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - New York

Ensemble projections for cumulative hospitalizations by scenario, New York. We project substantial continued burden of hospitalization from COVID-19, with 33214 cumulative hospitalizations projected by the end of the full projection period (95% PI 25564 - 37516) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).




Individual Model Projections - New York


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


New York Individual Model Projections & 95% Projection Intervals Hospitalizations




New York Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



New York Individual Model Projections & 95% Projection Intervals – Deaths



New York Individual Model Projections & 95% Projection Intervals Cumulative Deaths




North Carolina

Differences between scenarios - North Carolina

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for North Carolina. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - North Carolina


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

North Carolina ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

North Carolina ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - North Carolina

Ensemble projections for cumulative hospitalizations by scenario, North Carolina. We project substantial continued burden of hospitalization from COVID-19, with 18604 cumulative hospitalizations projected by the end of the full projection period (95% PI 11615 - 25386) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

North Carolina ensemble projections & 95% projection intervals




Individual Model Projections - North Carolina


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


North Carolina Individual Model Projections & 95% Projection Intervals Hospitalizations




North Carolina Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



North Carolina Individual Model Projections & 95% Projection Intervals Deaths



North Carolina Individual Model Projections & 95% Projection Intervals Cumulative Deaths




North Dakota

Differences between scenarios - North Dakota

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for North Dakota. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization




Death

Percent and number of deaths averted by immunization




Ensemble Projections - North Dakota

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.




North Dakota ensemble projection intervals – Deaths



Cumulative Ensemble Projections - North Dakota

Ensemble projections for cumulative hospitalizations by scenario, North Dakota. We project substantial continued burden of hospitalization from COVID-19, with 1664 cumulative hospitalizations projected by the end of the full projection period (95% PI 1051 - 2352) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).


North Dakota ensemble projections & 95% projection intervals




Individual Model Projections - North Dakota

There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.


Individual model projections and ensemble by scenario for hospitalizations and deaths.




North Dakota Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



North Dakota Individual Model Projections & 95% Projection Intervals Deaths



North Dakota Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Ohio

Differences between scenarios - Ohio

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Ohio. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Ohio


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Ohio ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals


Ohio ensemble projection intervals – Deaths



Cumulative Ensemble Projections - Ohio

Ensemble projections for cumulative hospitalizations by scenario, Ohio. We project substantial continued burden of hospitalization from COVID-19, with 22875 cumulative hospitalizations projected by the end of the full projection period (95% PI 15968 - 30107) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Ohio ensemble projections & 95% projection intervals




Individual Model Projections - Ohio


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Ohio Individual Model Projections & 95% Projection Intervals Hospitalizations




Ohio Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Ohio Individual Model Projections & 95% Projection Intervals – Deaths



Ohio Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Oklahoma

Differences between scenarios - Oklahoma

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Oklahoma. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization




Death

Percent and number of deaths averted by immunization




Ensemble Projections - Oklahoma

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Oklahoma ensemble projection intervals – Deaths



Cumulative Ensemble Projections - Oklahoma

Ensemble projections for cumulative hospitalizations by scenario, Oklahoma. We project substantial continued burden of hospitalization from COVID-19, with 6393 cumulative hospitalizations projected by the end of the full projection period (95% PI 4588 - 8772) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).




Individual Model Projections - Oklahoma


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Oklahoma Individual Model Projections & 95% Projection Intervals
Hospitalizations




Oklahoma Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Oklahoma Individual Model Projections & 95% Projection Intervals – Deaths



Oklahoma Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Oregon

Differences between scenarios - Oregon

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Oregon. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization




Ensemble Projections - Oregon

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Oregon ensemble projection intervals – Hospitalizations



Oregon ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Oregon

Ensemble projections for cumulative hospitalizations by scenario, Oregon. We project substantial continued burden of hospitalization from COVID-19, with 4686 cumulative hospitalizations projected by the end of the full projection period (95% PI 2775 - 5788) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Oregon ensemble projections & 95% projection intervals




Individual Model Projections - Oregon


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Oregon Individual Model Projections & 95% Projection Intervals
Hospitalizations




Oregon Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Oregon Individual Model Projections & 95% Projection Intervals – Deaths



Oregon Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Pennsylvania

Differences between scenarios - Pennsylvania

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Pennsylvania. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Pennsylvania


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Pennsylvania ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Pennsylvania ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Pennsylvania

Ensemble projections for cumulative hospitalizations by scenario, Pennsylvania. We project substantial continued burden of hospitalization from COVID-19, with 35137 cumulative hospitalizations projected by the end of the full projection period (95% PI 24190 - 48939) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Pennsylvania ensemble projections & 95% projection intervals




Individual Model Projections - Pennsylvania


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Pennsylvania Individual Model Projections & 95% Projection Intervals
Hospitalizations




Pennsylvania Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Pennsylvania Individual Model Projections & 95% Projection Intervals Deaths



Pennsylvania Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Rhode Island

Differences between scenarios - Rhode Island

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Rhode Island. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization




Ensemble Projections - Rhode Island

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Rhode Island ensemble projection intervals – Hospitalizations




Rhode Island ensemble projection intervals – Deaths



Cumulative Ensemble Projections - Rhode Island

Ensemble projections for cumulative hospitalizations by scenario, Rhode Island. We project substantial continued burden of hospitalization from COVID-19, with 2312 cumulative hospitalizations projected by the end of the full projection period (95% PI 1477 - 3205) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Rhode Island ensemble projections & 95% projection intervals




Individual Model Projections - Rhode Island


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Rhode Island Individual Model Projections & 95% Projection Intervals Hospitalizations




Rhode Island Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Rhode Island Individual Model Projections & 95% Projection Intervals Deaths



Rhode Island Individual Model Projections & 95% Projection Intervals Cumulative Deaths




South Carolina

Differences between scenarios - South Carolina

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for South Carolina. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization




Death

Percent and number of deaths averted by immunization




Ensemble Projections - South Carolina

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.




South Carolina ensemble projection intervals – Deaths



Cumulative Ensemble Projections - South Carolina

Ensemble projections for cumulative hospitalizations by scenario, South Carolina. We project substantial continued burden of hospitalization from COVID-19, with 7875 cumulative hospitalizations projected by the end of the full projection period (95% PI 5291 - 11324) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

South Carolina ensemble projections & 95% projection intervals




Individual Model Projections - South Carolina


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


South Carolina Individual Model Projections & 95% Projection Intervals Hospitalizations




South Carolina Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



South Carolina Individual Model Projections & 95% Projection Intervals Deaths



South Carolina Individual Model Projections & 95% Projection Intervals Cumulative Deaths




South Dakota

Differences between scenarios - South Dakota

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for South Dakota. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - South Dakota


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

South Dakota ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals


South Dakota ensemble projection intervals – Deaths



Cumulative Ensemble Projections - South Dakota

Ensemble projections for cumulative hospitalizations by scenario, South Dakota. We project substantial continued burden of hospitalization from COVID-19, with 1694 cumulative hospitalizations projected by the end of the full projection period (95% PI 1140 - 2543) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

South Dakota ensemble projections & 95% projection intervals




Individual Model Projections - South Dakota


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


South Dakota Individual Model Projections & 95% Projection Intervals Hospitalizations




South Dakota Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



South Dakota Individual Model Projections & 95% Projection Intervals Deaths



South Dakota Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Tennessee

Differences between scenarios - Tennessee

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Tennessee. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Tennessee


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Tennessee ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals


Tennessee ensemble projection intervals – Deaths



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Tennessee

Ensemble projections for cumulative hospitalizations by scenario, Tennessee. We project substantial continued burden of hospitalization from COVID-19, with 10242 cumulative hospitalizations projected by the end of the full projection period (95% PI 7204 - 14997) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).




Individual Model Projections - Tennessee


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Tennessee Individual Model Projections & 95% Projection Intervals Hospitalizations




Tennessee Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Tennessee Individual Model Projections & 95% Projection Intervals – Deaths



Tennessee Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Texas

Differences between scenarios - Texas

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Texas. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Texas


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Texas ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Texas ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Texas

Ensemble projections for cumulative hospitalizations by scenario, Texas. We project substantial continued burden of hospitalization from COVID-19, with 36397 cumulative hospitalizations projected by the end of the full projection period (95% PI 26958 - 52294) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Texas ensemble projections & 95% projection intervals




Individual Model Projections - Texas


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Texas Individual Model Projections & 95% Projection Intervals
Hospitalizations




Texas Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Texas Individual Model Projections & 95% Projection Intervals – Deaths



Texas Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Utah

Differences between scenarios - Utah

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Utah. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Utah


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Utah ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Utah ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Utah

Ensemble projections for cumulative hospitalizations by scenario, Utah. We project substantial continued burden of hospitalization from COVID-19, with 2072 cumulative hospitalizations projected by the end of the full projection period (95% PI 1469 - 2930) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Utah ensemble projections & 95% projection intervals




Individual Model Projections - Utah


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Utah Individual Model Projections & 95% Projection Intervals
Hospitalizations




Utah Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Utah Individual Model Projections & 95% Projection Intervals – Deaths



Utah Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Vermont

Differences between scenarios - Vermont

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Vermont. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization




Death

Percent and number of deaths averted by immunization




Ensemble Projections - Vermont

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.



Vermont ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Vermont

Ensemble projections for cumulative hospitalizations by scenario, Vermont. We project substantial continued burden of hospitalization from COVID-19, with 707 cumulative hospitalizations projected by the end of the full projection period (95% PI 422 - 894) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Vermont ensemble projections & 95% projection intervals




Individual Model Projections - Vermont


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Vermont Individual Model Projections & 95% Projection Intervals
Hospitalizations




Vermont Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Vermont Individual Model Projections & 95% Projection Intervals – Deaths



Vermont Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Virginia

Differences between scenarios - Virginia

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Virginia. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Virginia


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Virginia ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals


Virginia ensemble projection intervals – Deaths



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Virginia

Ensemble projections for cumulative hospitalizations by scenario, Virginia. We project substantial continued burden of hospitalization from COVID-19, with 9952 cumulative hospitalizations projected by the end of the full projection period (95% PI 7967 - 15357) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).




Individual Model Projections - Virginia


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Virginia Individual Model Projections & 95% Projection Intervals Hospitalizations




Virginia Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Virginia Individual Model Projections & 95% Projection Intervals – Deaths



Virginia Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Washington

Differences between scenarios - Washington

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Washington. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Washington


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Washington ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Washington ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Washington

Ensemble projections for cumulative hospitalizations by scenario, Washington. We project substantial continued burden of hospitalization from COVID-19, with 7852 cumulative hospitalizations projected by the end of the full projection period (95% PI 5227 - 10089) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Washington ensemble projections & 95% projection intervals




Individual Model Projections - Washington


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Washington Individual Model Projections & 95% Projection Intervals Hospitalizations




Washington Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Washington Individual Model Projections & 95% Projection Intervals – Deaths



Washington Individual Model Projections & 95% Projection Intervals Cumulative Deaths




West Virginia

Differences between scenarios - West Virginia

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for West Virginia. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization




Death

Percent and number of deaths averted by immunization




Ensemble Projections - West Virginia

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.



West Virginia ensemble projection intervals – Deaths




From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - West Virginia

Ensemble projections for cumulative hospitalizations by scenario, West Virginia. We project substantial continued burden of hospitalization from COVID-19, with 4659 cumulative hospitalizations projected by the end of the full projection period (95% PI 3026 - 6028) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

West Virginia ensemble projections & 95% projection intervals




Individual Model Projections - West Virginia


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


West Virginia Individual Model Projections & 95% Projection Intervals
Hospitalizations




West Virginia Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



West Virginia Individual Model Projections & 95% Projection Intervals Deaths



West Virginia Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Wisconsin

Differences between scenarios - Wisconsin

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Wisconsin. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization




Death

Percent and number of deaths averted by immunization




Ensemble Projections - Wisconsin

Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals


Wisconsin ensemble projection intervals – Deaths



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals

Cumulative Ensemble Projections - Wisconsin

Ensemble projections for cumulative hospitalizations by scenario, Wisconsin. We project substantial continued burden of hospitalization from COVID-19, with 9827 cumulative hospitalizations projected by the end of the full projection period (95% PI 7050 - 14441) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).




Individual Model Projections - Wisconsin


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Wisconsin Individual Model Projections & 95% Projection Intervals Hospitalizations




Wisconsin Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Wisconsin Individual Model Projections & 95% Projection Intervals – Deaths



Wisconsin Individual Model Projections & 95% Projection Intervals Cumulative Deaths




Wyoming

Differences between scenarios - Wyoming

Cumulative paired differences between vaccination scenarios from June 07, 2026 to June 05, 2027, for Wyoming. Vaccination strategies are projected to significantly reduce disease burden compared to no vaccination.


Hospitalization

Percent and number of hospitalizations averted by immunization



Death


Percent and number of deaths averted by immunization



Ensemble Projections - Wyoming


Horizontal lines are given for prior peak incident, from past 2024-25 seasons based on NHSN data.

Wyoming ensemble projection intervals – Hospitalizations



From lightest to darkest shading represents 95%, 90%, 80% and 50% projection intervals


Wyoming ensemble projection intervals – Deaths



Cumulative Ensemble Projections - Wyoming

Ensemble projections for cumulative hospitalizations by scenario, Wyoming. We project substantial continued burden of hospitalization from COVID-19, with 1146 cumulative hospitalizations projected by the end of the full projection period (95% PI 660 - 1692) due to COVID-19 in the business as usual vaccination coverage & annual vaccination (scenario B).

Wyoming ensemble projections & 95% projection intervals




Individual Model Projections - Wyoming


There is substantial heterogeneity between individual models in estimated vaccine benefits, driven by differences in modeled vaccine mechanisms, and overall projected burden.

Individual model projections and ensemble by scenario for hospitalizations and deaths.


Wyoming Individual Model Projections & 95% Projection Intervals
Hospitalizations



Wyoming Individual Model Projections & 95% Projection Intervals Cumulative Hospitalizations



Wyoming Individual Model Projections & 95% Projection Intervals – Deaths



Wyoming Individual Model Projections & 95% Projection Intervals Cumulative Deaths

