Experiment-7:

Complete Dataset:

```
     survived  pclass     sex   age  sibsp  parch     fare  ...   class    who adult_male  deck  embark_town alive  alone
0           0       3    male  22.0      1      0   7.2500  ...   Third    man        True   NaN  Southampton    no  False
1           1       1  female  38.0      1      0  71.2833  ...   First  woman       False     C    Cherbourg   yes  False
2           1       3  female  26.0      0      0   7.9250  ...   Third  woman       False   NaN  Southampton   yes   True
3           1       1  female  35.0      1      0  53.1000  ...   First  woman       False     C  Southampton   yes  False
4           0       3    male  35.0      0      0   8.0500  ...   Third    man        True   NaN  Southampton    no   True
..        ...     ...     ...   ...    ...    ...      ...  ...     ...    ...         ...   ...          ...   ...    ...
886         0       2    male  27.0      0      0  13.0000  ...  Second    man        True   NaN  Southampton    no   True
887         1       1  female  19.0      0      0  30.0000  ...   First  woman       False     B  Southampton   yes   True
888         0       3  female   NaN      1      2  23.4500  ...   Third  woman       False   NaN  Southampton    no  False
889         1       1    male  26.0      0      0  30.0000  ...   First    man        True     C    Cherbourg   yes   True
890         0       3    male  32.0      0      0   7.7500  ...   Third    man        True   NaN   Queenstown    no   True

[891 rows x 15 columns]
```

First 5 Records:

```
   survived  pclass     sex   age  sibsp  parch     fare  ...   class    who adult_male  deck  embark_town alive  alone
0           0       3    male  22.0      1      0   7.2500  ...   Third    man        True   NaN  Southampton    no  False
1           1       1  female  38.0      1      0  71.2833  ...   First  woman       False     C    Cherbourg   yes  False
2           1       3  female  26.0      0      0   7.9250  ...   Third  woman       False   NaN  Southampton   yes   True
3           1       1  female  35.0      1      0  53.1000  ...   First  woman       False     C  Southampton   yes  False
4           0       3    male  35.0      0      0   8.0500  ...   Third    man        True   NaN  Southampton    no   True

[5 rows x 15 columns]
```

Last 5 Rows:

	survived	pclass	sex	age	sibsp	parch	fare	...	class	who	adult_male	deck	embark_town	alive	alone
886	0	2	male	27.0	0	0	13.00	...	Second	man	True	NaN	Southampton	no	True
887	1	1	female	19.0	0	0	30.00	...	First	woman	False	B	Southampton	yes	True
888	0	3	female	NaN	1	2	23.45	...	Third	woman	False	NaN	Southampton	no	False
889	1	1	male	26.0	0	0	30.00	...	First	man	True	C	Cherbourg	yes	True
890	0	3	male	32.0	0	0	7.75	...	Third	man	True	NaN	Queenstown	no	True

[5 rows x 15 columns]

Dataset Shape:
(891, 15)

Dataset Information:
<class 'pandas.DataFrame'>
RangeIndex: 891 entries, 0 to 890
Data columns (total 15 columns):

#	Column	Non-Null Count	Dtype
0	survived	891 non-null	int64
1	pclass	891 non-null	int64
2	sex	891 non-null	str
3	age	714 non-null	float64
4	sibsp	891 non-null	int64
5	parch	891 non-null	int64
6	fare	891 non-null	float64
7	embarked	889 non-null	str
8	class	891 non-null	category
9	who	891 non-null	str
10	adult_male	891 non-null	bool
11	deck	203 non-null	category
12	embark_town	889 non-null	str
13	alive	891 non-null	str
14	alone	891 non-null	bool

dtypes: bool(2), category(2), float64(2), int64(4), str(5)
memory usage: 100.4 KB

Statistical Summary:

```
        survived      pclass         age       sibsp       parch        fare
count  891.000000  891.000000  714.000000  891.000000  891.000000  891.000000
mean     0.383838    2.308642   29.699118    0.523008    0.381594   32.204208
std      0.486592    0.836071   14.526497    1.102743    0.806057   49.693429
min      0.000000    1.000000    0.420000    0.000000    0.000000    0.000000
25%      0.000000    2.000000   20.125000    0.000000    0.000000    7.910400
50%      0.000000    3.000000   28.000000    0.000000    0.000000   14.454200
75%      1.000000    3.000000   38.000000    1.000000    0.000000   31.000000
max      1.000000    3.000000   80.000000    8.000000    6.000000  512.329200

Column Names:
Index(['survived', 'pclass', 'sex', 'age', 'sibsp', 'parch', 'fare',
       'embarked', 'class', 'who', 'adult_male', 'deck', 'embark_town',
       'alive', 'alone'],
      dtype='str')

Missing Values:
survived         0
pclass           0
sex              0
age            177
sibsp            0
parch            0
fare             0
embarked         2
class            0
who              0
adult_male       0
deck           688
embark_town      2
alive            0
alone            0
dtype: int64

Rows After Removing Null Values:
    survived  pclass     sex   age  sibsp  parch     fare  ...  class    who adult_male  deck
embark_town alive  alone
1          1       1  female  38.0      1      0  71.2833  ...  First  woman      False     C    Cherbourg
yes  False
3          1       1  female  35.0      1      0  53.1000  ...  First  woman      False     C  Southampton
yes  False
6          0       1    male  54.0      0      0  51.8625  ...  First    man       True     E  Southampton
no   True
```

```
10          1      3  female   4.0      1      1  16.7000  ...  Third  child      False     G  Southampton
yes  False
11          1      1  female  58.0      0      0  26.5500  ...  First  woman      False     C  Southampton
yes   True
..        ...    ...     ...   ...    ...    ...      ...  ...    ...    ...        ...   ...          ...   ...    ...
871         1      1  female  47.0      1      1  52.5542  ...  First  woman      False     D  Southampton
yes  False
872         0      1    male  33.0      0      0   5.0000  ...  First    man       True     B  Southampton
no   True
879         1      1  female  56.0      0      1  83.1583  ...  First  woman      False     C    Cherbourg
yes  False
887         1      1  female  19.0      0      0  30.0000  ...  First  woman      False     B  Southampton
yes   True
889         1      1    male  26.0      0      0  30.0000  ...  First    man       True     C    Cherbourg
yes   True

[182 rows x 15 columns]

Columns After Removing Null Values:
     survived  pclass     sex  sibsp  parch     fare   class    who  adult_male alive  alone
0           0       3    male      1      0   7.2500   Third    man        True    no  False
1           1       1  female      1      0  71.2833   First  woman       False   yes  False
2           1       3  female      0      0   7.9250   Third  woman       False   yes   True
3           1       1  female      1      0  53.1000   First  woman       False   yes  False
4           0       3    male      0      0   8.0500   Third    man        True    no   True
..        ...     ...     ...    ...    ...      ...     ...    ...         ...   ...    ...
886         0       2    male      0      0  13.0000  Second    man        True    no   True
887         1       1  female      0      0  30.0000   First  woman       False   yes   True
888         0       3  female      1      2  23.4500   Third  woman       False    no  False
889         1       1    male      0      0  30.0000   First    man        True   yes   True
890         0       3    male      0      0   7.7500   Third    man        True    no   True

[891 rows x 11 columns]

Rows With No Null Values:
     survived  pclass     sex   age  sibsp  parch     fare  ...  class    who adult_male  deck
embark_town alive  alone
1           1       1  female  38.0      1      0  71.2833  ...  First  woman      False     C    Cherbourg
yes  False
3           1       1  female  35.0      1      0  53.1000  ...  First  woman      False     C  Southampton
yes  False
6           0       1    male  54.0      0      0  51.8625  ...  First    man       True     E  Southampton
no   True
```

```
10          1      3  female   4.0      1      1  16.7000  ...  Third  child      False     G  Southampton
yes  False
11          1      1  female  58.0      0      0  26.5500  ...  First  woman      False     C  Southampton
yes   True
..        ...    ...     ...   ...    ...    ...      ...  ...    ...    ...        ...   ...          ...   ...    ...
871         1      1  female  47.0      1      1  52.5542  ...  First  woman      False     D  Southampton
yes  False
872         0      1    male  33.0      0      0   5.0000  ...  First    man       True     B  Southampton
no   True
879         1      1  female  56.0      0      1  83.1583  ...  First  woman      False     C    Cherbourg
yes  False
887         1      1  female  19.0      0      0  30.0000  ...  First  woman      False     B  Southampton
yes   True
889         1      1    male  26.0      0      0  30.0000  ...  First    man       True     C    Cherbourg
yes   True

[182 rows x 15 columns]

Rows After Removing Completely Null Rows:
     survived  pclass     sex   age  sibsp  parch     fare  ...   class    who adult_male  deck
embark_town alive  alone
0           0       3    male  22.0      1      0   7.2500  ...   Third    man       True   NaN  Southampton
no  False
1           1       1  female  38.0      1      0  71.2833  ...   First  woman      False     C    Cherbourg
yes  False
2           1       3  female  26.0      0      0   7.9250  ...   Third  woman      False   NaN
Southampton   yes   True
3           1       1  female  35.0      1      0  53.1000  ...   First  woman      False     C  Southampton
yes  False
4           0       3    male  35.0      0      0   8.0500  ...   Third    man       True   NaN  Southampton
no   True
..        ...     ...     ...   ...    ...    ...      ...  ...     ...    ...        ...   ...          ...   ...    ...
886         0       2    male  27.0      0      0  13.0000  ...  Second    man       True   NaN
Southampton    no   True
887         1       1  female  19.0      0      0  30.0000  ...   First  woman      False     B  Southampton
yes   True
888         0       3  female   NaN      1      2  23.4500  ...   Third  woman      False   NaN
Southampton    no  False
889         1       1    male  26.0      0      0  30.0000  ...   First    man       True     C    Cherbourg
yes   True
890         0       3    male  32.0      0      0   7.7500  ...   Third    man       True   NaN   Queenstown
no   True

[891 rows x 15 columns]
```

Columns With No Null Values:

	survived	pclass	sex	sibsp	parch	fare	class	who	adult_male	alive	alone
0	0	3	male	1	0	7.2500	Third	man	True	no	False
1	1	1	female	1	0	71.2833	First	woman	False	yes	False
2	1	3	female	0	0	7.9250	Third	woman	False	yes	True
3	1	1	female	1	0	53.1000	First	woman	False	yes	False
4	0	3	male	0	0	8.0500	Third	man	True	no	True
..	...	...	...	...	...	...	...	...	...	...	...
886	0	2	male	0	0	13.0000	Second	man	True	no	True
887	1	1	female	0	0	30.0000	First	woman	False	yes	True
888	0	3	female	1	2	23.4500	Third	woman	False	no	False
889	1	1	male	0	0	30.0000	First	man	True	yes	True
890	0	3	male	0	0	7.7500	Third	man	True	no	True

[891 rows x 11 columns]

Columns After Removing Completely Null Columns:

	survived	pclass	sex	age	sibsp	parch	fare	...	class	who	adult_male	deck	embark_town	alive	alone
0	0	3	male	22.0	1	0	7.2500	...	Third	man	True	NaN	Southampton	no	False
1	1	1	female	38.0	1	0	71.2833	...	First	woman	False	C	Cherbourg	yes	False
2	1	3	female	26.0	0	0	7.9250	...	Third	woman	False	NaN	Southampton	yes	True
3	1	1	female	35.0	1	0	53.1000	...	First	woman	False	C	Southampton	yes	False
4	0	3	male	35.0	0	0	8.0500	...	Third	man	True	NaN	Southampton	no	True
..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
886	0	2	male	27.0	0	0	13.0000	...	Second	man	True	NaN	Southampton	no	True
887	1	1	female	19.0	0	0	30.0000	...	First	woman	False	B	Southampton	yes	True
888	0	3	female	NaN	1	2	23.4500	...	Third	woman	False	NaN	Southampton	no	False
889	1	1	male	26.0	0	0	30.0000	...	First	man	True	C	Cherbourg	yes	True
890	0	3	male	32.0	0	0	7.7500	...	Third	man	True	NaN	Queenstown	no	True

[891 rows x 15 columns]

Rows With At Least 10 Non-Null Values:

	survived	pclass	sex	age	sibsp	parch	fare	...	class	who	adult_male	deck	embark_town	alive	alone
0	0	3	male	22.0	1	0	7.2500	...	Third	man	True	NaN	Southampton	no	False
1	1	1	female	38.0	1	0	71.2833	...	First	woman	False	C	Cherbourg	yes	False
2	1	3	female	26.0	0	0	7.9250	...	Third	woman	False	NaN	Southampton	yes	True
3	1	1	female	35.0	1	0	53.1000	...	First	woman	False	C	Southampton	yes	False
4	0	3	male	35.0	0	0	8.0500	...	Third	man	True	NaN	Southampton	no	True
..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
886	0	2	male	27.0	0	0	13.0000	...	Second	man	True	NaN	Southampton	no	True
887	1	1	female	19.0	0	0	30.0000	...	First	woman	False	B	Southampton	yes	True
888	0	3	female	NaN	1	2	23.4500	...	Third	woman	False	NaN	Southampton	no	False
889	1	1	male	26.0	0	0	30.0000	...	First	man	True	C	Cherbourg	yes	True
890	0	3	male	32.0	0	0	7.7500	...	Third	man	True	NaN	Queenstown	no	True

[891 rows x 15 columns]

Columns With At Least 500 Non-Null Values:

	survived	pclass	sex	age	sibsp	parch	...	class	who	adult_male	embark_town	alive	alone
0	0	3	male	22.0	1	0	...	Third	man	True	Southampton	no	False
1	1	1	female	38.0	1	0	...	First	woman	False	Cherbourg	yes	False
2	1	3	female	26.0	0	0	...	Third	woman	False	Southampton	yes	True
3	1	1	female	35.0	1	0	...	First	woman	False	Southampton	yes	False
4	0	3	male	35.0	0	0	...	Third	man	True	Southampton	no	True
..	...	...	...	...	...	...	...	...	...	...	...	...	...
886	0	2	male	27.0	0	0	...	Second	man	True	Southampton	no	True
887	1	1	female	19.0	0	0	...	First	woman	False	Southampton	yes	True
888	0	3	female	NaN	1	2	...	Third	woman	False	Southampton	no	False
889	1	1	male	26.0	0	0	...	First	man	True	Cherbourg	yes	True
890	0	3	male	32.0	0	0	...	Third	man	True	Queenstown	no	True

[891 rows x 14 columns]

Age Filled With Mean:

	survived	pclass	sex	age	sibsp	parch	...	who	adult_male	deck	embark_town	alive	alone
0	0	3	male	22.000000	1	0	...	man	True	NaN	Southampton	no	False
1	1	1	female	38.000000	1	0	...	woman	False	C	Cherbourg	yes	False
2	1	3	female	26.000000	0	0	...	woman	False	NaN	Southampton	yes	True
3	1	1	female	35.000000	1	0	...	woman	False	C	Southampton	yes	False
4	0	3	male	35.000000	0	0	...	man	True	NaN	Southampton	no	True
..	...	...	...	...	...	...	...	...	...	...	...	...	...
886	0	2	male	27.000000	0	0	...	man	True	NaN	Southampton	no	True
887	1	1	female	19.000000	0	0	...	woman	False	B	Southampton	yes	True
888	0	3	female	29.699118	1	2	...	woman	False	NaN	Southampton	no	False
889	1	1	male	26.000000	0	0	...	man	True	C	Cherbourg	yes	True
890	0	3	male	32.000000	0	0	...	man	True	NaN	Queenstown	no	True

[891 rows x 15 columns]

Age Filled With Median:

	survived	pclass	sex	age	sibsp	parch	fare	...	class	who	adult_male	deck	embark_town	alive	alone
0	0	3	male	22.0	1	0	7.2500	...	Third	man	True	NaN	Southampton	no	False
1	1	1	female	38.0	1	0	71.2833	...	First	woman	False	C	Cherbourg	yes	False
2	1	3	female	26.0	0	0	7.9250	...	Third	woman	False	NaN	Southampton	yes	True
3	1	1	female	35.0	1	0	53.1000	...	First	woman	False	C	Southampton	yes	False
4	0	3	male	35.0	0	0	8.0500	...	Third	man	True	NaN	Southampton	no	True
..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
886	0	2	male	27.0	0	0	13.0000	...	Second	man	True	NaN	Southampton	no	True
887	1	1	female	19.0	0	0	30.0000	...	First	woman	False	B	Southampton	yes	True
888	0	3	female	28.0	1	2	23.4500	...	Third	woman	False	NaN	Southampton	no	False

889 1 1 male 26.0 0 0 30.0000 ... First man True C Cherbourg yes True
890 0 3 male 32.0 0 0 7.7500 ... Third man True NaN Queenstown no True

[891 rows x 15 columns]

Embarked Filled With Mode:
survived pclass sex age sibsp parch fare ... class who adult_male deck embark_town alive alone
0 0 3 male 22.0 1 0 7.2500 ... Third man True NaN Southampton no False
1 1 1 female 38.0 1 0 71.2833 ... First woman False C Cherbourg yes False
2 1 3 female 26.0 0 0 7.9250 ... Third woman False NaN Southampton yes True
3 1 1 female 35.0 1 0 53.1000 ... First woman False C Southampton yes False
4 0 3 male 35.0 0 0 8.0500 ... Third man True NaN Southampton no True
.. ..
886 0 2 male 27.0 0 0 13.0000 ... Second man True NaN Southampton no True
887 1 1 female 19.0 0 0 30.0000 ... First woman False B Southampton yes True
888 0 3 female NaN 1 2 23.4500 ... Third woman False NaN Southampton no False
889 1 1 male 26.0 0 0 30.0000 ... First man True C Cherbourg yes True
890 0 3 male 32.0 0 0 7.7500 ... Third man True NaN Queenstown no True

[891 rows x 15 columns]

Dataset After Imputation:
survived pclass sex age sibsp parch fare ... class who adult_male deck embark_town alive alone
0 0 3 male 22.0 1 0 7.2500 ... Third man True NaN Southampton no False
1 1 1 female 38.0 1 0 71.2833 ... First woman False C Cherbourg yes False
2 1 3 female 26.0 0 0 7.9250 ... Third woman False NaN Southampton yes True

```
3          1      1  female  35.0      1      0  53.1000  ...   First  woman      False     C  Southampton
yes  False
4          0      3    male  35.0      0      0   8.0500  ...   Third    man       True   NaN  Southampton
no   True
..       ...    ...     ...   ...    ...    ...      ...  ...     ...    ...        ...   ...          ...   ...    ...
886        0      2    male  27.0      0      0  13.0000  ...  Second    man       True   NaN
Southampton    no   True
887        1      1  female  19.0      0      0  30.0000  ...   First  woman      False     B  Southampton
yes   True
888        0      3  female  28.0      1      2  23.4500  ...   Third  woman      False   NaN
Southampton    no  False
889        1      1    male  26.0      0      0  30.0000  ...   First    man       True     C    Cherbourg
yes   True
890        0      3    male  32.0      0      0   7.7500  ...   Third    man       True   NaN   Queenstown
no   True

[891 rows x 15 columns]

Number of Duplicate Rows: 107

Dataset After Removing Duplicates:
     survived  pclass     sex   age  sibsp  parch     fare  ...  class    who adult_male  deck
embark_town alive  alone
0          0       3    male  22.0      1      0   7.2500  ...  Third    man       True   NaN  Southampton
no  False
1          1      1  female  38.0      1      0  71.2833  ...  First  woman      False     C    Cherbourg
yes  False
2          1      3  female  26.0      0      0   7.9250  ...  Third  woman      False   NaN  Southampton
yes   True
3          1      1  female  35.0      1      0  53.1000  ...  First  woman      False     C  Southampton
yes  False
4          0      3    male  35.0      0      0   8.0500  ...  Third    man       True   NaN  Southampton
no   True
..       ...    ...     ...   ...    ...    ...      ...  ...     ...    ...        ...   ...          ...   ...    ...
885        0      3  female  39.0      0      5  29.1250  ...  Third  woman      False   NaN
Queenstown    no  False
887        1      1  female  19.0      0      0  30.0000  ...  First  woman      False     B  Southampton
yes   True
888        0      3  female   NaN      1      2  23.4500  ...  Third  woman      False   NaN
Southampton    no  False
889        1      1    male  26.0      0      0  30.0000  ...  First    man       True     C    Cherbourg
yes   True
890        0      3    male  32.0      0      0   7.7500  ...  Third    man       True   NaN   Queenstown
no   True
```

[784 rows x 15 columns]

Sex Column in Uppercase:
0 MALE
1 FEMALE
2 FEMALE
3 FEMALE
4 MALE
Name: sex, dtype: str

Dataset After Renaming Column:
survived Passenger_Class sex age sibsp parch ... who adult_male deck embark_town alive alone
0 0 3 MALE 22.0 1 0 ... man True NaN Southampton no False
1 1 1 FEMALE 38.0 1 0 ... woman False C Cherbourg yes False
2 1 3 FEMALE 26.0 0 0 ... woman False NaN Southampton yes True
3 1 1 FEMALE 35.0 1 0 ... woman False C Southampton yes False
4 0 3 MALE 35.0 0 0 ... man True NaN Southampton no True

[5 rows x 15 columns]

Survival Labels:
survived survival_label
0 0 Not Survived
1 1 Survived
2 1 Survived
3 1 Survived
4 0 Not Survived

Fare Categories:
fare fare_category
0 7.2500 Low Fare
1 71.2833 High Fare
2 7.9250 Low Fare
3 53.1000 High Fare
4 8.0500 Low Fare

CSV File Created

Data Read From CSV:

```
   survived  Passenger_Class     sex   age  sibsp  parch  ...  deck  embark_town alive  alone
survival_label fare_category
0         0                3    MALE  22.0      1      0  ...   NaN  Southampton    no  False    Not Survived
Low Fare
1         1                1  FEMALE  38.0      1      0  ...     C    Cherbourg   yes  False        Survived
High Fare
2         1                3  FEMALE  26.0      0      0  ...   NaN  Southampton   yes   True        Survived
Low Fare
3         1                1  FEMALE  35.0      1      0  ...     C  Southampton   yes  False        Survived
High Fare
4         0                3    MALE  35.0      0      0  ...   NaN  Southampton    no   True    Not Survived
Low Fare

[5 rows x 17 columns]

Text File Created

Data Read From Text File:
   survived  Passenger_Class   age     fare
0         0                3  22.0   7.2500
1         1                1  38.0  71.2833
2         1                3  26.0   7.9250
3         1                1  35.0  53.1000
4         0                3  35.0   8.0500

Excel File Created

Data Read From Excel:
   survived  Passenger_Class     sex   age  sibsp  parch  ...  deck  embark_town alive  alone
survival_label fare_category
0         0                3    MALE  22.0      1      0  ...   NaN  Southampton    no  False    Not Survived
Low Fare
1         1                1  FEMALE  38.0      1      0  ...     C    Cherbourg   yes  False        Survived
High Fare
2         1                3  FEMALE  26.0      0      0  ...   NaN  Southampton   yes   True        Survived
Low Fare
3         1                1  FEMALE  35.0      1      0  ...     C  Southampton   yes  False        Survived
High Fare
4         0                3    MALE  35.0      0      0  ...   NaN  Southampton    no   True    Not Survived
Low Fare

[5 rows x 17 columns]

Excel Converted to CSV
```

Pickle Binary File Created

Data Read From Pickle:

	survived	Passenger_Class	sex	age	sibsp	parch	...	deck	embark_town	alive	alone	survival_label	fare_category
0	0	3	MALE	22.0	1	0	...	NaN	Southampton	no	False	Not Survived	Low Fare
1	1	1	FEMALE	38.0	1	0	...	C	Cherbourg	yes	False	Survived	High Fare
2	1	3	FEMALE	26.0	0	0	...	NaN	Southampton	yes	True	Survived	Low Fare
3	1	1	FEMALE	35.0	1	0	...	C	Southampton	yes	False	Survived	High Fare
4	0	3	MALE	35.0	0	0	...	NaN	Southampton	no	True	Not Survived	Low Fare

[5 rows x 17 columns]

Data Stored in SQLite

Data Read From SQL Table:

	survived	Passenger_Class	sex	age	sibsp	parch	...	deck	embark_town	alive	alone	survival_label	fare_category
0	0	3	MALE	22.0	1	0	...	NaN	Southampton	no	0	Not Survived	Low Fare
1	1	1	FEMALE	38.0	1	0	...	C	Cherbourg	yes	0	Survived	High Fare
2	1	3	FEMALE	26.0	0	0	...	NaN	Southampton	yes	1	Survived	Low Fare
3	1	1	FEMALE	35.0	1	0	...	C	Southampton	yes	0	Survived	High Fare
4	0	3	MALE	35.0	0	0	...	NaN	Southampton	no	1	Not Survived	Low Fare

[5 rows x 17 columns]

Survived Passengers:

	survived	sex	age	fare
0	1	FEMALE	38.0	71.2833
1	1	FEMALE	26.0	7.9250
2	1	FEMALE	35.0	53.1000
3	1	FEMALE	27.0	11.1333
4	1	FEMALE	14.0	30.0708

SQL Data Exported to CSV

SQLite Connection Closed

Merged DataFrame:

	survived	pclass	sex	age	fare	embarked
0	0	3	male	22.0	7.2500	S
1	1	1	female	38.0	71.2833	C
2	1	3	female	26.0	7.9250	S
3	1	1	female	35.0	53.1000	S
4	0	3	male	35.0	8.0500	S

Merged DataFrame Shape:
(891, 6)

All Operations Completed Successfully!