


This problem set covers material from Week 9, dates 11/6 – 11/11.


Instructions: Write or type complete solutions to the following problems and submit answers to the corresponding Canvas assignment. Your solutions should be neatly-written, show all work and computations, include figures or graphs where appropriate, and include some written explanation of your method or process (enough that I can understand your reasoning without having to guess or make assumptions). A general rubric for homework problems appears on the final page of this assignment.

Wednesday 11/6

1. Match each correlation to the corresponding scatterplot.




- (a) $R = 0.49$
(b) $R = -0.48$
(c) $R = -0.03$
(d) $R = -0.85$
2. We will re-visit the `starbucks` data from `openintro`. Since Starbucks only lists the number of calories on the display items in stores, we are interested in predicting the amount of carbs a menu item has based on its calorie content. The scatterplot below shows the relationship between the number of calories and amount of carbohydrates (in grams) Starbucks food menu items contain.



- (a) Describe the relationship between number of calories and amount of carbohydrates (in grams) that Starbucks food menu items contain.
- (b) The least-squares line shown in the first plot is obtained from estimates $b_0 = 8.944$ and $b_1 = 0.106$. Write out two equations in context: 1) the linear regression for these data and 2) the fitted model for these data.
- (c) The menu item Apple Fritter has 420 calories and 59 grams of carbohydrates. Based on your model in (c), obtain the residual for the Apple Fritter and explain the meaning of this residual value in context.
- (d) Do these data meet the conditions required for fitting a least squares line? Check if all conditions are met.

Thursday 11/7

3. Researchers studying anthropometry collected body girth measurements and skeletal diameter measurements, as well as age, weight, height and gender for 507 physically active individuals. They are interested in the relationship between height (cm) and shoulder girth (cm). They would like create linear regression model for height using shoulder girth as the predictor.



The mean shoulder girth is 107.20 cm with a standard deviation of 10.37 cm. The mean height is 171.14 cm with a standard deviation of 9.41 cm. The correlation between height and shoulder girth is 0.67.

- (a) Write the equation of the fitted regression line for predicting height.
- (b) Interpret the slope and intercept in context.
- (c) Calculate the R^2 of the regression line and interpret it in context.
- (d) A one year old has a shoulder girth of 56 cm. Would it be appropriate to use this linear model to predict the height of this child? If so, obtain the predicted height. If not, explain why not.

4. We have data about the life expectancy (at birth, in years) in 2007 from a sample of American (both South and North America) and European countries. We'd like to fit a model for life expectancy using the continent that the country belongs to. Some summary statistics of life expectancy are below:

| continent | mean | median | s |
|-----------|---------|---------|--------|
| Americas | 73.6081 | 72.8990 | 4.4409 |
| Europe | 77.6486 | 78.6085 | 2.9798 |

Table 1: Summary statistics of life expectancy.

We fit the linear model, and the output from R is as follows. We will pretend we checked the LINE conditions.

| term | estimate | std.error | statistic | p.value |
|-----------------|----------|-----------|-----------|---------|
| (Intercept) | 73.6081 | 0.7427 | 99.112 | 0e+00 |
| continentEurope | 4.0405 | 1.0056 | 4.018 | 2e-04 |

Table 2: Fitted model.

- Write out the indicator variable that is implied by the table above.
- Write out the fitted model.
- Interpret the slope and intercept of the model in context.
- In 2007, what was the estimated life expectancy for a country for someone from Europe?
- Look again at Tables 1 and 2 above. How exactly do the sample means (and their relationship) compare to the point estimates b_0 and b_1 ?
- Suppose instead that we change the base level to be the other continent, yielding a different indicator. Using what you discovered in (e), write out the equation of the fitted line under this new indicator.

Monday 11/11

TBD

General rubric

| Points | Criteria |
|--------|--|
| 5 | The solution is correct <i>and</i> well-written. The author leaves no doubt as to why the solution is valid. |
| 4.5 | The solution is well-written, and is correct except for some minor arithmetic or calculation mistake. |
| 4 | The solution is technically correct, but author has omitted some key justification for why the solution is valid. Alternatively, the solution is well-written, but is missing a small, but essential component. |
| 3 | The solution is well-written, but either overlooks a significant component of the problem or makes a significant mistake. Alternatively, in a multi-part problem, a majority of the solutions are correct and well-written, but one part is missing or is significantly incorrect. |
| 2 | The solution is either correct but not adequately written, or it is adequately written but overlooks a significant component of the problem or makes a significant mistake. |
| 1 | The solution is rudimentary, but contains some relevant ideas. Alternatively, the solution briefly indicates the correct answer, but provides no further justification. |
| 0 | Either the solution is missing entirely, or the author makes no non-trivial progress toward a solution (i.e. just writes the statement of the problem and/or restates given information). |
| | |
| Notes: | For problems with multiple parts, the score represents a holistic review of the entire problem. Additionally, half-points may be used if the solution falls between two point values above. |
| Notes: | For problems with code, well-written means only having lines of code that are necessary to solving the problem, as well as presenting the solution for the reader to easily see. It might also be worth adding comments to your code. |