

```
(Reading database ... 412803 files and directories currently instactedly
Preparing to unpack .../archives/ufw_0.36.2-9_all.deb ...
Unpacking ufw (0.36.2-9) ...
Setting up ufw (0.36.2-9) ...
Creating config file /etc/ufw/before.rules with new version
Creating config file /etc/ufw/before6.rules with new version
Creating config file /etc/ufw/after.rules with new version
Creating config file /etc/ufw/after6.rules with new version
update-rc.d: We have no instructions for the ufw init script.
update-rc.d: It looks like a non-network service, we enable it.
Created symlink '/etc/systemd/system/multi-user.target.wants/ufw.service' → '/usr/lib
Processing triggers for kali-menu (2025.2.7) ...
Processing triggers for man-db (2.19.1-1) ...
(kali⊕kali)-[~]

sudo ufw status verbose
Status: inactive
(kali@ kali)-[~]
sudo ufw enable
Firewall is active and enabled on system startup
(kali@ kali)-[~]
sudo ufw deny 23/tcp
Rule added
Rule added (v6)
   (kali⊗kali)-[~]
```

```
Creating config file /etc/diw/berole.ruces with
Creating config file /etc/ufw/before6.rules with new version
Creating config file /etc/ufw/after.rules with new version
Creating config file /etc/ufw/after6.rules with new version
update-rc.d: We have no instructions for the ufw init script.
update-rc.d: It looks like a non-network service, we enable it.
Created symlink '/etc/systemd/system/multi-user.target.wants/ufw.service' → '/u
Processing triggers for kali-menu (2025.2.7) ...
Processing triggers for man-db (2.13.1-1) ...
  —(kali⊗kali)-[~]

$ <u>sudo</u> ufw status verbose
Status: inactive
  —(kali⊗kali)-[~]
 -$ sudo ufw enable
Firewall is active and enabled on system startup
 —(kali⊗kali)-[~]
-$ <u>sudo</u> ufw deny 23/tcp
Rule added
Rule added (v6)
[<mark>kali⊗kali</mark>)-[~]

<u>sudo</u> ufw allow 22/tcp
Rule added
Rule added (v6)
   (kali⊗kali)-[~]
```

```
update-rc.d: We have no instructions for the ufw init script.
update-rc.d: It looks like a non-network service, we enable it.
Created symlink '/etc/systemd/system/multi-user.target.wants/ufw.service' > '/u
Processing triggers for kali-menu (2025.2.7) ...
Processing triggers for man-db (2.13.1-1) ...
(kali@kali)-[~]
sudo ufw status verbose
Status: inactive
  —(kali⊕kali)-[~]
∟$ <u>sudo</u> ufw enable
Firewall is active and enabled on system startup
—(kali⊕kali)-[~]
sudo ufw deny 23/tcp
Rule added
Rule added (v6)
(kali⊗kali)-[~]

sudo ufw allow 22/tcp
Rule added
Rule added (v6)
(kali@kali)-[~]
nc -zv localhost 23
localhost [127.0.0.1] 23 (telnet) : Connection refused
  -(kali@kali)-[~]
```

```
sudo of status verbose
Status: inactive
[*] (kali@ kali)-[*] sudo ufw enable
Firewall is active and enabled on system startup
[*] (kali@kali)-[*]

Sudo ufw deny 23/tcp
Rule added
Rule added (v6)
(kali@kali)-[~]
sudo ufw allow 22/tcp ]
Rule added
Rule added (v6)
(kali@kali)-[~]
nc -zv localhost 23
localhost [127.0.0.1] 23 (telnet) : Connection refused
(kali@kali)-[~]

$ nc -zv localhost 23 # Should be blocked
localhost [127.0.0.1] 23 (telnet) : Connection refused
,—(kali⊜kali)-[~]
└ nc -zv localhost 22
localhost [127.0.0.1] 22 (ssh) : Connection refused
   -(kali@kali)-[~]
```

```
Status: inactive
 —(kali⊕kali)-[~]
 -$ <u>sudo</u> ufw enable
Firewall is active and enabled on system startup
 —(kali⊛kali)-[~]
Ls sudo ufw deny 23/tcp
Rule added
Rule added (v6)
 —(kali⊕kali)-[~]
sudo ufw allow 22/tcp
Rule added
Rule added (v6)
 —(kali®kali)-[~]
s nc -zv localhost 23
localhost [127.0.0.1] 23 (telnet) : Connection refused
(kali@kali)-[~]
s nc -zv localhost 23 # Should be blocked
localhost [127.0.0.1] 23 (telnet) : Connection refused
___(kali⊛kali)-[~]
s nc -zv localhost 22
localhost [127.0.0.1] 22 (ssh) : Connection refused
 —(kali⊕kali)-[~]
sudo ufw delete deny 23/tcp
Rule deleted
Rule deleted (v6)
  -(kali⊗ kali)-[~]
```