

Release Notes — v1.0.1

Frontend developer · 2026-07-04 · Multiple preferred vendors, resource specs & material `remarks` field

Release date: 2026-07-04 **Backend version:** 1.0.1 **Audience:** Frontend developer

This release changes the **Material Master** API contract in three ways — two breaking field changes plus one new feature. This doc is the frontend action list: what the API now sends/expects, and what to change in the UI.

These changes are live once the **backend v1.0.1 is deployed**. Coordinate the UI merge with that deploy — an old UI against v1.0.1 will send the removed `supplier_id` / `description` fields and get **400** or silently drop data.

At a glance

#	Change	What the frontend does
1	Material supports multiple preferred vendors	Vendor picker → multi-select, send <code>vendor_ids[]</code>
2	Material <code>description</code> → <code>remarks</code>	Rename the field on the material form + views
3	Material supports multiple resource specs (new master)	Add a resource-spec multi-select, send <code>resource_spec_ids[]</code>

Affected endpoints: `POST /api/parts` , `PATCH /api/parts/:id` , `GET /api/parts/:id` , `GET /api/parts` , plus the new `GET /api/resource-specs` master (dropdown source). No other module changed.

1. Multiple preferred vendors per material

A material used to carry a single preferred vendor (`supplier_id`). It now carries a **list** of preferred vendors, `vendor_ids` .

Request — create / update

Send an **array of vendor UUIDs** instead of a single id:

```
// POST / PATCH /api/parts
{
  "name": "SS304 Ball Valve 15mm",
  "category_id": "...", "subtype_id": "...",
  "vendor_ids": ["<vendorUuid>", "<vendorUuid>"] // was: "supplier_id": "<uuid>"
}
```

Rules:

- `vendor_ids` is **optional**. Every id must be an existing vendor, else `400`.
- On `PATCH`: omit `vendor_ids` to leave the vendor list unchanged; send `[]` to clear all vendors.

Response — reads

`GET /api/parts/:id` and the create/update responses now include:

Field	Type	Use in UI
<code>vendor_ids</code>	<code>string[]</code>	Selected vendor UUIDs, in the order they were set — bind the multi-select to this
<code>preferred_vendors</code>	<code>Vendor[]</code>	Full vendor objects (name, code, ...) — render chips/list without a second lookup

`supplier_id` no longer exists on a material. Remove every read/write of it. (`GET /api/parts` list rows do **not** include the vendor arrays — fetch the single material for its vendors.)

UI work

- Change the material form's vendor control from **single-select** → **multi-select**.
- Submit the selection as `vendor_ids: string[]`.
- On the material detail view, render vendors from `preferred_vendors` (display) or `vendor_ids` (ids).

Type change (frontend **Part**)

```
- supplier_id: string | null
+ vendor_ids: string[]
+ preferred_vendors: Vendor[]
```

2. Material `description` renamed to `remarks`

The material's free-text field `description` is renamed to `remarks` (same free text, same 2000-char limit). Only the **name** changed.

Request & response

```
// POST / PATCH /api/parts and every material read
{
  "name": "SS304 Ball Valve 15mm",
  "remarks": "2-way ball valve" // was: "description"
}
```

- The material `search` query param still matches this field (now `remarks`).
- **Scope:** the **material** field only. `description` on **BOM lines** and **projects** is unchanged — do **not** rename those.

UI work

- Rename the material form field, label binding, and detail view from `description` → `remarks` .

Type change (frontend `Part`)

```
- description: string
+ remarks: string
```

3. Multiple resource specs per material (new)

Materials can now be tagged with one or more **resource specs** drawn from a new predefined master. This works exactly like preferred vendors — a multi-select backed by a master list.

New master endpoint — dropdown source

```
GET /api/resource-specs → [{ id, code, name, description, is_active }]
```

Admin-managed CRUD (create/update/delete are Administrator-only), same shape as Units/Grades. Use `GET` to populate the resource-spec multi-select.

Request — create / update

```
// POST / PATCH /api/parts
{
  "name": "SS304 Ball Valve 15mm",
  "resource_spec_ids": ["<resourceSpecUuid>", "<resourceSpecUuid>"]
}
```

Rules (identical to `vendor_ids`):

- Optional. Every id must be an existing resource spec, else `400`.
- On `PATCH`: **omit** to leave unchanged; send `[]` to clear.

Response — reads

`GET /api/parts/:id` and create/update responses include:

Field	Type	Use in UI
<code>resource_spec_ids</code>	<code>string[]</code>	Selected ids — bind the multi-select to this
<code>resource_specs</code>	<code>ResourceSpec[]</code>	Full objects (code, name, description) — render chips/list

List rows (`GET /api/parts`) do **not** include these — fetch the single material for its resource specs.

UI work

- Add a **resource-spec multi-select** to the material form, sourced from `GET /api/resource-specs`, submitting `resource_spec_ids: string[]`.
- Render them from `resource_specs` on the material detail view.

Type change (frontend `Part`)

```
+ resource_spec_ids: string[]
+ resource_specs: ResourceSpec[]
```

Migration checklist (frontend)

- ☐ Material form: vendor picker → **multi-select**, submit `vendor_ids: string[]`.
- ☐ Material detail: render vendors from `preferred_vendors`.

- ☐ Remove all uses of `supplier_id` on materials.
- ☐ Material form + views: rename `description` → `remarks` .
- ☐ Material form: add a **resource-spec multi-select** from `GET /api/resource-specs` , submit `resource_spec_ids: string[]` .
- ☐ Material detail: render resource specs from `resource_specs` .
- ☐ Update the `Part` type/interface (`vendor_ids` , `preferred_vendors` , `remarks` , `resource_spec_ids` , `resource_specs`).
- ☐ Ship the UI **together with** the backend v1.0.1 deploy.

Quick reference — material field mapping

v1.0.0 (old)	v1.0.1 (new)	Notes
<code>supplier_id: string</code>	<code>vendor_ids: string[]</code>	Single → list of vendor UUIDs
—	<code>preferred_vendors: Vendor[]</code>	New; single-material reads only
<code>description: string</code>	<code>remarks: string</code>	Rename only
—	<code>resource_spec_ids: string[]</code>	New; multi-select from <code>/api/resource-specs</code>
—	<code>resource_specs: ResourceSpec[]</code>	New; single-material reads only

Deeper rationale and the full v1.0.1 change list (including non-material backend changes) live in `BACKEND_CHANGES_FOR_FRONTEND.md` ; the complete endpoint contract is in `FRONTEND_API_GUIDE.md` .