

OPTI

COMMERCIAL KITCHEN VENTILATOR

January, 2020

PRODUCT OVERVIEW


Creating the highest quality kitchen ventilation equipment requires in-depth knowledge of a chef's needs, restaurant servicing, expertise in ventilation engineering, HVAC install and modern manufacturing methods. The OPTI hood is our consummate model combining all these disciplines to the highest standard possible.

Optimised Design

The OPTI hood is suitable for the most demanding cooking situation

Flexibility

Construct a hood of almost any size to suit any kitchen application. Modules bolt together end to end and back to back and in full **ceiling** ventilated ceiling configurations. Units can include custom extensions to get an exact mm fit to your kitchen.




Balance

Make up air is maximised in the OPTI hood with the air diffuser setup. This assures that make up air is provided in the best way possible. Sliding dampers are easily accurately adjusted without guesswork. Filtration in the modules is also balanced to provide high filtration at a wide variety of airflows. Even performance at various air volume requirements is achieved by using a calibrated two stage filtration with complementary filtration efficiency curves as standard.

Model Details

Energy Efficiency is very important for kitchen ventilation because of the volumes of air involved. Installations include large fans and interact with air conditioning requirements. Urban Environmental achieves the highest levels of energy efficiency by providing a **low pressure loss two-stage filtration setup** as standard. Our **Triple Venturi Baffle Filter TVB(tm)** and **Micro Cyclonic Baffle Filter MCB(tm)** are optimised so that the drag on your fan




is minimised. This **two stage filtration** comes together with hood geometry, capture and make up air systems to reduce exhaust air volume requirements. This reduces upfront air-conditioning requirements and ongoing energy costs




Ease of operation is often overlooked but is very important for the successful hospitality business.

- Easy cleaning with smooth surfaces and ease of access to all surfaces
- Internal drains, open channels and a **machine washable stainless grease cup**.
- Heavy-duty stainless steel filters can be cleaned in common commercial dishwashers. This means you use less hours keeping this system hygienic.



Fire safety is critical. Human life, high value assets, building insurance costs, reputation and business continuation are all impacted. The kitchen and exhaust ventilation system are one of the highest risk parts of the building so it is important that they are right. Advanced material selection and geometry make our hoods the most fire-resistant available. Hoods feature **double skinned construction** and have **certified fire tested filters**. The quality design gives you the peace of mind that you need.



Lighting your cookline properly is needed to get the best fine dining results. Hoods from Urban Environmental come with the most advanced and energy-efficient **culinary LED lighting**. The OPTI has an additional **safety glass diffuser** to resist very aggressive cleaning. Lights are configured to give you the right amount of light and they also give you **three different colour temperatures 2700K 4500K and 6000K**. All provided to achieve

500 lux on the cooking surface or more at the flick of a switch. This means you can match the lighting to that which your dinners will be experiencing, meaning you can know exactly what your food will look like on the




plate when it's still in the pan.

Quiet operation of a hood helps and reduces stress in the kitchen. Many technological factors including aerodynamics and speed adjusting sensors come together to make our hoods the most silent. Our test model actually dampens noise generated by the exhaust fan. Detailed acoustic charting is available. The hood has been designed so that the work area is as quiet as possible so cook staff can work effectively.


Chef comfort can be a challenge in many kitchens. Hot conditions in sub optimal kitchens can lead to staff turnover and concentration issues which affect the bottom line of the business. The aerodynamically tuned double supply air diffuser to all open sides and **personal comfort nozzles** allow for the most luxurious under hood working environment.

Fume capture minimises people's exposure to cooking smoke, vapors and particulate which are proven to be damaging. Urban Environmentals hood features including **low velocity make up air dispersed on all open sides**, the **perimeter air curtain** and **adjustable front edge air knife** combine to give the best capture possible.

The **accurate damper adjustment system** means that make up and exhaust air can be adjusted to the finest degree whilst filters and diffusers are in place.

Outdoor environments come into consideration when engineers and designers set up your restaurant. With our systems and testing we can provide measured reductions to specific exhaust filtered equivalent levels that allow for your system to be installed in accordance to regulation and without unwanted effects to the surroundings. We make use of various technologies in our designs such as **UV, ozone, electrostatic, heat recovery condensators, misting and water washing** so that we can meet every technical need for air purification. **Documentation** can be provided to detail precise and **measured air quality results** along with **energy and maintenance cost savings**.

Ease of installation is important and our dynamic modular system fits well into any project. units come well packed in easily handled and assembled sections. Fixing points are **rated for seismic hanging** and full **beautifully** detailed instructions are provided. Hoods are compatible with common **38mm universal channel strut type fixing** systems both front to back and across the full lengths of the hood assembly, providing simple and flexible mounting.



Colour is available on the outer panels of your hood so that you can add your individual flair to your new top of the line hood. This is provided by **specialised fire resistant colour coatings** that are tough enough to last without degradation in the long run. Other custom materials like mild steel and copper can also be used for this external panel to get exactly the aesthetic you're looking for.



Configuration Example

OPTI 100 - 1500 LR



Dimensions

	mm	Inch
Length	1700	66.93
Width	1500	59.06
Height	550	21.65

Optimum Airflow

	L/s	CFM
Exhaust	715	1515
Supply	570	1208

Clean Resistance, Pa


125
50

Options Available

- Custom extensions to suit any length
- UV, ozone, electrostatic, heat recovery condensators, misting and water washing
- Different powder coat colour and material options for the outside panels

Max Weight

162Kg, 358lb



OPTI 200 - 21500 LR





Dimensions	mm	Inch	
Length	3200	125.98	
Width	1500	59.06	
Height	550	21.65	
Optimum Airflow	L/s	CFM	Clean Resistance, Pa
Exhaust	1430	3030	125
Supply	1140	2416	50

Options Available


- Custom extensions to suit any length
- UV, ozone, electrostatic, heat recovery condensators, misting and water washing
- Different powder coat colour and material options for the outside panels

Max Weight

162Kg, 624lb




OPTI 300 - 31500 LR



Dimensions	mm	Inch	
Length	4700	185.04	
Width	1500	59.06	
Height	550	21.65	
Optimum Airflow	L/s	CFM	Clean Resistance, Pa
Exhaust	2145	4545	125
Supply	1710	3623	50

Options Available

- Custom extensions to suit any length
- UV, ozone, electrostatic, heat recovery condensators, misting and water washing
- Different powder coat colour and material options for the outside panels



Max Weight

404Kg

891lb

