
The Disappearance of Ryan Shtuka


A Spatial and Statistical Analysis



Synthesizing timeline, topography, and geospatial technology to define the highest probability outcome and next-generation search parameters.

NotebookLM

Defining the most probable scenario using only empirical data



This presentation strictly treats the February 2018 disappearance of Ryan Shtuka as a geographic, meteorological, and statistical puzzle. By stripping away rumors and focusing exclusively on physical and statistical facts, we establish the highest probability outcome and deploy advanced geospatial tools to locate the missing.

NotebookLM

The 1:30 AM to 2:10 AM window on Burfield Drive marks the Point Last Seen

1:30 AM: Roommate James Maxwell leaves the party house.

2:00 AM: Additional friends depart.


2:10 AM: Ryan (6’0”, 180 lbs, wearing a burgundy cap and blue coat) is seen putting on his shoes to leave, believed to be walking right behind his friends.




Outcome: He never arrives. The window of disappearance is measured in mere minutes in pitch blackness.

NotebookLM

Extreme weather created an immediate survival and forensic baseline






The Temperature Factor: At -26°C, the survival window for an exposed, potentially impaired individual is reduced to minutes.

The Natural Eraser: 22cm of heavy snowfall accumulated in the 48 hours immediately following the disappearance. This fresh snow acted as an impenetrable blanket, instantly burying tracks, scent trails, and dropped physical artifacts before organized searches could begin.

NotebookLM

The “Zero Trace” paradox mathematically eliminates a shallow environmental outcome

EXPECTATION



REALITY



Thousands of volunteers, K9 units, drones, and helicopters conducted massive grid searches. Seven consecutive spring thaws have melted the snow to bare earth. Yet, absolutely zero physical trace—no phone, no wallet, no blue coat, no burgundy cap, no remains—has ever been found. The statistical probability of surface-level exposure in the immediate grid without detection approaches zero.

NotebookLM

Local statistics and historical precedents point toward vehicular risk

1



Geographic Isolation:

Sun Peaks has no local RCMP detachment.

Response time from Kamloops (ranked 23rd on Canada's Crime Severity Index) is 45 minutes.



2



The Human Variable:

Resort party culture creates a high prevalence of impaired driving.



3




Historical Precedent:

Sun Peaks has a documented history of severe hit-and-runs, notably an unsolved 2015 incident where an individual was struck in the middle of the night by a driver who fled.

UNSOLVED 2015 INCIDENT

NotebookLM


The empirical data converges on one primary conclusion



It is the only theory that satisfies all established facts: The tight 1:30–2:10 AM timeline, the forced pedestrian road-walking, the prevalence of local impaired driving, and most importantly, importantly, the absolute absence of physical evidence post-thaw.

NotebookLM

High snowbanks forced pedestrian road-walking, setting the stage for panic



The Mechanism: An **impaired driver** strikes the pedestrian. Facing severe legal ruin, **panic** dictates action over rescue.

The Concealment: The body and all artifacts are loaded into the vehicle, explaining the **"zero trace"** paradox.


The Timeline Corroborates: An **anonymous tip** reported shouting ("Get in the car") around 2:00 AM, and a single vehicle was documented leaving the isolated mountain road at 4:00 AM.

NotebookLM

The only viable environmental alternative requires deep terrain entrapment


If Ryan was not removed by a vehicle, he deviated from the road (possibly to avoid a vehicle) and succumbed in a deep trap.

- **The Statistics:** Lost person behavior data indicates **56% to 86%** of subjects travel downhill, with a median distance of **1 to 2.6 km** from the PLS.
- **The Terrain:** Sun Peaks features steep, densely forested creek ravines and culverts capable of swallowing a person, which were subsequently buried by **22cm of snow** and now remain obscured by **dense summer overgrowth**.



NotebookLM

Spatial profiling redefines the search grid away from standard radius walks



Vector A (Vehicular Removal):

Focus on logging roads, pullouts, water outlets, and historic snow-dump sites along the 45-minute egress route between Sun Peaks and Kamloops.


Vector B (Environmental Entrapment):

Abandon the village grid. Focus exclusively on 1 to 2.6 km downhill trajectories from Burfield Drive into specific geographic catchments (ravines, creek beds, culverts).

NotebookLM

Dense underbrush and evergreen canopies render traditional visual searches ineffective





The limits of the human eye and standard aerial drones have been reached. Thick British Columbia summer underbrush and dense tree canopies completely mask hidden depressions, deep crevices, or remains from visual detection, requiring a technological bypass.


NotebookLM

Airborne LiDAR strips away vegetation to reveal micro-topographic anomalies




Light Detection and Ranging (LiDAR) bypasses vegetation to map the true forest floor.
It is utilized in forensic geographic profiling to **detect specific anomalies:**

- **Elevation Gains:** Indicates initial burial or deliberate concealment.




- **Elevation Losses:** Indicates soil settling, collapsed terrain, or decomposition depressions.



NotebookLM

Ground Penetrating Radar probes subsurface anomalies in high-probability catchments



While LiDAR maps the surface from the air, Near-Surface Geophysics (GPR) searches the unseen depths. Once LiDAR identifies localized topographic anomalies, GPR is deployed to scan subsurface profiles of collapsed culverts, roadside ditches, and snow-dump sites without requiring immediate excavation.


NotebookLM

A multi-disciplinary technological sweep replaces random grid walks


Step 1: Geographic Profiling.
Defining the hit-and-run transport radius and downhill water outlets.



Step 2: Airborne LiDAR.
Mapping the bare-earth topography of the defined zones.



Step 3: Targeted Verification.
Deploying GPR and specialized Detection K9s strictly to the identified micro-anomalies.



This methodology incrementally decreases the geographic area being searched while increasing the level of granular detail provided to investigators.

NotebookLM

The terrain hides the rest, but technology provides the key to breaking the paradox

The empirical data points directly to a localized event with concealed outcomes.

By transitioning from visual human searches to spatial geospatial analysis, we eliminate the blind spots of the wilderness.

Someone knows something.

RCMP / Crime Stoppers:
1-800-222-8477

Ongoing Efforts:
ryanshtuka.com

RCMP / Crime Stoppers:
1-800-222-8477

Ongoing Efforts:
ryanshtuka.com

NotebookLM