TARGETED SEARCH DEPLOYMENT: RYAN SHTUKA

Anomaly Mapping & Advanced Topographical Synthesis

LOCATION: Sun Peaks, British Columbia
COORDINATES: 50.88° N, 119.88° W
(Burfield Drive Sector)
STATUS: Tactical Briefing & AOI Proposal



Gemini Notebook

Point Last Seen (PLS) Baseline Data

• **TIME/DATE:**	February 17, 2018, 02:00 HRS.
• **LOCATION:**	House party, Burfield Drive.
• **ELEVATION:**	Valley base at 1,255 meters.
• **INTENDED ROUTE:**	10-15 minute walk to residence.
• **ENVIRONMENTAL CONDITION:**	Winter environment; rapid overnight snowfall obscuring tracks and scent trails before dawn.



Gemini Notebook


Burfield Drive
SUN PEAKS VILLAGE
1.0 km
2.6 km
1
DIRECTIONALITY: 56%–86% of lost persons in mountainous terrain travel downhill.
2
DISTANCE CAP: Median recovery distance for lost lost persons is 1 to 2.6 km from the point of origin.
TACTICAL IMPERATIVE: The downhill vector from Burfield Drive represents the primary high-probability statistical catch-zone. Searches must prioritize this geometric boundary.
MOUNT TOD
Gemini Notebook

Chronological Terrain Analysis: Burfield Drive Sector



The Shifting Terrain: Chronological Anomalies

- **CONSTRUCTION ANOMALIES:** Rapid resort development fundamentally altered water runoff and soil compositions between 2012 and 2020.
- **TEMPORARY HAZARDS:** Active construction during February 2018 created severe temporary physical hazards (open trenches, disturbed earth, catchments).
- **OBSCURATION:** These 2018 hazards were rapidly obscured by the 5.6m average winter snowpack and subsequent spring grading, making current visual searches misleading.

Gemini Notebook

Unearthing the Ghost Network

- **TRIM DATA OVERLAY:** Government 1:20k maps reveal older hazards, access roads, and trails totally erased from modern resort maps.
- **Tпrcial Government TRIM** (Terrain Resource Information Management).
- **HISTORICAL LOGGING ROUTES:** Unused forestry infrastructure creates hidden paths of least resistance.
- **BEHAVIORAL TENDENCY:** Disoriented individuals inadvertently follow these hidden corridors, drawing them entirely outside the boundaries of modern grid searches.

Gemini Notebook

Hydrological Entrapment Zones: Terrain and Water Flow Analysis

HIDDEN CATCHMENTS:
Abandoned or dried water catchments that act as natural, unmapped depressions.

STEEP RAVINES:
Narrow, heavily forested creek ravines function as deep, natural concealment zones.

DEBRIS TRAPS:
Decades of deep leaf litter and deadfall accumulate at the bottom of these ravines, rendering visual detection from the surface virtually impossible.



ENVIRONMENTAL STRATIGRAPHY: CYCLICAL FOREST FLOOR LAYERING AT SUN PEAKS



WINTER SNOWPACK: 5.6m (18ft) average annual accumulation.

SPRING MELT: Massive water displacement altering topsoil and shifting debris.

LEAF LITTER: 5+ years of deep seasonal accumulation over the forest floor.

SUB-SURFACE: Rocky crevices, abandoned gullies, and tree wells.

ENVIRONMENTAL CONCLUSION: Five years of cyclical environmental layering renders traditional visual line-of-sight searching entirely obsolete. Sub-surface technological penetration is required.

Gemini Notebook

Technology Diagnostic: Piercing the Canopy

Search-Tech Diagnostic Matrix

	Drone-Based LiDAR	Terrestrial (Backpack) LiDAR	Near-Surface Geophysics (GPR)
Macro Canopy **Penetration**	●	○	○
Resolution for Grave/Mound Detection	●	●	○
Viability in Steep Ravines (Angle constraints)	○	●	●
Detection of Sub-Surface **Altered Soils**	○	○	●

DEPLOYMENT SYNTHESIS: No single tool is sufficient. Combining geographic profiling, dual-method LiDAR, and geophysics is the only validated way to bypass Sun Peaks' specific soil and litter conditions.

Gemini Notebook

Validation: The Airborne RCMP Precedent & Precedent Established

Validation: The Airborne RCMP Precedent

“Advanced aerial technology is currently deployed by the RCMP in British Columbia to detect locations where human remains may be hidden hidden in shallow graves or clandestine sites.”

PRECEDENT ESTABLISHED: Combining geographic profilinic profiling with advanced remote sensing is not theoretical; it is the active, validated standard for piercing BC’s dense environmental cover in cold cases.

Gemini Notebook

AOI Generation Methodology: The Intersection of Probability, History, and Terrain



AOI GENERATION METHODOLOGY: We do not search the whole mountain. We deploy specific remote-sensing technologies exclusively at the geographical intersections of statistical probability, historical terrain anomalies, and natural entrapment zones.

Gemini Notebook

TACTICAL BRIEFING



AREA OF INTEREST: ALPHA (The Old Logging Sector)

- **PROXIMITY:** Intersects the high-probability 1–2.6 km median downhill radius.
- **ANOMALY:** Contains an abandoned historical logging route acting as a path of least resistance.
- **TOPOGRAPHY:** Off-grid for modern resort trails; likely contains broad topographical depressions.
- **RECOMMENDED DEPLOYMENT:** Drone-Based LiDAR for macro-canopy penetration.

Gemini Notebook

TACTICAL BRIEFING



AREA OF INTEREST: BETA (The Ravine & Catchment Zone)

ANOMALY: Identified in historical hydrological data as containing steep, narrow natural gullies and unused catchments.

TOPOGRAPHY: Extreme risk of deep leaf-litter accumulation creating natural debris concealment traps.

RECOMMENDED DEPLOYMENT: Terrestrial (Backpack) LiDAR. Drones cannot penetrate the steep angles of these ravines; backpack units are mandatory to map the floor for mounds/depressions.

Gemini Notebook

TACTICAL BRIEFING

AREA OF INTEREST: GAMMA (The 2018 Construction Anomaly)

ANOMALY: Zone underwent active earth-moving, trenching, and temporary infrastructure development precisely during February 2018.

TOPOGRAPHY: Altered sub-soils; high probability of snow-covered trenches acting as invisible winter hazards.

RECOMMENDED DEPLOYMENT: Near-Surface Geophysics (GPR) required to detect subsurface soil disturbances beneath current grading.

Gemini Notebook

RECOMMENDED DEPLOYMENT STRATEGY

PHASE 1: AERIAL RECON (MACRO)

Deploy Drone LiDAR over AOI Alpha to identify topographical anomalies beneath the canopy.

PHASE 2: GROUND-LEVEL TECH (MICRO)

Deploy Terrestrial LiDAR into the steep ravines of AOI Beta.
Run Near-Surface Geophysics (GPR) over the altered soils of AOI Gamma.

PHASE 3: GROUND TRUTH

Deploy specialized units (e.g., SRD K9s) exclusively to the pinpointed anomalies generated in Phases 1 & 2 to investigate targeted coordinates.

Gemini Notebook



Gemini Notebook