Package 'qqman'

Title Q-Q and Manhattan Plots for GWAS Data

Version 0.1.4

Author Stephen Turner <vustephen@gmail.com>

Maintainer Stephen Turner <vustephen@gmail.com>

Description Create Q-Q and manhattan plots for GWAS data from PLINK results.

Depends R (>= 3.0.0),

Imports calibrate

Suggests knitr

License GPL-3

LazyData true

VignetteBuilder knitr

RoxygenNote 6.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2017-03-16 03:19:14

R topics documented:

---

gwasResults   *Simulated GWAS results*

Description

Simulated GWAS results as obtained from plink --assoc.

---

manhattan   *Creates a manhattan plot*

Description

Creates a manhattan plot from PLINK assoc output (or any data frame with chromosome, position, and p-value).

Usage

```
manhattan(x, chr = "CHR", bp = "BP", p = "P", snp = "SNP",
  col = c("gray10", "gray60"), chrlabs = NULL,
  suggestiveline = -log10(1e-05), genomewideline = -log10(5e-08),
  highlight = NULL, logp = TRUE, annotatePval = NULL,
  annotateTop = TRUE, ...)
```

Arguments

x	A data.frame with columns "BP," "CHR," "P," and optionally, "SNP."
chr	A string denoting the column name for the chromosome. Defaults to PLINK's "CHR." Said column must be numeric. If you have X, Y, or MT chromosomes, be sure to renumber these 23, 24, 25, etc.
bp	A string denoting the column name for the chromosomal position. Defaults to PLINK's "BP." Said column must be numeric.
p	A string denoting the column name for the p-value. Defaults to PLINK's "P." Said column must be numeric.
snp	A string denoting the column name for the SNP name (rs number). Defaults to PLINK's "SNP." Said column should be a character.
col	A character vector indicating which colors to alternate.
chrlabs	A character vector equal to the number of chromosomes specifying the chromosome labels (e.g., c(1:22, "X", "Y", "MT")).
suggestiveline	Where to draw a "suggestive" line. Default -log10(1e-5). Set to FALSE to disable.
genomewideline	Where to draw a "genome-wide sigificant" line. Default -log10(5e-8). Set to FALSE to disable.
highlight	A character vector of SNPs in your dataset to highlight. These SNPs should all be in your dataset.
logp	If TRUE, the -log10 of the p-value is plotted. It isn't very useful to plot raw p-values, but plotting the raw value could be useful for other genome-wide plots, for example, peak heights, bayes factors, test statistics, other "scores," etc.
annotatePval	If set, SNPs below this p-value will be annotated on the plot.
annotateTop	If TRUE, only annotates the top hit on each chromosome that is below the annotatePval threshold.
...	Arguments passed on to other plot/points functions

Value

A manhattan plot.

Examples

```
manhattan(gwasResults)
```

---

qq *Creates a Q-Q plot*

Description

Creates a quantile-quantile plot from p-values from a GWAS study.

Usage

```
qq(pvector, ...)
```

Arguments

pvector	A numeric vector of p-values.
...	Other arguments passed to `plot()`

Value

A Q-Q plot.

Examples

```
qq(gwasResults$P)
```

---

qqman *Create Q-Q and manhattan plots for GWAS data.*

Description

A package for creating Q-Q and manhattan plots for GWAS data. See the package vignette for details:

```
vignette("qqman")
```

Author(s)

Stephen Turner <<http://stephenturner.us>>

snpsOfInterest   *snpsOfInterest*

Description

Example SNPs of interest from simulated `gwasResults` data.

Index