



MIDUS 2 Project 1 Disposition Codes

MIDUS 2 Project 1 Disposition Codes

Title

MIDUS 2 Project 1 Disposition Codes

Related Materials

Documentation

- [M2 Documentation of Disposition Codes and Mortality](#)

M2_DispositionCodes_N7108_20201105

| | |
|----------------|--|
| Title | M2_DispositionCodes_N7108_20201105 |
| File Name | M2_DispositionCodes_N7108_20201105.sav |
| Case Quantity | 7108 |
| Variable Count | 6 |

M2ID - MIDUS 2 ID number

| | | | | | |
|-------|-------------------|---------|---------|--------------|--------------|
| Type | Numeric (Integer) | | | | |
| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
| 7108 | 0 | 10001 | 19193 | 14588.457... | 2660.2239... |

M2FAMNUM - MIDUS 2 Family number


| | | | | | |
|-------|-------------------|---------|---------|--------------|--------------|
| Type | Numeric (Integer) | | | | |
| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
| 7108 | 0 | 100001 | 120968 | 108626.62... | 7937.5816... |

SAMPLMAJ - Major sample identification

| | | | | | |
|------|------|-----------|------------|------------|--|
| Type | Code | | | | |
| | | Frequency | % of total | % of valid | |

| | | | | | |
|-------|----|---------------------|-------|--------|--------|
| Valid | 1 | MAIN RDD | 3487 | 49.06% | 49.06% |
| | 2 | SIBLING | 950 | 13.37% | 13.37% |
| | 3 | TWIN | 1914 | 26.93% | 26.93% |
| | 4 | CITY OVERSAMPLE | 757 | 10.65% | 10.65% |
| | 13 | MILWAUKEE | 0 | 0% | 0% |
| | 14 | BOSTON NEW | 0 | 0% | 0% |
| | 20 | MIDUS REFRESHER | 0 | 0% | 0% |
| | 21 | MILWAUKEE REFRESHER | 0 | 0% | 0% |
| | | Total | 7,108 | 100% | 100% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 7108 | 0 | 1 | 4 |

 B1PRAGE_2019 - Respondent's calculated age at MIDUS 2 Project 1 phone interview, updated as of 2019

| Type | Numeric (Integer) | | | | |
|------|-------------------|--|--|--|--|
|------|-------------------|--|--|--|--|

| | | | Frequency | % of total | % of valid |
|---------|----|-------|-----------|------------|------------|
| Missing | 99 | INAPP | 2145 | 30.18% | |
| | | Total | 2,145 | 30.18% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 4963 | 2145 | 28 | 84 | 55.418295... | 12.451304... |

 B1PRSEX - Respondent's sex, updated as of 5-8-2018

| Type | Code | | | | |
|------|------|--|--|--|--|
|------|------|--|--|--|--|

| | | | Frequency | % of total | % of valid |
|---------|---|-----------------|-----------|------------|------------|
| Valid | 1 | MALE | 3440 | 48.4% | 48.41% |
| | 2 | FEMALE | 3666 | 51.58% | 51.59% |
| | | Total | 7,106 | 99.97% | 100% |
| Missing | 8 | REFUSED/UNKNOWN | 2 | 0.03% | |
| | | Total | 2 | 0.03% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 7106 | 2 | 1 | 2 |

 M2P1_DIS - Project 1 Phone final disposition codes

| Type | Code | | | | |
|------|------|--|--|--|--|
|------|------|--|--|--|--|

| | | | Frequency | % of total | % of valid |
|-------|---|----------------------|-----------|------------|------------|
| Valid | 1 | COMPLETE | 4963 | 69.82% | 69.82% |
| | 2 | DECEASED | 403 | 5.67% | 5.67% |
| | 3 | UNCONFIRMED DECEASED | 67 | 0.94% | 0.94% |
| | 4 | REFUSED | 832 | 11.71% | 11.71% |
| | 5 | UNABLE TO INTERVIEW | 122 | 1.72% | 1.72% |
| | 6 | NON-WORKING NUMBER | 721 | 10.14% | 10.14% |
| | | Total | 7,108 | 100% | 100% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 7108 | 0 | 1 | 6 |