MIDUS Refresher 1 Project 1 Coded Text

📘 MIDUS Refresher 1 Project 1 Coded Text

Title

MIDUS Refresher 1 Project 1 Coded Text

Related Materials

Documentation

- MR1 P1 Documentation of Coded Text

📊 MR1 Project 1 Coded Text

Title	MR1 Project 1 Coded Text
File Name	MR_P1_CodedTextData_N3394_20160321.sav
Case Quantity	3394
Variable Count	204

🔢 MRID - MIDUS REFRESHER ID

Type	Numeric (Integer)

Valid	Invalid	Minimum	Maximum	Mean	StdDev
3394	0	30000	39999	34979.548...	2874.8537...

🔢 SAMPLMAJ - Major sample identification

Type	Code

			Frequency	% of total	% of valid
Valid	1	MAIN RDD	0	0%	0%
	2	SIBLING	0	0%	0%
	3	TWIN	0	0%	0%
	4	CITY OVERSAMPLE	0	0%	0%
	13	MILWAUKEE	0	0%	0%
	14	BOSTON NEW	0	0%	0%
	20	MIDUS REFRESHER	3394	100%	100%
	21	MILWAUKEE REFRESHER	0	0%	0%
		Total	3,394	100%	100%

Valid	Invalid	Minimum	Maximum
3394	0	20	20

RA1PRAGE - Respondent's calculated age

Type	Numeric (Integer)

Valid	Invalid	Minimum	Maximum	Mean	StdDev
3394	0	23	76	50.776959...	14.337929...

RA1PRSEX - Respondent's sex

Type	Code

			Frequency	% of total	% of valid
Valid	1	MALE	1612	47.5%	47.5%
	2	FEMALE	1782	52.5%	52.5%
		Total	3,394	100%	100%

Valid	Invalid	Minimum	Maximum
3394	0	1	2

RA1PAA1A - OE-Specific event that made them aware that the recession had begun #1

Type	Code
RA1PAA1A	What was it?
PreQuestionText	Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun?
Notes	Root variable: RA1PAA1

	Frequency	% of total	% of valid

				Frequency	% of total	% of valid
Valid	1	Crashed stock market		278	8.19%	11.88%
	2	Increased gas price		126	3.71%	5.38%
	3	Lost job/unemployed		417	12.29%	17.81%
	4	Decreased income/didn't get raise		76	2.24%	3.25%
	5	Increased cost of living/prices		130	3.83%	5.55%
	6	Recognized through media coverage/economic indicator		249	7.34%	10.64%
	7	Lack of job/hard to get a job		106	3.12%	4.53%
	8	Collapsed housing market/increased foreclosure		345	10.16%	14.74%
	9	Collapse of financial firm		68	2%	2.9%
	10	Affected pension plan/insurance		107	3.15%	4.57%
	11	Company/plant/store closed/went bankrupt		32	0.94%	1.37%
	12	Other		144	4.24%	6.15%
	13	Personal finance/investment/credit was affected		89	2.62%	3.8%
	14	Company/business slow down & sales/construction decreased		149	4.39%	6.36%
	15	Political situations/election		25	0.74%	1.07%
		Total		2,341	68.97%	100%
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		1053	31.03%	
		Total		1,053	31.03%	

Valid	Invalid	Minimum	Maximum
2341	1053	1	15

🗒 RA1PAA1B - OE-Specific event that made them aware that the recession had begun #2

Type	Code
RA1PAA1B	What was it?
PreQuestionText	Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun?
Notes	Root variable: RA1PAA1

	Frequency	% of total	% of valid

Valid	1	Crashed stock market	22	0.65%	6.29%
	2	Increased gas price	38	1.12%	10.86%
	3	Lost job/unemployed	14	0.41%	4%
	4	Decreased income/didn't get raise	32	0.94%	9.14%
	5	Increased cost of living/prices	6	0.18%	1.71%
	6	Recognized through media coverage/economic indicator	73	2.15%	20.86%
	7	Lack of job/hard to get a job	23	0.68%	6.57%
	8	Collapsed housing market/increased foreclosure	36	1.06%	10.29%
	9	Collapse of financial firm	5	0.15%	1.43%
	10	Affected pension plan/insurance	34	1%	9.71%
	11	Company/plant/store closed/went bankrupt	7	0.21%	2%
	12	Other	12	0.35%	3.43%
	13	Personal finance/investment/credit was affected	24	0.71%	6.86%
	14	Company/business slow down & sales/construction decreased	24	0.71%	6.86%
	15	Political situations/election	0	0%	0%
		Total	350	10.31%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3044	89.69%	
		Total	3,044	89.69%	

Valid	Invalid	Minimum	Maximum
350	3044	1	14

🗺️ RA1PAA1C - OE-Specific event that made them aware that the recession had begun #3

Type	Code
RA1PAA1C	What was it?
PreQuestionText	Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun?
Notes	Root variable: RA1PAA1

	Frequency	% of total	% of valid

Valid	1	Crashed stock market		0	0%	0%
	2	Increased gas price		4	0.12%	8.16%
	3	Lost job/unemployed		0	0%	0%
	4	Decreased income/didn't get raise		4	0.12%	8.16%
	5	Increased cost of living/prices		3	0.09%	6.12%
	6	Recognized through media coverage/economic indicator		11	0.32%	22.45%
	7	Lack of job/hard to get a job		3	0.09%	6.12%
	8	Collapsed housing market/increased foreclosure		3	0.09%	6.12%
	9	Collapse of financial firm		0	0%	0%
	10	Affected pension plan/insurance		7	0.21%	14.29%
	11	Company/plant/store closed/went bankrupt		2	0.06%	4.08%
	12	Other		4	0.12%	8.16%
	13	Personal finance/investment/credit was affected		5	0.15%	10.2%
	14	Company/business slow down & sales/construction decreased		3	0.09%	6.12%
	15	Political situations/election		0	0%	0%
		Total		49	1.44%	100%
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3345	98.56%	
		Total		3,345	98.56%	

Valid	Invalid	Minimum	Maximum
49	3345	2	14

🖼️ RA1PAA1D - OE-Specific event that made them aware that the recession had begun #4

Type	Code
RA1PAA1D	What was it?
PreQuestionText	Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun?
Notes	Root variable: RA1PAA1

	Frequency	% of total	% of valid

Valid	1	Crashed stock market	1	0.03%	25%
	2	Increased gas price	0	0%	0%
	3	Lost job/unemployed	0	0%	0%
	4	Decreased income/didnt' get raise	0	0%	0%
	5	Increased cost of living/prices	1	0.03%	25%
	6	Recognized through media coverage/economic indicator	0	0%	0%
	7	Lack of job/hard to get a job	0	0%	0%
	8	Collapsed housing market/increased foreclosure	0	0%	0%
	9	Collapse of financial firm	0	0%	0%
	10	Affected pension plan/insurance	0	0%	0%
	11	Company/plant/store closed/went bankrupt	0	0%	0%
	12	Other	0	0%	0%
	13	Personal finance/investment/credit was affected	0	0%	0%
	14	Company/business slow down & sales/construction decreased	2	0.06%	50%
		Total	4	0.12%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3390	99.88%	
		Total	3,390	99.88%	

Valid	Invalid	Minimum	Maximum
4	3390	1	14

RA1PAA2LBA - OE-What happened when lost a home due to something other than foreclosure #1

Type	Code
RA1PAA2LBA	What happened?
PreQuestionText	Since the recession began in 2008 have you - Lost a home due to something other than foreclosure?
BackwardSkip	(RA1PAA2I = NEVER OWNED A HOME) OR (RA1PAA2J = NEVER OWNED A HOME) OR (RA1PAA2K = NEVER OWNED A HOME)
ForwardSkip	IF RA1PAA2L = NO OR NEVER OWNED A HOME, GO TO RA1PAA2M.
Notes	Root variable: RA1PAA2L

				Frequency	% of total	% of valid
Valid	1		Evicted	6	0.18%	8.82%
	2		Couldn't afford	8	0.24%	11.76%
	3		Swindled	2	0.06%	2.94%
	4		Divorced	11	0.32%	16.18%
	5		Fire on house	2	0.06%	2.94%
	6		Hurricane	3	0.09%	4.41%
	7		Lost job	4	0.12%	5.88%
	8		Abandoned house	2	0.06%	2.94%
	9		Bankruptcy	5	0.15%	7.35%
	10		Other	15	0.44%	22.06%
	11		Sold house	7	0.21%	10.29%
	12		Death	3	0.09%	4.41%
			Total	68	2%	100%
Missing	97		DON'T KNOW	0	0%	
	98		REFUSED/MISSING	0	0%	
	99		INAPP	3326	98%	
			Total	3,326	98%	

Valid	Invalid	Minimum	Maximum
68	3326	1	12

RA1PAA2LBB - OE-What happened when lost a home due to something other than foreclosure #2

Type	Code
RA1PAA2LBB	What happened?
PreQuestionText	Since the recession began in 2008 have you - Lost a home due to something other than foreclosure?
BackwardSkip	(RA1PAA2I = NEVER OWNED A HOME) OR (RA1PAA2J = NEVER OWNED A HOME) OR (RA1PAA2K = NEVER OWNED A HOME)
ForwardSkip	IF RA1PAA2L = NO OR NEVER OWNED A HOME, GO TO RA1PAA2M.
Notes	Root variable: RA1PAA2L

	Frequency	% of total	% of valid

Valid	1	Evicted	0	0%	0%
	2	Couldn't afford	3	0.09%	50%
	3	Swindled	0	0%	0%
	4	Divorced	0	0%	0%
	5	Fire on house	0	0%	0%
	6	Hurricane	0	0%	0%
	7	Lost job	0	0%	0%
	8	Abandoned house	0	0%	0%
	9	Bankruptcy	0	0%	0%
	10	Other	0	0%	0%
	11	Sold house	3	0.09%	50%
	12	Death	0	0%	0%
		Total	6	0.18%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3388	99.82%	
		Total	3,388	99.82%	

Valid	Invalid	Minimum	Maximum
6	3388	2	11

RA1PA7BJA - OS-Diagnosis for suspected or confirmed heart trouble #1

Type	Code
RA1PA7BJA	What was the diagnosis?
PreQuestionText	Have you ever had heart trouble suspected or confirmed by a doctor?
BackwardSkip	(RA1PA7 = NO, DK, OR REFUSED)
ForwardSkip	IF RA1PA7A = CONGENITAL/AT BIRTH, GO TO RA1PA7D.
Notes	Root variable: RA1PA7BJ
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Anything else?"] [INTERVIEWER: IF R SAYS "Dr. wasn't sure but thought it might be...", ENTER VERBATIM.] [INTERVIEWER: IF R GIVES A TREATMENT, PROBE: "What was the DIAGNOSIS?"]

	Frequency	% of total	% of valid

Valid	1	Anxiety	6	0.18%	2.58%
	2	Stress	3	0.09%	1.29%
	3	Blocked/closed artery	35	1.03%	15.02%
	4	Gastroesophageal Reflux Disease (GERD)	5	0.15%	2.15%
	5	High cholesterol	7	0.21%	3%
	6	High blood pressure	9	0.27%	3.86%
	7	Irregular/fast heart beat/arrhythmia	20	0.59%	8.58%
	8	Not diagnosed yet	8	0.24%	3.43%
	9	Wolff-Parkinson-White Syndrome (WPW)	2	0.06%	0.86%
	10	Tachycardia	3	0.09%	1.29%
	11	Palpitation	5	0.15%	2.15%
	12	Valve disease	15	0.44%	6.44%
	13	Mitrovalve prolapse	2	0.06%	0.86%
	14	Supraventricular Tachycardia (SVT)	3	0.09%	1.29%
	15	Sinus tachycardia	2	0.06%	0.86%
	16	Ventricle problem	4	0.12%	1.72%
	17	Not specified	12	0.35%	5.15%
	18	Atrial fibrillation	26	0.77%	11.16%
	19	Other	45	1.33%	19.31%
	20	Diabetes	6	0.18%	2.58%
	21	Blood platelet	1	0.03%	0.43%
	22	Weakend heart	1	0.03%	0.43%
	23	Congenital heart disease	1	0.03%	0.43%
	24	Heart attack	3	0.09%	1.29%
	25	Cyst on brain	0	0%	0%
	26	Rheumatic fever	5	0.15%	2.15%
	27	Cardiomyopathy	4	0.12%	1.72%
	28	Stroke	0	0%	0%
		Total	233	6.87%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3161	93.13%	
		Total	3,161	93.13%	

Valid	Invalid	Minimum	Maximum
233	3161	1	27

RA1PA7BJB - OS-Diagnosis for suspected or confirmed heart trouble #2

Type	Code
RA1PA7BJB	What was the diagnosis?
PreQuestionText	Have you ever had heart trouble suspected or confirmed by a doctor?
BackwardSkip	(RA1PA7 = NO, DK, OR REFUSED)
ForwardSkip	IF RA1PA7A = CONGENITAL/AT BIRTH, GO TO RA1PA7D.
Notes	Root variable: RA1PA7BJ
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Anything else?"] [INTERVIEWER: IF R SAYS "Dr. wasn't sure but thought it might be...", ENTER VERBATIM.] [INTERVIEWER: IF R GIVES A TREATMENT, PROBE: "What was the DIAGNOSIS?"]

	Frequency	% of total	% of valid

Valid	1	Anxiety	0	0%	0%
	2	Stress	1	0.03%	10%
	3	Blocked/closed artery	0	0%	0%
	4	Gastroesophageal Reflux Disease (GERD)	0	0%	0%
	5	High cholesterol	1	0.03%	10%
	6	High blood pressure	0	0%	0%
	7	Irregular/fast heart beat/arrhythmia	2	0.06%	20%
	8	Not diagnosed yet	0	0%	0%
	9	Wolff-Parkinson-White Syndrome (WPW)	0	0%	0%
	10	Tachycardia	0	0%	0%
	11	Palpitation	1	0.03%	10%
	12	Valve disease	1	0.03%	10%
	13	Mitrovalve prolapse	0	0%	0%
	14	Supraventricular Tachycardia (SVT)	0	0%	0%
	15	Sinus tachycardia	0	0%	0%
	16	Ventricle problem	0	0%	0%
	17	Not specified	0	0%	0%
	18	Atrial fibrillation	2	0.06%	20%
	19	Other	0	0%	0%
	20	Diabetes	0	0%	0%
	21	Blood platelet	0	0%	0%
	22	Weakend heart	0	0%	0%
	23	Congenital heart disease	0	0%	0%
	24	Heart attack	0	0%	0%
	25	Cyst on brain	1	0.03%	10%
	26	Rheumatic fever	0	0%	0%
	27	Cardiomyopathy	0	0%	0%
	28	Stroke	1	0.03%	10%
		Total	10	0.29%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3384	99.71%	
		Total	3,384	99.71%	

Valid	Invalid	Minimum	Maximum
10	3384	2	28

RA1PA7BJC - OS-Diagnosis for suspected or confirmed heart trouble #3

Type	Code
RA1PA7BJC	What was the diagnosis?
PreQuestionText	Have you ever had heart trouble suspected or confirmed by a doctor?
BackwardSkip	(RA1PA7 = NO, DK, OR REFUSED)
ForwardSkip	IF RA1PA7A = CONGENITAL/AT BIRTH, GO TO RA1PA7D.
Notes	Root variable: RA1PA7BJ
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Anything else?"] [INTERVIEWER: IF R SAYS "Dr. wasn't sure but thought it might be...", ENTER VERBATIM.] [INTERVIEWER: IF R GIVES A TREATMENT, PROBE: "What was the DIAGNOSIS?"]

	Frequency	% of total	% of valid

Valid	1	Anxiety	0	0%	0%
	2	Stress	0	0%	0%
	3	Blocked/closed artery	0	0%	0%
	4	Gastroesophageal Reflux Disease (GERD)	1	0.03%	25%
	5	High cholesterol	1	0.03%	25%
	6	High blood pressure	0	0%	0%
	7	Irregular/fast heart beat/arrhythmia	0	0%	0%
	8	Not diagnosed yet	0	0%	0%
	9	Wolff-Parkinson-White Syndrome (WPW)	0	0%	0%
	10	Tachycardia	1	0.03%	25%
	11	Palpitation	0	0%	0%
	12	Valve disease	0	0%	0%
	13	Mitrovalve prolapse	0	0%	0%
	14	Supraventricular Tachycardia (SVT)	0	0%	0%
	15	Sinus tachycardia	0	0%	0%
	16	Ventricle problem	0	0%	0%
	17	Not specified	0	0%	0%
	18	Atrial fibrillation	0	0%	0%
	19	Other	0	0%	0%
	20	Diabetes	0	0%	0%
	21	Blood platelet	0	0%	0%
	22	Weakend heart	0	0%	0%
	23	Congenital heart disease	0	0%	0%
	24	Heart attack	0	0%	0%
	25	Cyst on brain	0	0%	0%
	26	Rheumatic fever	0	0%	0%
	27	Cardiomyopathy	1	0.03%	25%
	28	Stroke	0	0%	0%
		Total	4	0.12%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3390	99.88%	
		Total	3,390	99.88%	

Valid	Invalid	Minimum	Maximum
4	3390	4	27

🗇 RA1PA22A - OS-Location of pain or discomfort #1

Type	Code
RA1PA22A	Where do you get this pain or discomfort-in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else?
BackwardSkip	(RA1PA17 DOES NOT EQUAL YES AND RA1PA18 DOES NOT EQUAL YES)
Notes	Root variable: RA1PA22
InterviewerInstruction	[INTERVIEWER: SELECT ONE ONLY]

			Frequency	% of total	% of valid
Valid	1	Left chest	4	0.12%	6.67%
	2	Right chest	17	0.5%	28.33%
	3	Back	5	0.15%	8.33%
	4	Center chest	10	0.29%	16.67%
	5	Whole chest	7	0.21%	11.67%
	6	Left arm	2	0.06%	3.33%
	7	Right arm	2	0.06%	3.33%
	8	Jaw	2	0.06%	3.33%
	9	Lung	3	0.09%	5%
	10	Neck	1	0.03%	1.67%
	11	Stomach	1	0.03%	1.67%
	12	Other	6	0.18%	10%
		Total	60	1.77%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3334	98.23%	
		Total	3,334	98.23%	

Valid	Invalid	Minimum	Maximum
60	3334	1	12

RA1PA22B - OS-Location of pain or discomfort #2

Type	Code
RA1PA22B	Where do you get this pain or discomfort-in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else?
BackwardSkip	(RA1PA17 DOES NOT EQUAL YES AND RA1PA18 DOES NOT EQUAL YES)
Notes	Root variable: RA1PA22
InterviewerInstruction	[INTERVIEWER: SELECT ONE ONLY]

			Frequency	% of total	% of valid

Valid	1	Left chest	6	0.18%	27.27%
	2	Right chest	1	0.03%	4.55%
	3	Back	1	0.03%	4.55%
	4	Center chest	4	0.12%	18.18%
	5	Whole chest	1	0.03%	4.55%
	6	Left arm	3	0.09%	13.64%
	7	Right arm	2	0.06%	9.09%
	8	Jaw	1	0.03%	4.55%
	9	Lung	0	0%	0%
	10	Neck	0	0%	0%
	11	Stomach	1	0.03%	4.55%
	12	Other	2	0.06%	9.09%
		Total	22	0.65%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3372	99.35%	
		Total	3,372	99.35%	

Valid	Invalid	Minimum	Maximum
22	3372	1	12

RA1PA22C - OS-Location of pain or discomfort #3

Type	Code
RA1PA22C	Where do you get this pain or discomfort-in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else?
BackwardSkip	(RA1PA17 DOES NOT EQUAL YES AND RA1PA18 DOES NOT EQUAL YES)
Notes	Root variable: RA1PA22
InterviewerInstruction	[INTERVIEWER: SELECT ONE ONLY]

	Frequency	% of total	% of valid

Valid	1	Left chest	2	0.06%	33.33%
	2	Right chest	0	0%	0%
	3	Back	0	0%	0%
	4	Center chest	0	0%	0%
	5	Whole chest	0	0%	0%
	6	Left arm	2	0.06%	33.33%
	7	Right arm	1	0.03%	16.67%
	8	Jaw	0	0%	0%
	9	Lung	0	0%	0%
	10	Neck	1	0.03%	16.67%
	11	Stomach	0	0%	0%
	12	Other	0	0%	0%
		Total	6	0.18%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3388	99.82%	
		Total	3,388	99.82%	

Valid	Invalid	Minimum	Maximum
6	3388	1	10

RA1PA22D - OS-Location of pain or discomfort #4

Type	Code
RA1PA22D	Where do you get this pain or discomfort-in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else?
BackwardSkip	(RA1PA17 DOES NOT EQUAL YES AND RA1PA18 DOES NOT EQUAL YES)
Notes	Root variable: RA1PA22
InterviewerInstruction	[INTERVIEWER: SELECT ONE ONLY]

	Frequency	% of total	% of valid

Valid	1	Left chest	1	0.03%	33.33%
	2	Right chest	0	0%	0%
	3	Back	0	0%	0%
	4	Center chest	0	0%	0%
	5	Whole chest	0	0%	0%
	6	Left arm	1	0.03%	33.33%
	7	Right arm	0	0%	0%
	8	Jaw	0	0%	0%
	9	Lung	1	0.03%	33.33%
	10	Neck	0	0%	0%
	11	Stomach	0	0%	0%
	12	Other	0	0%	0%
		Total	3	0.09%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3391	99.91%	
		Total	3,391	99.91%	

Valid	Invalid	Minimum	Maximum
3	3391	1	9

RA1PA22E - OS-Location of pain or discomfort #5

Type	Code
RA1PA22E	Where do you get this pain or discomfort-in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else?
BackwardSkip	(RA1PA17 DOES NOT EQUAL YES AND RA1PA18 DOES NOT EQUAL YES)
Notes	Root variable: RA1PA22
InterviewerInstruction	[INTERVIEWER: SELECT ONE ONLY]

	Frequency	% of total	% of valid

Valid	1	Left chest	0	0%	0%
	2	Right chest	0	0%	0%
	3	Back	0	0%	0%
	4	Center chest	0	0%	0%
	5	Whole chest	0	0%	0%
	6	Left arm	0	0%	0%
	7	Right arm	0	0%	0%
	8	Jaw	0	0%	0%
	9	Lung	0	0%	0%
	10	Neck	1	0.03%	100%
	11	Stomach	0	0%	0%
	12	Other	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	10	10

RA1PA22F - OS-Location of pain or discomfort #6

Type	Code
RA1PA22F	Where do you get this pain or discomfort-in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else?
BackwardSkip	(RA1PA17 DOES NOT EQUAL YES AND RA1PA18 DOES NOT EQUAL YES)
Notes	Root variable: RA1PA22
InterviewerInstruction	[INTERVIEWER: SELECT ONE ONLY]

	Frequency	% of total	% of valid

Valid	1	Left chest		0	0%	0%
	2	Right chest		0	0%	0%
	3	Back		1	0.03%	100%
	4	Center chest		0	0%	0%
	5	Whole chest		0	0%	0%
	6	Left arm		0	0%	0%
	7	Right arm		0	0%	0%
	8	Jaw		0	0%	0%
	9	Lung		0	0%	0%
	10	Neck		0	0%	0%
	11	Stomach		0	0%	0%
	12	Other		0	0%	0%
		Total		1	0.03%	100%
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3393	99.97%	
		Total		3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	3	3

RA1PA23CJA - OS-What doctor said it was about a severe pain across the front of chest #1

Type	Code
RA1PA23CJA	What did the doctor say it was (ENTER DIAGNOSIS)?
BackwardSkip	(RA1PA23 = NO, DK, OR REFUSED) OR (RA1PA23B = NO, DK, OR REFUSED)
Notes	Root variable: RA1PA23CJ
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Anything else?"] [INTERVIEWER: IF R SAYS "Dr. wasn't sure but thought it might be...". ENTER VERBATIM]

	Frequency	% of total	% of valid

Valid	1	Heart	11	0.32%	9.32%
	2	Panic attack	4	0.12%	3.39%
	3	Gall bladder/gallstone	6	0.18%	5.08%
	4	Gas	3	0.09%	2.54%
	5	Acid reflux	7	0.21%	5.93%
	6	Stress/anxiety	19	0.56%	16.1%
	7	Indigestion	5	0.15%	4.24%
	8	Hernia	3	0.09%	2.54%
	9	Ulcer	3	0.09%	2.54%
	10	Esophageal	6	0.18%	5.08%
	11	Other	14	0.41%	11.86%
	12	Heart burn	4	0.12%	3.39%
	13	Muscle	12	0.35%	10.17%
	14	Cartilage	2	0.06%	1.69%
	15	Lung/asthma	7	0.21%	5.93%
	16	Not diagnosed yet/unknown	7	0.21%	5.93%
	17	Nothing to be concerned	1	0.03%	0.85%
	18	Pancreas	1	0.03%	0.85%
	19	Exercise routine/activity	3	0.09%	2.54%
		Total	118	3.48%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3276	96.52%	
		Total	3,276	96.52%	

Valid	Invalid	Minimum	Maximum
118	3276	1	19

🗂 RA1PA23CJB - OS-What doctor said it was about a severe pain across the front of chest #2

Type	Code
RA1PA23CJB	What did the doctor say it was (ENTER DIAGNOSIS)?
BackwardSkip	(RA1PA23 = NO, DK, OR REFUSED) OR (RA1PA23B = NO, DK, OR REFUSED)
Notes	Root variable: RA1PA23CJ
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Anything else?"] [INTERVIEWER: IF R SAYS "Dr. wasn't sure but thought it might be...". ENTER VERBATIM]

	Frequency	% of total	% of valid

Valid	1	Heart		1	0.03%	8.33%
	2	Panic attack		0	0%	0%
	3	Gall bladder/gallstone		0	0%	0%
	4	Gas		0	0%	0%
	5	Acid reflux		1	0.03%	8.33%
	6	Stress/anxiety		2	0.06%	16.67%
	7	Indigestion		0	0%	0%
	8	Hernia		0	0%	0%
	9	Ulcer		0	0%	0%
	10	Esophageal		0	0%	0%
	11	Other		0	0%	0%
	12	Heart burn		0	0%	0%
	13	Muscle		2	0.06%	16.67%
	14	Cartilage		0	0%	0%
	15	Lung/asthma		4	0.12%	33.33%
	16	Not diagnosed yet/unknown		0	0%	0%
	17	Nothing to be concerned		1	0.03%	8.33%
	18	Pancreas		1	0.03%	8.33%
	19	Exercise routine/activity		0	0%	0%
		Total		12	0.35%	100%
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3382	99.65%	
		Total		3,382	99.65%	

Valid	Invalid	Minimum	Maximum
12	3382	1	18

🗝 RA1PA23CJC - OS-What doctor said it was about a severe pain across the front of chest #3

Type	Code
RA1PA23CJC	What did the doctor say it was (ENTER DIAGNOSIS)?
BackwardSkip	(RA1PA23 = NO, DK, OR REFUSED) OR (RA1PA23B = NO, DK, OR REFUSED)
Notes	Root variable: RA1PA23CJ
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Anything else?"] [INTERVIEWER: IF R SAYS "Dr. wasn't sure but thought it might be...". ENTER VERBATIM]

	Frequency	% of total	% of valid

				Frequency	% of total	% of valid
Valid	1	Heart		0	0%	0%
	2	Panic attack		0	0%	0%
	3	Gall bladder/gallstone		0	0%	0%
	4	Gas		0	0%	0%
	5	Acid reflux		0	0%	0%
	6	Stress/anxiety		1	0.03%	100%
	7	Indigestion		0	0%	0%
	8	Hernia		0	0%	0%
	9	Ulcer		0	0%	0%
	10	Esophageal		0	0%	0%
	11	Other		0	0%	0%
	12	Heart burn		0	0%	0%
	13	Muscle		0	0%	0%
	14	Cartilage		0	0%	0%
	15	Lung/asthma		0	0%	0%
	16	Not diagnosed yet/unknown		0	0%	0%
	17	Nothing to be concerned		0	0%	0%
	18	Pancreas		0	0%	0%
	19	Exercise routine/activity		0	0%	0%
		Total		1	0.03%	100%
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3393	99.97%	
		Total		3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	6	6

RA1PA24EFA - OS-Treatment/therapy for high blood pressure #1

Type	Code
RA1PA24EFA	What is that treatment or therapy (ENTER TREATMENT)?
BackwardSkip	(RA1PA24 = NO, DK, OR REFUSED) OR (RA1PA24D = NO, DK, OR REFUSED)
Notes	Root variable: RA1PA24EF
InterviewerInstruction	[INTERVIEWER: ENTER ALL THAT APPLY]

	Frequency	% of total	% of valid

Valid	1	Lose weight	12	0.35%	15.79%
	2	Exercise	6	0.18%	7.89%
	3	Low sodium/sugar	11	0.32%	14.47%
	4	Other	2	0.06%	2.63%
	5	Medication	13	0.38%	17.11%
	6	Supplement	10	0.29%	13.16%
	7	Healthy diet	7	0.21%	9.21%
	8	Regularly monitor	4	0.12%	5.26%
	9	Rest	1	0.03%	1.32%
	10	Release stress	4	0.12%	5.26%
	11	Physical therapy	2	0.06%	2.63%
	12	Massage/spa	2	0.06%	2.63%
	13	Portion control	1	0.03%	1.32%
	14	Lifestyle change	1	0.03%	1.32%
		Total	76	2.24%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3318	97.76%	
		Total	3,318	97.76%	

Valid	Invalid	Minimum	Maximum
76	3318	1	14

RA1PA24EFB - OS-Treatment/therapy for high blood pressure #2

Type	Code
RA1PA24EFB	What is that treatment or therapy (ENTER TREATMENT)?
BackwardSkip	(RA1PA24 = NO, DK, OR REFUSED) OR (RA1PA24D = NO, DK, OR REFUSED)
Notes	Root variable: RA1PA24EF
InterviewerInstruction	[INTERVIEWER: ENTER ALL THAT APPLY]

	Frequency	% of total	% of valid

Valid	1	Lose weight	2	0.06%	40%
	2	Exercise	0	0%	0%
	3	Low sodium/sugar	0	0%	0%
	4	Other	0	0%	0%
	5	Medication	0	0%	0%
	6	Supplement	1	0.03%	20%
	7	Healthy diet	2	0.06%	40%
	8	Regularly monitor	0	0%	0%
	9	Rest	0	0%	0%
	10	Release stress	0	0%	0%
	11	Physical therapy	0	0%	0%
	12	Massage/spa	0	0%	0%
	13	Portion control	0	0%	0%
	14	Lifestyle change	0	0%	0%
		Total	5	0.15%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3389	99.85%	
		Total	3,389	99.85%	

Valid	Invalid	Minimum	Maximum
5	3389	1	7

RA1PA24EFC - OS-Treatment/therapy for high blood pressure #3

Type	Code
RA1PA24EFC	What is that treatment or therapy (ENTER TREATMENT)?
BackwardSkip	(RA1PA24 = NO, DK, OR REFUSED) OR (RA1PA24D = NO, DK, OR REFUSED)
Notes	Root variable: RA1PA24EF
InterviewerInstruction	[INTERVIEWER: ENTER ALL THAT APPLY]

	Frequency	% of total	% of valid

Valid	1	Lose weight	0	0%	0%
	2	Exercise	0	0%	0%
	3	Low sodium/sugar	0	0%	0%
	4	Other	0	0%	0%
	5	Medication	1	0.03%	100%
	6	Supplement	0	0%	0%
	7	Healthy diet	0	0%	0%
	8	Regularly monitor	0	0%	0%
	9	Rest	0	0%	0%
	10	Release stress	0	0%	0%
	11	Physical therapy	0	0%	0%
	12	Massage/spa	0	0%	0%
	13	Portion control	0	0%	0%
	14	Lifestyle change	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	5	5

RA1PA28JA - OS-Type of cancer respondent has had #1

Type	Code
RA1PA28JA	What type of cancer have you had?
BackwardSkip	(RA1PA26 = NO, DK, OR REFUSED)
ForwardSkip	IF RA1PA28J = NO, SKIP RA1PA28JJ.
Notes	Root variable: RA1PA28J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

	Frequency	% of total	% of valid

Valid	1	Lymph nodes	5	0.15%	4.42%
	2	Skin	28	0.82%	24.78%
	3	Bone	4	0.12%	3.54%
	4	Blood	4	0.12%	3.54%
	5	Muscles	1	0.03%	0.88%
	6	Esophagus	1	0.03%	0.88%
	7	Liver	1	0.03%	0.88%
	8	Gall bladder	1	0.03%	0.88%
	9	Kidney	6	0.18%	5.31%
	10	Mouth	3	0.09%	2.65%
	11	Thyroid	13	0.38%	11.5%
	12	Testicular	5	0.15%	4.42%
	13	Throat	1	0.03%	0.88%
	14	Colon/rectal	2	0.06%	1.77%
	15	Other: Cancer	16	0.47%	14.16%
	16	Other: Non cancer	3	0.09%	2.65%
	17	Other	1	0.03%	0.88%
	18	Lung	1	0.03%	0.88%
	19	Bladder	9	0.27%	7.96%
	20	Stomach	2	0.06%	1.77%
	21	Uterus	6	0.18%	5.31%
		Total	113	3.33%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3281	96.67%	
		Total	3,281	96.67%	

Valid	Invalid	Minimum	Maximum
113	3281	1	21

🗒️ RA1PA28JB - OS-Type of cancer respondent has had #2

Type	Code
RA1PA28JB	What type of cancer have you had?
BackwardSkip	(RA1PA26 = NO, DK, OR REFUSED)
ForwardSkip	IF RA1PA28J = NO, SKIP RA1PA28JJ.
Notes	Root variable: RA1PA28J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

	Frequency	% of total	% of valid

Valid	1	Lymph nodes		0	0%	0%
	2	Skin		0	0%	0%
	3	Bone		0	0%	0%
	4	Blood		0	0%	0%
	5	Muscles		0	0%	0%
	6	Esophagus		0	0%	0%
	7	Liver		0	0%	0%
	8	Gall bladder		0	0%	0%
	9	Kidney		0	0%	0%
	10	Mouth		0	0%	0%
	11	Thyroid		1	0.03%	33.33%
	12	Testicular		0	0%	0%
	13	Throat		0	0%	0%
	14	Colon/rectal		0	0%	0%
	15	Other: Cancer		0	0%	0%
	16	Other: Non cancer		0	0%	0%
	17	Other		0	0%	0%
	18	Lung		1	0.03%	33.33%
	19	Bladder		1	0.03%	33.33%
	20	Stomach		0	0%	0%
	21	Uterus		0	0%	0%
		Total		3	0.09%	100%
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3391	99.91%	
		Total		3,391	99.91%	

Valid	Invalid	Minimum	Maximum
3	3391	11	19

RA1PA28JC - OS-Type of cancer respondent has had #3

Type	Code
RA1PA28JC	What type of cancer have you had?
BackwardSkip	(RA1PA26 = NO, DK, OR REFUSED)
ForwardSkip	IF RA1PA28J = NO, SKIP RA1PA28JJ.
Notes	Root variable: RA1PA28J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

	Frequency	% of total	% of valid

Valid	1	Lymph nodes	0	0%	0%
	2	Skin	0	0%	0%
	3	Bone	0	0%	0%
	4	Blood	0	0%	0%
	5	Muscles	0	0%	0%
	6	Esophagus	0	0%	0%
	7	Liver	0	0%	0%
	8	Gall bladder	0	0%	0%
	9	Kidney	0	0%	0%
	10	Mouth	0	0%	0%
	11	Thyroid	0	0%	0%
	12	Testicular	0	0%	0%
	13	Throat	0	0%	0%
	14	Colon/rectal	1	0.03%	100%
	15	Other: Cancer	0	0%	0%
	16	Other: Non cancer	0	0%	0%
	17	Other	0	0%	0%
	18	Lung	0	0%	0%
	19	Bladder	0	0%	0%
	20	Stomach	0	0%	0%
	21	Uterus	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	14	14

RA1PA29AIA - OS-Type of treatment/therapy currently using for cancer #1

Type	Code
RA1PA29AIA	What type of treatment or therapy are you currently using?
BackwardSkip	(RA1PA26 = NO, DK, OR REFUSED) OR (RA1PA29 = NO, DK, OR REFUSED)
Notes	Root variable: RA1PA29AI
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

	Frequency	% of total	% of valid

Valid	1	Medication	21	0.62%	67.74%
	2	Sunscreen	4	0.12%	12.9%
	3	Supplement	2	0.06%	6.45%
	4	Nutrition	0	0%	0%
	5	Other	1	0.03%	3.23%
	6	Removal	3	0.09%	9.68%
		Total	31	0.91%	100%
Missing	7	DON'T KNOW	0	0%	
	8	REFUSED/MISSING	0	0%	
	9	INAPP	3363	99.09%	
		Total	3,363	99.09%	

Valid	Invalid	Minimum	Maximum
31	3363	1	6

RA1PA29AIB - OS-Type of treatment/therapy currently using for cancer #2

Type	Code
RA1PA29AIB	What type of treatment or therapy are you currently using?
BackwardSkip	(RA1PA26 = NO, DK, OR REFUSED) OR (RA1PA29 = NO, DK, OR REFUSED)
Notes	Root variable: RA1PA29AI
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Medication	0	0%	0%
	2	Sunscreen	0	0%	0%
	3	Supplement	0	0%	0%
	4	Nutrition	0	0%	0%
	5	Other	1	0.03%	100%
	6	Removal	0	0%	0%
		Total	1	0.03%	100%
Missing	7	DON'T KNOW	0	0%	
	8	REFUSED/MISSING	0	0%	
	9	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	5	5

RA1PA29AIC - OS-Type of treatment/therapy currently using for cancer #3

Type	Code
RA1PA29AIC	What type of treatment or therapy are you currently using?
BackwardSkip	(RA1PA26 = NO, DK, OR REFUSED) OR (RA1PA29 = NO, DK, OR REFUSED)
Notes	Root variable: RA1PA29AI
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Medication	0	0%	0%
	2	Sunscreen	0	0%	0%
	3	Supplement	0	0%	0%
	4	Nutrition	1	0.03%	100%
	5	Other	0	0%	0%
	6	Removal	0	0%	0%
		Total	1	0.03%	100%
Missing	7	DON'T KNOW	0	0%	
	8	REFUSED/MISSING	0	0%	
	9	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	4	4

🖼️ RA1PA29AID - OS-Type of treatment/therapy currently using for cancer #4

Type	Code
RA1PA29AID	What type of treatment or therapy are you currently using?
BackwardSkip	(RA1PA26 = NO, DK, OR REFUSED) OR (RA1PA29 = NO, DK, OR REFUSED)
Notes	Root variable: RA1PA29AI
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Medication	1	0.03%	100%
	2	Sunscreen	0	0%	0%
	3	Supplement	0	0%	0%
	4	Nutrition	0	0%	0%
	5	Other	0	0%	0%
	6	Removal	0	0%	0%
		Total	1	0.03%	100%

Missing	7	DON'T KNOW	0	0%	
	8	REFUSED/MISSING	0	0%	
	9	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	1	1

RA1PA31JA - OS-Type of cancer mother has had #1

Type	Code
RA1PA31JA	What type of cancer has your mother had?
BackwardSkip	(RA1PA30A = YES, DK, OR REFUSED) OR (RA1PA30B = NO)
Notes	Root variable: RA1PA31J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Breast	5	0.15%	2.31%
	2	Lung	9	0.27%	4.17%
	3	Lymph nodes	1	0.03%	0.46%
	4	Bone	18	0.53%	8.33%
	5	Spine/back	2	0.06%	0.93%
	6	Blood	3	0.09%	1.39%
	7	Brain	24	0.71%	11.11%
	8	Esophagus	9	0.27%	4.17%
	9	Stomach	9	0.27%	4.17%
	10	Intestine	5	0.15%	2.31%
	11	Liver	18	0.53%	8.33%
	12	Kidney	18	0.53%	8.33%
	13	Bladder	7	0.21%	3.24%
	14	Pancreas	31	0.91%	14.35%
	15	Thyroid	11	0.32%	5.09%
	16	Throat	9	0.27%	4.17%
	17	Other: Cancer	19	0.56%	8.8%
	18	Metastasized	7	0.21%	3.24%
	19	Other: Non cancer	2	0.06%	0.93%
	20	Myeloma	5	0.15%	2.31%
	21	Skin	4	0.12%	1.85%
		Total	216	6.36%	100%

Missing	97	DON'T KNOW	6	0.18%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3172	93.46%	
		Total	3,178	93.64%	

Valid	Invalid	Minimum	Maximum
216	3178	1	21

RA1PA31JB - OS-Type of cancer mother has had #2

Type	Code
RA1PA31JB	What type of cancer has your mother had?
BackwardSkip	(RA1PA30A = YES, DK, OR REFUSED) OR (RA1PA30B = NO)
Notes	Root variable: RA1PA31J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Breast	0	0%	0%
	2	Lung	2	0.06%	8.7%
	3	Lymph nodes	1	0.03%	4.35%
	4	Bone	1	0.03%	4.35%
	5	Spine/back	1	0.03%	4.35%
	6	Blood	0	0%	0%
	7	Brain	4	0.12%	17.39%
	8	Esophagus	0	0%	0%
	9	Stomach	0	0%	0%
	10	Intestine	1	0.03%	4.35%
	11	Liver	4	0.12%	17.39%
	12	Kidney	1	0.03%	4.35%
	13	Bladder	1	0.03%	4.35%
	14	Pancreas	4	0.12%	17.39%
	15	Thyroid	1	0.03%	4.35%
	16	Throat	0	0%	0%
	17	Other: Cancer	0	0%	0%
	18	Metastasized	2	0.06%	8.7%
	19	Other: Non cancer	0	0%	0%
	20	Myeloma	0	0%	0%
	21	Skin	0	0%	0%
		Total	23	0.68%	100%

				Frequency	%	
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3371	99.32%	
		Total		3,371	99.32%	

Valid	Invalid	Minimum	Maximum
23	3371	2	18

RA1PA31JC - OS-Type of cancer mother has had #3

Type	Code
RA1PA31JC	What type of cancer has your mother had?
BackwardSkip	(RA1PA30A = YES, DK, OR REFUSED) OR (RA1PA30B = NO)
Notes	Root variable: RA1PA31J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Breast	0	0%	0%
	2	Lung	1	0.03%	20%
	3	Lymph nodes	0	0%	0%
	4	Bone	0	0%	0%
	5	Spine/back	0	0%	0%
	6	Blood	0	0%	0%
	7	Brain	1	0.03%	20%
	8	Esophagus	0	0%	0%
	9	Stomach	1	0.03%	20%
	10	Intestine	0	0%	0%
	11	Liver	1	0.03%	20%
	12	Kidney	0	0%	0%
	13	Bladder	0	0%	0%
	14	Pancreas	1	0.03%	20%
	15	Thyroid	0	0%	0%
	16	Throat	0	0%	0%
	17	Other: Cancer	0	0%	0%
	18	Metastasized	0	0%	0%
	19	Other: Non cancer	0	0%	0%
	20	Myeloma	0	0%	0%
	21	Skin	0	0%	0%
		Total	5	0.15%	100%

Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3389	99.85%	
		Total	3,389	99.85%	

Valid	Invalid	Minimum	Maximum
5	3389	2	14

RA1PA32JA - OS-Type of cancer father has had #1

Type	Code
RA1PA32JA	What type of cancer has your father had?
BackwardSkip	(RA1PA30A = YES, DK, OR REFUSED) OR (RA1PA30C = NO)
Notes	Root variable: RA1PA32J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Skin	7	0.21%	2.52%
	2	Myeloma	10	0.29%	3.6%
	3	Esophagus	12	0.35%	4.32%
	4	Larynx	3	0.09%	1.08%
	5	Metastasized	2	0.06%	0.72%
	6	Bladder	37	1.09%	13.31%
	7	Bone	26	0.77%	9.35%
	8	Brain/head	23	0.68%	8.27%
	9	Kidney	24	0.71%	8.63%
	10	Pancreas	33	0.97%	11.87%
	11	Throat	19	0.56%	6.83%
	12	Liver	18	0.53%	6.47%
	13	Stomach	30	0.88%	10.79%
	14	Testicular	3	0.09%	1.08%
	15	Lung	8	0.24%	2.88%
	16	Mouth	5	0.15%	1.8%
	17	Intestine	5	0.15%	1.8%
	18	Other: Pre-cancer	1	0.03%	0.36%
	19	Other: Cancer	10	0.29%	3.6%
	20	Blood	2	0.06%	0.72%
		Total	278	8.19%	100%
Missing	97	DON'T KNOW	3	0.09%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3113	91.72%	

		Total	3,116	91.81%	

Valid	Invalid	Minimum	Maximum
278	3116	1	20

RA1PA32JB - OS-Type of cancer father has had #2

Type	Code
RA1PA32JB	What type of cancer has your father had?
BackwardSkip	(RA1PA30A = YES, DK, OR REFUSED) OR (RA1PA30C = NO)
Notes	Root variable: RA1PA32J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Skin	0	0%	0%
	2	Myeloma	0	0%	0%
	3	Esophagus	1	0.03%	7.69%
	4	Larynx	0	0%	0%
	5	Metastasized	1	0.03%	7.69%
	6	Bladder	1	0.03%	7.69%
	7	Bone	0	0%	0%
	8	Brain/head	3	0.09%	23.08%
	9	Kidney	0	0%	0%
	10	Pancreas	0	0%	0%
	11	Throat	0	0%	0%
	12	Liver	2	0.06%	15.38%
	13	Stomach	1	0.03%	7.69%
	14	Testicular	0	0%	0%
	15	Lung	1	0.03%	7.69%
	16	Mouth	0	0%	0%
	17	Intestine	0	0%	0%
	18	Other: Pre-cancer	0	0%	0%
	19	Other: Cancer	2	0.06%	15.38%
	20	Blood	1	0.03%	7.69%
		Total	13	0.38%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3381	99.62%	
		Total	3,381	99.62%	

Valid	Invalid	Minimum	Maximum

13	3381	3	20

RA1PA32JC - OS-Type of cancer father has had #3

Type	Code
RA1PA32JC	What type of cancer has your father had?
BackwardSkip	(RA1PA30A = YES, DK, OR REFUSED) OR (RA1PA30C = NO)
Notes	Root variable: RA1PA32J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Skin	0	0%	0%
	2	Myeloma	0	0%	0%
	3	Esophagus	0	0%	0%
	4	Larynx	0	0%	0%
	5	Metastasized	0	0%	0%
	6	Bladder	0	0%	0%
	7	Bone	0	0%	0%
	8	Brain/head	0	0%	0%
	9	Kidney	0	0%	0%
	10	Pancreas	1	0.03%	50%
	11	Throat	0	0%	0%
	12	Liver	0	0%	0%
	13	Stomach	0	0%	0%
	14	Testicular	0	0%	0%
	15	Lung	1	0.03%	50%
	16	Mouth	0	0%	0%
	17	Intestine	0	0%	0%
	18	Other: Pre-cancer	0	0%	0%
	19	Other: Cancer	0	0%	0%
	20	Blood	0	0%	0%
		Total	2	0.06%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3392	99.94%	
		Total	3,392	99.94%	

Valid	Invalid	Minimum	Maximum
2	3392	10	15

RA1PA33JA - OS-Type of cancer brother has had #1

Type	Code
RA1PA33JA	What type of cancer has/have your brother(s) had?
BackwardSkip	(RA1PA30A = YES, DK, OR REFUSED) OR (RA1PA30D = NO)
Notes	Root variable: RA1PA33J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Skin	8	0.24%	6.9%
	2	Bone	9	0.27%	7.76%
	3	Blood	1	0.03%	0.86%
	4	Myeloma	2	0.06%	1.72%
	5	Sinuses	1	0.03%	0.86%
	6	Esophagus	7	0.21%	6.03%
	7	Intestine	5	0.15%	4.31%
	8	Liver	8	0.24%	6.9%
	9	Kidney	9	0.27%	7.76%
	10	Pancreas	4	0.12%	3.45%
	11	Thyroid	2	0.06%	1.72%
	12	Testicular	12	0.35%	10.34%
	13	Throat	11	0.32%	9.48%
	14	Tonsils	1	0.03%	0.86%
	15	Leg	1	0.03%	0.86%
	16	Brain	11	0.32%	9.48%
	17	Mouth	1	0.03%	0.86%
	18	Other: Non cancer	1	0.03%	0.86%
	19	Metastasized	1	0.03%	0.86%
	20	Other	1	0.03%	0.86%
	21	Bladder	3	0.09%	2.59%
	22	Stomach	4	0.12%	3.45%
	23	Other: Cancer	13	0.38%	11.21%
		Total	116	3.42%	100%
Missing	97	DON'T KNOW	3	0.09%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3275	96.49%	
		Total	3,278	96.58%	

Valid	Invalid	Minimum	Maximum
116	3278	1	23

RA1PA33JB - OS-Type of cancer brother has had #2

Type	Code
RA1PA33JB	What type of cancer has/have your brother(s) had?
BackwardSkip	(RA1PA30A = YES, DK, OR REFUSED) OR (RA1PA30D = NO)
Notes	Root variable: RA1PA33J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Skin	0	0%	0%
	2	Bone	0	0%	0%
	3	Blood	0	0%	0%
	4	Myeloma	0	0%	0%
	5	Sinuses	0	0%	0%
	6	Esophagus	0	0%	0%
	7	Intestine	0	0%	0%
	8	Liver	0	0%	0%
	9	Kidney	1	0.03%	12.5%
	10	Pancreas	3	0.09%	37.5%
	11	Thyroid	0	0%	0%
	12	Testicular	0	0%	0%
	13	Throat	0	0%	0%
	14	Tonsils	0	0%	0%
	15	Leg	0	0%	0%
	16	Brain	2	0.06%	25%
	17	Mouth	0	0%	0%
	18	Other: Non cancer	0	0%	0%
	19	Metastasized	0	0%	0%
	20	Other	0	0%	0%
	21	Bladder	0	0%	0%
	22	Stomach	1	0.03%	12.5%
	23	Other: Cancer	1	0.03%	12.5%
		Total	8	0.24%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3386	99.76%	
		Total	3,386	99.76%	

Valid	Invalid	Minimum	Maximum
8	3386	9	23

RA1PA33JC - OS-Type of cancer brother has had #3

Type	Code
RA1PA33JC	What type of cancer has/have your brother(s) had?
BackwardSkip	(RA1PA30A = YES, DK, OR REFUSED) OR (RA1PA30D = NO)
Notes	Root variable: RA1PA33J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Skin	0	0%	0%
	2	Bone	0	0%	0%
	3	Blood	0	0%	0%
	4	Myeloma	0	0%	0%
	5	Sinuses	0	0%	0%
	6	Esophagus	0	0%	0%
	7	Intestine	0	0%	0%
	8	Liver	0	0%	0%
	9	Kidney	0	0%	0%
	10	Pancreas	1	0.03%	100%
	11	Thyroid	0	0%	0%
	12	Testicular	0	0%	0%
	13	Throat	0	0%	0%
	14	Tonsils	0	0%	0%
	15	Leg	0	0%	0%
	16	Brain	0	0%	0%
	17	Mouth	0	0%	0%
	18	Other: Non cancer	0	0%	0%
	19	Metastasized	0	0%	0%
	20	Other	0	0%	0%
	21	Bladder	0	0%	0%
	22	Stomach	0	0%	0%
	23	Other: Cancer	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	10	10

RA1PA34JA - OS-Type of cancer sister has had #1

Type	Code
RA1PA34JA	What type of cancer has/have your sister(s) had?
BackwardSkip	(RA1PA30A = YES, DK, OR REFUSED) OR (RA1PA30E = NO)
Notes	Root variable: RA1PA34J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Lymph nodes	1	0.03%	1.22%
	2	Skin	3	0.09%	3.66%
	3	Bone	7	0.21%	8.54%
	4	Spine/back	5	0.15%	6.1%
	5	Brain	11	0.32%	13.41%
	6	Mouth	2	0.06%	2.44%
	7	Stomach	4	0.12%	4.88%
	8	Liver	5	0.15%	6.1%
	9	Kidney	2	0.06%	2.44%
	10	Pancreas	6	0.18%	7.32%
	11	Thyroid	10	0.29%	12.2%
	12	Throat	6	0.18%	7.32%
	13	Other: Non cancer	1	0.03%	1.22%
	14	Other: Cancer	10	0.29%	12.2%
	15	Other	2	0.06%	2.44%
	16	Lung	2	0.06%	2.44%
	17	Bladder	2	0.06%	2.44%
	18	Metastasized	2	0.06%	2.44%
	19	Breast	1	0.03%	1.22%
		Total	82	2.42%	100%
Missing	97	DON'T KNOW	2	0.06%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3310	97.53%	
		Total	3,312	97.58%	

Valid	Invalid	Minimum	Maximum
82	3312	1	19

RA1PA34JB - OS-Type of cancer sister has had #2

Type	Code
RA1PA34JB	What type of cancer has/have your sister(s) had?
BackwardSkip	(RA1PA30A = YES, DK, OR REFUSED) OR (RA1PA30E = NO)
Notes	Root variable: RA1PA34J

InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Lymph nodes	0	0%	0%
	2	Skin	1	0.03%	14.29%
	3	Bone	0	0%	0%
	4	Spine/back	1	0.03%	14.29%
	5	Brain	2	0.06%	28.57%
	6	Mouth	0	0%	0%
	7	Stomach	1	0.03%	14.29%
	8	Liver	1	0.03%	14.29%
	9	Kidney	0	0%	0%
	10	Pancreas	0	0%	0%
	11	Thyroid	0	0%	0%
	12	Throat	0	0%	0%
	13	Other: Non cancer	0	0%	0%
	14	Other: Cancer	0	0%	0%
	15	Other	0	0%	0%
	16	Lung	0	0%	0%
	17	Bladder	0	0%	0%
	18	Metastasized	0	0%	0%
	19	Breast	1	0.03%	14.29%
		Total	7	0.21%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3387	99.79%	
		Total	3,387	99.79%	

Valid	Invalid	Minimum	Maximum
7	3387	2	19

🎲 RA1PA34JC - OS-Type of cancer sister has had #3

Type	Code
RA1PA34JC	What type of cancer has/have your sister(s) had?
BackwardSkip	(RA1PA30A = YES, DK, OR REFUSED) OR (RA1PA30E = NO)
Notes	Root variable: RA1PA34J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid

Valid	1	Lymph nodes	0	0%	0%
	2	Skin	0	0%	0%
	3	Bone	0	0%	0%
	4	Spine/back	0	0%	0%
	5	Brain	1	0.03%	33.33%
	6	Mouth	0	0%	0%
	7	Stomach	0	0%	0%
	8	Liver	0	0%	0%
	9	Kidney	0	0%	0%
	10	Pancreas	1	0.03%	33.33%
	11	Thyroid	0	0%	0%
	12	Throat	0	0%	0%
	13	Other: Non cancer	0	0%	0%
	14	Other: Cancer	0	0%	0%
	15	Other	0	0%	0%
	16	Lung	0	0%	0%
	17	Bladder	0	0%	0%
	18	Metastasized	0	0%	0%
	19	Breast	1	0.03%	33.33%
		Total	3	0.09%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3391	99.91%	
		Total	3,391	99.91%	

Valid	Invalid	Minimum	Maximum
3	3391	5	19

RA1PA34JD - OS-Type of cancer sister has had #4

Type	Code
RA1PA34JD	What type of cancer has/have your sister(s) had?
BackwardSkip	(RA1PA30A = YES, DK, OR REFUSED) OR (RA1PA30E = NO)
Notes	Root variable: RA1PA34J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

	Frequency	% of total	% of valid

Valid	1	Lymph nodes	0	0%	0%
	2	Skin	0	0%	0%
	3	Bone	0	0%	0%
	4	Spine/back	0	0%	0%
	5	Brain	0	0%	0%
	6	Mouth	0	0%	0%
	7	Stomach	0	0%	0%
	8	Liver	1	0.03%	50%
	9	Kidney	0	0%	0%
	10	Pancreas	0	0%	0%
	11	Thyroid	1	0.03%	50%
	12	Throat	0	0%	0%
	13	Other: Non cancer	0	0%	0%
	14	Other: Cancer	0	0%	0%
	15	Other	0	0%	0%
	16	Lung	0	0%	0%
	17	Bladder	0	0%	0%
	18	Metastasized	0	0%	0%
	19	Breast	0	0%	0%
		Total	2	0.06%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3392	99.94%	
		Total	3,392	99.94%	

Valid	Invalid	Minimum	Maximum
2	3392	8	11

🖼 RA1PA34JE - OS-Type of cancer sister has had #5

Type	Code
RA1PA34JE	What type of cancer has/have your sister(s) had?
BackwardSkip	(RA1PA30A = YES, DK, OR REFUSED) OR (RA1PA30E = NO)
Notes	Root variable: RA1PA34J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

	Frequency	% of total	% of valid

				Frequency	% of total	% of valid
Valid	1	Lymph nodes		0	0%	0%
	2	Skin		0	0%	0%
	3	Bone		0	0%	0%
	4	Spine/back		0	0%	0%
	5	Brain		1	0.03%	50%
	6	Mouth		0	0%	0%
	7	Stomach		0	0%	0%
	8	Liver		1	0.03%	50%
	9	Kidney		0	0%	0%
	10	Pancreas		0	0%	0%
	11	Thyroid		0	0%	0%
	12	Throat		0	0%	0%
	13	Other: Non cancer		0	0%	0%
	14	Other: Cancer		0	0%	0%
	15	Other		0	0%	0%
	16	Lung		0	0%	0%
	17	Bladder		0	0%	0%
	18	Metastasized		0	0%	0%
	19	Breast		0	0%	0%
		Total		2	0.06%	100%
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3392	99.94%	
		Total		3,392	99.94%	

Valid	Invalid	Minimum	Maximum
2	3392	5	8

RA1PA35JA - OS-Type of cancer child has had

Type	Code
RA1PA35JA	What type of cancer has/have your child(ren) had?
BackwardSkip	(RA1PA30A = YES, DK, OR REFUSED) OR (RA1PA30F = NO)
Notes	Root variable: RA1PA35J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

	Frequency	% of total	% of valid

Valid	1	Bone	1	0.03%	8.33%
	2	Brain	5	0.15%	41.67%
	3	Stomach	1	0.03%	8.33%
	4	Other: Cancer	1	0.03%	8.33%
	5	Skin	1	0.03%	8.33%
	6	Thyroid	3	0.09%	25%
		Total	12	0.35%	100%
Missing	7	DON'T KNOW	1	0.03%	
	8	REFUSED/MISSING	0	0%	
	9	INAPP	3381	99.62%	
		Total	3,382	99.65%	

Valid	Invalid	Minimum	Maximum
12	3382	1	6

RA1PB2A11A - OS-Respondent's employement situation before the recession #1

Type	Code
RA1PB2A11A	Think back to January, 2008, just before the recession began. In January 2008, what was your employment situation - were you working for pay, self-employed, unemployed, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else?
BackwardSkip	(RA1PB2 = NEVER HAD A PAID JOB)
Notes	Root variable: RA1PB2A11
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY] [INTERVIEWER, IF R SAYS "student", PROBE: "Were you a student full-time or part-time?"]

			Frequency	% of total	% of valid
Valid	1	Disabled	47	1.38%	44.34%
	2	Was working	21	0.62%	19.81%
	3	Health problem	6	0.18%	5.66%
	4	Homemaker	3	0.09%	2.83%
	5	Volunteer	7	0.21%	6.6%
	6	Military	4	0.12%	3.77%
	7	Caregiving for family/friend	4	0.12%	3.77%
	8	Missionary work	2	0.06%	1.89%
	9	Live on insurance benefit	1	0.03%	0.94%
	10	Unemployed	2	0.06%	1.89%
	11	Not working: Other reasons	3	0.09%	2.83%
	12	Part-time job	4	0.12%	3.77%
	13	Self-employed	2	0.06%	1.89%

			Total	106	3.12%	100%
Missing	97	DON'T KNOW		4	0.12%	
	98	REFUSED/MISSING		1	0.03%	
	99	INAPP		3283	96.73%	
			Total	3,288	96.88%	

Valid	Invalid	Minimum	Maximum
106	3288	1	13

🎲 RA1PB2A11B - OS-Respondent's employement situation before the recession #2

Type	Code
RA1PB2A11B	Think back to January, 2008, just before the recession began. In January 2008, what was your employment situation - were you working for pay, self-employed, unemployed, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else?
BackwardSkip	(RA1PB2 = NEVER HAD A PAID JOB)
Notes	Root variable: RA1PB2A11
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY] [INTERVIEWER, IF R SAYS "student", PROBE: "Were you a student full-time or part-time?"]

			Frequency	% of total	% of valid
Valid	1	Disabled	1	0.03%	14.29%
	2	Was working	1	0.03%	14.29%
	3	Health problem	2	0.06%	28.57%
	4	Homemaker	0	0%	0%
	5	Volunteer	0	0%	0%
	6	Military	0	0%	0%
	7	Caregiving for family/friend	0	0%	0%
	8	Missionary work	0	0%	0%
	9	Live on insurance benefit	3	0.09%	42.86%
	10	Unemployed	0	0%	0%
	11	Not working: Other reasons	0	0%	0%
	12	Part-time job	0	0%	0%
		Total	7	0.21%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3387	99.79%	
		Total	3,387	99.79%	

Valid	Invalid	Minimum	Maximum
7	3387	1	9

RA1PB2BBGA - OS-Reason for respondent's first unemployment since the recession began #1

Type	Code
RA1PB2BBGA	What had happened at that time - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?
BackwardSkip	(RA1PB2 = NEVER HAD A PAID JOB) OR (RA1PB2B = NO, DK, OR REFUSED)
Notes	Root variable: RA1PB2BBG
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS.]

			Frequency	% of total	% of valid
Valid	1	Health problem/accident	41	1.21%	14.86%
	2	Disabled	20	0.59%	7.25%
	3	Resigned/voluntary leave	10	0.29%	3.62%
	4	Had a baby/child care/married/homemaker	25	0.74%	9.06%
	5	Temporary or seasonal job/contract or project ended	19	0.56%	6.88%
	6	Lack of work/no work available	13	0.38%	4.71%
	7	Lost job/laid off/foced to quit	21	0.62%	7.61%
	8	Graduated from school	11	0.32%	3.99%
	9	Moved/relocated	15	0.44%	5.43%
	10	Other	30	0.88%	10.87%
	11	Was not working/hadn't been working	10	0.29%	3.62%
	12	Company or business moved/slow down/closed	29	0.85%	10.51%
	13	Caregiving for family	12	0.35%	4.35%
	14	Self-employed	5	0.15%	1.81%
	15	Job/position was eliminated	11	0.32%	3.99%
	16	Had problem at job	4	0.12%	1.45%
	17	Weather condition	0	0%	0%
		Total	276	8.13%	100%
Missing	97	DON'T KNOW	1	0.03%	
	98	REFUSED/MISSING	2	0.06%	
	99	INAPP	3115	91.78%	
		Total	3,118	91.87%	

Valid	Invalid	Minimum	Maximum

| 276 | 3118 | 1 | 16 |

RA1PB2BBGB - OS-Reason for respondent's first unemployment since the recession began #2

Type	Code
RA1PB2BBGB	What had happened at that time - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?
BackwardSkip	(RA1PB2 = NEVER HAD A PAID JOB) OR (RA1PB2B = NO, DK, OR REFUSED)
Notes	Root variable: RA1PB2BBG
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS.]

			Frequency	% of total	% of valid
Valid	1	Health problem/accident	1	0.03%	5.56%
	2	Disabled	0	0%	0%
	3	Resigned/voluntary leave	1	0.03%	5.56%
	4	Had a baby/child care/married/homemaker	1	0.03%	5.56%
	5	Temporary or seasonal job/contract or project ended	1	0.03%	5.56%
	6	Lack of work/no work available	0	0%	0%
	7	Lost job/laid off/foced to quit	3	0.09%	16.67%
	8	Graduated from school	0	0%	0%
	9	Moved/relocated	1	0.03%	5.56%
	10	Other	0	0%	0%
	11	Was not working/hadn't been working	1	0.03%	5.56%
	12	Company or business moved/slow down/closed	2	0.06%	11.11%
	13	Caregiving for family	0	0%	0%
	14	Self-employed	6	0.18%	33.33%
	15	Job/position was eliminated	0	0%	0%
	16	Had problem at job	0	0%	0%
	17	Weather condition	1	0.03%	5.56%
		Total	18	0.53%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3376	99.47%	
		Total	3,376	99.47%	

Valid	Invalid	Minimum	Maximum
18	3376	1	17

RA1PB2BBGC - OS-Reason for respondent's first unemployment since the recession began #3

Type	Code
RA1PB2BBGC	What had happened at that time - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?
BackwardSkip	(RA1PB2 = NEVER HAD A PAID JOB) OR (RA1PB2B = NO, DK, OR REFUSED)
Notes	Root variable: RA1PB2BBG
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS.]

			Frequency	% of total	% of valid
Valid	1	Health problem/accident	0	0%	0%
	2	Disabled	0	0%	0%
	3	Resigned/voluntary leave	0	0%	0%
	4	Had a baby/child care/married/homemaker	0	0%	0%
	5	Temporary or seasonal job/contract or project ended	0	0%	0%
	6	Lack of work/no work available	0	0%	0%
	7	Lost job/laid off/foced to quit	0	0%	0%
	8	Graduated from school	0	0%	0%
	9	Moved/relocated	0	0%	0%
	10	Other	0	0%	0%
	11	Was not working/hadn't been working	0	0%	0%
	12	Company or business moved/slow down/closed	1	0.03%	100%
	13	Caregiving for family	0	0%	0%
	14	Self-employed	0	0%	0%
	15	Job/position was eliminated	0	0%	0%
	16	Had problem at job	0	0%	0%
	17	Weather condition	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	12	12

RA1PB2BBGD - OS-Reason for respondent's first unemployment since the recession began #4

Type	Code
RA1PB2BBGD	What had happened at that time - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?
BackwardSkip	(RA1PB2 = NEVER HAD A PAID JOB) OR (RA1PB2B = NO, DK, OR REFUSED)
Notes	Root variable: RA1PB2BBG
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS.]

			Frequency	% of total	% of valid
Valid	1	Health problem/accident	0	0%	0%
	2	Disabled	0	0%	0%
	3	Resigned/voluntary leave	0	0%	0%
	4	Had a baby/child care/married/homemaker	0	0%	0%
	5	Temporary or seasonal job/contract or project ended	0	0%	0%
	6	Lack of work/no work available	0	0%	0%
	7	Lost job/laid off/foced to quit	0	0%	0%
	8	Graduated from school	0	0%	0%
	9	Moved/relocated	0	0%	0%
	10	Other	0	0%	0%
	11	Was not working/hadn't been working	0	0%	0%
	12	Company or business moved/slow down/closed	0	0%	0%
	13	Caregiving for family	0	0%	0%
	14	Self-employed	0	0%	0%
	15	Job/position was eliminated	0	0%	0%
	16	Had problem at job	1	0.03%	100%
	17	Weather condition	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	16	16

RA1PB3KA - OS-Respondent's current employment situation #1

Type	Code
RA1PB3KA	What about your current employment situation - are you working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else?
BackwardSkip	(RA1PB2 = NEVER HAD A PAID JOB) OR (RA1PB2BDN = STILL UNEMPLOYED) OR (RA1PB3A = YES)
Notes	Root variable: RA1PB3K
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY] [INTERVIEWER, IF R SAYS "student", PROBE: "Were you a student full-time or part-time?"]

			Frequency	% of total	% of valid
Valid	1	Disabled	41	1.21%	39.42%
	2	Caregiving for family	6	0.18%	5.77%
	3	Volunteer	14	0.41%	13.46%
	4	Homemaker	5	0.15%	4.81%
	5	Health problem	2	0.06%	1.92%
	6	Live on insurance benefit	3	0.09%	2.88%
	7	Laid off	1	0.03%	0.96%
	8	Working	9	0.27%	8.65%
	9	Self-employed	4	0.12%	3.85%
	10	Part-time work	13	0.38%	12.5%
	11	Apprenticeship	1	0.03%	0.96%
	12	Not specified	3	0.09%	2.88%
	13	Unpaid internship	2	0.06%	1.92%
		Total	104	3.06%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	1	0.03%	
	99	INAPP	3289	96.91%	
		Total	3,290	96.94%	

Valid	Invalid	Minimum	Maximum
104	3290	1	13

RA1PB3KB - OS-Respondent's current employment situation #2

Type	Code
RA1PB3KB	What about your current employment situation - are you working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else?

BackwardSkip	(RA1PB2 = NEVER HAD A PAID JOB) OR (RA1PB2BDN = STILL UNEMPLOYED) OR (RA1PB3A = YES)
Notes	Root variable: RA1PB3K
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY] [INTERVIEWER, IF R SAYS "student", PROBE: "Were you a student full-time or part-time?"]

			Frequency	% of total	% of valid
Valid	1	Disabled	0	0%	0%
	2	Caregiving for family	0	0%	0%
	3	Volunteer	0	0%	0%
	4	Homemaker	0	0%	0%
	5	Health problem	0	0%	0%
	6	Live on insurance benefit	1	0.03%	20%
	7	Laid off	0	0%	0%
	8	Working	1	0.03%	20%
	9	Self-employed	1	0.03%	20%
	10	Part-time work	2	0.06%	40%
	11	Apprenticeship	0	0%	0%
	12	Not specified	0	0%	0%
	13	Unpaid internship	0	0%	0%
		Total	5	0.15%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3389	99.85%	
		Total	3,389	99.85%	

Valid	Invalid	Minimum	Maximum
5	3389	6	10

RA1PB5GA - OS-Reason for respondent's unemployment #1

Type	Code
RA1PB5GA	What happened - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?
BackwardSkip	(RA1PB2 = NEVER HAD A PAID JOB) OR (RA1PB3A = YES) OR (RA1PB4N = NEVER WORKED) OR (RA1PB3D = YES OR RA1PB3I = YES)
Notes	Root variable: RA1PB5G
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS]

	Frequency	% of total	% of valid

Valid	1	Disabled	51	1.5%	17.17%
	2	Had a baby/child care/married/homemaker	25	0.74%	8.42%
	3	Health problem/accident	100	2.95%	33.67%
	4	Other	21	0.62%	7.07%
	5	Schooling	4	0.12%	1.35%
	6	Moved	18	0.53%	6.06%
	7	Imprisoned	1	0.03%	0.34%
	8	Temporary job/seasonal job/contract ended	16	0.47%	5.39%
	9	Laid off	12	0.35%	4.04%
	10	No work/lack of work	7	0.21%	2.36%
	11	Caregiving for family	17	0.5%	5.72%
	12	Graduated from school/semester ended	2	0.06%	0.67%
	13	Company moved/closed	8	0.24%	2.69%
	14	Resigned/chose to quit	14	0.41%	4.71%
	15	Didn't like working condition	1	0.03%	0.34%
		Total	297	8.75%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	1	0.03%	
	99	INAPP	3096	91.22%	
		Total	3,097	91.25%	

Valid	Invalid	Minimum	Maximum
297	3097	1	15

🛢️ RA1PB5GB - OS-Reason for respondent's unemployment #2

Type	Code
RA1PB5GB	What happened - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?
BackwardSkip	(RA1PB2 = NEVER HAD A PAID JOB) OR (RA1PB3A = YES) OR (RA1PB4N = NEVER WORKED) OR (RA1PB3D = YES OR RA1PB3I = YES)
Notes	Root variable: RA1PB5G
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS]

	Frequency	% of total	% of valid

Valid	1	Disabled	0	0%	0%
	2	Had a baby/child care/married/homemaker	0	0%	0%
	3	Health problem/accident	3	0.09%	50%
	4	Other	0	0%	0%
	5	Schooling	0	0%	0%
	6	Moved	2	0.06%	33.33%
	7	Imprisoned	0	0%	0%
	8	Temporary job/seasonal job/contract ended	0	0%	0%
	9	Laid off	0	0%	0%
	10	No work/lack of work	1	0.03%	16.67%
	11	Caregiving for family	0	0%	0%
	12	Graduated from school/semester ended	0	0%	0%
	13	Company moved/closed	0	0%	0%
	14	Resigned/chose to quit	0	0%	0%
	15	Didn't like working condition	0	0%	0%
		Total	6	0.18%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3388	99.82%	
		Total	3,388	99.82%	

Valid	Invalid	Minimum	Maximum
6	3388	3	10

RA1PB5GC - OS-Reason for respondent's unemployment #3

Type	Code
RA1PB5GC	What happened - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?
BackwardSkip	(RA1PB2 = NEVER HAD A PAID JOB) OR (RA1PB3A = YES) OR (RA1PB4N = NEVER WORKED) OR (RA1PB3D = YES OR RA1PB3I = YES)
Notes	Root variable: RA1PB5G
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS]

	Frequency	% of total	% of valid

Valid	1	Disabled	0	0%	0%
	2	Had a baby/child care/married/homemaker	0	0%	0%
	3	Health problem/accident	0	0%	0%
	4	Other	0	0%	0%
	5	Schooling	0	0%	0%
	6	Moved	0	0%	0%
	7	Imprisoned	1	0.03%	100%
	8	Temporary job/seasonal job/contract ended	0	0%	0%
	9	Laid off	0	0%	0%
	10	No work/lack of work	0	0%	0%
	11	Caregiving for family	0	0%	0%
	12	Graduated from school/semester ended	0	0%	0%
	13	Company moved/closed	0	0%	0%
	14	Resigned/chose to quit	0	0%	0%
	15	Didn't like working condition	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	7	7

RA1PB5AB1A - OE-What respondent is doing to find a job #1

Type	Code
RA1PB5AB1A	What are you doing to find a job?
PreQuestionText	Currently, are you actively looking for a job?
BackwardSkip	(RA1PB2 = NEVER HAD A PAID JOB) OR (RA1PB3A = YES) OR (RA1PB4N = NEVER WORKED) OR (RA1PB3D = YES OR RA1PB3I = YES)
ForwardSkip	IF RA1PB5AB = NO, DK, OR REFUSED, GO TO RA1PB6.
Notes	Root variable: RA1PB5AB

	Frequency	% of total	% of valid

Valid	1	Searching/applying for job	84	2.47%	40.58%
	2	Networking	60	1.77%	28.99%
	3	Internet/online/other media: Not specified	32	0.94%	15.46%
	4	Interviewing	12	0.35%	5.8%
	5	Schooling	3	0.09%	1.45%
	6	Other	10	0.29%	4.83%
	7	Already has a job	6	0.18%	2.9%
		Total	207	6.1%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3187	93.9%	
		Total	3,187	93.9%	

Valid	Invalid	Minimum	Maximum
207	3187	1	7

RA1PB5AB1B - OE-What respondent is doing to find a job #2

Type	Code
RA1PB5AB1B	What are you doing to find a job?
PreQuestionText	Currently, are you actively looking for a job?
BackwardSkip	(RA1PB2 = NEVER HAD A PAID JOB) OR (RA1PB3A = YES) OR (RA1PB4N = NEVER WORKED) OR (RA1PB3D = YES OR RA1PB3I = YES)
ForwardSkip	IF RA1PB5AB = NO, DK, OR REFUSED, GO TO RA1PB6.
Notes	Root variable: RA1PB5AB

			Frequency	% of total	% of valid
Valid	1	Searching/applying for job	47	1.38%	54.02%
	2	Networking	0	0%	0%
	3	Internet/online/other media: Not specified	32	0.94%	36.78%
	4	Interviewing	3	0.09%	3.45%
	5	Schooling	4	0.12%	4.6%
	6	Other	1	0.03%	1.15%
	7	Already has a job	0	0%	0%
		Total	87	2.56%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3307	97.44%	
		Total	3,307	97.44%	

Valid	Invalid	Minimum	Maximum
87	3307	1	6

RA1PB5AB1C - OE-What respondent is doing to find a job #3

Type	Code
RA1PB5AB1C	What are you doing to find a job?
PreQuestionText	Currently, are you actively looking for a job?
BackwardSkip	(RA1PB2 = NEVER HAD A PAID JOB) OR (RA1PB3A = YES) OR (RA1PB4N = NEVER WORKED) OR (RA1PB3D = YES OR RA1PB3I = YES)
ForwardSkip	IF RA1PB5AB = NO, DK, OR REFUSED, GO TO RA1PB6.
Notes	Root variable: RA1PB5AB

			Frequency	% of total	% of valid
Valid	1	Searching/applying for job	4	0.12%	30.77%
	2	Networking	0	0%	0%
	3	Internet/online/other media: Not specified	9	0.27%	69.23%
	4	Interviewing	0	0%	0%
	5	Schooling	0	0%	0%
	6	Other	0	0%	0%
	7	Already has a job	0	0%	0%
		Total	13	0.38%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3381	99.62%	
		Total	3,381	99.62%	

Valid	Invalid	Minimum	Maximum
13	3381	1	3

RA1PB33AKA - OS-Spouse/partner's employment situation before the recession

Type	Code
RA1PB33AKA	Think back to January, 2008, just before the recession began. In January 2008, what was your spouse or partner's employment situation - was he/she working for pay, self-employed, unemployed, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else?
BackwardSkip	(RA1PB30 = NO, DK OR REFUSED)
Notes	Root variable: RA1PB33AK

InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. IF R SAYS "student", PROBE: "Was (he/she) a student full-time or a part-time?]

			Frequency	% of total	% of valid
Valid	1	Disabled	17	0.5%	40.48%
	2	Imprisoned	3	0.09%	7.14%
	3	Schooling	1	0.03%	2.38%
	4	Volunteer	2	0.06%	4.76%
	5	Looking for job	1	0.03%	2.38%
	6	Health problem	4	0.12%	9.52%
	7	Staying abroad	1	0.03%	2.38%
	8	Other	4	0.12%	9.52%
	9	Military	1	0.03%	2.38%
	10	Laid off	1	0.03%	2.38%
	11	Seasonal work	1	0.03%	2.38%
	12	Working	1	0.03%	2.38%
	13	Caregiving for family/friend	2	0.06%	4.76%
	14	Self employed	2	0.06%	4.76%
	15	Part-time job	1	0.03%	2.38%
		Total	42	1.24%	100%
Missing	97	DON'T KNOW	2	0.06%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3350	98.7%	
		Total	3,352	98.76%	

Valid	Invalid	Minimum	Maximum
42	3352	1	15

RA1PB33BBGA - OS-Reason for spouse/partner's first unemployment since the recession began #1

Type	Code
RA1PB33BBGA	What had happened at that time - were your spouse or partner fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?
BackwardSkip	(RA1PB30 = NO, DK OR REFUSED) OR (RA1PB33B = NO, DK, OR REFUSED)
Notes	Root variable: RA1PB33BBG
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS]

	Frequency	% of total	% of valid

Valid	1	Company or business moved/slow down/closed	9	0.27%	6.16%
	2	Disabled	12	0.35%	8.22%
	3	Health problem/accident	13	0.38%	8.9%
	4	Temporary or seasonal job/contract or project ended	35	1.03%	23.97%
	5	Other	17	0.5%	11.64%
	6	Moved	4	0.12%	2.74%
	7	Job/position was eliminated	6	0.18%	4.11%
	8	Schooling	4	0.12%	2.74%
	9	Self-employed	1	0.03%	0.68%
	10	Was not working/hadn't been working	7	0.21%	4.79%
	11	Lack of work/no work available	12	0.35%	8.22%
	12	Had a job/was working	5	0.15%	3.42%
	13	Graduating from school	5	0.15%	3.42%
	14	Looking for a job	8	0.24%	5.48%
	15	Laid off	7	0.21%	4.79%
	16	Caregiving for family/friend	1	0.03%	0.68%
		Total	146	4.3%	100%
Missing	97	DON'T KNOW	1	0.03%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3247	95.67%	
		Total	3,248	95.7%	

Valid	Invalid	Minimum	Maximum
146	3248	1	16

RA1PB33BBGB - OS-Reason for spouse/partner's first unemployment since the recession began #2

Type	Code
RA1PB33BBGB	What had happened at that time - were your spouse or partner fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?
BackwardSkip	(RA1PB30 = NO, DK OR REFUSED) OR (RA1PB33B = NO, DK, OR REFUSED)
Notes	Root variable: RA1PB33BBG
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS]

		Frequency	% of total	% of valid

Valid	1	Company or business moved/slow down/closed	0	0%	0%
	2	Disabled	0	0%	0%
	3	Health problem/accident	0	0%	0%
	4	Temporary or seasonal job/contract or project ended	3	0.09%	17.65%
	5	Other	1	0.03%	5.88%
	6	Moved	1	0.03%	5.88%
	7	Job/position was eliminated	0	0%	0%
	8	Schooling	0	0%	0%
	9	Self-employed	2	0.06%	11.76%
	10	Was not working/hadn't been working	2	0.06%	11.76%
	11	Lack of work/no work available	4	0.12%	23.53%
	12	Had a job/was working	0	0%	0%
	13	Graduating from school	3	0.09%	17.65%
	14	Looking for a job	0	0%	0%
	15	Laid off	1	0.03%	5.88%
	16	Caregiving for family/friend	0	0%	0%
		Total	17	0.5%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3377	99.5%	
		Total	3,377	99.5%	

Valid	Invalid	Minimum	Maximum
17	3377	4	15

RA1PB34KA - OS-Spouse/partner's current employment situation

Type	Code
RA1PB34KA	What is your spouse or partner's current employment status? Is (he/she) working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else?
BackwardSkip	(RA1PB30 = NO, DK OR REFUSED) OR (RA1PB32BDN = STILL UNEMPLOYED) OR (RA1PB34A = YES)
Notes	Root variable: RA1PB34K
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. IF R SAYS "student", PROBE: "Were you a student full-time or part-time?"]

	Frequency	% of total	% of valid

Valid	1	Disabled	18	0.53%	39.13%
	2	Health problem	2	0.06%	4.35%
	3	Volunteer/unpaid job	5	0.15%	10.87%
	4	Part-time job	5	0.15%	10.87%
	5	Maternity leave	1	0.03%	2.17%
	6	Not working	1	0.03%	2.17%
	7	Working	6	0.18%	13.04%
	8	About to start working	1	0.03%	2.17%
	9	Caregiving for family/friend	4	0.12%	8.7%
	10	Live on insurance benefit	1	0.03%	2.17%
	11	Homemaker	1	0.03%	2.17%
	12	Self-employed	1	0.03%	2.17%
		Total	46	1.36%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3348	98.64%	
		Total	3,348	98.64%	

Valid	Invalid	Minimum	Maximum
46	3348	1	12

RA1PB36GA - OS-Reason for spouse/partner's unemployment #1

Type	Code
RA1PB36GA	What happened - was (he/she) fired or laid off, did the company close down, did (he/she) quit, choose to retire or did something else happen?
BackwardSkip	(RA1PB30 = NO, DK OR REFUSED) OR (RA1PB34A = YES) OR (RA1PB35N = NEVER WORKED) OR (RA1PB34D = YES OR RA1PB34I = YES)
Notes	Root variable: RA1PB36G
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS.]

	Frequency	% of total	% of valid

			Frequency	% of total	% of valid
Valid	1	Health problem/accident	54	1.59%	31.03%
	2	Had a baby/child care/married/homemaker	42	1.24%	24.14%
	3	Disabled	20	0.59%	11.49%
	4	Schooling	4	0.12%	2.3%
	5	Temporary or seasonal job/contract or project ended	13	0.38%	7.47%
	6	Moved	6	0.18%	3.45%
	7	Business stopped/slow down	8	0.24%	4.6%
	8	No work available	3	0.09%	1.72%
	9	Other	12	0.35%	6.9%
	10	Resigned/chose to quit	12	0.35%	6.9%
		Total	174	5.13%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	1	0.03%	
	99	INAPP	3219	94.84%	
		Total	3,220	94.87%	

Valid	Invalid	Minimum	Maximum
174	3220	1	10

RA1PB36GB - OS-Reason for spouse/partner's unemployment #2

Type	Code
RA1PB36GB	What happened - was (he/she) fired or laid off, did the company close down, did (he/she) quit, choose to retire or did something else happen?
BackwardSkip	(RA1PB30 = NO, DK OR REFUSED) OR (RA1PB34A = YES) OR (RA1PB35N = NEVER WORKED) OR (RA1PB34D = YES OR RA1PB34I = YES)
Notes	Root variable: RA1PB36G
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS.]

	Frequency	% of total	% of valid

Valid	1	Health problem/accident	1	0.03%	50%
	2	Had a baby/child care/married/homemaker	1	0.03%	50%
	3	Disabled	0	0%	0%
	4	Schooling	0	0%	0%
	5	Temporary or seasonal job/contract or project ended	0	0%	0%
	6	Moved	0	0%	0%
	7	Business stopped/slow down	0	0%	0%
	8	No work available	0	0%	0%
	9	Other	0	0%	0%
	10	Resigned/chose to quit	0	0%	0%
		Total	2	0.06%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3392	99.94%	
		Total	3,392	99.94%	

Valid	Invalid	Minimum	Maximum
2	3392	1	2

RA1PB36A1A - OE-What spouse/partner is doing to find a job #1

Type	Code
RA1PB36A1A	What is (he/she) doing to find a job?
PreQuestionText	Currently, is (he/she) actively looking for a job?
BackwardSkip	(RA1PB30 = NO, DK OR REFUSED) OR (RA1PB34A = YES) OR (RA1PB35N = NEVER WORKED) OR (RA1PB34D = YES OR RA1PB34I = YES)
Notes	Root variable: RA1PB36A1

			Frequency	% of total	% of valid
Valid	1	Searching/applying for job	39	1.15%	40.21%
	2	Already has a job	8	0.24%	8.25%
	3	Networking	26	0.77%	26.8%
	4	Internet, online, other media: Ambiguous response	15	0.44%	15.46%
	5	Interviewing	4	0.12%	4.12%
	6	Schooling	0	0%	0%
	7	Other	5	0.15%	5.15%
		Total	97	2.86%	100%

			Frequency	% of total	% of valid
Missing	97	DON'T KNOW	1	0.03%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3296	97.11%	
		Total	3,297	97.14%	

Valid	Invalid	Minimum	Maximum
97	3297	1	7

RA1PB36A1B - OE-What spouse/partner is doing to find a job #2

Type	Code
RA1PB36A1B	What is (he/she) doing to find a job?
PreQuestionText	Currently, is (he/she) actively looking for a job?
BackwardSkip	(RA1PB30 = NO, DK OR REFUSED) OR (RA1PB34A = YES) OR (RA1PB35N = NEVER WORKED) OR (RA1PB34D = YES OR RA1PB34I = YES)
Notes	Root variable: RA1PB36A1

			Frequency	% of total	% of valid
Valid	1	Searching/applying for job	19	0.56%	47.5%
	2	Already has a job	0	0%	0%
	3	Networking	0	0%	0%
	4	Internet, online, other media: Ambiguous response	18	0.53%	45%
	5	Interviewing	2	0.06%	5%
	6	Schooling	1	0.03%	2.5%
	7	Other	0	0%	0%
		Total	40	1.18%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3354	98.82%	
		Total	3,354	98.82%	

Valid	Invalid	Minimum	Maximum
40	3354	1	6

RA1PB36A1C - OE-What spouse/partner is doing to find a job #3

Type	Code
RA1PB36A1C	What is (he/she) doing to find a job?
PreQuestionText	Currently, is (he/she) actively looking for a job?
BackwardSkip	(RA1PB30 = NO, DK OR REFUSED) OR (RA1PB34A = YES) OR (RA1PB35N = NEVER WORKED) OR (RA1PB34D = YES OR RA1PB34I = YES)

Notes	Root variable: RA1PB36A1

			Frequency	% of total	% of valid
Valid	1	Searching/applying for job	6	0.18%	66.67%
	2	Already has a job	1	0.03%	11.11%
	3	Networking	0	0%	0%
	4	Internet, online, other media: Ambiguous response	1	0.03%	11.11%
	5	Interviewing	0	0%	0%
	6	Schooling	1	0.03%	11.11%
	7	Other	0	0%	0%
		Total	9	0.27%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3385	99.73%	
		Total	3,385	99.73%	

Valid	Invalid	Minimum	Maximum
9	3385	1	6

RA1PB36A1D - OE-What spouse/partner is doing to find a job #4

Type	Code
RA1PB36A1D	What is (he/she) doing to find a job?
PreQuestionText	Currently, is (he/she) actively looking for a job?
BackwardSkip	(RA1PB30 = NO, DK OR REFUSED) OR (RA1PB34A = YES) OR (RA1PB35N = NEVER WORKED) OR (RA1PB34D = YES OR RA1PB34I = YES)
Notes	Root variable: RA1PB36A1

			Frequency	% of total	% of valid
Valid	1	Searching/applying for job	0	0%	0%
	2	Already has a job	0	0%	0%
	3	Networking	0	0%	0%
	4	Internet, online, other media: Ambiguous response	1	0.03%	100%
	5	Interviewing	0	0%	0%
	6	Schooling	0	0%	0%
	7	Other	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	

		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	4	4

🏙 RA1PB43GA - OS-The reason participant did not live with their biological parents up until 16 years old #1

Type	Code
RA1PB43GA	Why didn't you live with your biological parents?
BackwardSkip	(RA1PB42 = YES)
Notes	Root variable: RA1PB43G
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT ARE OFFERED, DO NOT PROBE FOR OTHERS. IF R SAYS WHO THEY LIVED WITH, PROBE: "Did your biological mother or father die, were your parents separated or divorced or was their some other reason?"]

			Frequency	% of total	% of valid
Valid	1	Parents never married	15	0.44%	13.16%
	2	Parents' misbehavior/crime/imprisoned	7	0.21%	6.14%
	3	Parents divorced/remarried	10	0.29%	8.77%
	4	Parents left	18	0.53%	15.79%
	5	Parents couldn't handle me	6	0.18%	5.26%
	6	Other	9	0.27%	7.89%
	7	Lived with only one parent	10	0.29%	8.77%
	8	Parents' work	5	0.15%	4.39%
	9	Never knew/saw father	9	0.27%	7.89%
	10	Lived at school	5	0.15%	4.39%
	11	Parents moved away	3	0.09%	2.63%
	12	Lived with one biological parent and new spouse	2	0.06%	1.75%
	13	Respondent left home/didn't live together	7	0.21%	6.14%
	14	Lived in foster care	3	0.09%	2.63%
	15	Didn't have a good relationship with parents	1	0.03%	0.88%
	16	Lived with grandparents	4	0.12%	3.51%
		Total	114	3.36%	100%
Missing	97	DON'T KNOW	3	0.09%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3277	96.55%	

		Total		3,280	96.64%	

Valid	Invalid	Minimum	Maximum
114	3280	1	16

🗂️ RA1PB43GB - OS-The reason participant did not live with their biological parents up until 16 years old #2

Type	Code
RA1PB43GB	Why didn't you live with your biological parents?
BackwardSkip	(RA1PB42 = YES)
Notes	Root variable: RA1PB43G
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT ARE OFFERED, DO NOT PROBE FOR OTHERS. IF R SAYS WHO THEY LIVED WITH, PROBE: "Did your biological mother or father die, were your parents separated or divorced or was their some other reason?"]

			Frequency	% of total	% of valid
Valid	1	Parents never married	3	0.09%	27.27%
	2	Parents' misbehavior/crime/imprisoned	1	0.03%	9.09%
	3	Parents divorced/remarried	2	0.06%	18.18%
	4	Parents left	0	0%	0%
	5	Parents couldn't handle me	1	0.03%	9.09%
	6	Other	0	0%	0%
	7	Lived with only one parent	0	0%	0%
	8	Parents' work	0	0%	0%
	9	Never knew/saw father	0	0%	0%
	10	Lived at school	0	0%	0%
	11	Parents moved away	0	0%	0%
	12	Lived with one biological parent and new spouse	0	0%	0%
	13	Respondent left home/didn't live together	0	0%	0%
	14	Lived in foster care	0	0%	0%
	15	Didn't have a good relationship with parents	0	0%	0%
	16	Lived with grandparents	4	0.12%	36.36%
		Total	11	0.32%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3383	99.68%	

		Total	3,383	99.68%	

Valid	Invalid	Minimum	Maximum
11	3383	1	16

🗃️ RA1PB43GC - OS-The reason participant did not live with their biological parents up until 16 years old #3

Type	Code
RA1PB43GC	Why didn't you live with your biological parents?
BackwardSkip	(RA1PB42 = YES)
Notes	Root variable: RA1PB43G
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT ARE OFFERED, DO NOT PROBE FOR OTHERS. IF R SAYS WHO THEY LIVED WITH, PROBE: "Did your biological mother or father die, were your parents separated or divorced or was their some other reason?"]

			Frequency	% of total	% of valid
Valid	1	Parents never married	0	0%	0%
	2	Parents' misbehavior/crime/imprisoned	1	0.03%	100%
	3	Parents divorced/remarried	0	0%	0%
	4	Parents left	0	0%	0%
	5	Parents couldn't handle me	0	0%	0%
	6	Other	0	0%	0%
	7	Lived with only one parent	0	0%	0%
	8	Parents' work	0	0%	0%
	9	Never knew/saw father	0	0%	0%
	10	Lived at school	0	0%	0%
	11	Parents moved away	0	0%	0%
	12	Lived with one biological parent and new spouse	0	0%	0%
	13	Respondent left home/didn't live together	0	0%	0%
	14	Lived in foster care	0	0%	0%
	15	Didn't have a good relationship with parents	0	0%	0%
	16	Lived with grandparents	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	

		Total		3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	2	2

RA1PB45A - OS-Male head of household for most of childhood #1

Type	Code
RA1PB45A	Who was the male head of your household for most of your childhood?
ForwardSkip	IF RA1PB45 = NO MALE IN HOUSEHOLD OR DK, GO TO RA1PB49.
Notes	Root variable: RA1PB45
InterviewerInstruction	[INTERVIEWER: IF R SAYS "Father", PROBE: "Was that your biological father, adoptive father, step-father, or someone else?"] [INTERVIEWER: IF R SAYS IT CHANGED, PROBE: "Who raised you for MOST of the time before you turned 17?"]

			Frequency	% of total	% of valid
Valid	1	Grandfather	56	1.65%	45.9%
	2	Brother	32	0.94%	26.23%
	3	Uncle	10	0.29%	8.2%
	4	Myself	6	0.18%	4.92%
	5	Mother's boyfriend/husband	6	0.18%	4.92%
	6	Father/stepfather/foster father	8	0.24%	6.56%
	7	Mother/foster mother	2	0.06%	1.64%
	8	Other	2	0.06%	1.64%
		Total	122	3.59%	100%
Missing	97	DON'T KNOW	2	0.06%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3270	96.35%	
		Total	3,272	96.41%	

Valid	Invalid	Minimum	Maximum
122	3272	1	8

RA1PB45B - OS-Male head of household for most of childhood #2

Type	Code
RA1PB45B	Who was the male head of your household for most of your childhood?
ForwardSkip	IF RA1PB45 = NO MALE IN HOUSEHOLD OR DK, GO TO RA1PB49.
Notes	Root variable: RA1PB45

InterviewerInstruction	[INTERVIEWER: IF R SAYS "Father", PROBE: "Was that your biological father, adoptive father, step-father, or someone else?"] [INTERVIEWER: IF R SAYS IT CHANGED, PROBE: "Who raised you for MOST of the time before you turned 17?"]

			Frequency	% of total	% of valid
Valid	1	Grandfather	0	0%	0%
	2	Brother	0	0%	0%
	3	Uncle	3	0.09%	50%
	4	Myself	0	0%	0%
	5	Mother's boyfriend/husband	0	0%	0%
	6	Father/stepfather/foster father	2	0.06%	33.33%
	7	Mother/foster mother	1	0.03%	16.67%
	8	Other	0	0%	0%
		Total	6	0.18%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3388	99.82%	
		Total	3,388	99.82%	

Valid	Invalid	Minimum	Maximum
6	3388	3	7

RA1PB45C - OS-Male head of household for most of childhood #3

Type	Code
RA1PB45C	Who was the male head of your household for most of your childhood?
ForwardSkip	IF RA1PB45 = NO MALE IN HOUSEHOLD OR DK, GO TO RA1PB49.
Notes	Root variable: RA1PB45
InterviewerInstruction	[INTERVIEWER: IF R SAYS "Father", PROBE: "Was that your biological father, adoptive father, step-father, or someone else?"] [INTERVIEWER: IF R SAYS IT CHANGED, PROBE: "Who raised you for MOST of the time before you turned 17?"]

			Frequency	% of total	% of valid
Valid	1	Grandfather	0	0%	0%
	2	Brother	0	0%	0%
	3	Uncle	1	0.03%	50%
	4	Myself	0	0%	0%
	5	Mother's boyfriend/husband	0	0%	0%
	6	Father/stepfather/foster father	0	0%	0%
	7	Mother/foster mother	0	0%	0%
	8	Other	1	0.03%	50%

			Frequency	% of total	% of valid
		Total	2	0.06%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3392	99.94%	
		Total	3,392	99.94%	

Valid	Invalid	Minimum	Maximum
2	3392	3	8

RA1PB47AEA - OS-Main reason male household was not working for pay during most of participant's childhood years

Type	Code
RA1PB47AEA	What was the main reason he was not working for pay during most of your childhood years?
BackwardSkip	(RA1PB45 = NO MALE IN HOUSEHOLD OR DK)
ForwardSkip	GO TO RA1PB49.
Notes	Root variable: RA1PB47AE
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT ARE OFFERED, DO NOT PROBE FOR OTHERS.] [INTERVIEWER: IF R SAYS HE WAS SELF-EMPLOYED OR A FARMER, CLARIFY: "Work for pay includes farming and self-employment."]

			Frequency	% of total	% of valid
Valid	1	Disabled	2	0.06%	4.17%
	2	Retired	11	0.32%	22.92%
	3	Didn't need to work	2	0.06%	4.17%
	4	Health problem	4	0.12%	8.33%
	5	No work available/unemployed	6	0.18%	12.5%
	6	Not old enough to work	2	0.06%	4.17%
	7	Criminal/drug and alcohol abuser	4	0.12%	8.33%
	8	Social security income	2	0.06%	4.17%
	9	Schooling	5	0.15%	10.42%
	10	Other	7	0.21%	14.58%
	11	Caregiving for family	1	0.03%	2.08%
	12	Self-employed	2	0.06%	4.17%
		Total	48	1.41%	100%
Missing	97	DON'T KNOW	3	0.09%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3343	98.5%	
		Total	3,346	98.59%	

Valid	Invalid	Minimum	Maximum
48	3346	1	12

RA1PB49A - OS-Female head of household for most of childhood

Type	Code
RA1PB49A	Who was the female head of your household for most of your childhood?
ForwardSkip	IF RA1PB49 = NO FEMALE IN HOUSEHOLD OR DK, GO TO RA1PB53.
Notes	Root variable: RA1PB49
InterviewerInstruction	[INTERVIEWER: IF SAYS "Mother", PROBE: "Was that your biological mother, adoptive mother, step-mother, or someone else?"] [INTERVIEWER: IF R SAYS IT CHANGED, PROBE: "Who was it for most of the time before you turned 17?"]

			Frequency	% of total	% of valid
Valid	1	Grandmother	66	1.94%	70.97%
	2	Foster Mother/stepmother	7	0.21%	7.53%
	3	Myself	2	0.06%	2.15%
	4	Aunt	11	0.32%	11.83%
	5	Sister	5	0.15%	5.38%
	6	Other	2	0.06%	2.15%
		Total	93	2.74%	100%
Missing	7	DON'T KNOW	0	0%	
	8	REFUSED/MISSING	0	0%	
	9	INAPP	3301	97.26%	
		Total	3,301	97.26%	

Valid	Invalid	Minimum	Maximum
93	3301	1	6

RA1PB51AEA - OS-Main reason female household was not working for pay during most of participant's childhood years #1

Type	Code
RA1PB51AEA	What was the main reason she was not working for pay during most of your childhood years?
BackwardSkip	(RA1PB49 = NO FEMALE IN HOUSEHOLD OR DK)
ForwardSkip	GO TO RA1PB53.
Notes	Root variable: RA1PB51AE

InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT ARE OFFERED, DO NOT PROBE FOR OTHERS.] [INTERVIEWER: IF R SAYS SHE WAS SELF-EMPLOYED, FARMER, FARMER'S WIFE CLARIFY: "Work for pay includes farming and self-employment." AND REREAD RA1PB51.]

			Frequency	% of total	% of valid
Valid	1	Child care/homemaker	90	2.65%	29.22%
	2	Didn't need to work	78	2.3%	25.32%
	3	Health problem	11	0.32%	3.57%
	4	Retired	4	0.12%	1.3%
	5	She chose not to/didn't want to work	36	1.06%	11.69%
	6	Father didn't want her to work	14	0.41%	4.55%
	7	Lack of skill/education	3	0.09%	0.97%
	8	Cultural reason	17	0.5%	5.52%
	9	Other	37	1.09%	12.01%
	10	Had part-time/temporary job	4	0.12%	1.3%
	11	Ambiguous response	3	0.09%	0.97%
	12	Self-employed	7	0.21%	2.27%
	13	No work available/unemployed	4	0.12%	1.3%
		Total	308	9.07%	100%
Missing	97	DON'T KNOW	4	0.12%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3082	90.81%	
		Total	3,086	90.93%	

Valid	Invalid	Minimum	Maximum
308	3086	1	13

RA1PB51AEB - OS-Main reason female household was not working for pay during most of participant's childhood years #2

Type	Code
RA1PB51AEB	What was the main reason she was not working for pay during most of your childhood years?
BackwardSkip	(RA1PB49 = NO FEMALE IN HOUSEHOLD OR DK)
ForwardSkip	GO TO RA1PB53.
Notes	Root variable: RA1PB51AE
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT ARE OFFERED, DO NOT PROBE FOR OTHERS.] [INTERVIEWER: IF R SAYS SHE WAS SELF-EMPLOYED, FARMER, FARMER'S WIFE CLARIFY: "Work for pay includes farming and self-employment." AND REREAD RA1PB51.]

			Frequency	% of total	% of valid
Valid	1	Child care/homemaker	7	0.21%	31.82%
	2	Didn't need to work	1	0.03%	4.55%
	3	Health problem	0	0%	0%
	4	Retired	0	0%	0%
	5	She chose not to/didn't want to work	4	0.12%	18.18%
	6	Father didn't want her to work	5	0.15%	22.73%
	7	Lack of skill/education	1	0.03%	4.55%
	8	Cultural reason	3	0.09%	13.64%
	9	Other	0	0%	0%
	10	Had part-time/temporary job	0	0%	0%
	11	Ambiguous response	0	0%	0%
	12	Self-employed	1	0.03%	4.55%
	13	No work available/unemployed	0	0%	0%
		Total	22	0.65%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3372	99.35%	
		Total	3,372	99.35%	

Valid	Invalid	Minimum	Maximum
22	3372	1	12

RA1PB51AEC - OS-Main reason female household was not working for pay during most of participant's childhood years #3

Type	Code
RA1PB51AEC	What was the main reason she was not working for pay during most of your childhood years?
BackwardSkip	(RA1PB49 = NO FEMALE IN HOUSEHOLD OR DK)
ForwardSkip	GO TO RA1PB53.
Notes	Root variable: RA1PB51AE
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT ARE OFFERED, DO NOT PROBE FOR OTHERS.] [INTERVIEWER: IF R SAYS SHE WAS SELF-EMPLOYED, FARMER, FARMER'S WIFE CLARIFY: "Work for pay includes farming and self-employment." AND REREAD RA1PB51.]

			Frequency	% of total	% of valid

Valid	1	Child care/homemaker	1	0.03%	100%
	2	Didn't need to work	0	0%	0%
	3	Health problem	0	0%	0%
	4	Retired	0	0%	0%
	5	She chose not to/didn't want to work	0	0%	0%
	6	Father didn't want her to work	0	0%	0%
	7	Lack of skill/education	0	0%	0%
	8	Cultural reason	0	0%	0%
	9	Other	0	0%	0%
	10	Had part-time/temporary job	0	0%	0%
	11	Ambiguous response	0	0%	0%
	12	Self-employed	0	0%	0%
	13	No work available/unemployed	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	1	1

RA1PC6A - OS-Anyone you have not already mentioned lived in your household in last 12 months #1

Type	Code
RA1PC6A	In the last 12 months, has anyone you haven't already mentioned lived in your household?
Notes	Root variable: RA1PC6

	Frequency	% of total	% of valid

Valid	1	Friend	21	0.62%	9.5%
	2	Sister	11	0.32%	4.98%
	3	Brother	7	0.21%	3.17%
	4	Spouse	15	0.44%	6.79%
	5	Nephew	12	0.35%	5.43%
	6	In-laws	21	0.62%	9.5%
	7	Roommate	3	0.09%	1.36%
	8	Parents	26	0.77%	11.76%
	9	Niece	4	0.12%	1.81%
	10	Other: Non family member	27	0.8%	12.22%
	11	Other: Family member	6	0.18%	2.71%
	12	Children	20	0.59%	9.05%
	13	Boyfriend/girlfriend/domestic partner/fiance	9	0.27%	4.07%
	14	Grandchildren	18	0.53%	8.14%
	15	Other	21	0.62%	9.5%
		Total	221	6.51%	100%
Missing	97	DON'T KNOW	1	0.03%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3172	93.46%	
		Total	3,173	93.49%	

Valid	Invalid	Minimum	Maximum
221	3173	1	15

🔖 RA1PC6B - OS-Anyone you have not already mentioned lived in your household in last 12 months #2

Type	Code
RA1PC6B	In the last 12 months, has anyone you haven't already mentioned lived in your household?
Notes	Root variable: RA1PC6

	Frequency	% of total	% of valid

				Frequency	% of total	% of valid
Valid	1	Friend		1	0.03%	5%
	2	Sister		3	0.09%	15%
	3	Brother		3	0.09%	15%
	4	Spouse		1	0.03%	5%
	5	Nephew		0	0%	0%
	6	In-laws		0	0%	0%
	7	Roommate		1	0.03%	5%
	8	Parents		0	0%	0%
	9	Niece		1	0.03%	5%
	10	Other: Non family member		2	0.06%	10%
	11	Other: Family member		1	0.03%	5%
	12	Children		1	0.03%	5%
	13	Boyfriend/girlfriend/domestic partner/fiance		2	0.06%	10%
	14	Grandchildren		4	0.12%	20%
	15	Other		0	0%	0%
		Total		20	0.59%	100%
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3374	99.41%	
		Total		3,374	99.41%	

Valid	Invalid	Minimum	Maximum
20	3374	1	14

🎖 RA1PC6C - OS-Anyone you have not already mentioned lived in your household in last 12 months #3

Type	Code
RA1PC6C	In the last 12 months, has anyone you haven't already mentioned lived in your household?
Notes	Root variable: RA1PC6

	Frequency	% of total	% of valid

Valid	1	Friend	0	0%	0%
	2	Sister	0	0%	0%
	3	Brother	0	0%	0%
	4	Spouse	0	0%	0%
	5	Nephew	0	0%	0%
	6	In-laws	0	0%	0%
	7	Roommate	0	0%	0%
	8	Parents	0	0%	0%
	9	Niece	0	0%	0%
	10	Other: Non family member	0	0%	0%
	11	Other: Family member	1	0.03%	25%
	12	Children	3	0.09%	75%
	13	Boyfriend/girlfriend/domestic partner/fiance	0	0%	0%
	14	Grandchildren	0	0%	0%
	15	Other	0	0%	0%
		Total	4	0.12%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3390	99.88%	
		Total	3,390	99.88%	

Valid	Invalid	Minimum	Maximum
4	3390	11	12

RA1PCDTA1 - OS-Condition disability/mental problem 1: Child #1

Type	Code
RA1PCDTA1	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: RA1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc...?"]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	1	0.03%	1.79%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	7	0.21%	12.5%
	106	Down syndrome	1	0.03%	1.79%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	2	0.06%	3.57%
	223	Attention deficit hyperactivity disorder (ADHD)	2	0.06%	3.57%
	224	Handicapped	1	0.03%	1.79%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	4	0.12%	7.14%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	1	0.03%	1.79%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.03%	1.79%

		Total	56	1.65%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3338	98.35%	
		Total	3,338	98.35%	

Valid	Invalid	Minimum	Maximum
56	3338	101	996

RA1PCDTA2 - OS-Condition disability/mental problem 1: Child #2

Type	Code
RA1PCDTA2	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: RA1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc...?"]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	1	0.03%	1.92%
	103	Cerebral palsy (CP)	1	0.03%	1.92%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	4	0.12%	7.69%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	1	0.03%	1.92%
	224	Handicapped	4	0.12%	7.69%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	4	0.12%	7.69%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	1	0.03%	1.92%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total		52	1.53%	100%
Missing	997	DON'T KNOW		0	0%	
	998	REFUSED		0	0%	
	999	INAPP		3342	98.47%	
		Total		3,342	98.47%	

Valid	Invalid	Minimum	Maximum
52	3342	102	996

RA1PCDTA3 - OS-Condition disability/mental problem 1: Child #3

Type	Code
RA1PCDTA3	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: RA1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc...?"]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	1	0.03%	7.69%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	1	0.03%	7.69%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	1	0.03%	7.69%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total		13	0.38%	100%
Missing	997	DON'T KNOW		0	0%	
	998	REFUSED		0	0%	
	999	INAPP		3381	99.62%	
		Total		3,381	99.62%	

Valid	Invalid	Minimum	Maximum
13	3381	105	996

RA1PCDTA4 - OS-Condition disability/mental problem 1: Child #4

Type	Code
RA1PCDTA4	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: RA1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc...?"]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	1	0.03%	11.11%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	1	0.03%	11.11%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	1	0.03%	11.11%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total	9	0.27%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3385	99.73%	
		Total	3,385	99.73%	

Valid	Invalid	Minimum	Maximum
9	3385	105	996

RA1PCDTA5 - OS-Condition disability/mental problem 1: Child #5

Type	Code
RA1PCDTA5	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: RA1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc...?"]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	0	0%	0%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total	5	0.15%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3389	99.85%	
		Total	3,389	99.85%	

Valid	Invalid	Minimum	Maximum
5	3389	800	996

RA1PCDTA6 - OS-Condition disability/mental problem 1: Child #6

Type	Code
RA1PCDTA6	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: RA1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc...?"]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	0	0%	0%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total	5	0.15%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3389	99.85%	
		Total	3,389	99.85%	

Valid	Invalid	Minimum	Maximum
5	3389	657	996

RA1PCDTA7 - OS-Condition disability/mental problem 1: Child #7

Type	Code
RA1PCDTA7	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: RA1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc...?"]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	0	0%	0%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total	3	0.09%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3391	99.91%	
		Total	3,391	99.91%	

Valid	Invalid	Minimum	Maximum
3	3391	996	996

RA1PCDTA8 - OS-Condition disability/mental problem 1: Child #8

Type	Code
RA1PCDTA8	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: RA1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc...?"]

	Frequency

Valid	101	Asperger's syndrome	0
	102	Autism	0
	103	Cerebral palsy (CP)	0
	104	Cognitive disability	0
	105	Developmental disability (DD)	0
	106	Down syndrome	0
	107	Fetal alcohol syndrome	0
	108	Fragile X syndrome	0
	109	Hydrocephalus	0
	110	Intellectual disability	0
	111	Intellectual impairment	0
	112	Mental handicap	0
	113	Mental retardation (MR)	0
	114	Mental disability	0
	115	Mental impairment	0
	116	Microcephaly	0
	117	Muscular dystrophy	0
	118	Pervasive developmental disorder (PDD-NOS)	0
	119	Prader-willi syndrome	0
	120	Retardation	0
	121	Spina bifida	0
	178	Retts disorder	0
	222	Attention deficit disorder (ADD)	0
	223	Attention deficit hyperactivity disorder (ADHD)	0
	224	Handicapped	0
	225	Hyperactivity	0
	226	Learning disability/problems (LD)	0
	227	Mental problems	0
	228	Slow in school/slow learner/slow	0
	229	Special education/special ed	0
	230	Speech and language problems	0
	331	Epilepsy	0
	332	Seizure disorder	0
	433	Brain damage	0
	434	Brain injury/brain injured	0
	435	Closed head injury	0
	436	Head injury	0
	437	Traumatic brain injury/brain injury	0
	538	Bipolar disorder (Manic depressive disorder)	0
	539	Cyclothymia	0
	540	Delusional disorder	0
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0

Missing	997	DON'T KNOW	1
	998	REFUSED	0
	999	INAPP	3393

Valid	Invalid
0	3394

RA1PCDTA9 - OS-Condition disability/mental problem 1: Child #9

Type	Code
RA1PCDTA9	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: RA1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc...?"]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	0	0%	0%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	1	0.03%	100%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total	1	0.03%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	538	538

RA1PCDTB1 - OS-Condition disability/mental problem 2: Child #1

Type	Code
RA1PCDTB1	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: RA1PCDT2
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc...?"]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	1	0.03%	33.33%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	0	0%	0%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	1	0.03%	33.33%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total	3	0.09%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3391	99.91%	
		Total	3,391	99.91%	

Valid	Invalid	Minimum	Maximum
3	3391	223	996

RA1PCDTB2 - OS-Condition disability/mental problem 2: Child #2

Type	Code
RA1PCDTB2	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: RA1PCDT2
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc...?"]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	1	0.03%	33.33%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	1	0.03%	33.33%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	0	0%	0%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

			Total	3	0.09%	100%
Missing	997	DON'T KNOW		0	0%	
	998	REFUSED		0	0%	
	999	INAPP		3391	99.91%	
			Total	3,391	99.91%	

Valid	Invalid	Minimum	Maximum
3	3391	110	996

RA1PCDTB9 - OS-Condition disability/mental problem 2: Child #9

Type	Code
RA1PCDTB9	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: RA1PCDT2
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc...?"]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome		0	0%	0%
	102	Autism		0	0%	0%
	103	Cerebral palsy (CP)		0	0%	0%
	104	Cognitive disability		0	0%	0%
	105	Developmental disability (DD)		0	0%	0%
	106	Down syndrome		0	0%	0%
	107	Fetal alcohol syndrome		0	0%	0%
	108	Fragile X syndrome		0	0%	0%
	109	Hydrocephalus		0	0%	0%
	110	Intellectual disability		0	0%	0%
	111	Intellectual impairment		0	0%	0%
	112	Mental handicap		0	0%	0%
	113	Mental retardation (MR)		0	0%	0%
	114	Mental disability		0	0%	0%
	115	Mental impairment		0	0%	0%
	116	Microcephaly		0	0%	0%
	117	Muscular dystrophy		0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)		0	0%	0%
	119	Prader-willi syndrome		0	0%	0%
	120	Retardation		0	0%	0%
	121	Spina bifida		0	0%	0%
	178	Retts disorder		0	0%	0%
	222	Attention deficit disorder (ADD)		0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)		0	0%	0%
	224	Handicapped		0	0%	0%
	225	Hyperactivity		0	0%	0%
	226	Learning disability/problems (LD)		0	0%	0%
	227	Mental problems		0	0%	0%
	228	Slow in school/slow learner/slow		0	0%	0%
	229	Special education/special ed		0	0%	0%
	230	Speech and language problems		0	0%	0%
	331	Epilepsy		0	0%	0%
	332	Seizure disorder		0	0%	0%
	433	Brain damage		0	0%	0%
	434	Brain injury/brain injured		0	0%	0%
	435	Closed head injury		0	0%	0%
	436	Head injury		0	0%	0%
	437	Traumatic brain injury/brain injury		0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)		0	0%	0%
	539	Cyclothymia		0	0%	0%
	540	Delusional disorder		0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder		0	0%	0%

		Total		1	0.03%	100%
Missing	997	DON'T KNOW		0	0%	
	998	REFUSED		0	0%	
	999	INAPP		3393	99.97%	
		Total		3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	543	543

RA1PCDOA1 - OS-Any other condition 1: Child #1

Type	Code
RA1PCDOA1	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO1
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	2	0.06%	5.56%
	102	Autism	1	0.03%	2.78%
	103	Cerebral palsy (CP)	1	0.03%	2.78%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	4	0.12%	11.11%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	1	0.03%	2.78%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	1	0.03%	2.78%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	3	0.09%	8.33%
	224	Handicapped	2	0.06%	5.56%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	3	0.09%	8.33%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	2	0.06%	5.56%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.03%	2.78%

		Total	36	1.06%	100%
Missing	997	DON'T KNOW	1	0.03%	
	998	REFUSED	1	0.03%	
	999	INAPP	3356	98.88%	
		Total	3,358	98.94%	

Valid	Invalid	Minimum	Maximum
36	3358	101	996

RA1PCDOA2 - OS-Any other condition 1: Child #2

Type	Code
RA1PCDOA2	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO1
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	1	0.03%	3.33%
	103	Cerebral palsy (CP)	1	0.03%	3.33%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	1	0.03%	3.33%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	2	0.06%	6.67%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	4	0.12%	13.33%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	1	0.03%	3.33%
	227	Mental problems	1	0.03%	3.33%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	1	0.03%	3.33%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	1	0.03%	3.33%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.03%	3.33%

		Total	30	0.88%	100%
Missing	997	DON'T KNOW	2	0.06%	
	998	REFUSED	0	0%	
	999	INAPP	3362	99.06%	
		Total	3,364	99.12%	

Valid	Invalid	Minimum	Maximum
30	3364	102	996

RA1PCDOA3 - OS-Any other condition 1: Child #3

Type	Code
RA1PCDOA3	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO1
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	1	0.03%	5.26%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	1	0.03%	5.26%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	1	0.03%	5.26%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	1	0.03%	5.26%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	1	0.03%	5.26%
	230	Speech and language problems	1	0.03%	5.26%
	331	Epilepsy	2	0.06%	10.53%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	2	0.06%	10.53%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.03%	5.26%

		Total		19	0.56%	100%
Missing	997	DON'T KNOW		0	0%	
	998	REFUSED		1	0.03%	
	999	INAPP		3374	99.41%	
		Total		3,375	99.44%	

Valid	Invalid	Minimum	Maximum
19	3375	101	996

RA1PCDOA4 - OS-Any other condition 1: Child #4

Type	Code
RA1PCDOA4	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO1
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	1	0.03%	12.5%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	1	0.03%	12.5%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	0	0%	0%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	1	0.03%	12.5%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total	8	0.24%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3386	99.76%	
		Total	3,386	99.76%	

Valid	Invalid	Minimum	Maximum
8	3386	103	996

RA1PCDOA5 - OS-Any other condition 1: Child #5

Type	Code
RA1PCDOA5	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO1
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	1	0.03%	16.67%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	1	0.03%	16.67%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	1	0.03%	16.67%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	1	0.03%	16.67%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total	6	0.18%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3388	99.82%	
		Total	3,388	99.82%	

Valid	Invalid	Minimum	Maximum
6	3388	101	996

RA1PCDOA6 - OS-Any other condition 1: Child #6

Type	Code
RA1PCDOA6	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO1
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	1	0.03%	50%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	0	0%	0%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total		2	0.06%	100%
Missing	997	DON'T KNOW		0	0%	
	998	REFUSED		0	0%	
	999	INAPP		3392	99.94%	
		Total		3,392	99.94%	

Valid	Invalid	Minimum	Maximum
2	3392	222	996

RA1PCDOA7 - OS-Any other condition 1: Child #7

Type	Code
RA1PCDOA7	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO1
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	1	0.03%	50%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	1	0.03%	50%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total	2	0.06%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3392	99.94%	
		Total	3,392	99.94%	

Valid	Invalid	Minimum	Maximum
2	3392	226	332

RA1PCDOA9 - OS-Any other condition 1: Child #9

Type	Code
RA1PCDOA9	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO1
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	0	0%	0%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total	1	0.03%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	543	543

RA1PCDOB1 - OS-Any other condition 2: Child #1

Type	Code
RA1PCDOB1	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO2
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	1	0.03%	8.33%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	1	0.03%	8.33%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	1	0.03%	8.33%
	223	Attention deficit hyperactivity disorder (ADHD)	2	0.06%	16.67%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	1	0.03%	8.33%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	1	0.03%	8.33%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total	12	0.35%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3382	99.65%	
		Total	3,382	99.65%	

Valid	Invalid	Minimum	Maximum
12	3382	105	996

RA1PCDOB2 - OS-Any other condition 2: Child #2

Type	Code
RA1PCDOB2	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO2
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	1	0.03%	33.33%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	1	0.03%	33.33%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total	3	0.09%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3391	99.91%	
		Total	3,391	99.91%	

Valid	Invalid	Minimum	Maximum
3	3391	104	996

RA1PCDOB3 - OS-Any other condition 2: Child #3

Type	Code
RA1PCDOB3	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO2
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	1	0.03%	25%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	0	0%	0%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

			Frequency	% of total	% of valid
		Total	4	0.12%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3390	99.88%	
		Total	3,390	99.88%	

Valid	Invalid	Minimum	Maximum
4	3390	222	875

RA1PCDOB4 - OS-Any other condition 2: Child #4

Type	Code
RA1PCDOB4	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO2
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	1	0.03%	33.33%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	0	0%	0%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	1	0.03%	33.33%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total	3	0.09%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3391	99.91%	
		Total	3,391	99.91%	

Valid	Invalid	Minimum	Maximum
3	3391	110	649

RA1PCDOB5 - OS-Any other condition 2: Child #5

Type	Code
RA1PCDOB5	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO2
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	0	0%	0%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total		1	0.03%	100%
Missing	997	DON'T KNOW		0	0%	
	998	REFUSED		0	0%	
	999	INAPP		3393	99.97%	
		Total		3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	875	875

RA1PCDOB6 - OS-Any other condition 2: Child #6

Type	Code
RA1PCDOB6	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO2
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	1	0.03%	100%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total		1	0.03%	100%
Missing	997	DON'T KNOW		0	0%	
	998	REFUSED		0	0%	
	999	INAPP		3393	99.97%	
		Total		3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	226	226

RA1PCDOB7 - OS-Any other condition 2: Child #7

Type	Code
RA1PCDOB7	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO2
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	0	0%	0%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	1	0.03%	100%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total	1	0.03%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	230	230

RA1PCDOC3 - OS-Any other condition 3: Child #3

Type	Code
RA1PCDOC3	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO3
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	0	0%	0%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

		Total		1	0.03%	100%
Missing	997	DON'T KNOW		0	0%	
	998	REFUSED		0	0%	
	999	INAPP		3393	99.97%	
		Total		3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	655	655

RA1PCDOC4 - OS-Any other condition 3: Child #4

Type	Code
RA1PCDOC4	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: RA1PCDO3
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid

Valid	101	Asperger's syndrome	0	0%	0%
	102	Autism	0	0%	0%
	103	Cerebral palsy (CP)	0	0%	0%
	104	Cognitive disability	0	0%	0%
	105	Developmental disability (DD)	0	0%	0%
	106	Down syndrome	0	0%	0%
	107	Fetal alcohol syndrome	0	0%	0%
	108	Fragile X syndrome	0	0%	0%
	109	Hydrocephalus	0	0%	0%
	110	Intellectual disability	0	0%	0%
	111	Intellectual impairment	0	0%	0%
	112	Mental handicap	0	0%	0%
	113	Mental retardation (MR)	0	0%	0%
	114	Mental disability	0	0%	0%
	115	Mental impairment	0	0%	0%
	116	Microcephaly	0	0%	0%
	117	Muscular dystrophy	0	0%	0%
	118	Pervasive developmental disorder (PDD-NOS)	0	0%	0%
	119	Prader-willi syndrome	0	0%	0%
	120	Retardation	0	0%	0%
	121	Spina bifida	0	0%	0%
	178	Retts disorder	0	0%	0%
	222	Attention deficit disorder (ADD)	0	0%	0%
	223	Attention deficit hyperactivity disorder (ADHD)	0	0%	0%
	224	Handicapped	0	0%	0%
	225	Hyperactivity	0	0%	0%
	226	Learning disability/problems (LD)	0	0%	0%
	227	Mental problems	0	0%	0%
	228	Slow in school/slow learner/slow	0	0%	0%
	229	Special education/special ed	0	0%	0%
	230	Speech and language problems	0	0%	0%
	331	Epilepsy	0	0%	0%
	332	Seizure disorder	0	0%	0%
	433	Brain damage	0	0%	0%
	434	Brain injury/brain injured	0	0%	0%
	435	Closed head injury	0	0%	0%
	436	Head injury	0	0%	0%
	437	Traumatic brain injury/brain injury	0	0%	0%
	538	Bipolar disorder (Manic depressive disorder)	0	0%	0%
	539	Cyclothymia	0	0%	0%
	540	Delusional disorder	0	0%	0%
	542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0%	0%

			Frequency	% of total	% of valid
		Total	1	0.03%	100%
Missing	997	DON'T KNOW	0	0%	
	998	REFUSED	0	0%	
	999	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	996	996

RA1PD2A - OS-Recipient of the most personal care #1

Type	Code
RA1PD2A	To whom did you give the MOST personal care?
BackwardSkip	(RA1PD1 = NO, DK, OR REFUSED)
ForwardSkip	IF RA1PD2 = OTHER, GO TO RA1PD3. OTHERWISE GO TO RA1PD4.
Notes	Root variable: RA1PD2

			Frequency	% of total	% of valid
Valid	1	Friend	24	0.71%	28.57%
	2	Aunt	8	0.24%	9.52%
	3	Children	4	0.12%	4.76%
	4	Uncle	4	0.12%	4.76%
	5	Stepfather	3	0.09%	3.57%
	6	Boyfriend/girlfriend	5	0.15%	5.95%
	7	Domestic partner	3	0.09%	3.57%
	8	In-laws	12	0.35%	14.29%
	9	Other: Family member	5	0.15%	5.95%
	10	Other: Non family member	5	0.15%	5.95%
	11	Other	7	0.21%	8.33%
	12	Grandchildren	4	0.12%	4.76%
		Total	84	2.47%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3310	97.53%	
		Total	3,310	97.53%	

Valid	Invalid	Minimum	Maximum
84	3310	1	12

RA1PD2B - OS-Recipient of the most personal care #2

Type	Code

RA1PD2B	To whom did you give the MOST personal care?
BackwardSkip	(RA1PD1 = NO, DK, OR REFUSED)
ForwardSkip	IF RA1PD2 = OTHER, GO TO RA1PD3. OTHERWISE GO TO RA1PD4.
Notes	Root variable: RA1PD2

			Frequency	% of total	% of valid
Valid	1	Friend	0	0%	0%
	2	Aunt	0	0%	0%
	3	Children	0	0%	0%
	4	Uncle	1	0.03%	100%
	5	Stepfather	0	0%	0%
	6	Boyfriend/girlfriend	0	0%	0%
	7	Domestic partner	0	0%	0%
	8	In-laws	0	0%	0%
	9	Other: Family member	0	0%	0%
	10	Other: Non family member	0	0%	0%
	11	Other	0	0%	0%
	12	Grandchildren	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	4	4

RA1PD4A - OS-Condition caused recipient to need personal care #1

Type	Code
RA1PD4A	What condition, illness, or disability caused her/him to need personal care?
BackwardSkip	(RA1PD1 = NO, DK, OR REFUSED)
Notes	Root variable: RA1PD4

	Frequency	% of total	% of valid

Valid	1	Autism	5	0.15%	1.15%
	2	Arthritis	5	0.15%	1.15%
	3	Bipolar	6	0.18%	1.38%
	4	Diabetes	7	0.21%	1.61%
	5	Other cancer	46	1.36%	10.57%
	6	Old age	40	1.18%	9.2%
	7	Mental disease	27	0.8%	6.21%
	8	Dementia/Alzheimer	43	1.27%	9.89%
	9	Surgery	18	0.53%	4.14%
	10	Parkinson's disease	6	0.18%	1.38%
	11	Depression	14	0.41%	3.22%
	12	Stroke	22	0.65%	5.06%
	13	Down syndrome	5	0.15%	1.15%
	14	Accident/injury/negative life event	15	0.44%	3.45%
	15	Back/spine	10	0.29%	2.3%
	16	Epilepsy/seizure	3	0.09%	0.69%
	17	Chronic Obstructive Pulmonary Disease (COPD)	5	0.15%	1.15%
	18	Heart	26	0.77%	5.98%
	19	Other	67	1.97%	15.4%
	20	Blood/blood clot/blood pressure	7	0.21%	1.61%
	21	Brain	12	0.35%	2.76%
	22	Broken bone	13	0.38%	2.99%
	23	Lung/asthma	2	0.06%	0.46%
	24	Disabled	6	0.18%	1.38%
	25	Hip/knee replacement	15	0.44%	3.45%
	26	Brain cancer	5	0.15%	1.15%
	27	Kidney	5	0.15%	1.15%
		Total	435	12.82%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	2959	87.18%	
		Total	2,959	87.18%	

Valid	Invalid	Minimum	Maximum
435	2959	1	27

🏵 RA1PD4B - OS-Condition caused recipient to need personal care #2

Type	Code
RA1PD4B	What condition, illness, or disability caused her/him to need personal care?

BackwardSkip	(RA1PD1 = NO, DK, OR REFUSED)
Notes	Root variable: RA1PD4

			Frequency	% of total	% of valid
Valid	1	Autism	1	0.03%	1.39%
	2	Arthritis	4	0.12%	5.56%
	3	Bipolar	0	0%	0%
	4	Diabetes	8	0.24%	11.11%
	5	Other cancer	3	0.09%	4.17%
	6	Old age	7	0.21%	9.72%
	7	Mental disease	4	0.12%	5.56%
	8	Dementia/Alzheimer	2	0.06%	2.78%
	9	Surgery	1	0.03%	1.39%
	10	Parkinson's disease	0	0%	0%
	11	Depression	1	0.03%	1.39%
	12	Stroke	2	0.06%	2.78%
	13	Down syndrome	0	0%	0%
	14	Accident/injury/negative life event	5	0.15%	6.94%
	15	Back/spine	7	0.21%	9.72%
	16	Epilepsy/seizure	2	0.06%	2.78%
	17	Chronic Obstructive Pulmonary Disease (COPD)	0	0%	0%
	18	Heart	4	0.12%	5.56%
	19	Other	8	0.24%	11.11%
	20	Blood/blood clot/blood pressure	2	0.06%	2.78%
	21	Brain	3	0.09%	4.17%
	22	Broken bone	4	0.12%	5.56%
	23	Lung/asthma	3	0.09%	4.17%
	24	Disabled	0	0%	0%
	25	Hip/knee replacement	1	0.03%	1.39%
	26	Brain cancer	0	0%	0%
	27	Kidney	0	0%	0%
		Total	72	2.12%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3322	97.88%	
		Total	3,322	97.88%	

Valid	Invalid	Minimum	Maximum
72	3322	1	25

🏗 RA1PD4C - OS-Condition caused recipient to need personal care #3

Type	Code
RA1PD4C	What condition, illness, or disability caused her/him to need personal care?
BackwardSkip	(RA1PD1 = NO, DK, OR REFUSED)
Notes	Root variable: RA1PD4

			Frequency	% of total	% of valid
Valid	1	Autism	0	0%	0%
	2	Arthritis	1	0.03%	5.26%
	3	Bipolar	0	0%	0%
	4	Diabetes	3	0.09%	15.79%
	5	Other cancer	0	0%	0%
	6	Old age	0	0%	0%
	7	Mental disease	1	0.03%	5.26%
	8	Dementia/Alzheimer	0	0%	0%
	9	Surgery	0	0%	0%
	10	Parkinson's disease	0	0%	0%
	11	Depression	0	0%	0%
	12	Stroke	1	0.03%	5.26%
	13	Down syndrome	0	0%	0%
	14	Accident/injury/negative life event	0	0%	0%
	15	Back/spine	0	0%	0%
	16	Epilepsy/seizure	0	0%	0%
	17	Chronic Obstructive Pulmonary Disease (COPD)	0	0%	0%
	18	Heart	9	0.27%	47.37%
	19	Other	0	0%	0%
	20	Blood/blood clot/blood pressure	2	0.06%	10.53%
	21	Brain	0	0%	0%
	22	Broken bone	1	0.03%	5.26%
	23	Lung/asthma	1	0.03%	5.26%
	24	Disabled	0	0%	0%
	25	Hip/knee replacement	0	0%	0%
	26	Brain cancer	0	0%	0%
	27	Kidney	0	0%	0%
		Total	19	0.56%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3375	99.44%	

		Total		3,375	99.44%	

Valid	Invalid	Minimum	Maximum
19	3375	2	23

RA1PD4D - OS-Condition caused recipient to need personal care #4

Type	Code
RA1PD4D	What condition, illness, or disability caused her/him to need personal care?
BackwardSkip	(RA1PD1 = NO, DK, OR REFUSED)
Notes	Root variable: RA1PD4

			Frequency	% of total	% of valid
Valid	1	Autism	0	0%	0%
	2	Arthritis	0	0%	0%
	3	Bipolar	0	0%	0%
	4	Diabetes	0	0%	0%
	5	Other cancer	0	0%	0%
	6	Old age	0	0%	0%
	7	Mental disease	0	0%	0%
	8	Dementia/Alzheimer	0	0%	0%
	9	Surgery	0	0%	0%
	10	Parkinson's disease	0	0%	0%
	11	Depression	0	0%	0%
	12	Stroke	0	0%	0%
	13	Down syndrome	0	0%	0%
	14	Accident/injury/negative life event	0	0%	0%
	15	Back/spine	0	0%	0%
	16	Epilepsy/seizure	0	0%	0%
	17	Chronic Obstructive Pulmonary Disease (COPD)	0	0%	0%
	18	Heart	1	0.03%	50%
	19	Other	1	0.03%	50%
	20	Blood/blood clot/blood pressure	0	0%	0%
	21	Brain	0	0%	0%
	22	Broken bone	0	0%	0%
	23	Lung/asthma	0	0%	0%
	24	Disabled	0	0%	0%
	25	Hip/knee replacement	0	0%	0%
	26	Brain cancer	0	0%	0%
		Total	2	0.06%	100%

Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3392	99.94%	
		Total	3,392	99.94%	

Valid	Invalid	Minimum	Maximum
2	3392	18	19

🔧 RA1PD8A - OS-The reason for no longer helping recipient

Type	Code
RA1PD8A	Why are you no longer helping? Is it because (he/she) no longer needs care, someone else is helping (him/her), (he/she) is deceased, or for some other reason?
BackwardSkip	(RA1PD1 = NO, DK, OR REFUSED) OR (RA1PD7 = YES, DK, OR REFUSED)
Notes	Root variable: RA1PD8A
InterviewerInstruction	[INTERVIEWER: ALLOW TWO.]

			Frequency	% of total	% of valid
Valid	1	Condition improved	4	0.12%	28.57%
	2	No longer live together	3	0.09%	21.43%
	3	Problem in relationship with recipient	2	0.06%	14.29%
	4	Other	2	0.06%	14.29%
	5	Someone else is helping	3	0.09%	21.43%
		Total	14	0.41%	100%
Missing	7	DON'T KNOW	0	0%	
	8	REFUSED/MISSING	0	0%	
	9	INAPP	3380	99.59%	
		Total	3,380	99.59%	

Valid	Invalid	Minimum	Maximum
14	3380	1	5

🔧 RA1PE1A7A - OS-Institution setting where participant has lived last 5 years

Type	Code
RA1PE1A7A	Over the past 5 years, have you lived in SOME OTHER INSTITUTIONAL SETTING?
BackwardSkip	(RA1PE1 = NO, DK, OR REFUSED)
Notes	Root variable: RA1PE1A7

InterviewerInstruction	[INTERVIEWER: IF RA1PE1 = YES, AND RA1PE1A1 - RA1PE1A7 DOES NOT EQUAL YES, PROBE.]

			Frequency	% of total	% of valid
Valid	1	Hospital/rehab center	7	0.21%	46.67%
	2	Jail/halfway house	3	0.09%	20%
	3	Barrack/armed forces housing	3	0.09%	20%
	4	Educational institution	2	0.06%	13.33%
		Total	15	0.44%	100%
Missing	7	DON'T KNOW	0	0%	
	8	REFUSED/MISSING	0	0%	
	9	INAPP	3379	99.56%	
		Total	3,379	99.56%	

Valid	Invalid	Minimum	Maximum
15	3379	1	4

RA1PF1A - OS-Other Spanish origin

Type	Code
RA1PF1A	Are you of Spanish, Hispanic or Latino descent, that is, Mexican, Mexican American, Chicano, Puerto Rican, Cuban or some other Spanish origin?
Notes	Root variable: RA1PF1

			Frequency	% of total	% of valid
Valid	1	Dominican	5	0.15%	6.58%
	2	Columbian	4	0.12%	5.26%
	3	Hispanic	19	0.56%	25%
	4	Spanish	13	0.38%	17.11%
	5	Portuguese	3	0.09%	3.95%
	6	El Salvador	2	0.06%	2.63%
	7	Brazilian	3	0.09%	3.95%
	8	Ecuadorian	2	0.06%	2.63%
	9	Latino	4	0.12%	5.26%
	10	South American	2	0.06%	2.63%
	11	Central American	4	0.12%	5.26%
	12	Other	9	0.27%	11.84%
	13	Mixed racial origins	6	0.18%	7.89%
		Total	76	2.24%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	1	0.03%	
	99	INAPP	3317	97.73%	

		Total		3,318	97.76%	

Valid	Invalid	Minimum	Maximum
76	3318	1	13

RA1PF2A - OS-Other main ethnic background or origins #1

Type	Code
RA1PF2A	(In addition to being American) What is your main ethnic background or origins?
ForwardSkip	IF RA1PF2A = DK OR REFUSED, GO TO RA1PF4.
Notes	Root variable: RA1PF2A
InterviewerInstruction	[INTERVIEWER: YOU MAY ENTER UP TO 3 GROUPS.]

	Frequency	% of total	% of valid

Valid	1	Denmark	25	0.74%	5.09%
	2	American/United States	56	1.65%	11.41%
	3	African American	21	0.62%	4.28%
	4	Caucasian	18	0.53%	3.67%
	5	Netherland	44	1.3%	8.96%
	6	Great Britain	38	1.12%	7.74%
	7	Native American	27	0.8%	5.5%
	8	Scandinavian	15	0.44%	3.05%
	9	European	69	2.03%	14.05%
	10	Switzerland	24	0.71%	4.89%
	11	Finland	11	0.32%	2.24%
	12	Asian	8	0.24%	1.63%
	13	Other	50	1.47%	10.18%
	14	Ukraine	9	0.27%	1.83%
	15	Not specified	1	0.03%	0.2%
	16	Germany	6	0.18%	1.22%
	17	Lithuania	10	0.29%	2.04%
	18	Jewish	6	0.18%	1.22%
	19	Wales	16	0.47%	3.26%
	20	Belgium	6	0.18%	1.22%
	21	Austria	11	0.32%	2.24%
	22	French Canadian	4	0.12%	0.81%
	23	Hungary	2	0.06%	0.41%
	24	Ireland	5	0.15%	1.02%
	25	Pacific Islander	1	0.03%	0.2%
	26	Slovakia	3	0.09%	0.61%
	27	Middle Eastern	1	0.03%	0.2%
	28	Spain	1	0.03%	0.2%
	29	Bermuda	1	0.03%	0.2%
	30	Scotland	1	0.03%	0.2%
	31	France	1	0.03%	0.2%
	32	England	0	0%	0%
		Total	491	14.47%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	2903	85.53%	
		Total	2,903	85.53%	

Valid	Invalid	Minimum	Maximum
491	2903	1	31

RA1PF2B - OS-Other main ethnic background or origins #2

Type	Code
RA1PF2B	(In addition to being American) What is your main ethnic background or origins?
ForwardSkip	IF RA1PF2A = DK OR REFUSED, GO TO RA1PF4.
Notes	Root variable: RA1PF2B
InterviewerInstruction	[INTERVIEWER: YOU MAY ENTER UP TO 3 GROUPS.]

			Frequency	% of total	% of valid
Valid	1	Denmark	4	0.12%	7.27%
	2	American/United States	1	0.03%	1.82%
	3	African American	1	0.03%	1.82%
	4	Caucasian	3	0.09%	5.45%
	5	Netherland	12	0.35%	21.82%
	6	Great Britain	2	0.06%	3.64%
	7	Native American	2	0.06%	3.64%
	8	Scandinavian	1	0.03%	1.82%
	9	European	6	0.18%	10.91%
	10	Switzerland	1	0.03%	1.82%
	11	Finland	0	0%	0%
	12	Asian	3	0.09%	5.45%
	13	Other	1	0.03%	1.82%
	14	Ukraine	0	0%	0%
	15	Not specified	0	0%	0%
	16	Germany	1	0.03%	1.82%
	17	Lithuania	1	0.03%	1.82%
	18	Jewish	1	0.03%	1.82%
	19	Wales	4	0.12%	7.27%
	20	Belgium	0	0%	0%
	21	Austria	3	0.09%	5.45%
	22	French Canadian	2	0.06%	3.64%
	23	Hungary	0	0%	0%
	24	Ireland	1	0.03%	1.82%
	25	Pacific Islander	0	0%	0%
	26	Slovakia	0	0%	0%
	27	Middle Eastern	1	0.03%	1.82%
	28	Spain	0	0%	0%
	29	Bermuda	0	0%	0%
	30	Scotland	1	0.03%	1.82%
	31	France	1	0.03%	1.82%
	32	England	2	0.06%	3.64%
		Total	55	1.62%	100%

Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3339	98.38%	
		Total	3,339	98.38%	

Valid	Invalid	Minimum	Maximum
55	3339	1	32

RA1PF2C - OS-Other main ethnic background or origins #3

Type	Code
RA1PF2C	(In addition to being American) What is your main ethnic background or origins?
ForwardSkip	IF RA1PF2A = DK OR REFUSED, GO TO RA1PF4.
Notes	Root variable: RA1PF2C
InterviewerInstruction	[INTERVIEWER: YOU MAY ENTER UP TO 3 GROUPS.]

	Frequency	% of total	% of valid

Valid	1	Denmark	0	0%	0%
	2	American/United States	0	0%	0%
	3	African American	0	0%	0%
	4	Caucasian	0	0%	0%
	5	Netherland	2	0.06%	33.33%
	6	Great Britain	0	0%	0%
	7	Native American	2	0.06%	33.33%
	8	Scandinavian	1	0.03%	16.67%
	9	European	0	0%	0%
	10	Switzerland	0	0%	0%
	11	Finland	0	0%	0%
	12	Asian	0	0%	0%
	13	Other	0	0%	0%
	14	Ukraine	0	0%	0%
	15	Not specified	0	0%	0%
	16	Germany	0	0%	0%
	17	Lithuania	0	0%	0%
	18	Jewish	0	0%	0%
	19	Wales	0	0%	0%
	20	Belgium	0	0%	0%
	21	Austria	0	0%	0%
	22	French Canadian	0	0%	0%
	23	Hungary	0	0%	0%
	24	Ireland	0	0%	0%
	25	Pacific Islander	0	0%	0%
	26	Slovakia	0	0%	0%
	27	Middle Eastern	0	0%	0%
	28	Spain	0	0%	0%
	29	Bermuda	0	0%	0%
	30	Scotland	0	0%	0%
	31	France	0	0%	0%
	32	England	1	0.03%	16.67%
		Total	6	0.18%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3388	99.82%	
		Total	3,388	99.82%	

Valid	Invalid	Minimum	Maximum
6	3388	5	32

🗃️ RA1PF2D - OS-Other main ethnic background or origins #4

Type	Code
RA1PF2D	(In addition to being American) What is your main ethnic background or origins?
ForwardSkip	IF RA1PF2A = DK OR REFUSED, GO TO RA1PF4.
Notes	Root variable: RA1PF2C
InterviewerInstruction	[INTERVIEWER: YOU MAY ENTER UP TO 3 GROUPS.]

			Frequency	% of total	% of valid
Valid	1	Denmark	0	0%	0%
	2	American/United States	0	0%	0%
	3	African American	0	0%	0%
	4	Caucasian	0	0%	0%
	5	Netherland	0	0%	0%
	6	Great Britain	1	0.03%	50%
	7	Native American	0	0%	0%
	8	Scandinavian	0	0%	0%
	9	European	0	0%	0%
	10	Switzerland	0	0%	0%
	11	Finland	0	0%	0%
	12	Asian	0	0%	0%
	13	Other	0	0%	0%
	14	Ukraine	0	0%	0%
	15	Not specified	0	0%	0%
	16	Germany	0	0%	0%
	17	Lithuania	0	0%	0%
	18	Jewish	0	0%	0%
	19	Wales	1	0.03%	50%
	20	Belgium	0	0%	0%
	21	Austria	0	0%	0%
	22	French Canadian	0	0%	0%
	23	Hungary	0	0%	0%
	24	Ireland	0	0%	0%
	25	Pacific Islander	0	0%	0%
	26	Slovakia	0	0%	0%
	27	Middle Eastern	0	0%	0%
	28	Spain	0	0%	0%
	29	Bermuda	0	0%	0%
	30	Scotland	0	0%	0%
	31	France	0	0%	0%
	32	England	0	0%	0%
		Total	2	0.06%	100%

Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3392	99.94%	
		Total		3,392	99.94%	

Valid	Invalid	Minimum	Maximum
2	3392	6	19

RA1PF2E - OS-Other main ethnic background or origins #5

Type	Code
RA1PF2E	(In addition to being American) What is your main ethnic background or origins?
ForwardSkip	IF RA1PF2A = DK OR REFUSED, GO TO RA1PF4.
Notes	Root variable: RA1PF2C
InterviewerInstruction	[INTERVIEWER: YOU MAY ENTER UP TO 3 GROUPS.]

	Frequency	% of total	% of valid

Valid	1	Denmark	0	0%	0%
	2	American/United States	0	0%	0%
	3	African American	0	0%	0%
	4	Caucasian	0	0%	0%
	5	Netherland	0	0%	0%
	6	Great Britain	0	0%	0%
	7	Native American	0	0%	0%
	8	Scandinavian	0	0%	0%
	9	European	1	0.03%	100%
	10	Switzerland	0	0%	0%
	11	Finland	0	0%	0%
	12	Asian	0	0%	0%
	13	Other	0	0%	0%
	14	Ukraine	0	0%	0%
	15	Not specified	0	0%	0%
	16	Germany	0	0%	0%
	17	Lithuania	0	0%	0%
	18	Jewish	0	0%	0%
	19	Wales	0	0%	0%
	20	Belgium	0	0%	0%
	21	Austria	0	0%	0%
	22	French Canadian	0	0%	0%
	23	Hungary	0	0%	0%
	24	Ireland	0	0%	0%
	25	Pacific Islander	0	0%	0%
	26	Slovakia	0	0%	0%
	27	Middle Eastern	0	0%	0%
	28	Spain	0	0%	0%
	29	Bermuda	0	0%	0%
	30	Scotland	0	0%	0%
	31	France	0	0%	0%
	32	England	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	9	9

RA1PF2F - OS-Other main ethnic background or origins #6

Type	Code
RA1PF2F	(In addition to being American) What is your main ethnic background or origins?
ForwardSkip	IF RA1PF2A = DK OR REFUSED, GO TO RA1PF4.
Notes	Root variable: RA1PF2C
InterviewerInstruction	[INTERVIEWER: YOU MAY ENTER UP TO 3 GROUPS.]

			Frequency	% of total	% of valid
Valid	1	Denmark	0	0%	0%
	2	American/United States	0	0%	0%
	3	African American	0	0%	0%
	4	Caucasian	0	0%	0%
	5	Netherland	0	0%	0%
	6	Great Britain	0	0%	0%
	7	Native American	0	0%	0%
	8	Scandinavian	0	0%	0%
	9	European	0	0%	0%
	10	Switzerland	0	0%	0%
	11	Finland	0	0%	0%
	12	Asian	0	0%	0%
	13	Other	0	0%	0%
	14	Ukraine	0	0%	0%
	15	Not specified	0	0%	0%
	16	Germany	0	0%	0%
	17	Lithuania	0	0%	0%
	18	Jewish	0	0%	0%
	19	Wales	0	0%	0%
	20	Belgium	0	0%	0%
	21	Austria	1	0.03%	100%
	22	French Canadian	0	0%	0%
	23	Hungary	0	0%	0%
	24	Ireland	0	0%	0%
	25	Pacific Islander	0	0%	0%
	26	Slovakia	0	0%	0%
	27	Middle Eastern	0	0%	0%
	28	Spain	0	0%	0%
	29	Bermuda	0	0%	0%
	30	Scotland	0	0%	0%
	31	France	0	0%	0%
	32	England	0	0%	0%
		Total	1	0.03%	100%

Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	21	21

RA1PF3A - OS-Other which best describes background or origins

Type	Code
RA1PF3A	Which group best describes your background or origins?
BackwardSkip	(RA1PF2A = DK OR REFUSED) OR (RA1PF2B = DK OR REFUSED)
Notes	Root variable: RA1PF3

			Frequency	% of total	% of valid
Valid	1	All equally together	49	1.44%	60.49%
	2	England	2	0.06%	2.47%
	3	Jewish	3	0.09%	3.7%
	4	American	11	0.32%	13.58%
	5	Scandinavian	2	0.06%	2.47%
	6	White	3	0.09%	3.7%
	7	Swiss	1	0.03%	1.23%
	8	Ireland	2	0.06%	2.47%
	9	French Canadian	2	0.06%	2.47%
	10	African American	1	0.03%	1.23%
	11	European	2	0.06%	2.47%
	12	Other	3	0.09%	3.7%
		Total	81	2.39%	100%
Missing	97	DON'T KNOW	1	0.03%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3312	97.58%	
		Total	3,313	97.61%	

Valid	Invalid	Minimum	Maximum
81	3313	1	12

RA1PF7A - OS-Other main racial origins

Type	Code
RA1PF7A	What are your main racial origins - that is, what race or races are your parents, grandparents, and other ancestors?

ForwardSkip	IF RA1PF7A = REFUSED, GO TO RA1PF9.
Notes	Root variable: RA1PF7A
InterviewerInstruction	[INTERVIEWER: ENTER ALL THAT APPLY.]

			Frequency	% of total	% of valid
Valid	1	White	130	3.83%	47.27%
	2	Black/African American	2	0.06%	0.73%
	3	Native American or Alaska Native	4	0.12%	1.45%
	4	Asian	16	0.47%	5.82%
	5	Native Hawaiian or Pacific Islander	0	0%	0%
	6	Other	20	0.59%	7.27%
	7	Hispanic/Latino	79	2.33%	28.73%
	8	Mixed race	24	0.71%	8.73%
		Total	275	8.1%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	2	0.06%	
	99	INAPP	3117	91.84%	
		Total	3,119	91.9%	

Valid	Invalid	Minimum	Maximum
275	3119	1	8

🔧 RA1PF8A - OS-Other which best describes racial background

Type	Code
RA1PF8A	Which do you feel best describes your racial background? White, Black or African American, American Indian or Alaska Native, Asian, or Native Hawaiian or Pacific Islander?
BackwardSkip	(RA1PF7A = REFUSED)
Notes	Root variable: RA1PF8A
InterviewerInstruction	[INTERVIEWER: ENTER ALL THAT APPLY.]

	Frequency	% of total	% of valid

Valid	1	White	6	0.18%	30%
	2	Black/African American	2	0.06%	10%
	3	Native American or Alaska Native	2	0.06%	10%
	4	Asian	0	0%	0%
	5	Native Hawaiian or Pacific Islander	0	0%	0%
	6	Other	2	0.06%	10%
	7	Hispanic/Latino	1	0.03%	5%
	8	Mixed race	7	0.21%	35%
		Total	20	0.59%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3374	99.41%	
		Total	3,374	99.41%	

Valid	Invalid	Minimum	Maximum
20	3374	1	8

RA1PF12BA - OS-Country of citizenship

Type	Code
RA1PF12BA	In what country do you have citizenship?
BackwardSkip	(RA1PF12 = YES)
Notes	Root variable: RA1PF12B

			Frequency	% of total	% of valid
Valid	1	Canada	4	0.12%	6.9%
	2	Argentina	2	0.06%	3.45%
	3	India	10	0.29%	17.24%
	4	China	5	0.15%	8.62%
	5	Mexico	5	0.15%	8.62%
	6	Jamaica	3	0.09%	5.17%
	7	Japan	2	0.06%	3.45%
	8	El Salvador	2	0.06%	3.45%
	9	United Kingdom	5	0.15%	8.62%
	10	Have no citizenship	2	0.06%	3.45%
	11	Other	18	0.53%	31.03%
		Total	58	1.71%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3336	98.29%	

		Total		3,336	98.29%	

Valid	Invalid	Minimum	Maximum
58	3336	1	11

RA1SA14OA - OS-Vitamin, mineral, or herbal supplements you take regularly #1

Type	Code
RA1SA14OA	Please check below any of the following vitamin, mineral, or herbal supplements you take regularly-that is, at least a couple of times a week?
Notes	Root variable: RA1SA14O

			Frequency	% of total	% of valid
Valid	1	Magnesium	33	0.97%	4.56%
	2	Folic Acid	8	0.24%	1.1%
	3	Vitamin D	228	6.72%	31.49%
	4	Melatonin	7	0.21%	0.97%
	5	Potassium	15	0.44%	2.07%
	6	Pre-natal vitamins	9	0.27%	1.24%
	7	Vitamin E	16	0.47%	2.21%
	8	Niacin	11	0.32%	1.52%
	9	Probiotic	21	0.62%	2.9%
	10	Vitamin B/B-12/B complex	120	3.54%	16.57%
	11	CoQ10	41	1.21%	5.66%
	12	Other	184	5.42%	25.41%
	13	Zinc	3	0.09%	0.41%
	14	Cinnamon	9	0.27%	1.24%
	15	Red yeast rice	4	0.12%	0.55%
	16	Biotin	12	0.35%	1.66%
	17	Lutein	3	0.09%	0.41%
		Total	724	21.33%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	2670	78.67%	
		Total	2,670	78.67%	

Valid	Invalid	Minimum	Maximum
724	2670	1	17

RA1SA14OB - OS-Vitamin, mineral, or herbal supplements you take regularly #2

Type	Code
RA1SA14OB	Please check below any of the following vitamin, mineral, or herbal supplements you take regularly-that is, at least a couple of times a week?
Notes	Root variable: RA1SA14O

			Frequency	% of total	% of valid
Valid	1	Magnesium	8	0.24%	4.6%
	2	Folic Acid	2	0.06%	1.15%
	3	Vitamin D	55	1.62%	31.61%
	4	Melatonin	0	0%	0%
	5	Potassium	5	0.15%	2.87%
	6	Pre-natal vitamins	1	0.03%	0.57%
	7	Vitamin E	19	0.56%	10.92%
	8	Niacin	10	0.29%	5.75%
	9	Probiotic	5	0.15%	2.87%
	10	Vitamin B/B-12/B complex	29	0.85%	16.67%
	11	CoQ10	6	0.18%	3.45%
	12	Other	17	0.5%	9.77%
	13	Zinc	2	0.06%	1.15%
	14	Cinnamon	2	0.06%	1.15%
	15	Red yeast rice	5	0.15%	2.87%
	16	Biotin	5	0.15%	2.87%
	17	Lutein	3	0.09%	1.72%
		Total	174	5.13%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3220	94.87%	
		Total	3,220	94.87%	

Valid	Invalid	Minimum	Maximum
174	3220	1	17

RA1SA14OC - OS-Vitamin, mineral, or herbal supplements you take regularly #3

Type	Code

RA1SA14OC	Please check below any of the following vitamin, mineral, or herbal supplements you take regularly-that is, at least a couple of times a week?
Notes	Root variable: RA1SA14O

			Frequency	% of total	% of valid
Valid	1	Magnesium	1	0.03%	2.33%
	2	Folic Acid	0	0%	0%
	3	Vitamin D	14	0.41%	32.56%
	4	Melatonin	1	0.03%	2.33%
	5	Potassium	2	0.06%	4.65%
	6	Pre-natal vitamins	0	0%	0%
	7	Vitamin E	7	0.21%	16.28%
	8	Niacin	1	0.03%	2.33%
	9	Probiotic	1	0.03%	2.33%
	10	Vitamin B/B-12/B complex	4	0.12%	9.3%
	11	CoQ10	2	0.06%	4.65%
	12	Other	5	0.15%	11.63%
	13	Zinc	3	0.09%	6.98%
	14	Cinnamon	1	0.03%	2.33%
	15	Red yeast rice	1	0.03%	2.33%
	16	Biotin	0	0%	0%
	17	Lutein	0	0%	0%
		Total	43	1.27%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3351	98.73%	
		Total	3,351	98.73%	

Valid	Invalid	Minimum	Maximum
43	3351	1	15

RA1SA14OD - OS-Vitamin, mineral, or herbal supplements you take regularly #4

Type	Code
RA1SA14OD	Please check below any of the following vitamin, mineral, or herbal supplements you take regularly-that is, at least a couple of times a week?
Notes	Root variable: RA1SA14O

	Frequency	% of total	% of valid

Valid	1	Magnesium		0	0%	0%
	2	Folic Acid		0	0%	0%
	3	Vitamin D		4	0.12%	30.77%
	4	Melatonin		1	0.03%	7.69%
	5	Potassium		1	0.03%	7.69%
	6	Pre-natal vitamins		0	0%	0%
	7	Vitamin E		2	0.06%	15.38%
	8	Niacin		0	0%	0%
	9	Probiotic		0	0%	0%
	10	Vitamin B/B-12/B complex		1	0.03%	7.69%
	11	CoQ10		0	0%	0%
	12	Other		0	0%	0%
	13	Zinc		1	0.03%	7.69%
	14	Cinnamon		0	0%	0%
	15	Red yeast rice		0	0%	0%
	16	Biotin		0	0%	0%
	17	Lutein		3	0.09%	23.08%
		Total		13	0.38%	100%
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3381	99.62%	
		Total		3,381	99.62%	

Valid	Invalid	Minimum	Maximum
13	3381	3	17

🎨 RA1SA14OE - OS-Vitamin, mineral, or herbal supplements you take regularly #5

Type	Code
RA1SA14OE	Please check below any of the following vitamin, mineral, or herbal supplements you take regularly-that is, at least a couple of times a week?
Notes	Root variable: RA1SA14O

	Frequency	% of total	% of valid

Valid	1	Magnesium	0	0%	0%
	2	Folic Acid	0	0%	0%
	3	Vitamin D	1	0.03%	25%
	4	Melatonin	0	0%	0%
	5	Potassium	0	0%	0%
	6	Pre-natal vitamins	0	0%	0%
	7	Vitamin E	2	0.06%	50%
	8	Niacin	0	0%	0%
	9	Probiotic	0	0%	0%
	10	Vitamin B/B-12/B complex	0	0%	0%
	11	CoQ10	0	0%	0%
	12	Other	1	0.03%	25%
	13	Zinc	0	0%	0%
	14	Cinnamon	0	0%	0%
	15	Red yeast rice	0	0%	0%
	16	Biotin	0	0%	0%
	17	Lutein	0	0%	0%
		Total	4	0.12%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3390	99.88%	
		Total	3,390	99.88%	

Valid	Invalid	Minimum	Maximum
4	3390	3	12

RA1SA17IA - OS-Location where pain primarily located #1

Type	Code
RA1SA17IA	Where is your pain primarily located?
BackwardSkip	(RA1SA15 = NO)
Notes	Root variable: RA1SA17I

	Frequency	% of total	% of valid

Valid	1	Chest	6	0.18%	8.7%
	2	Abdomen	12	0.35%	17.39%
	3	Ankle	4	0.12%	5.8%
	4	Spine	5	0.15%	7.25%
	5	Other	8	0.24%	11.59%
	6	Ribs	3	0.09%	4.35%
	7	Wrist	2	0.06%	2.9%
	8	Toe	2	0.06%	2.9%
	9	Leg	2	0.06%	2.9%
	10	Pelvis	1	0.03%	1.45%
	11	Jaw	1	0.03%	1.45%
	12	Rectum	3	0.09%	4.35%
	13	Lungs	1	0.03%	1.45%
	14	Joint	4	0.12%	5.8%
	15	Groin	1	0.03%	1.45%
	16	Tail bone	1	0.03%	1.45%
	17	Bone spur	1	0.03%	1.45%
	18	Shoulder	1	0.03%	1.45%
	19	Finger	1	0.03%	1.45%
	20	Teeth	1	0.03%	1.45%
	21	Hip	1	0.03%	1.45%
	22	Stomach	2	0.06%	2.9%
	23	Eye	3	0.09%	4.35%
	24	Intestine	1	0.03%	1.45%
	25	Ear	0	0%	0%
	26	Kidney	1	0.03%	1.45%
	27	Face	1	0.03%	1.45%
		Total	69	2.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3325	97.97%	
		Total	3,325	97.97%	

Valid	Invalid	Minimum	Maximum
69	3325	1	27

🗒️ RA1SA17IB - OS-Location where pain primarily located #2

Type	Code
RA1SA17IB	Where is your pain primarily located?
BackwardSkip	(RA1SA15 = NO)
Notes	Root variable: RA1SA17I

			Frequency	% of total	% of valid
Valid	1	Chest	0	0%	0%
	2	Abdomen	0	0%	0%
	3	Ankle	1	0.03%	16.67%
	4	Spine	0	0%	0%
	5	Other	0	0%	0%
	6	Ribs	0	0%	0%
	7	Wrist	0	0%	0%
	8	Toe	0	0%	0%
	9	Leg	1	0.03%	16.67%
	10	Pelvis	0	0%	0%
	11	Jaw	0	0%	0%
	12	Rectum	0	0%	0%
	13	Lungs	0	0%	0%
	14	Joint	0	0%	0%
	15	Groin	0	0%	0%
	16	Tail bone	0	0%	0%
	17	Bone spur	0	0%	0%
	18	Shoulder	0	0%	0%
	19	Finger	0	0%	0%
	20	Teeth	0	0%	0%
	21	Hip	1	0.03%	16.67%
	22	Stomach	0	0%	0%
	23	Eye	0	0%	0%
	24	Intestine	2	0.06%	33.33%
	25	Ear	1	0.03%	16.67%
	26	Kidney	0	0%	0%
	27	Face	0	0%	0%
		Total	6	0.18%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3388	99.82%	
		Total	3,388	99.82%	

Valid	Invalid	Minimum	Maximum
6	3388	3	25

RA1SA17IC - OS-Location where pain primarily located #3

Type	Code
RA1SA17IC	Where is your pain primarily located?
BackwardSkip	(RA1SA15 = NO)

Notes			Root variable: RA1SA17I			

			Frequency	% of total	% of valid
Valid	1	Chest	0	0%	0%
	2	Abdomen	0	0%	0%
	3	Ankle	0	0%	0%
	4	Spine	0	0%	0%
	5	Other	0	0%	0%
	6	Ribs	0	0%	0%
	7	Wrist	0	0%	0%
	8	Toe	0	0%	0%
	9	Leg	0	0%	0%
	10	Pelvis	0	0%	0%
	11	Jaw	0	0%	0%
	12	Rectum	0	0%	0%
	13	Lungs	0	0%	0%
	14	Joint	0	0%	0%
	15	Groin	0	0%	0%
	16	Tail bone	0	0%	0%
	17	Bone spur	0	0%	0%
	18	Shoulder	0	0%	0%
	19	Finger	0	0%	0%
	20	Teeth	0	0%	0%
	21	Hip	0	0%	0%
	22	Stomach	2	0.06%	100%
	23	Eye	0	0%	0%
	24	Intestine	0	0%	0%
	25	Ear	0	0%	0%
	26	Kidney	0	0%	0%
	27	Face	0	0%	0%
		Total	2	0.06%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3392	99.94%	
		Total	3,392	99.94%	

Valid	Invalid	Minimum	Maximum
2	3392	22	22

RA1SA19A - OE-Diagnosis given by physician or other health care professional about pain #1

Type	Code
RA1SA19A	What was the diagnosis?
BackwardSkip	(RA1SA15 = NO) OR (`RA1PA18 = NO)
Notes	Root variable: RA1PAA1

			Frequency	% of total	% of valid
Valid	1	Fibromyalgia	10	0.29%	1.46%
	2	Migraine/headache	10	0.29%	1.46%
	3	Back/spine/disc/Scoliosis/rib	161	4.74%	23.47%
	4	Carpal Tunnel Syndrome	6	0.18%	0.87%
	5	Bone spur	4	0.12%	0.58%
	6	Injury from accident	7	0.21%	1.02%
	7	Other	118	3.48%	17.2%
	8	Not diagnosed	6	0.18%	0.87%
	9	Hip problem/Sciatica	36	1.06%	5.25%
	10	Other muscle problem	27	0.8%	3.94%
	11	Other knee problem	43	1.27%	6.27%
	12	Plantar Fasciitis/foot/ankle problem	36	1.06%	5.25%
	13	Arthritis	148	4.36%	21.57%
	14	Other joint problem/gout	17	0.5%	2.48%
	15	Neck/shoulder problem	16	0.47%	2.33%
	16	Nerve problem	36	1.06%	5.25%
	17	Cervical problem	5	0.15%	0.73%
		Total	686	20.21%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	2708	79.79%	
		Total	2,708	79.79%	

Valid	Invalid	Minimum	Maximum
686	2708	1	17

🖼 RA1SA19B - OE-Diagnosis given by physician or other health care professional about pain #2

Type	Code
RA1SA19B	What was the diagnosis?
BackwardSkip	(RA1SA15 = NO) OR (`RA1PA18 = NO)
Notes	Root variable: RA1SA19

	Frequency	% of total	% of valid

Valid	1	Fibromyalgia	1	0.03%	0.54%
	2	Migraine/headache	0	0%	0%
	3	Back/spine/disc/Scoliosis/rib	39	1.15%	20.97%
	4	Carpal Tunnel Syndrome	2	0.06%	1.08%
	5	Bone spur	4	0.12%	2.15%
	6	Injury from accident	0	0%	0%
	7	Other	4	0.12%	2.15%
	8	Not diagnosed	0	0%	0%
	9	Hip problem/Sciatica	1	0.03%	0.54%
	10	Other muscle problem	2	0.06%	1.08%
	11	Other knee problem	13	0.38%	6.99%
	12	Plantar Fasciitis/foot/ankle problem	11	0.32%	5.91%
	13	Arthritis	71	2.09%	38.17%
	14	Other joint problem/gout	4	0.12%	2.15%
	15	Neck/shoulder problem	15	0.44%	8.06%
	16	Nerve problem	17	0.5%	9.14%
	17	Cervical problem	2	0.06%	1.08%
		Total	186	5.48%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3208	94.52%	
		Total	3,208	94.52%	

Valid	Invalid	Minimum	Maximum
186	3208	1	17

RA1SA19C - OE-Diagnosis given by physician or other health care professional about pain #3

Type	Code
RA1SA19C	What was the diagnosis?
BackwardSkip	(RA1SA15 = NO) OR (`RA1PA18 = NO)
Notes	Root variable: RA1SA19

	Frequency	% of total	% of valid

Valid	1	Fibromyalgia	2	0.06%	3.7%
	2	Migraine/headache	0	0%	0%
	3	Back/spine/disc/Scoliosis/rib	10	0.29%	18.52%
	4	Carpal Tunnel Syndrome	0	0%	0%
	5	Bone spur	0	0%	0%
	6	Injury from accident	0	0%	0%
	7	Other	1	0.03%	1.85%
	8	Not diagnosed	0	0%	0%
	9	Hip problem/Sciatica	0	0%	0%
	10	Other muscle problem	0	0%	0%
	11	Other knee problem	6	0.18%	11.11%
	12	Plantar Fasciitis/foot/ankle problem	0	0%	0%
	13	Arthritis	18	0.53%	33.33%
	14	Other joint problem/gout	0	0%	0%
	15	Neck/shoulder problem	11	0.32%	20.37%
	16	Nerve problem	4	0.12%	7.41%
	17	Cervical problem	2	0.06%	3.7%
		Total	54	1.59%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3340	98.41%	
		Total	3,340	98.41%	

Valid	Invalid	Minimum	Maximum
54	3340	1	17

RA1SA19D - OE-Diagnosis given by physician or other health care professional about pain #4

Type	Code
RA1SA19D	What was the diagnosis?
BackwardSkip	(RA1SA15 = NO) OR (`RA1PA18 = NO)
Notes	Root variable: RA1SA19

	Frequency	% of total	% of valid

Valid	1	Fibromyalgia	0	0%	0%
	2	Migraine/headache	0	0%	0%
	3	Back/spine/disc/Scoliosis/rib	1	0.03%	7.14%
	4	Carpal Tunnel Syndrome	0	0%	0%
	5	Bone spur	0	0%	0%
	6	Injury from accident	0	0%	0%
	7	Other	2	0.06%	14.29%
	8	Not diagnosed	0	0%	0%
	9	Hip problem/Sciatica	4	0.12%	28.57%
	10	Other muscle problem	0	0%	0%
	11	Other knee problem	2	0.06%	14.29%
	12	Plantar Fasciitis/foot/ankle problem	1	0.03%	7.14%
	13	Arthritis	0	0%	0%
	14	Other joint problem/gout	0	0%	0%
	15	Neck/shoulder problem	1	0.03%	7.14%
	16	Nerve problem	3	0.09%	21.43%
	17	Cervical problem	0	0%	0%
		Total	14	0.41%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3380	99.59%	
		Total	3,380	99.59%	

Valid	Invalid	Minimum	Maximum
14	3380	3	16

RA1SA19E - OE-Diagnosis given by physician or other health care professional about pain #5

Type	Code
RA1SA19E	What was the diagnosis?
BackwardSkip	(RA1SA15 = NO) OR (`RA1PA18 = NO)
Notes	Root variable: RA1SA19

	Frequency	% of total	% of valid

Valid	1	Fibromyalgia	0	0%	0%
	2	Migraine/headache	0	0%	0%
	3	Back/spine/disc/Scoliosis/rib	0	0%	0%
	4	Carpal Tunnel Syndrome	0	0%	0%
	5	Bone spur	0	0%	0%
	6	Injury from accident	0	0%	0%
	7	Other	0	0%	0%
	8	Not diagnosed	0	0%	0%
	9	Hip problem/Sciatica	1	0.03%	50%
	10	Other muscle problem	0	0%	0%
	11	Other knee problem	0	0%	0%
	12	Plantar Fasciitis/foot/ankle problem	1	0.03%	50%
	13	Arthritis	0	0%	0%
	14	Other joint problem/gout	0	0%	0%
	15	Neck/shoulder problem	0	0%	0%
	16	Nerve problem	0	0%	0%
	17	Cervical problem	0	0%	0%
		Total	2	0.06%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3392	99.94%	
		Total	3,392	99.94%	

Valid	Invalid	Minimum	Maximum
2	3392	9	12

RA1SA39ACA - OS-Reason for losing 10 pounds or more during the past 12 months #1

Type	Code
RA1SA39ACA	Why did you lose 10 pounds or more during the past 12 months? Because of SOME OTHER REASON. PLEASE SPECIFY?
BackwardSkip	(RA1PA39 = NO)
Notes	Root variable: RA1SA39AC

	Frequency	% of total	% of valid

Valid	1	Child birth	23	0.68%	18.4%
	2	Stress	14	0.41%	11.2%
	3	Workout	9	0.27%	7.2%
	4	Depression	3	0.09%	2.4%
	5	Other	13	0.38%	10.4%
	6	Stressful life event	5	0.15%	4%
	7	Gastric bypass	2	0.06%	1.6%
	8	Work/job	9	0.27%	7.2%
	9	Surgery/disease	16	0.47%	12.8%
	10	Medication	3	0.09%	2.4%
	11	Changed eating habit	11	0.32%	8.8%
	12	Eat special product	2	0.06%	1.6%
	13	Weight fluctuation	3	0.09%	2.4%
	14	Improved health condition	2	0.06%	1.6%
	15	Death	10	0.29%	8%
		Total	125	3.68%	100%
Missing	97	DON'T KNOW	4	0.12%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3265	96.2%	
		Total	3,269	96.32%	

Valid	Invalid	Minimum	Maximum
125	3269	1	15

RA1SA39ACB - OS-Reason for losing 10 pounds or more during the past 12 months #2

Type	Code
RA1SA39ACB	Why did you lose 10 pounds or more during the past 12 months? Because of SOME OTHER REASON. PLEASE SPECIFY?
BackwardSkip	(RA1PA39 = NO)
Notes	Root variable: RA1SA39AC

	Frequency	% of total	% of valid

Valid	1	Child birth	0	0%	0%
	2	Stress	0	0%	0%
	3	Workout	0	0%	0%
	4	Depression	0	0%	0%
	5	Other	1	0.03%	20%
	6	Stressful life event	2	0.06%	40%
	7	Gastric bypass	0	0%	0%
	8	Work/job	0	0%	0%
	9	Surgery/disease	1	0.03%	20%
	10	Medication	0	0%	0%
	11	Changed eating habit	1	0.03%	20%
	12	Eat special product	0	0%	0%
	13	Weight fluctuation	0	0%	0%
	14	Improved health condition	0	0%	0%
	15	Death	0	0%	0%
		Total	5	0.15%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3389	99.85%	
		Total	3,389	99.85%	

Valid	Invalid	Minimum	Maximum
5	3389	5	11

RA1SA44GA - OS-Place when sick or need advice about health #1

Type	Code
RA1SA44GA	Where do you usually go if you are sick or need advice about your health - SOME OTHER KIND OF PLACE. PLEASE SPECIFY?
Notes	Root variable: RA1SA44G

	Frequency	% of total	% of valid

Valid	1	Chiropractor	14	0.41%	8.43%
	2	Acupuncturist	2	0.06%	1.2%
	3	Family doctor/specialty doctor	15	0.44%	9.04%
	4	Military hospital	7	0.21%	4.22%
	5	University health center	8	0.24%	4.82%
	6	Web MD/Internet	24	0.71%	14.46%
	7	Veteran's hospital	29	0.85%	17.47%
	8	Drug store/pharmacy	3	0.09%	1.81%
	9	Family/friend who is a doctor/nurse	13	0.38%	7.83%
	10	Holistic doctor	3	0.09%	1.81%
	11	Naturopathic doctor	6	0.18%	3.61%
	12	Obstetrician/gynecologist	2	0.06%	1.2%
	13	Urgent care center	2	0.06%	1.2%
	14	Free clinic/family health center	4	0.12%	2.41%
	15	Myself	4	0.12%	2.41%
	16	Wellness center/kinesiologist	2	0.06%	1.2%
	17	Other	11	0.32%	6.63%
	18	Clinic/health center	10	0.29%	6.02%
	19	Nutritionist/healthy food store	1	0.03%	0.6%
	20	Nurse/other non-doctor practitioner	6	0.18%	3.61%
		Total	166	4.89%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3228	95.11%	
		Total	3,228	95.11%	

Valid	Invalid	Minimum	Maximum
166	3228	1	20

RA1SA44GB - OS-Place when sick or need advice about health #2

Type	Code
RA1SA44GB	Where do you usually go if you are sick or need advice about your health - SOME OTHER KIND OF PLACE. PLEASE SPECIFY?
Notes	Root variable: RA1SA44G

	Frequency	% of total	% of valid

Valid	1	Chiropractor	1	0.03%	5.26%
	2	Acupuncturist	2	0.06%	10.53%
	3	Family doctor/specialty doctor	5	0.15%	26.32%
	4	Military hospital	0	0%	0%
	5	University health center	0	0%	0%
	6	Web MD/Internet	1	0.03%	5.26%
	7	Veteran's hospital	0	0%	0%
	8	Drug store/pharmacy	1	0.03%	5.26%
	9	Family/friend who is a doctor/nurse	3	0.09%	15.79%
	10	Holistic doctor	0	0%	0%
	11	Naturopathic doctor	2	0.06%	10.53%
	12	Obstetrician/gynecologist	0	0%	0%
	13	Urgent care center	0	0%	0%
	14	Free clinic/family health center	0	0%	0%
	15	Myself	2	0.06%	10.53%
	16	Wellness center/kinesiologist	1	0.03%	5.26%
	17	Other	0	0%	0%
	18	Clinic/health center	0	0%	0%
	19	Nutritionist/healthy food store	1	0.03%	5.26%
	20	Nurse/other non-doctor practitioner	0	0%	0%
		Total	19	0.56%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3375	99.44%	
		Total	3,375	99.44%	

Valid	Invalid	Minimum	Maximum
19	3375	1	19

RA1SA44GC - OS-Place when sick or need advice about health #3

Type	Code
RA1SA44GC	Where do you usually go if you are sick or need advice about your health - SOME OTHER KIND OF PLACE. PLEASE SPECIFY?
Notes	Root variable: RA1SA44G

	Frequency	% of total	% of valid

				Frequency	% of total	% of valid
Valid	1	Chiropractor		0	0%	0%
	2	Acupuncturist		0	0%	0%
	3	Family doctor/specialty doctor		0	0%	0%
	4	Military hospital		0	0%	0%
	5	University health center		0	0%	0%
	6	Web MD/Internet		1	0.03%	100%
	7	Veteran's hospital		0	0%	0%
	8	Drug store/pharmacy		0	0%	0%
	9	Family/friend who is a doctor/nurse		0	0%	0%
	10	Holistic doctor		0	0%	0%
	11	Naturopathic doctor		0	0%	0%
	12	Obstetrician/gynecologist		0	0%	0%
	13	Urgent care center		0	0%	0%
	14	Free clinic/family health center		0	0%	0%
	15	Myself		0	0%	0%
	16	Wellness center/kinesiologist		0	0%	0%
	17	Other		0	0%	0%
	18	Clinic/health center		0	0%	0%
	19	Nutritionist/healthy food store		0	0%	0%
	20	Nurse/other non-doctor practitioner		0	0%	0%
		Total		1	0.03%	100%
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3393	99.97%	
		Total		3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	6	6

🖼 RA1SA45A - OS-Of those places you selected to go when you are sick or need advice about health, which place do you go most often #1

Type	Code
RA1SA45A	Of those you selected above, which place do you go most often?
PreQuestionText	Where do you usually go if you are sick or need advice about your health?
Notes	Root variable: RA1SA45

	Frequency	% of total	% of valid

Valid	1	Family doctor/specialty doctor	14	0.41%	13.08%
	2	Chiropractor	12	0.35%	11.21%
	3	Acupuncturist	1	0.03%	0.93%
	4	Web MD/Internet	9	0.27%	8.41%
	5	University health center	7	0.21%	6.54%
	6	Military hospital	7	0.21%	6.54%
	7	Drug store	3	0.09%	2.8%
	8	Veteran's hospital	25	0.74%	23.36%
	9	Family who is a doctor/nurse	4	0.12%	3.74%
	10	Holistic doctor	3	0.09%	2.8%
	11	Naturopathic doctor	2	0.06%	1.87%
	12	Free clinic/family health center	3	0.09%	2.8%
	13	Nurse/other non-doctor practitioner	2	0.06%	1.87%
	14	Wellness center/kinesiologist	1	0.03%	0.93%
	15	Urgent care center	2	0.06%	1.87%
	16	Other	5	0.15%	4.67%
	17	Clinic/health center	4	0.12%	3.74%
	18	Myself	3	0.09%	2.8%
		Total	107	3.15%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3287	96.85%	
		Total	3,287	96.85%	

Valid	Invalid	Minimum	Maximum
107	3287	1	18

🗒 RA1SA45B - OS-Of those places you selected to go when you are sick or need advice about health, which place do you go most often #2

Type	Code
RA1SA45B	Of those you selected above, which place do you go most often?
PreQuestionText	Where do you usually go if you are sick or need advice about your health?
Notes	Root variable: RA1SA45

	Frequency	% of total	% of valid

Valid	1	Family doctor/specialty doctor	0	0%	0%
	2	Chiropractor	0	0%	0%
	3	Acupuncturist	2	0.06%	40%
	4	Web MD/Internet	0	0%	0%
	5	University health center	0	0%	0%
	6	Military hospital	0	0%	0%
	7	Drug store	0	0%	0%
	8	Veteran's hospital	0	0%	0%
	9	Family who is a doctor/nurse	1	0.03%	20%
	10	Holistic doctor	0	0%	0%
	11	Naturopathic doctor	1	0.03%	20%
	12	Free clinic/family health center	0	0%	0%
	13	Nurse/other non-doctor practitioner	0	0%	0%
	14	Wellness center/kinesiologist	1	0.03%	20%
	15	Urgent care center	0	0%	0%
	16	Other	0	0%	0%
	17	Clinic/health center	0	0%	0%
	18	Myself	0	0%	0%
		Total	5	0.15%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3389	99.85%	
		Total	3,389	99.85%	

Valid	Invalid	Minimum	Maximum
5	3389	3	14

🔖 RA1SA46GA - OS-Nontraditional health practitioner for health care #1

Type	Code
RA1SA46GA	Who do you see for health care - HOMEOPATHIC, ALTERNATIVE, COMPLEMENTARY, OR OTHER NONTRADITIONAL HEALTH PRACTITIONER. PLEASE SPECIFY?
Notes	Root variable: RA1SA46G

	Frequency	% of total	% of valid

Valid	1	Chiropractor	1	0.03%	1.02%
	2	Massage therapist	16	0.47%	16.33%
	3	Acupuncturist	14	0.41%	14.29%
	4	Naturopathic doctor	11	0.32%	11.22%
	5	Homeopathic doctor	6	0.18%	6.12%
	6	Herbalist	2	0.06%	2.04%
	7	Osteopathic doctor	2	0.06%	2.04%
	8	Kinesiologist	2	0.06%	2.04%
	9	Holistic doctor	8	0.24%	8.16%
	10	Veteran's hospital	5	0.15%	5.1%
	11	Nurse/other non-doctor practitioner	8	0.24%	8.16%
	12	Family doctor/specialty doctor	7	0.21%	7.14%
	13	Other	10	0.29%	10.2%
	14	Oncologist	3	0.09%	3.06%
	15	Cardiologist	3	0.09%	3.06%
		Total	98	2.89%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3296	97.11%	
		Total	3,296	97.11%	

Valid	Invalid	Minimum	Maximum
98	3296	1	15

RA1SA46GB - OS-Nontraditional health practitioner for health care #2

Type	Code
RA1SA46GB	Who do you see for health care - HOMEOPATHIC, ALTERNATIVE, COMPLEMENTARY, OR OTHER NONTRADITIONAL HEALTH PRACTITIONER. PLEASE SPECIFY?
Notes	Root variable: RA1SA46G

	Frequency	% of total	% of valid

Valid	1	Chiropractor	1	0.03%	8.33%
	2	Massage therapist	2	0.06%	16.67%
	3	Acupuncturist	3	0.09%	25%
	4	Naturopathic doctor	3	0.09%	25%
	5	Homeopathic doctor	1	0.03%	8.33%
	6	Herbalist	0	0%	0%
	7	Osteopathic doctor	2	0.06%	16.67%
	8	Kinesiologist	0	0%	0%
	9	Holistic doctor	0	0%	0%
	10	Veteran's hospital	0	0%	0%
	11	Nurse/other non-doctor practitioner	0	0%	0%
	12	Family doctor/specialty doctor	0	0%	0%
	13	Other	0	0%	0%
	14	Oncologist	0	0%	0%
	15	Cardiologist	0	0%	0%
		Total	12	0.35%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3382	99.65%	
		Total	3,382	99.65%	

Valid	Invalid	Minimum	Maximum
12	3382	1	7

RA1SA46GC - OS-Nontraditional health practitioner for health care #3

Type	Code
RA1SA46GC	Who do you see for health care - HOMEOPATHIC, ALTERNATIVE, COMPLEMENTARY, OR OTHER NONTRADITIONAL HEALTH PRACTITIONER. PLEASE SPECIFY?
Notes	Root variable: RA1SA46G

	Frequency	% of total	% of valid

Valid	1	Chiropractor	0	0%	0%
	2	Massage therapist	1	0.03%	33.33%
	3	Acupuncturist	0	0%	0%
	4	Naturopathic doctor	1	0.03%	33.33%
	5	Homeopathic doctor	0	0%	0%
	6	Herbalist	0	0%	0%
	7	Osteopathic doctor	0	0%	0%
	8	Kinesiologist	0	0%	0%
	9	Holistic doctor	0	0%	0%
	10	Veteran's hospital	0	0%	0%
	11	Nurse/other non-doctor practitioner	0	0%	0%
	12	Family doctor/specialty doctor	1	0.03%	33.33%
	13	Other	0	0%	0%
		Total	3	0.09%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3391	99.91%	
		Total	3,391	99.91%	

Valid	Invalid	Minimum	Maximum
3	3391	2	12

RA1SA46HA - OS-Explain about the situation that you have no one in particular for health care #1

Type	Code
RA1SA46HA	Who do you see for health care - NO ONE IN PARTICULAR. PLEASE SPECIFY?
Notes	Root variable: RA1SA46H

	Frequency	% of total	% of valid

Valid	1	No insurance	11	0.32%	10.09%
	2	Don't/rarely go to doctor	19	0.56%	17.43%
	3	Don't have doctor	9	0.27%	8.26%
	4	Didn't need to see doctor	4	0.12%	3.67%
	5	Emergency room	4	0.12%	3.67%
	6	Cannot afford	4	0.12%	3.67%
	7	Treat/search myself	7	0.21%	6.42%
	8	Whoever available/cheapest	4	0.12%	3.67%
	9	Military clinic	2	0.06%	1.83%
	10	Clinic	4	0.12%	3.67%
	11	Depends on situation	4	0.12%	3.67%
	12	Urgent care center	5	0.15%	4.59%
	13	Other	5	0.15%	4.59%
	14	Other doctor/specialty doctor	20	0.59%	18.35%
	15	Veteran's hospital	7	0.21%	6.42%
		Total	109	3.21%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	1	0.03%	
	99	INAPP	3284	96.76%	
		Total	3,285	96.79%	

Valid	Invalid	Minimum	Maximum
109	3285	1	15

RA1SA46HB - OS-Explain about the situation that you have no one in particular for health care #2

Type	Code
RA1SA46HB	Who do you see for health care - NO ONE IN PARTICULAR. PLEASE SPECIFY?
Notes	Root variable: RA1SA46H

	Frequency	% of total	% of valid

Valid	1	No insurance	1	0.03%	20%
	2	Don't/rarely go to doctor	1	0.03%	20%
	3	Don't have doctor	0	0%	0%
	4	Didn't need to see doctor	0	0%	0%
	5	Emergency room	0	0%	0%
	6	Cannot afford	1	0.03%	20%
	7	Treat/search myself	0	0%	0%
	8	Whoever available/cheapest	0	0%	0%
	9	Military clinic	0	0%	0%
	10	Clinic	0	0%	0%
	11	Depends on situation	0	0%	0%
	12	Urgent care center	0	0%	0%
	13	Other	2	0.06%	40%
	14	Other doctor/specialty doctor	0	0%	0%
		Total	5	0.15%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3389	99.85%	
		Total	3,389	99.85%	

Valid	Invalid	Minimum	Maximum
5	3389	1	13

🗺️ RA1SA47A - OS-Nontraditional health practitioner go most often and no one in particular go most often #1

Type	Code
RA1SA47A	Of those you selected above, which one do you see most often?
PreQuestionText	Who do you see for health care?
Notes	Root variable: RA1SA47

	Frequency	% of total	% of valid

Valid	1	Other	12	0.35%	8.89%
	2	Don't/rarely go to doctor	20	0.59%	14.81%
	3	Massage	9	0.27%	6.67%
	4	Naturopathy	6	0.18%	4.44%
	5	Veteran's hospital	9	0.27%	6.67%
	6	Alternative	2	0.06%	1.48%
	7	Cannot afford	3	0.09%	2.22%
	8	No insurance	6	0.18%	4.44%
	9	Whoever available	4	0.12%	2.96%
	10	Acupuncturist	6	0.18%	4.44%
	11	Don't have doctor	5	0.15%	3.7%
	12	Clinic/hospital	5	0.15%	3.7%
	13	Urgent care	2	0.06%	1.48%
	14	Didn't need to see doctor	6	0.18%	4.44%
	15	Other doctor/specialty doctor	23	0.68%	17.04%
	16	Family doctor/generalist	3	0.09%	2.22%
	17	Nurse/other non-doctor practitioner	4	0.12%	2.96%
	18	Emergency room	2	0.06%	1.48%
	19	Search myself/internet	5	0.15%	3.7%
	20	All the same/don't see one more than other	2	0.06%	1.48%
	21	Depends on situation	1	0.03%	0.74%
		Total	135	3.98%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3259	96.02%	
		Total	3,259	96.02%	

Valid	Invalid	Minimum	Maximum
135	3259	1	21

📊 RA1SA47B - OS-Nontraditional health practitioner go most often and no one in particular go most often #2

Type	Code
RA1SA47B	Of those you selected above, which one do you see most often?
PreQuestionText	Who do you see for health care?
Notes	Root variable: RA1SA47

	Frequency	% of total	% of valid

Valid	1	Other	1	0.03%	33.33%
	2	Don't/rarely go to doctor	0	0%	0%
	3	Massage	0	0%	0%
	4	Naturopathy	0	0%	0%
	5	Veteran's hospital	0	0%	0%
	6	Alternative	1	0.03%	33.33%
	7	Cannot afford	0	0%	0%
	8	No insurance	0	0%	0%
	9	Whoever available	0	0%	0%
	10	Acupuncturist	0	0%	0%
	11	Don't have doctor	0	0%	0%
	12	Clinic/hospital	0	0%	0%
	13	Urgent care	0	0%	0%
	14	Didn't need to see doctor	0	0%	0%
	15	Other doctor/specialty doctor	0	0%	0%
	16	Family doctor/generalist	1	0.03%	33.33%
	17	Nurse/other non-doctor practitioner	0	0%	0%
	18	Emergency room	0	0%	0%
	19	Search myself/internet	0	0%	0%
	20	All the same/don't see one more than other	0	0%	0%
	21	Depends on situation	0	0%	0%
		Total	3	0.09%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3391	99.91%	
		Total	3,391	99.91%	

Valid	Invalid	Minimum	Maximum
3	3391	1	16

RA1SA51KA - OS-Self-help, mutual help, or support group #1

Type	Code
RA1SA51KA	Self-help groups are groups organized and run by people who get together on the basis of a common experience or goal to mutually help or support one another. Please check whether you ever attended one of these meetings and if so, indicate the age you first attended and how many times you attended in the past 12 months. - ANY OTHER SELF-HELP GROUP, MUTUAL HELP GROUP, OR SUPPORT GROUP? PLEASE ENTER THE NAME(S) OF THE GROUP(S).
ForwardSkip	IF RA1SA51K = YES, GO TO RA1SA51KY AND RA1SA51KZ. IF RA1SA51K = NO OR REFUSED, GO TO RA1SA52A.

Notes	Root variable: RA1SA51K

			Frequency	% of total	% of valid
Valid	1	Weight watchers	10	0.29%	8.93%
	2	Bible study/Christian group	19	0.56%	16.96%
	3	Veteran support group	4	0.12%	3.57%
	4	Divorce care group	5	0.15%	4.46%
	5	Marriage enrichment group	2	0.06%	1.79%
	6	Codependence anonymous	4	0.12%	3.57%
	7	Celebrate recovery	2	0.06%	1.79%
	8	Job searching group	3	0.09%	2.68%
	9	Other	12	0.35%	10.71%
	10	Emotion/depression related group	7	0.21%	6.25%
	11	Friendship skill/networking group	5	0.15%	4.46%
	12	Group for kids	2	0.06%	1.79%
	13	Personal growth group	6	0.18%	5.36%
	14	Mother's group	3	0.09%	2.68%
	15	Women/wife group	6	0.18%	5.36%
	16	Addiction recovery group	8	0.24%	7.14%
	17	Disease related group	14	0.41%	12.5%
		Total	112	3.3%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3282	96.7%	
		Total	3,282	96.7%	

Valid	Invalid	Minimum	Maximum
112	3282	1	17

🗒️ RA1SA51KB - OS-Self-help, mutual help, or support group #2

Type	Code
RA1SA51KB	Self-help groups are groups organized and run by people who get together on the basis of a common experience or goal to mutually help or support one another. Please check whether you ever attended one of these meetings and if so, indicate the age you first attended and how many times you attended in the past 12 months. - ANY OTHER SELF-HELP GROUP, MUTUAL HELP GROUP, OR SUPPORT GROUP? PLEASE ENTER THE NAME(S) OF THE GROUP(S).
ForwardSkip	IF RA1SA51K = YES, GO TO RA1SA51KY AND RA1SA51KZ. IF RA1SA51K = NO OR REFUSED, GO TO RA1SA52A.
Notes	Root variable: RA1SA51K

			Frequency	% of total	% of valid
Valid	1	Weight watchers	0	0%	0%
	2	Bible study/Christian group	1	0.03%	25%
	3	Veteran support group	0	0%	0%
	4	Divorce care group	0	0%	0%
	5	Marriage enrichment group	0	0%	0%
	6	Codependence anonymous	0	0%	0%
	7	Celebrate recovery	0	0%	0%
	8	Job searching group	0	0%	0%
	9	Other	0	0%	0%
	10	Emotion/depression related group	0	0%	0%
	11	Friendship skill/networking group	2	0.06%	50%
	12	Group for kids	0	0%	0%
	13	Personal growth group	0	0%	0%
	14	Mother's group	0	0%	0%
	15	Women/wife group	0	0%	0%
	16	Addiction recovery group	1	0.03%	25%
	17	Disease related group	0	0%	0%
		Total	4	0.12%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3390	99.88%	
		Total	3,390	99.88%	

Valid	Invalid	Minimum	Maximum
4	3390	2	16

RA1SA52SA - OS-Nontraditional remedy or therapy #1

Type	Code
RA1SA52SA	In the past 12 months, either to treat a physical health problem, to treat an emotional or personal problem, to maintain or enhance your wellness, or to prevent the onset of illness, how often did you use - ANY OTHER NON-TRADITIONAL REMEDY OR THERAPY?
Notes	Root variable: RA1SA52S

	Frequency	% of total	% of valid

Valid	1	Spiritual practice/Reiki	5	0.15%	8.47%
	2	Essential oil	3	0.09%	5.08%
	3	Prayer/church	6	0.18%	10.17%
	4	Exercise or movement therapy	7	0.21%	11.86%
	5	Special diet	6	0.18%	10.17%
	6	Vitamins	1	0.03%	1.69%
	7	Aromatherapy	3	0.09%	5.08%
	8	Herbal therapy	1	0.03%	1.69%
	9	Pet therapy	1	0.03%	1.69%
	10	Music/television	3	0.09%	5.08%
	11	Laser treatment for skin	1	0.03%	1.69%
	12	Muscle related therapy	1	0.03%	1.69%
	13	Allergy treatment/NAET	2	0.06%	3.39%
	14	Meditation technique	1	0.03%	1.69%
	15	Colon therapy	1	0.03%	1.69%
	16	Craniosacral therapy	1	0.03%	1.69%
	17	Other	10	0.29%	16.95%
	18	Artwork	2	0.06%	3.39%
	19	Bone related therapy	2	0.06%	3.39%
	20	Marijuana	2	0.06%	3.39%
		Total	59	1.74%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3335	98.26%	
		Total	3,335	98.26%	

Valid	Invalid	Minimum	Maximum
59	3335	1	20

RA1SA52SB - OS-Nontraditional remedy or therapy #2

Type	Code
RA1SA52SB	In the past 12 months, either to treat a physical health problem, to treat an emotional or personal problem, to maintain or enhance your wellness, or to prevent the onset of illness, how often did you use - ANY OTHER NON-TRADITIONAL REMEDY OR THERAPY?
Notes	Root variable: RA1SA52S

	Frequency	% of total	% of valid

Valid	1	Spiritual practice/Reiki	0	0%	0%
	2	Essential oil	0	0%	0%
	3	Prayer/church	0	0%	0%
	4	Exercise or movement therapy	0	0%	0%
	5	Special diet	0	0%	0%
	6	Vitamins	1	0.03%	25%
	7	Aromatherapy	0	0%	0%
	8	Herbal therapy	2	0.06%	50%
	9	Pet therapy	0	0%	0%
	10	Music/television	0	0%	0%
	11	Laser treatment for skin	0	0%	0%
	12	Muscle related therapy	1	0.03%	25%
	13	Allergy treatment/NAET	0	0%	0%
	14	Meditation technique	0	0%	0%
	15	Colon therapy	0	0%	0%
	16	Craniosacral therapy	0	0%	0%
		Total	4	0.12%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3390	99.88%	
		Total	3,390	99.88%	

Valid	Invalid	Minimum	Maximum
4	3390	6	12

🔖 RA1SB8A1A - OE-Name of the birth control and the dosage starting with the most recent #1

Type	Code
RA1SB8A1A	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT).
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB8A2 = NO AND RA1SB8A3 = NO)
Notes	Root variable: RA1SB8A1

	Frequency	% of total	% of valid

				Frequency	% of total	% of valid
Valid	1	Yaz		14	0.41%	4.55%
	2	Yasmin		10	0.29%	3.25%
	3	IUD		14	0.41%	4.55%
	4	Depo-Provera		35	1.03%	11.36%
	5	Loestrin		16	0.47%	5.19%
	6	Other		118	3.48%	38.31%
	7	Ortho-Novum		40	1.18%	12.99%
	8	Tri-Sprintec		7	0.21%	2.27%
	9	Ortho Tri-Cyclen		36	1.06%	11.69%
	10	Lo/Ovral		11	0.32%	3.57%
	11	NuvaRing		7	0.21%	2.27%
		Total		308	9.07%	100%
Missing	97	DON'T KNOW		437	12.88%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		2649	78.05%	
		Total		3,086	90.93%	

Valid	Invalid	Minimum	Maximum
308	3086	1	11

RA1SB8A1B - OE-Name of the birth control and the dosage starting with the most recent #2

Type	Code
RA1SB8A1B	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT).
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB8A2 = NO AND RA1SB8A3 = NO)
Notes	Root variable: RA1SB8A1

	Frequency	% of total	% of valid

Valid	1	Yaz	5	0.15%	8.47%
	2	Yasmin	1	0.03%	1.69%
	3	IUD	14	0.41%	23.73%
	4	Depo-Provera	2	0.06%	3.39%
	5	Loestrin	1	0.03%	1.69%
	6	Other	6	0.18%	10.17%
	7	Ortho-Novum	7	0.21%	11.86%
	8	Tri-Sprintec	2	0.06%	3.39%
	9	Ortho Tri-Cyclen	12	0.35%	20.34%
	10	Lo/Ovral	1	0.03%	1.69%
	11	NuvaRing	8	0.24%	13.56%
		Total	59	1.74%	100%
Missing	97	DON'T KNOW	23	0.68%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3312	97.58%	
		Total	3,335	98.26%	

Valid	Invalid	Minimum	Maximum
59	3335	1	11

RA1SB8A1C - OE-Name of the birth control and the dosage starting with the most recent #3

Type	Code
RA1SB8A1C	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT).
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB8A2 = NO AND RA1SB8A3 = NO)
Notes	Root variable: RA1SB8A1

	Frequency	% of total	% of valid

				Frequency	% of total	% of valid
Valid	1	Yaz		1	0.03%	7.14%
	2	Yasmin		1	0.03%	7.14%
	3	IUD		0	0%	0%
	4	Depo-Provera		2	0.06%	14.29%
	5	Loestrin		0	0%	0%
	6	Other		2	0.06%	14.29%
	7	Ortho-Novum		1	0.03%	7.14%
	8	Tri-Sprintec		1	0.03%	7.14%
	9	Ortho Tri-Cyclen		4	0.12%	28.57%
	10	Lo/Ovral		0	0%	0%
	11	NuvaRing		2	0.06%	14.29%
		Total		14	0.41%	100%
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3380	99.59%	
		Total		3,380	99.59%	

Valid	Invalid	Minimum	Maximum
14	3380	1	11

RA1SB8A1D - OE-Name of the birth control and the dosage starting with the most recent #4

Type	Code
RA1SB8A1D	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT).
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB8A2 = NO AND RA1SB8A3 = NO)
Notes	Root variable: RA1SB8A1

	Frequency	% of total	% of valid

Valid	1	Yaz	0	0%	0%
	2	Yasmin	1	0.03%	14.29%
	3	IUD	0	0%	0%
	4	Depo-Provera	1	0.03%	14.29%
	5	Loestrin	0	0%	0%
	6	Other	0	0%	0%
	7	Ortho-Novum	0	0%	0%
	8	Tri-Sprintec	1	0.03%	14.29%
	9	Ortho Tri-Cyclen	1	0.03%	14.29%
	10	Lo/Ovral	0	0%	0%
	11	NuvaRing	3	0.09%	42.86%
		Total	7	0.21%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3387	99.79%	
		Total	3,387	99.79%	

Valid	Invalid	Minimum	Maximum
7	3387	2	11

RA1SB8A1E - OE-Name of the birth control and the dosage starting with the most recent #5

Type	Code
RA1SB8A1E	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT).
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB8A2 = NO AND RA1SB8A3 = NO)
Notes	Root variable: RA1SB8A1

	Frequency	% of total	% of valid

				Frequency	% of total	% of valid
Valid	1	Yaz		0	0%	0%
	2	Yasmin		0	0%	0%
	3	IUD		0	0%	0%
	4	Depo-Provera		0	0%	0%
	5	Loestrin		0	0%	0%
	6	Other		0	0%	0%
	7	Ortho-Novum		1	0.03%	50%
	8	Tri-Sprintec		0	0%	0%
	9	Ortho Tri-Cyclen		1	0.03%	50%
	10	Lo/Ovral		0	0%	0%
	11	NuvaRing		0	0%	0%
		Total		2	0.06%	100%
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3392	99.94%	
		Total		3,392	99.94%	

Valid	Invalid	Minimum	Maximum
2	3392	7	9

RA1SB8A1F - OE-Name of the birth control and the dosage starting with the most recent #6

Type	Code
RA1SB8A1F	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT).
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB8A2 = NO AND RA1SB8A3 = NO)
Notes	Root variable: RA1SB8A1

	Frequency	% of total	% of valid

Valid	1	Yaz	0	0%	0%
	2	Yasmin	0	0%	0%
	3	IUD	0	0%	0%
	4	Depo-Provera	0	0%	0%
	5	Loestrin	0	0%	0%
	6	Other	0	0%	0%
	7	Ortho-Novum	0	0%	0%
	8	Tri-Sprintec	0	0%	0%
	9	Ortho Tri-Cyclen	0	0%	0%
	10	Lo/Ovral	0	0%	0%
	11	NuvaRing	1	0.03%	100%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	11	11

RA1SB8B1A - OE-Name of the fertility drug and the dosage starting with the most recent #1

Type	Code
RA1SB8B1A	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FERTILITY DRUGS?
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB8B2 = NO AND RA1SB8B3 = NO)
Notes	Root variable: RA1SB8B1

	Frequency	% of total	% of valid

Valid	1	Clomid	24	0.71%	52.17%
	2	Lupron	2	0.06%	4.35%
	3	Gonal-F	3	0.09%	6.52%
	4	Estradiol	0	0%	0%
	5	HCG	4	0.12%	8.7%
	6	Progesterone	2	0.06%	4.35%
	7	Follistim	2	0.06%	4.35%
	8	Other	4	0.12%	8.7%
	9	Ovidrel	3	0.09%	6.52%
	10	Fertinex	0	0%	0%
	11	Pergonal	2	0.06%	4.35%
		Total	46	1.36%	100%
Missing	97	DON'T KNOW	18	0.53%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3330	98.11%	
		Total	3,348	98.64%	

Valid	Invalid	Minimum	Maximum
46	3348	1	11

RA1SB8B1B - OE-Name of the fertility drug and the dosage starting with the most recent #2

Type	Code
RA1SB8B1B	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FERTILITY DRUGS?
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB8B2 = NO AND RA1SB8B3 = NO)
Notes	Root variable: RA1SB8B1

	Frequency	% of total	% of valid

Valid	1	Clomid	7	0.21%	41.18%
	2	Lupron	0	0%	0%
	3	Gonal-F	1	0.03%	5.88%
	4	Estradiol	1	0.03%	5.88%
	5	HCG	0	0%	0%
	6	Progesterone	2	0.06%	11.76%
	7	Follistim	0	0%	0%
	8	Other	4	0.12%	23.53%
	9	Ovidrel	1	0.03%	5.88%
	10	Fertinex	1	0.03%	5.88%
	11	Pergonal	0	0%	0%
		Total	17	0.5%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3377	99.5%	
		Total	3,377	99.5%	

Valid	Invalid	Minimum	Maximum
17	3377	1	10

RA1SB8B1C - OE-Name of the fertility drug and the dosage starting with the most recent #3

Type	Code
RA1SB8B1C	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FERTILITY DRUGS?
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB8B2 = NO AND RA1SB8B3 = NO)
Notes	Root variable: RA1SB8B1

	Frequency	% of total	% of valid

				Frequency	% of total	% of valid
Valid	1	Clomid		2	0.06%	25%
	2	Lupron		1	0.03%	12.5%
	3	Gonal-F		0	0%	0%
	4	Estradiol		1	0.03%	12.5%
	5	HCG		0	0%	0%
	6	Progesterone		2	0.06%	25%
	7	Follistim		0	0%	0%
	8	Other		1	0.03%	12.5%
	9	Ovidrel		0	0%	0%
	10	Fertinex		1	0.03%	12.5%
	11	Pergonal		0	0%	0%
		Total		8	0.24%	100%
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3386	99.76%	
		Total		3,386	99.76%	

Valid	Invalid	Minimum	Maximum
8	3386	1	10

RA1SB8B1D - OE-Name of the fertility drug and the dosage starting with the most recent #4

Type	Code
RA1SB8B1D	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FERTILITY DRUGS?
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB8B2 = NO AND RA1SB8B3 = NO)
Notes	Root variable: RA1SB8B1

	Frequency	% of total	% of valid

Valid	1	Clomid		0	0%	0%
	2	Lupron		1	0.03%	100%
	3	Gonal-F		0	0%	0%
	4	Estradiol		0	0%	0%
	5	HCG		0	0%	0%
	6	Progesterone		0	0%	0%
	7	Follistim		0	0%	0%
	8	Other		0	0%	0%
	9	Ovidrel		0	0%	0%
	10	Fertinex		0	0%	0%
	11	Pergonal		0	0%	0%
		Total		1	0.03%	100%
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3393	99.97%	
		Total		3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	2	2

RA1SB8C1A - OE-Name of the female hormone and the dosage starting with the most recent #1

Type	Code
RA1SB8C1A	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FEMALE HORMONES?
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB8C2 = NO AND RA1SB8C3 = NO)
Notes	Root variable: RA1SB8C1

	Frequency	% of total	% of valid

Valid	1	Premarin	65	1.92%	26.86%
	2	Lupron	3	0.09%	1.24%
	3	Testosterone	3	0.09%	1.24%
	4	Estrogen patch	13	0.38%	5.37%
	5	Progesterone cream	5	0.15%	2.07%
	6	Estrace cream	2	0.06%	0.83%
	7	Provera	2	0.06%	0.83%
	8	Estradiol	28	0.82%	11.57%
	9	Other	34	1%	14.05%
	10	Enjuvia	2	0.06%	0.83%
	11	Progestin	3	0.09%	1.24%
	12	Progesterone	33	0.97%	13.64%
	13	Estrogen	30	0.88%	12.4%
	14	Progesterone oil injection	2	0.06%	0.83%
	15	Other cream	2	0.06%	0.83%
	16	Estrace	1	0.03%	0.41%
	17	Prempro	14	0.41%	5.79%
		Total	242	7.13%	100%
Missing	97	DON'T KNOW	45	1.33%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3107	91.54%	
		Total	3,152	92.87%	

Valid	Invalid	Minimum	Maximum
242	3152	1	17

🎲 RA1SB8C1B - OE-Name of the female hormone and the dosage starting with the most recent #2

Type	Code
RA1SB8C1B	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FEMALE HORMONES?
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB8C2 = NO AND RA1SB8C3 = NO)
Notes	Root variable: RA1SB8C1

	Frequency	% of total	% of valid

Valid	1	Premarin	1	0.03%	3.03%
	2	Lupron	0	0%	0%
	3	Testosterone	3	0.09%	9.09%
	4	Estrogen patch	2	0.06%	6.06%
	5	Progesterone cream	0	0%	0%
	6	Estrace cream	0	0%	0%
	7	Provera	5	0.15%	15.15%
	8	Estradiol	9	0.27%	27.27%
	9	Other	0	0%	0%
	10	Enjuvia	0	0%	0%
	11	Progestin	0	0%	0%
	12	Progesterone	4	0.12%	12.12%
	13	Estrogen	7	0.21%	21.21%
	14	Progesterone oil injection	0	0%	0%
	15	Other cream	0	0%	0%
	16	Estrace	1	0.03%	3.03%
	17	Prempro	1	0.03%	3.03%
		Total	33	0.97%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3361	99.03%	
		Total	3,361	99.03%	

Valid	Invalid	Minimum	Maximum
33	3361	1	17

RA1SB8C1C - OE-Name of the female hormone and the dosage starting with the most recent #3

Type	Code
RA1SB8C1C	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FEMALE HORMONES?
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB8C2 = NO AND RA1SB8C3 = NO)
Notes	Root variable: RA1SB8C1

	Frequency	% of total	% of valid

			Frequency	% of total	% of valid
Valid	1	Premarin	0	0%	0%
	2	Lupron	0	0%	0%
	3	Testosterone	2	0.06%	28.57%
	4	Estrogen patch	0	0%	0%
	5	Progesterone cream	0	0%	0%
	6	Estrace cream	0	0%	0%
	7	Provera	0	0%	0%
	8	Estradiol	2	0.06%	28.57%
	9	Other	0	0%	0%
	10	Enjuvia	0	0%	0%
	11	Progestin	0	0%	0%
	12	Progesterone	0	0%	0%
	13	Estrogen	3	0.09%	42.86%
	14	Progesterone oil injection	0	0%	0%
	15	Other cream	0	0%	0%
	16	Estrace	0	0%	0%
	17	Prempro	0	0%	0%
		Total	7	0.21%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3387	99.79%	
		Total	3,387	99.79%	

Valid	Invalid	Minimum	Maximum
7	3387	3	13

🏮 RA1SB8C1D - OE-Name of the female hormone and the dosage starting with the most recent #4

Type	Code
RA1SB8C1D	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FEMALE HORMONES?
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB8C2 = NO AND RA1SB8C3 = NO)
Notes	Root variable: RA1SB8C1

	Frequency	% of total	% of valid

Valid	1	Premarin	0	0%	0%
	2	Lupron	0	0%	0%
	3	Testosterone	0	0%	0%
	4	Estrogen patch	0	0%	0%
	5	Progesterone cream	0	0%	0%
	6	Estrace cream	0	0%	0%
	7	Provera	0	0%	0%
	8	Estradiol	0	0%	0%
	9	Other	0	0%	0%
	10	Enjuvia	0	0%	0%
	11	Progestin	0	0%	0%
	12	Progesterone	1	0.03%	100%
	13	Estrogen	0	0%	0%
	14	Progesterone oil injection	0	0%	0%
	15	Other cream	0	0%	0%
	16	Estrace	0	0%	0%
	17	Prempro	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	12	12

RA1SB10A - OE-Specialty of the doctor that prescribed the female hormones #1

Type	Code
RA1SB10A	What was the specialty of the doctor that prescribed the female hormones? (e.g., Generalist, Obstetrician/Gynecologist, Internist)
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB9 = NO)
Notes	Root variable: RA1SB10

			Frequency	% of total	% of valid
Valid	1	Obstetrician/Gynecologist	217	6.39%	70.68%
	2	Other	15	0.44%	4.89%
	3	Fertility specialist	2	0.06%	0.65%
	4	Generalist/family doctor/MD	57	1.68%	18.57%
	5	Reproductive endocrinologist	1	0.03%	0.33%
	6	Internist	15	0.44%	4.89%

		Total	307	9.05%	100%
Missing	7	DON'T KNOW	0	0%	
	8	REFUSED/MISSING	0	0%	
	9	INAPP	3087	90.95%	
		Total	3,087	90.95%	

Valid	Invalid	Minimum	Maximum
307	3087	1	6

RA1SB10B - OE-Specialty of the doctor that prescribed the female hormones #2

Type	Code
RA1SB10B	What was the specialty of the doctor that prescribed the female hormones? (e.g., Generalist, Obstetrician/Gynecologist, Internist)
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB9 = NO)
Notes	Root variable: RA1SB10

			Frequency	% of total	% of valid
Valid	1	Obstetrician/Gynecologist	11	0.32%	84.62%
	2	Other	0	0%	0%
	3	Fertility specialist	0	0%	0%
	4	Generalist/family doctor/MD	0	0%	0%
	5	Reproductive endocrinologist	2	0.06%	15.38%
	6	Internist	0	0%	0%
		Total	13	0.38%	100%
Missing	7	DON'T KNOW	0	0%	
	8	REFUSED/MISSING	0	0%	
	9	INAPP	3381	99.62%	
		Total	3,381	99.62%	

Valid	Invalid	Minimum	Maximum
13	3381	1	5

RA1SB12GA - OS-Reason for beginning take hormones #1

Type	Code
RA1SB12GA	Did you begin taking hormones - BECAUSE OF SOME OTHER REASON?
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB9 = NO)
Notes	Root variable: RA1SB12G

			Frequency	% of total	% of valid
Valid	1	Depression/moodiness	9	0.27%	11.39%
	2	To get/keep pregnancy	5	0.15%	6.33%
	3	Hysterectomy	13	0.38%	16.46%
	4	For birth control	4	0.12%	5.06%
	5	Infertility	2	0.06%	2.53%
	6	Headache	3	0.09%	3.8%
	7	Low/imbalanced hormones	2	0.06%	2.53%
	8	To avoid menopausal symptoms	7	0.21%	8.86%
	9	Weight gain	1	0.03%	1.27%
	10	Low energy	2	0.06%	2.53%
	11	Heavy menstrual	2	0.06%	2.53%
	12	Problems with pregnancy	1	0.03%	1.27%
	13	Preventive purpose	2	0.06%	2.53%
	14	Due to surgery/disease	13	0.38%	16.46%
	15	Lack of sexual desire	1	0.03%	1.27%
	16	Other	3	0.09%	3.8%
	17	MD recommended	7	0.21%	8.86%
	18	Insomnia	2	0.06%	2.53%
		Total	79	2.33%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3315	97.67%	
		Total	3,315	97.67%	

Valid	Invalid	Minimum	Maximum
79	3315	1	18

🎲 RA1SB12GB - OS-Reason for beginning take hormones #2

Type	Code
RA1SB12GB	Did you begin taking hormones - BECAUSE OF SOME OTHER REASON?
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB9 = NO)
Notes	Root variable: RA1SB12G

	Frequency	% of total	% of valid

				Frequency	% of total	% of valid
Valid	1	Depression/moodiness		0	0%	0%
	2	To get/keep pregnancy		0	0%	0%
	3	Hysterectomy		0	0%	0%
	4	For birth control		0	0%	0%
	5	Infertility		0	0%	0%
	6	Headache		0	0%	0%
	7	Low/imbalanced hormones		1	0.03%	33.33%
	8	To avoid menopausal symptoms		0	0%	0%
	9	Weight gain		0	0%	0%
	10	Low energy		0	0%	0%
	11	Heavy menstrual		0	0%	0%
	12	Problems with pregnancy		0	0%	0%
	13	Preventive purpose		2	0.06%	66.67%
	14	Due to surgery/disease		0	0%	0%
	15	Lack of sexual desire		0	0%	0%
	16	Other		0	0%	0%
	17	MD recommended		0	0%	0%
	18	Insomnia		0	0%	0%
		Total		3	0.09%	100%
Missing	97	DON'T KNOW		0	0%	
	98	REFUSED/MISSING		0	0%	
	99	INAPP		3391	99.91%	
		Total		3,391	99.91%	

Valid	Invalid	Minimum	Maximum
3	3391	7	13

🎲 RA1SB16DA - OS-Reason for stopping take female hormones #1

Type	Code
RA1SB16DA	Did you stop taking female hormones because you - HAD ANOTHER REASON?
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB9 = NO) OR (RA1SB14 = NO)
Notes	Root variable: RA1SB16D

	Frequency	% of total	% of valid

				Frequency	% of total	% of valid
Valid	1		Pregnant	6	0.18%	6.98%
	2		Didn't work	3	0.09%	3.49%
	3		Cannot afford it	5	0.15%	5.81%
	4		Mental/mood problem	6	0.18%	6.98%
	5		Side effect	12	0.35%	13.95%
	6		Menopausal	6	0.18%	6.98%
	7		Doctor's advice	19	0.56%	22.09%
	8		Weight gain	1	0.03%	1.16%
	9		Breast related disease	8	0.24%	9.3%
	10		Other	5	0.15%	5.81%
	11		Treatment no longer needed	10	0.29%	11.63%
	12		Received other treatment/surgery	5	0.15%	5.81%
			Total	86	2.53%	100%
Missing	97		DON'T KNOW	0	0%	
	98		REFUSED/MISSING	0	0%	
	99		INAPP	3308	97.47%	
			Total	3,308	97.47%	

Valid	Invalid	Minimum	Maximum
86	3308	1	12

🏗️ RA1SB16DB - OS-Reason for stopping take female hormones #2

Type	Code
RA1SB16DB	Did you stop taking female hormones because you - HAD ANOTHER REASON?
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB9 = NO) OR (RA1SB14 = NO)
Notes	Root variable: RA1SB16D

				Frequency	% of total	% of valid
Valid	1		Pregnant	0	0%	0%
	2		Didn't work	0	0%	0%
	3		Cannot afford it	1	0.03%	100%
	4		Mental/mood problem	0	0%	0%
	5		Side effect	0	0%	0%
	6		Menopausal	0	0%	0%
	7		Doctor's advice	0	0%	0%
	8		Weight gain	0	0%	0%
	9		Breast related disease	0	0%	0%
	10		Other	0	0%	0%
	11		Treatment no longer needed	0	0%	0%
	12		Received other treatment/surgery	0	0%	0%

		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	3	3

🗃️RA1SB20GA - OS-Nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #1

Type	Code
RA1SB20GA	Over the past month, have you regularly taken (at least a couple of times a week) any of the following for menopausal symptoms NUTRITIONAL OR HERBAL SUPPLEMENTS?
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB19 = NO)
Notes	Root variable: RA1SB20G

			Frequency	% of total	% of valid
Valid	1	Estroven	4	0.12%	12.9%
	2	Fish oil	2	0.06%	6.45%
	3	Tea	1	0.03%	3.23%
	4	Juice	1	0.03%	3.23%
	5	DHEA	1	0.03%	3.23%
	6	Hormone cream	1	0.03%	3.23%
	7	Biotin	0	0%	0%
	8	Primrose oil	3	0.09%	9.68%
	9	Vitamin E	1	0.03%	3.23%
	10	Vitamin B	2	0.06%	6.45%
	11	Vitamin D	2	0.06%	6.45%
	12	Multi vitamin	1	0.03%	3.23%
	13	Collagen support	1	0.03%	3.23%
	14	Med for hot flash	2	0.06%	6.45%
	15	Tryptophan	0	0%	0%
	16	Chasteberry	0	0%	0%
	17	Maca	1	0.03%	3.23%
	18	Diphenhydramine	1	0.03%	3.23%
	19	Other	7	0.21%	22.58%
		Total	31	0.91%	100%

Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3363	99.09%	
		Total	3,363	99.09%	

Valid	Invalid	Minimum	Maximum
31	3363	1	19

RA1SB20GB - OS-Nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #2

Type	Code
RA1SB20GB	Over the past month, have you regularly taken (at least a couple of times a week) any of the following for menopausal symptoms NUTRITIONAL OR HERBAL SUPPLEMENTS?
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB19 = NO)
Notes	Root variable: RA1SB20G

			Frequency	% of total	% of valid
Valid	1	Estroven	0	0%	0%
	2	Fish oil	0	0%	0%
	3	Tea	0	0%	0%
	4	Juice	0	0%	0%
	5	DHEA	0	0%	0%
	6	Hormone cream	1	0.03%	14.29%
	7	Biotin	1	0.03%	14.29%
	8	Primrose oil	0	0%	0%
	9	Vitamin E	0	0%	0%
	10	Vitamin B	0	0%	0%
	11	Vitamin D	2	0.06%	28.57%
	12	Multi vitamin	1	0.03%	14.29%
	13	Collagen support	0	0%	0%
	14	Med for hot flash	1	0.03%	14.29%
	15	Tryptophan	0	0%	0%
	16	Chasteberry	1	0.03%	14.29%
	17	Maca	0	0%	0%
	18	Diphenhydramine	0	0%	0%
	19	Other	0	0%	0%
		Total	7	0.21%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3387	99.79%	

		Total	3,387	99.79%	

Valid	Invalid	Minimum	Maximum
7	3387	6	16

🖼 RA1SB20GC - OS-Nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #3

Type	Code
RA1SB20GC	Over the past month, have you regularly taken (at least a couple of times a week) any of the following for menopausal symptoms NUTRITIONAL OR HERBAL SUPPLEMENTS?
BackwardSkip	(RA1PRSEX = MALE) OR (RA1SB19 = NO)
Notes	Root variable: RA1SB20G

			Frequency	% of total	% of valid
Valid	1	Estroven	0	0%	0%
	2	Fish oil	0	0%	0%
	3	Tea	0	0%	0%
	4	Juice	0	0%	0%
	5	DHEA	0	0%	0%
	6	Hormone cream	0	0%	0%
	7	Biotin	0	0%	0%
	8	Primrose oil	0	0%	0%
	9	Vitamin E	0	0%	0%
	10	Vitamin B	0	0%	0%
	11	Vitamin D	0	0%	0%
	12	Multi vitamin	0	0%	0%
	13	Collagen support	0	0%	0%
	14	Med for hot flash	0	0%	0%
	15	Tryptophan	1	0.03%	100%
	16	Chasteberry	0	0%	0%
	17	Maca	0	0%	0%
	18	Diphenhydramine	0	0%	0%
	19	Other	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum

1	3393	15	15

RA1SC2LA - OS-Main reason without healthcare coverage #1

Type	Code
RA1SC2LA	What is/are the main reason(s) you are without healthcare coverage?
BackwardSkip	(RA1SC1 = YES)
ForwardSkip	GO TO RA1SC4.
Notes	Root variable: RA1SC2L

			Frequency	% of total	% of valid
Valid	1	Don't need it	2	0.06%	7.69%
	2	Self-employed	3	0.09%	11.54%
	3	Lost job	2	0.06%	7.69%
	4	Benefit not started yet/will begin soon	3	0.09%	11.54%
	5	Cannot afford it	2	0.06%	7.69%
	6	Discharged from military	4	0.12%	15.38%
	7	In a share/charity program	5	0.15%	19.23%
	8	Disabled	1	0.03%	3.85%
	9	Lost welfare eligibiliy	1	0.03%	3.85%
	10	Work part-time	1	0.03%	3.85%
	11	Job does not offer it	1	0.03%	3.85%
	12	Other	1	0.03%	3.85%
		Total	26	0.77%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3368	99.23%	
		Total	3,368	99.23%	

Valid	Invalid	Minimum	Maximum
26	3368	1	12

RA1SC2LB - OS-Main reason without healthcare coverage #2

Type	Code
RA1SC2LB	What is/are the main reason(s) you are without healthcare coverage?
BackwardSkip	(RA1SC1 = YES)
ForwardSkip	GO TO RA1SC4.
Notes	Root variable: RA1SC2L

			Frequency	% of total	% of valid

Valid	1	Don't need it	0	0%	0%
	2	Self-employed	0	0%	0%
	3	Lost job	0	0%	0%
	4	Benefit not started yet/will begin soon	0	0%	0%
	5	Cannot afford it	1	0.03%	100%
	6	Discharged from military	0	0%	0%
	7	In a share/charity program	0	0%	0%
	8	Disabled	0	0%	0%
	9	Lost welfare eligibiliy	0	0%	0%
	10	Work part-time	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	5	5

RA1SH35A - OE-What were those borrowed funds used for #1

Type	Code
RA1SH35A	What were those borrowed funds used for?
BackwardSkip	(RA1SH34 = NO)
Notes	Root variable: RA1SH35

	Frequency	% of total	% of valid

Valid	1	Pay bills	43	1.27%	24.43%
	2	Home purchase	8	0.24%	4.55%
	3	Pay debt	25	0.74%	14.2%
	4	Living expenses	13	0.38%	7.39%
	5	Car purchase	12	0.35%	6.82%
	6	Tuition	8	0.24%	4.55%
	7	Pay loans	11	0.32%	6.25%
	8	Pay credit card	14	0.41%	7.95%
	9	Other	9	0.27%	5.11%
	10	Personal needs	11	0.32%	6.25%
	11	Vacation	4	0.12%	2.27%
	12	Help/support family/friend	1	0.03%	0.57%
	13	Car repair	4	0.12%	2.27%
	14	Business investment	2	0.06%	1.14%
	15	Medical expenses	3	0.09%	1.7%
	16	Home improvement/repairs	8	0.24%	4.55%
		Total	176	5.19%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3218	94.81%	
		Total	3,218	94.81%	

Valid	Invalid	Minimum	Maximum
176	3218	1	16

🔀 RA1SH35B - OE-What were those borrowed funds used for #2

Type	Code
RA1SH35B	What were those borrowed funds used for?
BackwardSkip	(RA1SH34 = NO)
Notes	Root variable: RA1SH35

	Frequency	% of total	% of valid

Valid	1	Pay bills	2	0.06%	5%
	2	Home purchase	2	0.06%	5%
	3	Pay debt	9	0.27%	22.5%
	4	Living expenses	1	0.03%	2.5%
	5	Car purchase	2	0.06%	5%
	6	Tuition	5	0.15%	12.5%
	7	Pay loans	7	0.21%	17.5%
	8	Pay credit card	2	0.06%	5%
	9	Other	1	0.03%	2.5%
	10	Personal needs	3	0.09%	7.5%
	11	Vacation	0	0%	0%
	12	Help/support family/friend	2	0.06%	5%
	13	Car repair	1	0.03%	2.5%
	14	Business investment	1	0.03%	2.5%
	15	Medical expenses	2	0.06%	5%
	16	Home improvement/repairs	0	0%	0%
		Total	40	1.18%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3354	98.82%	
		Total	3,354	98.82%	

Valid	Invalid	Minimum	Maximum
40	3354	1	15

RA1SH35C - OE-What were those borrowed funds used for #3

Type	Code
RA1SH35C	What were those borrowed funds used for?
BackwardSkip	(RA1SH34 = NO)
Notes	Root variable: RA1SH35

	Frequency	% of total	% of valid

Valid	1	Pay bills	0	0%	0%
	2	Home purchase	1	0.03%	12.5%
	3	Pay debt	3	0.09%	37.5%
	4	Living expenses	1	0.03%	12.5%
	5	Car purchase	1	0.03%	12.5%
	6	Tuition	1	0.03%	12.5%
	7	Pay loans	0	0%	0%
	8	Pay credit card	0	0%	0%
	9	Other	0	0%	0%
	10	Personal needs	0	0%	0%
	11	Vacation	0	0%	0%
	12	Help/support family/friend	0	0%	0%
	13	Car repair	0	0%	0%
	14	Business investment	0	0%	0%
	15	Medical expenses	1	0.03%	12.5%
	16	Home improvement/repairs	0	0%	0%
		Total	8	0.24%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3386	99.76%	
		Total	3,386	99.76%	

Valid	Invalid	Minimum	Maximum
8	3386	2	15

RA1SH35D - OE-What were those borrowed funds used for #4

Type	Code
RA1SH35D	What were those borrowed funds used for?
BackwardSkip	(RA1SH34 = NO)
Notes	Root variable: RA1SH35

	Frequency	% of total	% of valid

Valid	1	Pay bills	0	0%	0%
	2	Home purchase	0	0%	0%
	3	Pay debt	0	0%	0%
	4	Living expenses	0	0%	0%
	5	Car purchase	0	0%	0%
	6	Tuition	0	0%	0%
	7	Pay loans	0	0%	0%
	8	Pay credit card	0	0%	0%
	9	Other	0	0%	0%
	10	Personal needs	0	0%	0%
	11	Vacation	1	0.03%	100%
	12	Help/support family/friend	0	0%	0%
	13	Car repair	0	0%	0%
	14	Business investment	0	0%	0%
	15	Medical expenses	0	0%	0%
	16	Home improvement/repairs	0	0%	0%
		Total	1	0.03%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3393	99.97%	
		Total	3,393	99.97%	

Valid	Invalid	Minimum	Maximum
1	3393	11	11

RA1SH37DA - OS-Spouse/partner's other type of retirement account #1

Type	Code
RA1SH37DA	Think about all of your and your spouse/partner's retirement accounts; approximately what percentage of these investments are in?
Notes	Root variable: RA1SH37D

			Frequency	% of total	% of valid
Valid	1	401K/403B/retirement account	80	2.36%	25.97%
	2	Real estate	33	0.97%	10.71%
	3	Mutual fund/money market	74	2.18%	24.03%
	4	None	8	0.24%	2.6%
	5	Pension/annuity/insurance	58	1.71%	18.83%
	6	Savings/checking account	18	0.53%	5.84%
	7	Other	37	1.09%	12.01%
		Total	308	9.07%	100%

			Frequency	% of total	% of valid
Missing	97	DON'T KNOW	6	0.18%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3080	90.75%	
		Total	3,086	90.93%	

Valid	Invalid	Minimum	Maximum
308	3086	1	7

RA1SH37DB - OS-Spouse/partner's other type of retirement account #2

Type	Code
RA1SH37DB	Think about all of your and your spouse/partner's retirement accounts; approximately what percentage of these investments are in?
Notes	Root variable: RA1SH37D

			Frequency	% of total	% of valid
Valid	1	401K/403B/retirement account	2	0.06%	25%
	2	Real estate	0	0%	0%
	3	Mutual fund/money market	4	0.12%	50%
	4	None	0	0%	0%
	5	Pension/annuity/insurance	2	0.06%	25%
	6	Savings/checking account	0	0%	0%
	7	Other	0	0%	0%
		Total	8	0.24%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3386	99.76%	
		Total	3,386	99.76%	

Valid	Invalid	Minimum	Maximum
8	3386	1	5

RA1SH40A - OS-Primary residence

Type	Code
RA1SH40A	Which of the following best describes your primary residence?
Notes	Root variable: RA1SH40

	Frequency	% of total	% of valid

			Frequency	% of total	% of valid
Valid	1	Farm	9	0.27%	10.71%
	2	Duplex	16	0.47%	19.05%
	3	Town house	34	1%	40.48%
	4	Live with family members	6	0.18%	7.14%
	5	Manufactured	5	0.15%	5.95%
	6	Housing	5	0.15%	5.95%
	7	Other	9	0.27%	10.71%
		Total	84	2.47%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3310	97.53%	
		Total	3,310	97.53%	

Valid	Invalid	Minimum	Maximum
84	3310	1	7

📑 RA1SH48EA - OS-Types of non-retirement assets #1

Type	Code
RA1SH48EA	Excluding retirement accounts, think about all other assets owned by you and your spouse/partner. Approximately what percentage of these non-retirement assets are in?
Notes	Root variable: RA1SH48E

			Frequency	% of total	% of valid
Valid	1	Car	25	0.74%	14.79%
	2	Mutual fund/money market	28	0.82%	16.57%
	3	None	8	0.24%	4.73%
	4	Savings/checking account	25	0.74%	14.79%
	5	IRA/retirement account	14	0.41%	8.28%
	6	House	11	0.32%	6.51%
	7	Business	6	0.18%	3.55%
	8	Metals/jewel	4	0.12%	2.37%
	9	Equipment	8	0.24%	4.73%
	10	Insurance/annuity	21	0.62%	12.43%
	11	Boat	0	0%	0%
	12	Collectables/antiques/liquid	3	0.09%	1.78%
	13	Household item	2	0.06%	1.18%
	14	Other	11	0.32%	6.51%
	15	Personal property	3	0.09%	1.78%
		Total	169	4.98%	100%

Missing	97	DON'T KNOW	2	0.06%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3223	94.96%	
		Total	3,225	95.02%	

Valid	Invalid	Minimum	Maximum
169	3225	1	15

RA1SH48EB - OS-Types of non-retirement assets #2

Type	Code
RA1SH48EB	Excluding retirement accounts, think about all other assets owned by you and your spouse/partner. Approximately what percentage of these non-retirement assets are in?
Notes	Root variable: RA1SH48E

			Frequency	% of total	% of valid
Valid	1	Car	3	0.09%	13.04%
	2	Mutual fund/money market	0	0%	0%
	3	None	0	0%	0%
	4	Savings/checking account	1	0.03%	4.35%
	5	IRA/retirement account	0	0%	0%
	6	House	1	0.03%	4.35%
	7	Business	0	0%	0%
	8	Metals/jewel	2	0.06%	8.7%
	9	Equipment	0	0%	0%
	10	Insurance/annuity	1	0.03%	4.35%
	11	Boat	4	0.12%	17.39%
	12	Collectables/antiques/liquid	4	0.12%	17.39%
	13	Household item	3	0.09%	13.04%
	14	Other	2	0.06%	8.7%
	15	Personal property	2	0.06%	8.7%
		Total	23	0.68%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3371	99.32%	
		Total	3,371	99.32%	

Valid	Invalid	Minimum	Maximum
23	3371	1	15

RA1SH48EC - OS-Types of non-retirement assets #3

Type	Code
RA1SH48EC	Excluding retirement accounts, think about all other assets owned by you and your spouse/partner. Approximately what percentage of these non-retirement assets are in?
Notes	Root variable: RA1SH48E

			Frequency	% of total	% of valid
Valid	1	Car	0	0%	0%
	2	Mutual fund/money market	0	0%	0%
	3	None	0	0%	0%
	4	Savings/checking account	1	0.03%	25%
	5	IRA/retirement account	0	0%	0%
	6	House	0	0%	0%
	7	Business	0	0%	0%
	8	Metals/jewel	0	0%	0%
	9	Equipment	0	0%	0%
	10	Insurance/annuity	0	0%	0%
	11	Boat	1	0.03%	25%
	12	Collectables/antiques/liquid	1	0.03%	25%
	13	Household item	1	0.03%	25%
	14	Other	0	0%	0%
	15	Personal property	0	0%	0%
		Total	4	0.12%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3390	99.88%	
		Total	3,390	99.88%	

Valid	Invalid	Minimum	Maximum
4	3390	4	13

RA1SJ7A - OE-Which state would you most like to live in for the next 10 years

Type	Code
RA1SJ7A	Thinking back over all the places you've lived during your lifetime, including where you live now, which state would you most like to live in for the next 10 years if you could easily move there now?
Notes	Root variable: RA1SJ7

	Frequency	% of total	% of valid

Valid	1	Germany	1	0.03%	12.5%
	2	Armenia	1	0.03%	12.5%
	3	Brazil	1	0.03%	12.5%
	4	Canada	2	0.06%	25%
	5	Cuba	1	0.03%	12.5%
	6	Belize	1	0.03%	12.5%
	10	US	1	0.03%	12.5%
		Total	8	0.24%	100%
Missing	7	DON'T KNOW	1	0.03%	
	8	France	1	0.03%	
	9	Jamaica	3384	99.71%	
		Total	3,386	99.76%	

Valid	Invalid	Minimum	Maximum
8	3386	1	10

RA1SP1A - OS-Religious preference #1

Type	Code
RA1SP1A	What is your religious preference?
Notes	Root variable: RA1SP1A

	Frequency	% of total	% of valid

Valid	1	Atheist	1	0.03%	0.97%
	2	Christian	13	0.38%	12.62%
	3	Satanism	1	0.03%	0.97%
	4	Pagan	4	0.12%	3.88%
	5	Religious science	3	0.09%	2.91%
	6	Christian Scientist	4	0.12%	3.88%
	7	Self-realization fellowship	1	0.03%	0.97%
	8	Other	31	0.91%	30.1%
	9	Full gospel	1	0.03%	0.97%
	10	Jehovah's Witness	2	0.06%	1.94%
	11	Anglican	1	0.03%	0.97%
	12	Church of Christ	9	0.27%	8.74%
	13	No religious preference	4	0.12%	3.88%
	14	Hebrew Key of David	1	0.03%	0.97%
	15	Non-denominational	9	0.27%	8.74%
	16	Deism	0	0%	0%
	17	Baptist	6	0.18%	5.83%
	18	Freethought	0	0%	0%
	19	Wicca	0	0%	0%
	20	Shinto	0	0%	0%
	21	African Methodist Episcopal	1	0.03%	0.97%
	22	Coptic Orthodox Christian	0	0%	0%
	23	Pastafarianism	1	0.03%	0.97%
	24	Mormon	0	0%	0%
	25	Native American Belief	4	0.12%	3.88%
	26	Monotheism	0	0%	0%
	27	Evangelical	1	0.03%	0.97%
	28	Scientology	1	0.03%	0.97%
	29	Buddhist	1	0.03%	0.97%
	30	Heathenism	1	0.03%	0.97%
	31	Wesleyanism	1	0.03%	0.97%
	32	Foursquare church	1	0.03%	0.97%
		Total	103	3.03%	100%
Missing	97	DON'T KNOW	1	0.03%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3290	96.94%	
		Total	3,291	96.97%	

Valid	Invalid	Minimum	Maximum
103	3291	1	32

RA1SP1B - OS-Religious preference #2

Type	Code
RA1SP1B	What is your religious preference?
Notes	Root variable: RA1SP1B

			Frequency	% of total	% of valid
Valid	1	Atheist	0	0%	0%
	2	Christian	5	0.15%	11.36%
	3	Satanism	0	0%	0%
	4	Pagan	2	0.06%	4.55%
	5	Religious science	1	0.03%	2.27%
	6	Christian Scientist	0	0%	0%
	7	Self-realization fellowship	0	0%	0%
	8	Other	10	0.29%	22.73%
	9	Full gospel	0	0%	0%
	10	Jehovah's Witness	0	0%	0%
	11	Anglican	0	0%	0%
	12	Church of Christ	2	0.06%	4.55%
	13	No religious preference	0	0%	0%
	14	Hebrew Key of David	0	0%	0%
	15	Non-denominational	3	0.09%	6.82%
	16	Deism	3	0.09%	6.82%
	17	Baptist	3	0.09%	6.82%
	18	Freethought	1	0.03%	2.27%
	19	Wicca	4	0.12%	9.09%
	20	Shinto	1	0.03%	2.27%
	21	African Methodist Episcopal	1	0.03%	2.27%
	22	Coptic Orthodox Christian	1	0.03%	2.27%
	23	Pastafarianism	1	0.03%	2.27%
	24	Mormon	1	0.03%	2.27%
	25	Native American Belief	1	0.03%	2.27%
	26	Monotheism	1	0.03%	2.27%
	27	Evangelical	1	0.03%	2.27%
	28	Scientology	0	0%	0%
	29	Buddhist	1	0.03%	2.27%
	30	Heathenism	0	0%	0%
	31	Wesleyanism	1	0.03%	2.27%
	32	Foursquare church	0	0%	0%
		Total	44	1.3%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3350	98.7%	
		Total	3,350	98.7%	

Valid	Invalid	Minimum	Maximum
44	3350	2	31

RA1SQ4MA - OS-Main reason for discrimination #1

Type	Code
RA1SQ4MA	What was the main reason for the discrimination you experienced? - SOME OTHER REASON FOR DISCRIMINATION?
BackwardSkip	(RA1SQ3 = NO)
Notes	Root variable: RA1SQ4M

			Frequency	% of total	% of valid
Valid	1	Affirmative action	2	0.06%	1.82%
	2	Appearance	10	0.29%	9.09%
	3	Didn't like me	2	0.06%	1.82%
	4	Language	5	0.15%	4.55%
	5	Financial status	6	0.18%	5.45%
	6	Race/ethnicity/nationality	6	0.18%	5.45%
	7	Gender	3	0.09%	2.73%
	8	Disease/mental illness/depression	8	0.24%	7.27%
	9	Marital status	9	0.27%	8.18%
	10	Physical/learning disability	2	0.06%	1.82%
	11	Occupation	6	0.18%	5.45%
	12	Social relations	4	0.12%	3.64%
	13	Residence	2	0.06%	1.82%
	14	Education	5	0.15%	4.55%
	15	Have children/pregnancy	9	0.27%	8.18%
	16	Jealousy/retaliation	2	0.06%	1.82%
	17	Personality/taste	7	0.21%	6.36%
	18	Other	19	0.56%	17.27%
	19	Religion	1	0.03%	0.91%
	20	Political stance	2	0.06%	1.82%
		Total	110	3.24%	100%
Missing	97	DON'T KNOW	3	0.09%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3281	96.67%	
		Total	3,284	96.76%	

Valid	Invalid	Minimum	Maximum
110	3284	1	20

RA1SQ4MB - OS-Main reason for discrimination #2

Type	Code
RA1SQ4MB	What was the main reason for the discrimination you experienced? - SOME OTHER REASON FOR DISCRIMINATION?
BackwardSkip	(RA1SQ3 = NO)
Notes	Root variable: RA1SQ4M

			Frequency	% of total	% of valid
Valid	1	Affirmative action	0	0%	0%
	2	Appearance	0	0%	0%
	3	Didn't like me	0	0%	0%
	4	Language	0	0%	0%
	5	Financial status	0	0%	0%
	6	Race/ethnicity/nationality	1	0.03%	25%
	7	Gender	0	0%	0%
	8	Disease/mental illness/depression	0	0%	0%
	9	Marital status	2	0.06%	50%
	10	Physical/learning disability	0	0%	0%
	11	Occupation	0	0%	0%
	12	Social relations	0	0%	0%
	13	Residence	0	0%	0%
	14	Education	0	0%	0%
	15	Have children/pregnancy	0	0%	0%
	16	Jealousy/retaliation	0	0%	0%
	17	Personality/taste	0	0%	0%
	18	Other	1	0.03%	25%
		Total	4	0.12%	100%
Missing	97	DON'T KNOW	0	0%	
	98	REFUSED/MISSING	0	0%	
	99	INAPP	3390	99.88%	
		Total	3,390	99.88%	

Valid	Invalid	Minimum	Maximum
4	3390	6	18