

MIDUS 3 Project 1 Coded Text

MIDUS 3 Project 1 Coded Text

Abstract

This dataset contains variables derived from the open-ended textual responses in the MIDUS 3 CATI and SAQ for the National Core sample. These text data were transformed and summarized in categorical numeric codes.

Title

MIDUS 3 Project 1 Coded Text

Related Materials

Documentation

• M3 P1 Documentation of Coded Text

Title M3_P1_CODED_TEXT_N3137_20180717 File Name M3_P1_CODED_TEXT_N3137_20180717.SAV Case Quantity 3137 Variable Count 183

M2ID - MIDUS 2 ID number Type Numeric (Integer) Valid Invalid Minimum Maximum Mean StdDev 3137 0 10001 19193 14601.08 2654.68

SAMPLMAJ - Major sample identification (aka Sample) Type Code

			Frequency	% of total	% of valid
Valid	1	MAIN RDD	1,355	43.2%	43.2%
	2	SIBLING	522	16.6%	16.6%
	3	TWIN	956	30.5%	30.5%
	4	CITY OVERSAMPLE	304	9.7%	9.7%
		Total	3,137	100.0%	100%

Valid Invalid Minimum Maximum	Valid	Invalid	Minimum	Maximum
-------------------------------	-------	---------	---------	---------

3137	n	1	Δ
3137	U		T

☆ C1PRAGE - Respondent's age

Туре		Numeric (Inte	eger)		
Valid	Invalid	Minimum	Maximum	Mean	StdDev
3137	0	39	93	63.65	11.26

SC1PRSEX - Respondent's sex

- 1		
	Tyne	Code
	Type	couc

			Frequency	% of total	% of valid
Valid	1	MALE	1,393	44.4%	44.4%
	2	FEMALE	1,744	55.6%	55.6%
		Total	3,137	100.0%	100%

Valid	Invalid	Minimum	Maximum
3137	0	1	2

SC1PAA1A - OE-Specific event that made them aware that the recession

Туре	Code
C1PAA1A	What was it?
PreQuestionText	Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun?
Notes	Root variable: C1PAA1

Frequency	% of total	% of valid
ricquericy	70 OI total	70 OI Valla

Valid	1	Crashed stock market	336	10.7%	17.2%
	2	Increased gas price	58	1.8%	3.0%
	3	Lost job/unemployed	270	8.6%	13.8%
	4	Decreased income/didn't get raise	67	2.1%	3.4%
	5	Increased cost of living/prices	91	2.9%	4.7%
	6	Recognized through media coverage/economic indicator	201	6.4%	10.3%
	7	Lack of job/hard to get a job	59	1.9%	3.0%
	8	Collapsed housing market/increased foreclosure	270	8.6%	13.8%
	9	Collapse of financial firm	27	0.9%	1.4%
	10	Affected pension plan/insurance	89	2.8%	4.6%
	11	Company/plant/store closed/went bankrupt	26	0.8%	1.3%
	12	Other	157	5.0%	8.0%
	13	Personal finance/investment/credit was affected	110	3.5%	5.6%
	14	Company/business slow down & sales/construction decreased	142	4.5%	7.3%
	15	Political situations/election	51	1.6%	2.6%
		Total	1,954	62.3%	100%
Missing	97	DON'T KNOW	10	0.3%	
	99	INAPP	1,173	37.4%	
		Total	1,183	37.7%	

Valid	Invalid	Minimum	Maximum
1954	1183	1	15

SC1PAA1B - OE-Specific event that made them aware that the recession

Туре	Code
C1PAA1B	What was it?
PreQuestionText	Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun?
Notes	Root variable: C1PAA1

	Frequency	% of total	% of valid
--	-----------	------------	------------

Valid	1	Crashed stock market	9	0.3%	3.5%
	2	Increased gas price	5	0.2%	2.0%
	3	Lost job/unemployed	4	0.1%	1.6%
	4	Decreased income/didn't get raise	15	0.5%	5.9%
	6	Recognized through media coverage/economic indicator	72	2.3%	28.3%
	7	Lack of job/hard to get a job	4	0.1%	1.6%
	8	Collapsed housing market/increased foreclosure	73	2.3%	28.7%
	9	Collapse of financial firm	8	0.3%	3.1%
	10	Affected pension plan/insurance	14	0.4%	5.5%
	11	Company/plant/store closed/went bankrupt	4	0.1%	1.6%
	13	Personal finance/investment/credit was affected	34	1.1%	13.4%
	14	Company/business slow down & sales/construction decreased	11	0.4%	4.3%
	15	Political situations/election	1	0.0%	0.4%
		Total	254	8.1%	100%
Missing	99	INAPP	2,883	91.9%	
		Total	2,883	91.9%	

Valid	Invalid	Minimum	Maximum
254	2883	1	15

SC1PAA1C - OE-Specific event that made them aware that the recession

Туре	Code
C1PAA1C	What was it?
PreQuestionText	Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun?
Notes	Root variable: C1PAA1

Frequency % of total % of valid

Valid	3	Lost job/unemployed	1	0.0%	3.7%
	4	Decreased income/didn't get raise	1	0.0%	3.7%
	6	Recognized through media coverage/economic indicator	12	0.4%	44.4%
	8	Collapsed housing market/increased foreclosure	6	0.2%	22.2%
	9	Collapse of financial firm	1	0.0%	3.7%
	10	Affected pension plan/insurance	1	0.0%	3.7%
	13	Personal finance/investment/credit was affected	5	0.2%	18.5%
		Total	27	0.9%	100%
Missing	99	INAPP	3,110	99.1%	
		Total	3,110	99.1%	

Valid	Invalid	Minimum	Maximum
27	3110	3	13

SC1PAA1D - OE-Specific event that made them aware that the recession

Туре	Code
C1PAA1D	What was it?
PreQuestionText	Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun?
Notes	Root variable: C1PAA1

			Frequency	% of total	% of valid
Valid	2	Increased gas price	1	0.0%	33.3%
	5	Increased cost of living/prices	1	0.0%	33.3%
	10	Affected pension plan/insurance	1	0.0%	33.3%
		Total	3	0.1%	100%
Missing	99	INAPP	3,134	99.9%	
		Total	3,134	99.9%	

Valid	Invalid	Minimum	Maximum
3	3134	2	10

SC1PAA1E - OE-Specific event that made them aware that the recession had begun #5

Туре	Code
C1PAA1E	What was it?
PreQuestionText	Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun?
Notes	Root variable: C1PAA1

			Frequency	% of total	% of valid
Valid	3	Lost job/unemployed	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	3	3

SC1PAA2LBBA - OE-What happened when lost a home due to something

other than foreclosure #1

Туре	Code
C1PAA2LBBA	What happened?
PreQuestionText	Since the recession began in 2008 have you - Lost a home due to something other than foreclosure?
BackwardSkip	(C1PAA2I = NEVER OWNED A HOME) OR (C1PAA2J = NEVER OWNED A HOME) OR (C1PAA2K = NEVER OWNED A HOME)
ForwardSkip	IF C1PAA2L = NO OR NEVER OWNED A HOME, GO TO C1PAA2M.
Notes	Root variable: C1PAA2LBB

Free	equency % of tota	l % of valid
------	-------------------	--------------

	1	Evicted	2	0.1%	2.6%
	2	Couldn't afford	10	0.3%	12.8%
	4	Divorced	13	0.4%	16.7%
	5	Fire on house	4	0.1%	5.1%
	6	Hurricane	5	0.2%	6.4%
	7	Lost job	6	0.2%	7.7%
	9	Bankruptcy	6	0.2%	7.7%
	10	Other	8	0.3%	10.3%
	11	Sold house	20	0.6%	25.6%
	12	Death	4	0.1%	5.1%
		Total	78	2.5%	100%
Missing	99	INAPP	3,059	97.5%	
		Total	3,059	97.5%	

Valid	Invalid	Minimum	Maximum
78	3059	1	12

SC1PAA2LBBB - OE-What happened when lost a home due to something

other than foreclosure #2

Туре	Code
C1PAA2LBBB	What happened?
PreQuestionText	Since the recession began in 2008 have you - Lost a home due to something other than foreclosure?
BackwardSkip	(C1PAA2I = NEVER OWNED A HOME) OR (C1PAA2J = NEVER OWNED A HOME) OR (C1PAA2K = NEVER OWNED A HOME)
ForwardSkip	IF C1PAA2L = NO OR NEVER OWNED A HOME, GO TO C1PAA2M.
Notes	Root variable: C1PAA2LBB

			Frequency	% of total	% of valid
Valid	2	Couldn't afford	1	0.0%	25.0%
	4	Divorced	1	0.0%	25.0%
	7	Lost job	1	0.0%	25.0%
	12	Death	1	0.0%	25.0%
		Total	4	0.1%	100%
Missing	99	INAPP	3,133	99.9%	
		Total	3,133	99.9%	

Valid	Invalid	Minimum	Maximum
4	3133	2	12

SC1PA7BJA - OS-Diagnosis for suspected or confirmed heart trouble #1

Туре	Code
C1PA7BJA	What was the diagnosis?
PreQuestionText	Have you ever had heart trouble suspected or confirmed by a doctor?
BackwardSkip	(C1PA7 = NO, DK, OR REFUSED)
ForwardSkip	IF C1PA7A = CONGENITAL/AT BIRTH, GO TO C1PA7D.
Notes	Root variable: C1PA7BJ
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Anything else?"] [INTERVIEWER: IF R SAYS "Dr. wasn't sure but thought it
	might be", ENTER VERBATIM.] [INTERVIEWER: IF R GIVES A TREATMENT, PROBE: "What was the DIAGNOSIS?"]

			Frequency	% of total	% of valid
Valid	3	Blocked/closed artery	51	1.6%	16.9%
	5	High cholesterol	11	0.4%	3.6%
	7	Irregular/fast heart beat/arrhythmia	35	1.1%	11.6%
	10	Tachycardia	1	0.0%	0.3%
	12	Valve disease	25	0.8%	8.3%
	13	Mitrovalve prolapse	8	0.3%	2.6%
	14	Supraventricular Tachycardia (SVT)	1	0.0%	0.3%
	16	Ventricle problem	8	0.3%	2.6%
	18	Atrial fibrillation	47	1.5%	15.6%
	19	Other	88	2.8%	29.1%
	20	Diabetes	3	0.1%	1.0%
	24	Heart attack	8	0.3%	2.6%
	27	Cardiomyopathy	8	0.3%	2.6%
	28	Stroke	8	0.3%	2.6%
		Total	302	9.6%	100%
Missing	99	INAPP	2,835	90.4%	
		Total	2,835	90.4%	

Valid	Invalid	Minimum	Maximum
302	2835	3	28

SECTION OF SECTION SE

Туре	Code
С1РА7ВЈВ	What was the diagnosis?

PreQuestionText	Have you ever had heart trouble suspected or confirmed by a doctor?
BackwardSkip	(C1PA7 = NO, DK, OR REFUSED)
ForwardSkip	IF C1PA7A = CONGENITAL/AT BIRTH, GO TO C1PA7D.
Notes	Root variable: C1PA7BJ
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Anything else?"] [INTERVIEWER: IF R SAYS "Dr. wasn't sure but thought it might be", ENTER VERBATIM.] [INTERVIEWER: IF R GIVES A TREATMENT, PROBE: "What was the DIAGNOSIS?"]

			Frequency	% of total	% of valid
Valid	3	Blocked/closed artery	3	0.1%	27.3%
	4	Gastroesophageal Reflux Disease (GERD)	1	0.0%	9.1%
	7	Irregular/fast heart beat/arrhythmia	2	0.1%	18.2%
	13	Mitrovalve prolapse	2	0.1%	18.2%
	16	Ventricle problem	1	0.0%	9.1%
	19	Other	1	0.0%	9.1%
	23	Congenital heart disease	1	0.0%	9.1%
		Total	11	0.4%	100%
Missing	99	INAPP	3,126	99.6%	
		Total	3,126	99.6%	

Valid	Invalid	Minimum	Maximum
11	3126	3	23

SC1PA22A - OS-Location of pain or discomfort #1

Туре	Code
C1PA22A	Where do you get this pain or discomfort-in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else?
BackwardSkip	(C1PA17 DOES NOT EQUAL YES AND C1PA18 DOES NOT EQUAL YES)
Notes	Root variable: C1PA22
InterviewerInstruction	[INTERVIEWER: SELECT ONE ONLY]

Valid	1	Left chest	9	0.3%	15.5%
	2	Right chest	6	0.2%	10.3%
	3	Back	5	0.2%	8.6%
	4	Center chest	4	0.1%	6.9%
	5	Whole chest	7	0.2%	12.1%
	6	Left arm	1	0.0%	1.7%
	7	Right arm	3	0.1%	5.2%
	8	Jaw	3	0.1%	5.2%
	9	Lung	9	0.3%	15.5%
	10	Neck	1	0.0%	1.7%
	11	Stomach	1	0.0%	1.7%
	12	Other	9	0.3%	15.5%
		Total	58	1.8%	100%
Missing	99	INAPP	3,079	98.2%	
		Total	3,079	98.2%	

Valid	Invalid	Minimum	Maximum
58	3079	1	12

Туре	Code
C1PA22B	Where do you get this pain or discomfort-in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else?
BackwardSkip	(C1PA17 DOES NOT EQUAL YES AND C1PA18 DOES NOT EQUAL YES)
Notes	Root variable: C1PA22
InterviewerInstruction	[INTERVIEWER: SELECT ONE ONLY]

			Frequency	% of total	% of valid
Valid	2	Right chest	2	0.1%	11.8%
	3	Back	2	0.1%	11.8%
	4	Center chest	3	0.1%	17.6%
	5	Whole chest	1	0.0%	5.9%
	6	Left arm	4	0.1%	23.5%
	7	Right arm	1	0.0%	5.9%
10	Neck	3	0.1%	17.6%	
	11	Stomach	1	0.0%	5.9%
		Total	17	0.5%	100%
Missing	99	INAPP	3,120	99.5%	
		Total	3,120	99.5%	

Valid	Invalid	Minimum	Maximum
17	3120	2	11

SC1PA22C - OS-Location of pain or discomfort #3

Туре	Code
C1PA22C	Where do you get this pain or discomfort-in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else?
BackwardSkip	(C1PA17 DOES NOT EQUAL YES AND C1PA18 DOES NOT EQUAL YES)
Notes	Root variable: C1PA22
InterviewerInstruction	[INTERVIEWER: SELECT ONE ONLY]

			Frequency	% of total	% of valid
Valid	3	Back	1	0.0%	20.0%
	4	Center chest	2	0.1%	40.0%
	6	Left arm	2	0.1%	40.0%
		Total	5	0.2%	100%
Missing	99	INAPP	3,132	99.8%	
		Total	3,132	99.8%	

Valid	Invalid	Minimum	Maximum
5	3132	3	6

Туре	Code
C1PA22D	Where do you get this pain or discomfort-in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else?
BackwardSkip	(C1PA17 DOES NOT EQUAL YES AND C1PA18 DOES NOT EQUAL YES)
Notes	Root variable: C1PA22
InterviewerInstruction	[INTERVIEWER: SELECT ONE ONLY]

			Frequency	% of total	% of valid
Valid	10	Neck	2	0.1%	100.0%
		Total	2	0.1%	100%
Missing	99	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	10	10

SC1PA23CJA - OS-What doctor said it was about a severe pain across the front of chest #1

Туре	Code		
C1PA23CJA	What did the doctor say it was (ENTER DIAGNOSIS)?		
BackwardSkip	(C1PA23 = NO, DK, OR REFUSED) OR (C1PA23B = NO, DK, OR REFUSED)		
Notes	Root variable: C1PA23CJ		
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Anything else?"] [INTERVIEWER: IF R SAYS "Dr. wasn't sure but thought it might be". ENTER VERBATIM]		

			Frequency	% of total	% of valid
Valid	1	Heart	18	0.6%	15.4%
	3	Gall bladder/gallstone	10	0.3%	8.5%
	5	Acid reflux	7	0.2%	6.0%
	6	Stress/anxiety	20	0.6%	17.1%
	7	Indigestion	5	0.2%	4.3%
	8	Hernia	4	0.1%	3.4%
	10	Esophageal	9	0.3%	7.7%
	11	Other	19	0.6%	16.2%
	13	Muscle	11	0.4%	9.4%
15	15	Lung/asthma	3	0.1%	2.6%
	16	Not diagnosed yet/unknown	11	0.4%	9.4%
		Total	117	3.7%	100%
Missing	99	INAPP	3,020	96.3%	
		Total	3,020	96.3%	

Valid	Invalid	Minimum	Maximum
117	3020	1	16

SC1PA23CJB - OS-What doctor said it was about a severe pain across the

front of chest #2

Туре	Code
C1PA23CJB	What did the doctor say it was (ENTER DIAGNOSIS)?
BackwardSkip	(C1PA23 = NO, DK, OR REFUSED) OR (C1PA23B = NO, DK, OR REFUSED)
Notes	Root variable: C1PA23CJ
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Anything else?"] [INTERVIEWER: IF R SAYS "Dr. wasn't sure but thought it might be". ENTER VERBATIM]

			Frequency	% of total	% of valid
Valid	3	Gall bladder/gallstone	1	0.0%	25.0%
	5	Acid reflux	2	0.1%	50.0%
	6	Stress/anxiety	1	0.0%	25.0%
		Total	4	0.1%	100%
Missing	99	INAPP	3,133	99.9%	
		Total	3,133	99.9%	

Valid	Invalid	Minimum	Maximum
4	3133	3	6

SC1PA24EFA - OS-Treatment/therapy for high blood pressure #1

Туре	Code
C1PA24EFA	What is that treatment or therapy (ENTER TREATMENT)?
BackwardSkip	(C1PA24 = NO, DK, OR REFUSED) OR (C1PA24D = NO, DK, OR REFUSED)
Notes	Root variable: C1PA24EF
InterviewerInstruction	[INTERVIEWER: ENTER ALL THAT APPLY]

			Frequency	% of total	% of valid
Valid	1	Lose weight	8	0.3%	10.1%
	2	Exercise	9	0.3%	11.4%
	3	Low sodium/sugar	7	0.2%	8.9%
	4	Other	8	0.3%	10.1%
	5	Medication	29	0.9%	36.7%
	6	Supplement	12	0.4%	15.2%
	8	Regularly monitor	1	0.0%	1.3%
	9	Rest	1	0.0%	1.3%
	10	Release stress	3	0.1%	3.8%
	11	Physical therapy	1	0.0%	1.3%
		Total	79	2.5%	100%
Missing	99	INAPP	3,058	97.5%	
		Total	3,058	97.5%	

Valid	Invalid	Minimum	Maximum
79	3058	1	11

SC1PA24EFB - OS-Treatment/therapy for high blood pressure #2

Туре	Code
C1PA24EFB	What is that treatment or therapy (ENTER TREATMENT)?
BackwardSkip	(C1PA24 = NO, DK, OR REFUSED) OR (C1PA24D = NO, DK, OR REFUSED)

Notes	Root variable: C1PA24EF
InterviewerInstruction	[INTERVIEWER: ENTER ALL THAT APPLY]

			Frequency	% of total	% of valid
Valid	1	Lose weight	1	0.0%	33.3%
	9	Rest	1	0.0%	33.3%
	14	Lifestyle change	1	0.0%	33.3%
		Total	3	0.1%	100%
Missing	99	INAPP	3,134	99.9%	
		Total	3,134	99.9%	

Valid	Invalid	Minimum	Maximum
3	3134	1	14

C1PA24EFC - OS-Treatment/therapy for high blood pressure #3

Туре	Code
C1PA24EFC	What is that treatment or therapy (ENTER TREATMENT)?
BackwardSkip	(C1PA24 = NO, DK, OR REFUSED) OR (C1PA24D = NO, DK, OR REFUSED)
Notes	Root variable: C1PA24EF
InterviewerInstruction	[INTERVIEWER: ENTER ALL THAT APPLY]

			Frequency	% of total	% of valid
Valid	10	Release stress	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	10	10

SC1PA28JA - OS-Type of cancer respondent has had #1

Туре	Code
C1PA28JA	What type of cancer have you had?
BackwardSkip	(C1PA26 = NO, DK, OR REFUSED)
ForwardSkip	IF C1PA28J = NO, SKIP C1PA28JJ.
Notes	Root variable: C1PA28J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

Frequency % of total % of valid

2.7%	0.1%	4	Lymph Nodes	115	Valid
25.0%	1.2%	37	Skin	118	
3.4%	0.2%	5	Uterine	119	
2.0%	0.1%	3	Bone	120	
4.1%	0.2%	6	Blood	122	
2.0%	0.1%	3	Mouth	131	
7.4%	0.4%	11	Kidney	138	
8.1%	0.4%	12	Bladder	139	
16.2%	0.8%	24	Thyroid	141	
5.4%	0.3%	8	Throat	153	
3.4%	0.2%	5	Other: Cancer	164	
20.3%	1.0%	30	Other	166	
100%	4.7%	148	Total		
,	95.3%	2,989	INAPP	999	Missing
	95.3%	2,989	Total		
	0.4% 0.8% 0.3% 0.2% 1.0% 4.7% 95.3%	12 24 8 5 30 148 2,989	Bladder Thyroid Throat Other: Cancer Other Total INAPP	139 141 153 164 166	Missing

Valid	Invalid	Minimum	Maximum
148	2989	115	166

C1PA28JB - OS-Type of cancer respondent has had #2

Туре	Code
C1PA28JB	What type of cancer have you had?
BackwardSkip	(C1PA26 = NO, DK, OR REFUSED)
ForwardSkip	IF C1PA28J = NO, SKIP C1PA28JJ.
Notes	Root variable: C1PA28J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	122	Blood	1	0.0%	50.0%
	141	Thyroid	1	0.0%	50.0%
		Total	2	0.1%	100%
Missing	999	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	122	141

% C1PA29AIA - OS-Type of treatment/therapy currently using for cancer #1

CII AZJAIA - OJ-TYPE	e of treatment, therapy currently using for cancer #1
Туре	Code

C1PA29AIA	What type of treatment or therapy are you currently using?
BackwardSkip	(C1PA26 = NO, DK, OR REFUSED) OR (C1PA29 = NO, DK, OR REFUSED)
Notes	Root variable: C1PA29AI
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Medication	48	1.5%	65.8%
	2	Sunscreen	11	0.4%	15.1%
	5	Other	12	0.4%	16.4%
	6	Removal	2	0.1%	2.7%
		Total	73	2.3%	100%
Missing	99	INAPP	3,064	97.7%	
		Total	3,064	97.7%	

Valid	Invalid	Minimum	Maximum
73	3064	1	6

SC1PA29AIB - OS-Type of treatment/therapy currently using for cancer #2

Туре	Code
C1PA29AIB	What type of treatment or therapy are you currently using?
BackwardSkip	(C1PA26 = NO, DK, OR REFUSED) OR (C1PA29 = NO, DK, OR REFUSED)
Notes	Root variable: C1PA29AI
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	1	Medication	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	1	1

SC1PA31JA - OS-Type of cancer mother has had #1

Туре	Code
C1PA31JA	What type of cancer has your mother had?
BackwardSkip	(C1PA30A = YES, DK, OR REFUSED) OR (C1PA30B = NO)
Notes	Root variable: C1PA31J

InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any
	Other?"]

			Frequency	% of total	% of valid
Valid	110	Breast	7	0.2%	2.7%
	113	Lungs	5	0.2%	2.0%
	115	Lymph Nodes	7	0.2%	2.7%
	120	Bone	18	0.6%	7.1%
	122	Blood	4	0.1%	1.6%
	123	Myeloma	6	0.2%	2.4%
	126	Brain/Head	21	0.7%	8.2%
	133	Stomach	28	0.9%	11.0%
	134	Intestine	6	0.2%	2.4%
	135	Liver	22	0.7%	8.6%
	138	Kidney	25	0.8%	9.8%
	139	Bladder	11	0.4%	4.3%
	140	Pancreas	30	1.0%	11.8%
	141	Thyroid	11	0.4%	4.3%
	153	Throat	12	0.4%	4.7%
	164	Other: Cancer	42	1.3%	16.5%
		Total	255	8.1%	100%
Missing	997	DON'T KNOW	11	0.4%	
	999	INAPP	2,871	91.5%	
		Total	2,882	91.9%	

Valid	Invalid	Minimum	Maximum
255	2882	110	164

SC1PA31JB - OS-Type of cancer mother has had #2					
Туре	Code				
C1PA31JB	What type of cancer has your mother had?				
BackwardSkip	(C1PA30A = YES, DK, OR REFUSED) OR (C1PA30B = NO)				
Notes	Root variable: C1PA31J				
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]				

Fre	equency	% of total	% of valid
-----	---------	------------	------------

Valid	110	Breast	2	0.1%	12.5%
	113	Lungs	1	0.0%	6.3%
	122	Blood	2	0.1%	12.5%
	126	Brain/Head	4	0.1%	25.0%
	133	Stomach	3	0.1%	18.8%
	135	Liver	2	0.1%	12.5%
	139	Bladder	1	0.0%	6.3%
	140	Pancreas	1	0.0%	6.3%
		Total	16	0.5%	100%
Missing	999	INAPP	3,121	99.5%	
		Total	3,121	99.5%	

Valid	Invalid	Minimum	Maximum
16	3121	110	140

SC1PA31JC - OS-Type of cancer mother has had #3

Туре	Code
C1PA31JC	What type of cancer has your mother had?
BackwardSkip	(C1PA30A = YES, DK, OR REFUSED) OR (C1PA30B = NO)
Notes	Root variable: C1PA31J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	113	Lungs	1	0.0%	50.0%
	126	Brain/Head	1	0.0%	50.0%
		Total	2	0.1%	100%
Missing	999	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	113	126

SC1PA32JA - OS-Type of cancer father has had #1€

Туре	Code
C1PA32JA	What type of cancer has your father had?
BackwardSkip	(C1PA30A = YES, DK, OR REFUSED) OR (C1PA30C = NO)
Notes	Root variable: C1PA32J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	113	Lungs	6	0.2%	2.0%
	120	Bone	22	0.7%	7.3%
	122	Blood	7	0.2%	2.3%
	123	Myeloma	9	0.3%	3.0%
	126	Brain/Head	24	0.8%	8.0%
	132	Esophagus	18	0.6%	6.0%
	133	Stomach	26	0.8%	8.7%
	135	Liver	26	0.8%	8.7%
	138	Kidney	17	0.5%	5.7%
	139	Bladder	36	1.1%	12.0%
	140	Pancreas	33	1.1%	11.0%
	147	Testicular	8	0.3%	2.7%
	153	Throat	22	0.7%	7.3%
	164	Other: Cancer	46	1.5%	15.3%
		Total	300	9.6%	100%
Missing	997	DON'T KNOW	17	0.5%	
	999	INAPP	2,820	89.9%	
		Total	2,837	90.4%	

Valid	Invalid	Minimum	Maximum
300	2837	113	164

[♠] C1PA32JB - OS-Typ	e of cancer father has had #2
Туре	Code
C1PA32JB	What type of cancer has your father had?
BackwardSkip	(C1PA30A = YES, DK, OR REFUSED) OR (C1PA30C = NO)
Notes	Root variable: C1PA32J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

Frequency	% of total	0/ of valid
Frequency	% () () d	% () Vali()

Valid	113	Lungs	6	0.2%	18.8%
	120	Bone	2	0.1%	6.3%
	122	Blood	4	0.1%	12.5%
	126	Brain/Head	1	0.0%	3.1%
	132	Esophagus	5	0.2%	15.6%
	133	Stomach	5	0.2%	15.6%
	135	Liver	3	0.1%	9.4%
	139	Bladder	1	0.0%	3.1%
	140	Pancreas	3	0.1%	9.4%
	164	Other: Cancer	2	0.1%	6.3%
		Total	32	1.0%	100%
Missing	999	INAPP	3,105	99.0%	
		Total	3,105	99.0%	

Valid	Invalid	Minimum	Maximum
32	3105	113	164

SC1PA32JC - OS-Type of cancer father has had #3€

Туре	Code
C1PA32JC	What type of cancer has your father had?
BackwardSkip	(C1PA30A = YES, DK, OR REFUSED) OR (C1PA30C = NO)
Notes	Root variable: C1PA32J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	133	Stomach	2	0.1%	66.7%
	164	Other: Cancer	1	0.0%	33.3%
		Total	3	0.1%	100%
Missing	999	INAPP	3,134	99.9%	
		Total	3,134	99.9%	

Valid	Invalid	Minimum	Maximum
3	3134	133	164

C1PA33JA - OS-Type of cancer brother has had #1

Туре	Code
C1PA33JA	What type of cancer has/have your brother(s) had?
BackwardSkip	(C1PA30A = YES, DK, OR REFUSED) OR (C1PA30D = NO)
Notes	Root variable: C1PA33J

InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any
	Other?"]

			Frequency	% of total	% of valid
Valid	115	Lymph Nodes	7	0.2%	4.2%
	120	Bone	11	0.4%	6.6%
	122	Blood	8	0.3%	4.8%
	126	Brain/Head	10	0.3%	6.0%
	132	Esophagus	9	0.3%	5.4%
	133	Stomach	10	0.3%	6.0%
	135	Liver	13	0.4%	7.8%
	138	Kidney	17	0.5%	10.2%
	139	Bladder	13	0.4%	7.8%
	140	Pancreas	16	0.5%	9.6%
	147	Testicular	6	0.2%	3.6%
	153	Throat	21	0.7%	12.6%
	164	Other: Cancer	15	0.5%	9.0%
	165	Other: Non cancer	3	0.1%	1.8%
	166	Other	8	0.3%	4.8%
		Total	167	5.3%	100%
Missing	997	DON'T KNOW	3	0.1%	
	999	INAPP	2,967	94.6%	
		Total	2,970	94.7%	

Valid	Invalid	Minimum	Maximum
167	2970	115	166

C1PA33JB - OS-Type of cancer brother has had #2

Туре	Code
C1PA33JB	What type of cancer has/have your brother(s) had?
BackwardSkip	(C1PA30A = YES, DK, OR REFUSED) OR (C1PA30D = NO)
Notes	Root variable: C1PA33J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

F	Frequency	% of total	% of valid
---	-----------	------------	------------

Valid	115	Lymph Nodes	1	0.0%	7.7%
	122	Blood	1	0.0%	7.7%
	126	Brain/Head	1	0.0%	7.7%
	132	Esophagus	1	0.0%	7.7%
	133	Stomach	2	0.1%	15.4%
	135	Liver	1	0.0%	7.7%
	140	Pancreas	2	0.1%	15.4%
	153	Throat	2	0.1%	15.4%
	164	Other: Cancer	1	0.0%	7.7%
	165	Other: Non cancer	1	0.0%	7.7%
		Total	13	0.4%	100%
Missing	999	INAPP	3,124	99.6%	
		Total	3,124	99.6%	

Valid	Invalid	Minimum	Maximum
13	3124	115	165

SC1PA33JC - OS-Type of cancer brother has had #3

Туре	Code
C1PA33JC	What type of cancer has/have your brother(s) had?
BackwardSkip	(C1PA30A = YES, DK, OR REFUSED) OR (C1PA30D = NO)
Notes	Root variable: C1PA33J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	133	Stomach	1	0.0%	50.0%
	135	Liver	1	0.0%	50.0%
		Total	2	0.1%	100%
Missing	999	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	133	135

SC1PA34JA - OS-Type of cancer sister has had #1

Туре	Code
C1PA34JA	What type of cancer has/have your sister(s) had?
BackwardSkip	(C1PA30A = YES, DK, OR REFUSED) OR (C1PA30E = NO)
Notes	Root variable: C1PA34J

InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any
	Other?"]

			Frequency	% of total	% of valid
Valid	110	Breast	5	0.2%	3.2%
	113	Lungs	2	0.1%	1.3%
	115	Lymph Nodes	8	0.3%	5.1%
	118	Skin	6	0.2%	3.8%
	120	Bone	14	0.4%	8.9%
	126	Brain/Head	16	0.5%	10.2%
	133	Stomach	7	0.2%	4.5%
	135	Liver	10	0.3%	6.4%
	138	Kidney	5	0.2%	3.2%
	139	Bladder	10	0.3%	6.4%
	140	Pancreas	19	0.6%	12.1%
	141	Thyroid	13	0.4%	8.3%
	164	Other: Cancer	38	1.2%	24.2%
	166	Other	4	0.1%	2.5%
		Total	157	5.0%	100%
Missing	997	DON'T KNOW	5	0.2%	
	999	INAPP	2,975	94.8%	
		Total	2,980	95.0%	

Valid	Invalid	Minimum	Maximum
157	2980	110	166

[™] C1PA34JB - OS-Type of cancer sister has had #2

Туре	Code
C1PA34JB	What type of cancer has/have your sister(s) had?
BackwardSkip	(C1PA30A = YES, DK, OR REFUSED) OR (C1PA30E = NO)
Notes	Root variable: C1PA34J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	110	Breast	1	0.0%	11.1%
	113	Lungs	1	0.0%	11.1%
	120	Bone	1	0.0%	11.1%
	126	Brain/Head	2	0.1%	22.2%
	133	Stomach	1	0.0%	11.1%
	135	Liver	2	0.1%	22.2%
	141	Thyroid	1	0.0%	11.1%

		Total	9	0.3%	100%
Missing	999	INAPP	3,128	99.7%	
		Total	3,128	99.7%	

Valid	Invalid	Minimum	Maximum
9	3128	110	141

SC1PA34JC - OS-Type of cancer sister has had #3

Туре	Code
C1PA34JC	What type of cancer has/have your sister(s) had?
BackwardSkip	(C1PA30A = YES, DK, OR REFUSED) OR (C1PA30E = NO)
Notes	Root variable: C1PA34J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

			Frequency	% of total	% of valid
Valid	113	Lungs	2	0.1%	100.0%
		Total	2	0.1%	100%
Missing	999	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	113	113

SC1PA35JA - OS-Type of cancer child has had #1 €

Туре	Code
C1PA35JA	What type of cancer has/have your child(ren) had?
BackwardSkip	(C1PA30A = YES, DK, OR REFUSED) OR (C1PA30F = NO)
Notes	Root variable: C1PA35J
InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]

	Frequency	% of total	% of valid
--	-----------	------------	------------

Valid	115	Lymph Nodes	4	0.1%	10.0%
	118	Skin	1	0.0%	2.5%
	120	Bone	2	0.1%	5.0%
	126	Brain/Head	9	0.3%	22.5%
	135	Liver	3	0.1%	7.5%
	138	Kidney	2	0.1%	5.0%
	139	Bladder	4	0.1%	10.0%
	141	Thyroid	1	0.0%	2.5%
	164	Other: Cancer	14	0.4%	35.0%
		Total	40	1.3%	100%
Missing	999	INAPP	3,097	98.7%	
		Total	3,097	98.7%	

Valid	Invalid	Minimum	Maximum
40	3097	115	164

☆ C1PA35JB - OS-Type of cancer child has had #2

Code			
What type of cancer has/have your child(ren) had?			
(C1PA30A = YES, DK, OR REFUSED) OR (C1PA30F = NO)			
Root variable: C1PA35J			
[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any Other?"]			

			Frequency	% of total	% of valid
Valid	120	Bone	1	0.0%	33.3%
	126	Brain/Head	2	0.1%	66.7%
		Total	3	0.1%	100%
Missing	999	INAPP	3,134	99.9%	
		Total	3,134	99.9%	

Valid	Invalid	Minimum	Maximum
3	3134	120	126

SC1PA35JC - OS-Type of cancer child has had #3

Туре	Code
C1PA35JC	What type of cancer has/have your child(ren) had?
BackwardSkip	(C1PA30A = YES, DK, OR REFUSED) OR (C1PA30F = NO)
Notes	Root variable: C1PA35J

InterviewerInstruction	[INTERVIEWER: DO NOT READ LIST. SELECT ALL THAT APPLY. PROBE: "Any
	Other?"]

			Frequency	% of total	% of valid
Valid	135	Liver	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	999	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	135	135

SC1PB2A11A - OS-Respondent's employement situation before the

recession

Туре	Code
C1PB2A11A	Think back to January, 2008, just before the recession began. In January 2008, what was your employment situation - were you working for pay, self-employed, unemployed, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else?
BackwardSkip	(C1PB2 = NEVER HAD A PAID JOB)
Notes	Root variable: C1PB2A11
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY] [INTERVIEWER: IF R SAYS "student", PROBE: "Were you a student full-time or part-time?"]

			Frequency	% of total	% of valid
Valid	1	Disabled	15	0.5%	28.3%
	2	Was working	7	0.2%	13.2%
	3	Health problem	2	0.1%	3.8%
	5	Volunteer	6	0.2%	11.3%
	7	Caregiving for family/friend	7	0.2%	13.2%
	10	Unemployed	3	0.1%	5.7%
	11	Not working: Other reasons	1	0.0%	1.9%
	12	Part-time job	2	0.1%	3.8%
	13	Self-employed	3	0.1%	5.7%
	14	Other	7	0.2%	13.2%
		Total	53	1.7%	100%
Missing	99	INAPP	3,084	98.3%	
		Total	3,084	98.3%	

Valid	Invalid	Minimum	Maximum
53	3084	1	14

SC1PB2BBGA - OS-Reason for respondent's first unemployment since the recession began #1

Туре	Code
C1PB2BBGA	What had happened at that time - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?
BackwardSkip	(C1PB2 = NEVER HAD A PAID JOB) OR (C1PB2B = NO, DK, OR REFUSED)
Notes	Root variable: C1PB2BBG
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS.]

			Frequency	% of total	% of valid
Valid	1	Health problem/accident	16	0.5%	13.2%
	2	Disabled	5	0.2%	4.1%
	3	Resigned/voluntary leave	3	0.1%	2.5%
	4	Had a baby/child care/married/homemaker	7	0.2%	5.8%
	5	Temporary or seasonal job/contract or project ended	6	0.2%	5.0%
	6	Lack of work/no work available	11	0.4%	9.1%
	7	Lost job/laid off/foced to quit	11	0.4%	9.1%
	9	Moved/relocated	10	0.3%	8.3%
	10	Other	24	0.8%	19.8%
	11	Was not working/hadn't been working	3	0.1%	2.5%
	12	Company or business moved/slow down/closed	12	0.4%	9.9%
	15	Job/position was eliminated	7	0.2%	5.8%
	16	Had problem at job	6	0.2%	5.0%
		Total	121	3.9%	100%
Missing	99	INAPP	3,016	96.1%	
		Total	3,016	96.1%	

Valid	Invalid	Minimum	Maximum
121	3016	1	16

SC1PB2BBGB - OS-Reason for respondent's first unemployment since the

recession began #2

Туре	Code
------	------

C1PB2BBGB	What had happened at that time - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?
BackwardSkip	(C1PB2 = NEVER HAD A PAID JOB) OR (C1PB2B = NO, DK, OR REFUSED)
Notes	Root variable: C1PB2BBG
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS.]

			Frequency	% of total	% of valid
Valid	1	Health problem/accident	3	0.1%	42.9%
	3	Resigned/voluntary leave	1	0.0%	14.3%
	7	Lost job/laid off/foced to quit	2	0.1%	28.6%
	9	Moved/relocated	1	0.0%	14.3%
		Total	7	0.2%	100%
Missing	99	INAPP	3,130	99.8%	
		Total	3,130	99.8%	

Valid	Invalid	Minimum	Maximum
7	3130	1	9

Type Code C1PB3KA - OS-Respondent's current employment situation #1 Type Code C1PB3KA What about your current employment situation - are you working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else? BackwardSkip (C1PB2 = NEVER HAD A PAID JOB) OR (C1PB2BDN = STILL UNEMPLOYED) OR (C1PB3A = YES) Notes Root variable: C1PB3K InterviewerInstruction [INTERVIEWER: SELECT ALL THAT APPLY] [INTERVIEWER: IF R SAYS "student", PROBE: "Were you a student full-time or part-time?"]

			Frequency	% of total	% of valid
Valid	1	Disabled	26	0.8%	30.2%
	2	Caregiving for family	8	0.3%	9.3%
	3	Volunteer	5	0.2%	5.8%
	5	Health problem	7	0.2%	8.1%
	8	Working	7	0.2%	8.1%
	9	Self-employed	7	0.2%	8.1%
	10	Part-time work	13	0.4%	15.1%
	15	Other	13	0.4%	15.1%
		Total	86	2.7%	100%
Missing	99	INAPP	3,051	97.3%	
		Total	3,051	97.3%	

Valid	Invalid	Minimum	Maximum
86	3051	1	15

C1PB3KB - OS-Respondent's current employment situation #2

Туре	Code
С1РВЗКВ	What about your current employment situation - are you working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else?
BackwardSkip	(C1PB2 = NEVER HAD A PAID JOB) OR (C1PB2BDN = STILL UNEMPLOYED) OR (C1PB3A = YES)
Notes	Root variable: C1PB3K
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY] [INTERVIEWER: IF R SAYS "student", PROBE: "Were you a student full-time or part-time?"]

			Frequency	% of total	% of valid
Valid	5	Health problem	2	0.1%	100.0%
		Total	2	0.1%	100%
Missing	99	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	5	5

% C1PB5GA - OS-Reason for respondent's unemployment #1

Туре	Code
C1PB5GA	What happened - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?
BackwardSkip	(C1PB2 = NEVER HAD A PAID JOB) OR (C1PB3A = YES) OR (C1PB4N = NEVER WORKED) OR (C1PB3D = YES OR C1PB3I = YES)
Notes	Root variable: C1PB5G
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS]

Frequency	% of total	% of valid
equee,	,0 01 total	, o oi vana

Valid	1	Disabled	24	0.8%	10.8%
	2	Had a baby/child care/married/homemaker	18	0.6%	8.1%
	3	Health problem/accident	62	2.0%	27.8%
	4	Other	35	1.1%	15.7%
	6	Moved	11	0.4%	4.9%
	8	Temporary job/seasonal job/contract ended	17	0.5%	7.6%
	9	Laid off	13	0.4%	5.8%
	11	Caregiving for family	10	0.3%	4.5%
	13	Company moved/closed	18	0.6%	8.1%
	14	Resigned/chose to quit	15	0.5%	6.7%
		Total	223	7.1%	100%
Missing	99	INAPP	2,914	92.9%	
		Total	2,914	92.9%	

Valid	Invalid	Minimum	Maximum
223	2914	1	14

C1PB5GB - OS-Reason for respondent's unemployment #2 Type Code

C1PB5GB What happened - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?

BackwardSkip (C1PB2 = NEVER HAD A PAID JOB) OR (C1PB3A = YES) OR (C1PB4N = NEVER WORKED) OR (C1PB3D = YES OR C1PB3I = YES)

Notes Root variable: C1PB5G

InterviewerInstruction [INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS]

			Frequency	% of total	% of valid
Valid	2	Had a baby/child care/married/homemaker	1	0.0%	8.3%
	3	Health problem/accident	5	0.2%	41.7%
	6	Moved	2	0.1%	16.7%
	11	Caregiving for family	2	0.1%	16.7%
	13	Company moved/closed	2	0.1%	16.7%
		Total	12	0.4%	100%
Missing	99	INAPP	3,125	99.6%	
		Total	3,125	99.6%	

Valid	Invalid	Minimum	Maximum
12	3125	2	13

🅯 C1PB5AB1A - OE-What respondent is doing to find a job #1

Туре	Code	
C1PB5AB1A	What are you doing to find a job?	
PreQuestionText	Currently, are you actively looking for a job?	
Notes	Root variable: C1PB5AB	

			Frequency	% of total	% of valid
Valid	1	Searching/applying for job	12	0.4%	14.1%
	2	Networking	26	0.8%	30.6%
3	3	Internet/online/other media: Not specified	35	1.1%	41.2%
	4	Interviewing	2	0.1%	2.4%
	6	Other	10	0.3%	11.8%
		Total	85	2.7%	100%
Missing	99	INAPP	3,052	97.3%	
		Total	3,052	97.3%	

Valid	Invalid	Minimum	Maximum
85	3052	1	6

SC1PB5AB1B - OE-What respondent is doing to find a job #2

Туре	Code
C1PB5AB1B	What are you doing to find a job?
PreQuestionText	Currently, are you actively looking for a job?
Notes	Root variable: C1PB5AB

			Frequency	% of total	% of valid
Valid	1	Searching/applying for job	15	0.5%	38.5%
	3	Internet/online/other media: Not specified	21	0.7%	53.8%
	4	Interviewing	3	0.1%	7.7%
		Total	39	1.2%	100%
Missing	99	INAPP	3,098	98.8%	
		Total	3,098	98.8%	

Valid	Invalid	Minimum	Maximum
39	3098	1	4

SC1PB5AB1C - OE-What respondent is doing to find a job #3

Туре	Code
C1PB5AB1C	What are you doing to find a job?
PreQuestionText	Currently, are you actively looking for a job?
Notes	Root variable: C1PB5AB

			Frequency	% of total	% of valid
Valid	1	Searching/applying for job	9	0.3%	100.0%
		Total	9	0.3%	100%
Missing	99	INAPP	3,128	99.7%	
		Total	3,128	99.7%	

Valid	Invalid	Minimum	Maximum
9	3128	1	1

🚳 C1PB33AKA - OS-Spouse/partner's employment situation before the

recession

Туре	Code
C1PB33AKA	Think back to January, 2008, just before the recession began. In January 2008, what was your spouse or partner's employment situation - was he/she working for pay, self-employed, unemployed, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else?
BackwardSkip	(C1PB30 = NO, DK OR REFUSED)
Notes	Root variable: C1PB33AK
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. IF R SAYS "student", PROBE: "Was (he/she) a student full-time or a part-time?]

			Frequency	% of total	% of valid
Valid	1	Disabled	5	0.2%	16.1%
	4	Volunteer	2	0.1%	6.5%
	6	Health problem	3	0.1%	9.7%
	8	Other	7	0.2%	22.6%
	10	Laid off	1	0.0%	3.2%
	11	Seasonal work	2	0.1%	6.5%
	12	Working	3	0.1%	9.7%
	13	Caregiving for family/friend	2	0.1%	6.5%
	14	Self employed	4	0.1%	12.9%
	15	Part-time job	2	0.1%	6.5%
		Total	31	1.0%	100%
Missing	97	DON'T KNOW	1	0.0%	
	99	INAPP	3,105	99.0%	

	Total			3,106	99.0%
Valid	Invalid	Minimum	Maximum		
31	3106	1	15		

SC1PB33BBGA - OS-Reason for spouse/partner's first unemployment since

the recession began #1

Туре	Code
C1PB33BBGA	What had happened at that time - were your spouse or partner fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?
BackwardSkip	(C1PB30 = NO, DK OR REFUSED) OR (C1PB33B = NO, DK, OR REFUSED)
Notes	Root variable: C1PB33BBG
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS]

			Frequency	% of total	% of valid
Valid	1	Company or business moved/slow down/closed	11	0.4%	14.7%
	2	Disabled	3	0.1%	4.0%
	3	Health problem/accident	15	0.5%	20.0%
	4	Temporary or seasonal job/contract or project ended	10	0.3%	13.3%
	5	Other	12	0.4%	16.0%
	6	Moved	3	0.1%	4.0%
	7	Job/position was eliminated	2	0.1%	2.7%
	9	Self-employed	3	0.1%	4.0%
	10	Was not working/hadn't been working	3	0.1%	4.0%
	11	Lack of work/no work available	7	0.2%	9.3%
	15	Laid off	5	0.2%	6.7%
	16	Caregiving for family/friend	1	0.0%	1.3%
		Total	75	2.4%	100%
Missing	99	INAPP	3,062	97.6%	
		Total	3,062	97.6%	

Valid	Invalid	Minimum	Maximum
75	3062	1	16

C1PB33BBGB - OS-Reason for spouse/partner's first unemployment since the recession began #2

Туре	Code
C1PB33BBGB	What had happened at that time - were your spouse or partner fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?
BackwardSkip	(C1PB30 = NO, DK OR REFUSED) OR (C1PB33B = NO, DK, OR REFUSED)
Notes	Root variable: C1PB33BBG
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS]

			Frequency	% of total	% of valid
Valid	3	Health problem/accident	2	0.1%	40.0%
	9	Self-employed	1	0.0%	20.0%
	11	Lack of work/no work available	1	0.0%	20.0%
	15	Laid off	1	0.0%	20.0%
		Total	5	0.2%	100%
Missing	99	INAPP	3,132	99.8%	
		Total	3,132	99.8%	

Valid	Invalid	Minimum	Maximum
5	3132	3	15

SC1PB34KA - OS-Spouse/partner's current employment situation #1

Туре	Code
C1PB34KA	What is your spouse or partner's current employment status? Is (he/she) working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else?
BackwardSkip	(C1PB30 = NO, DK OR REFUSED) OR (C1PB32BDN = STILL UNEMPLOYED) OR (C1PB34A = YES)
Notes	Root variable: C1PB34K
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. IF R SAYS "student", PROBE: "Were you a student full-time or part-time?"]

Valid	1	Disabled	10	0.3%	23.3%
	2	Health problem	3	0.1%	7.0%
	3	Volunteer/unpaid job	4	0.1%	9.3%
	4	Part-time job	9	0.3%	20.9%
	6	Not working	3	0.1%	7.0%
	7	Working	6	0.2%	14.0%
	9	Caregiving for family/friend	2	0.1%	4.7%
	10	Live on insurance benefit	2	0.1%	4.7%
	11	Homemaker	2	0.1%	4.7%
	12	Self-employed	2	0.1%	4.7%
		Total	43	1.4%	100%
Missing	98	REFUSED/MISSING	1	0.0%	
	99	INAPP	3,093	98.6%	
		Total	3,094	98.6%	

Valid	Invalid	Minimum	Maximum
43	3094	1	12

SC1PB34KB - OS-Spouse/partner's current employment situation #2

Туре	Code
C1PB34KB	What is your spouse or partner's current employment status? Is (he/she) working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else?
BackwardSkip	(C1PB30 = NO, DK OR REFUSED) OR (C1PB32BDN = STILL UNEMPLOYED) OR (C1PB34A = YES)
Notes	Root variable: C1PB34K
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. IF R SAYS "student", PROBE: "Were you a student full-time or part-time?"]

			Frequency	% of total	% of valid
Valid	3	Volunteer/unpaid job	2	0.1%	66.7%
	7	Working	1	0.0%	33.3%
		Total	3	0.1%	100%
Missing	99	INAPP	3,134	99.9%	
		Total	3,134	99.9%	

Valid	Invalid	Minimum	Maximum
3	3134	3	7

% C1PB36GA - OS-Reason for respondent's unemployment #1

Туре	Code
C1PB36GA	What happened - was (he/she) fired or laid off, did the company close down, did (he/she) quit, choose to retire or did something else happen?
BackwardSkip	(C1PB30 = NO, DK OR REFUSED) OR (C1PB34A = YES) OR (C1PB35N = NEVER WORKED) OR (C1PB34D = YES OR C1PB34I = YES)
Notes	Root variable: C1PB36G
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS.]

			Frequency	% of total	% of valid
Valid	1	Disabled	16	0.5%	11.4%
	2	Had a baby/child care/married/homemaker	39	1.2%	27.9%
	3	Health problem/accident	46	1.5%	32.9%
	4	Other	10	0.3%	7.1%
	6	Moved	5	0.2%	3.6%
	8	Temporary job/seasonal job/contract ended	8	0.3%	5.7%
	13	Company moved/closed	8	0.3%	5.7%
	14	Resigned/chose to quit	8	0.3%	5.7%
		Total	140	4.5%	100%
Missing	97	DON'T KNOW	1	0.0%	
	99	INAPP	2,996	95.5%	
		Total	2,997	95.5%	

Valid	Invalid	Minimum	Maximum
140	2997	1	14

☆ C1PB36GB - OS-Reason for respondent's unemployment #2

Туре	Code
C1PB36GB	What happened - was (he/she) fired or laid off, did the company close down, did (he/she) quit, choose to retire or did something else happen?
BackwardSkip	(C1PB30 = NO, DK OR REFUSED) OR (C1PB34A = YES) OR (C1PB35N = NEVER WORKED) OR (C1PB34D = YES OR C1PB34I = YES)
Notes	Root variable: C1PB36G
InterviewerInstruction	[INTERVIEWER: SELECT ALL THAT APPLY. DO NOT PROBE FOR OTHERS.]

			Frequency	% of total	% of valid
Valid	3	Health problem/accident	11	0.4%	91.7%
	4	Other	1	0.0%	8.3%
		Total	12	0.4%	100%
Missing	99	INAPP	3,125	99.6%	

		Total		3,125	99.6%	
Valid	Invalid	Minimum	Maxin	num		
12	3125	3	4			

C1PB36A1A - OE-What spouse/partner is doing to find a job #1 Type Code C1PB36A1A What is (he/she) doing to find a job? PreQuestionText Currently, is (he/she) actively looking for a job? Notes Root variable: C1PB36A1

			Frequency	% of total	% of valid
Valid	1	Searching/applying for job	5	0.2%	12.2%
	3	Networking	20	0.6%	48.8%
	4	Internet, online, other media: Ambiguous response	11	0.4%	26.8%
	5	Interviewing	1	0.0%	2.4%
	6	Schooling	1	0.0%	2.4%
	7	Other	3	0.1%	7.3%
		Total	41	1.3%	100%
Missing	97	DON'T KNOW	1	0.0%	
	99	INAPP	3,095	98.7%	
		Total	3,096	98.7%	

Valid	Invalid	Minimum	Maximum
41	3096	1	7

Type Code C1PB36A1B - OE-What spouse/partner is doing to find a job #2 Type Code C1PB36A1B What is (he/she) doing to find a job? PreQuestionText Currently, is (he/she) actively looking for a job? Notes Root variable: C1PB36A1

			Frequency	% of total	% of valid
Valid	1	Searching/applying for job	3	0.1%	21.4%
	4	Internet, online, other media: Ambiguous response	9	0.3%	64.3%
	5	Interviewing	1	0.0%	7.1%
	6	Schooling	1	0.0%	7.1%
		Total	14	0.4%	100%

Missing	99	INAPP	3,123	99.6%	
		Total	3,123	99.6%	

Valid	Invalid	Minimum	Maximum
14	3123	1	6

% C1PB36A1C - OE-What spouse/partner is doing to find a job #3

Туре	Code
C1PB36A1C	What is (he/she) doing to find a job?
PreQuestionText	Currently, is (he/she) actively looking for a job?
Notes	Root variable: C1PB36A1

			Frequency	% of total	% of valid
Valid	1	Searching/applying for job	1	0.0%	33.3%
	4	Internet, online, other media: Ambiguous response	2	0.1%	66.7%
		Total	3	0.1%	100%
Missing	99	INAPP	3,134	99.9%	
		Total	3,134	99.9%	

Valid	Invalid	Minimum	Maximum
3	3134	1	4

SC1PC6A - OS-Anyone you have not already mentioned lived in your

household in last 12 months #1

Туре	Code
C1PC6A	In the last 12 months, has anyone you haven't already mentioned lived in your household?
Notes	Root variable: C1PC6

Frequency	% of total	% of valid
ricquericy	70 OI total	70 OI Valla

Valid	1	Friend	14	0.4%	6.1%
	2	Sister	11	0.4%	4.8%
	4	Spouse	7	0.2%	3.0%
	5	Nephew	11	0.4%	4.8%
	6	In-laws	31	1.0%	13.5%
	8	Parents	17	0.5%	7.4%
	10	Other: Non family member	16	0.5%	7.0%
	11	Other: Family member	12	0.4%	5.2%
	12	Children	31	1.0%	13.5%
	14	Grandchildren	35	1.1%	15.2%
	15	Other	45	1.4%	19.6%
		Total	230	7.3%	100%
Missing	99	INAPP	2,907	92.7%	
		Total	2,907	92.7%	

Valid	Invalid	Minimum	Maximum
230	2907	1	15

SC1PC6B - OS-Anyone you have not already mentioned lived in your

household in last 12 months #2

Туре	Code
C1PC6B	In the last 12 months, has anyone you haven't already mentioned lived in your household?
Notes	Root variable: C1PC6

			Frequency	% of total	% of valid
Valid	1	Friend	3	0.1%	11.5%
	4	Spouse	1	0.0%	3.8%
	6	In-laws	3	0.1%	11.5%
	8	Parents	1	0.0%	3.8%
	11	Other: Family member	1	0.0%	3.8%
	12	Children	8	0.3%	30.8%
	14	Grandchildren	9	0.3%	34.6%
		Total	26	0.8%	100%
Missing	99	INAPP	3,111	99.2%	
		Total	3,111	99.2%	

Valid	Invalid	Minimum	Maximum
26	3111	1	14

SC1PC6C - OS-Anyone you have not already mentioned lived in your household in last 12 months #3

Туре	Code
C1PC6C	In the last 12 months, has anyone you haven't already mentioned lived in your household?
Notes	Root variable: C1PC6

			Frequency	% of total	% of valid
Valid	12	Children	2	0.1%	40.0%
	14	Grandchildren	3	0.1%	60.0%
		Total	5	0.2%	100%
Missing	99	INAPP	3,132	99.8%	
		Total	3,132	99.8%	

Valid	Invalid	Minimum	Maximum
5	3132	12	14

SC1PCDTA1 - OS-Condition disability/mental problem 1: Child #1

Туре	Code
C1PCDTA1	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: C1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc?"]

Frequency	% of total	% of valid

Valid	102	Autism	1	0.0%	1.6%
	105	Developmental disability (DD)	1	0.0%	1.6%
	106	Down syndrome	1	0.0%	1.6%
	224	Handicapped	5	0.2%	8.2%
	226	Learning disability/problems (LD)	3	0.1%	4.9%
	433	Brain damage	1	0.0%	1.6%
	542	Schizophrenia/schizoaffective/sch disorder	izophrenifor 1 m	0.0%	1.6%
	652	Dementia	1	0.0%	1.6%
	769	Mood problem/disorder	1	0.0%	1.6%
	771	Mental health problems	1	0.0%	1.6%
	772	Nerves/nervous condition	3	0.1%	4.9%
	800	Motor disorders	1	0.0%	1.6%
	802	Tourette's	2	0.1%	3.3%
	996	Some other condition (Not non-normative)	39	1.2%	63.9%
		Total	61	1.9%	100%
Missing	999	INAPP	3,076	98.1%	
		Total	3,076	98.1%	

Valid	Invalid	Minimum	Maximum
61	3076	102	996

SC1PCDTA2 - OS-Condition disability/mental problem 1: Child #2

Туре	Code
C1PCDTA2	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: C1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc?"]

	Frequency	% of total	% of valid
--	-----------	------------	------------

Valid	107	Fetal alcohol syndrome	1	0.0%	1.6%
	222	Attention deficit disorder (ADD)	1	0.0%	1.6%
	224	Handicapped	7	0.2%	11.1%
	226	Learning disability/problems (LD)	3	0.1%	4.8%
	433	Brain damage	1	0.0%	1.6%
	542	Schizophrenia/schizoaffective/sch disorder	izophrenifor 1 m	0.0%	1.6%
	645	Alcoholism	3	0.1%	4.8%
	769	Mood problem/disorder	1	0.0%	1.6%
	772	Nerves/nervous condition	2	0.1%	3.2%
	800	Motor disorders	1	0.0%	1.6%
	996	Some other condition (Not non-normative)	42	1.3%	66.7%
		Total	63	2.0%	100%
Missing	998	REFUSED	1	0.0%	
	999	INAPP	3,073	98.0%	
		Total	3,074	98.0%	

Valid	Invalid	Minimum	Maximum
63	3074	107	996

C1PCDTA3 - OS-Condition disability/mental problem 1: Child #3

Туре	Code
C1PCDTA3	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: C1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc?"]

			Frequency	% of total	% of valid
Valid	102	Autism	1	0.0%	3.2%
	224	Handicapped	8	0.3%	25.8%
226		Learning disability/problems (LD)	2	0.1%	6.5%
	996	Some other condition (Not non-normative)	20	0.6%	64.5%
		Total	31	1.0%	100%
Missing	999	INAPP	3,106	99.0%	

	Total			3,106	99.0%
Valid	Invalid	Minimum	Maximum		
31	3106	102	996		

SC1PCDTA4 - OS-0	Condition disability/mental problem 1: Child #4
Туре	Code
C1PCDTA4	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: C1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc?"]

			Frequency	% of total	% of valid
Valid	224	Handicapped	2	0.1%	13.3%
	226	Learning disability/problems (LD)	1	0.0%	6.7%
	433	Brain damage	1	0.0%	6.7%
	771	Mental health problems	1	0.0%	6.7%
	996	Some other condition (Not non-normative)	10	0.3%	66.7%
		Total	15	0.5%	100%
Missing	999	INAPP	3,122	99.5%	
		Total	3,122	99.5%	

Valid	Invalid	Minimum	Maximum
15	3122	224	996

Туре	Code				
C1PCDTA5	What type of developmental disability or serious mental health problem does (KHNAME) have?				
Notes	Root variable: C1PCDT1				
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc?"]				
	Frequency % of total % of valid				

Valid	224	Handicapped	1	0.0%	8.3%
	226	Learning disability/problems (LD)	2	0.1%	16.7%
	996	Some other condition (Not non-normative)	9	0.3%	75.0%
		Total	12	0.4%	100%
Missing	999	INAPP	3,125	99.6%	
		Total	3,125	99.6%	

Valid	Invalid	Minimum	Maximum
12	3125	224	996

SC1PCDTA6 - OS-Condition disability/mental problem 1: Child #6

Туре	Code
C1PCDTA6	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: C1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc?"]

			Frequency	% of total	% of valid
Valid	769	Mood problem/disorder	1	0.0%	50.0%
	996	Some other condition (Not non-normative)	1	0.0%	50.0%
		Total	2	0.1%	100%
Missing	999	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	769	996

SECTION SECTION SECTI

Туре	Code
C1PCDTA7	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: C1PCDT1

InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record
	all the conditions in a few moments, but tell me, which of these do you
	consider to be the primary condition?" AND IF NECESSARY, ASK: "What was
	the specific condition requiring group home/special education/etc?"]

			Frequency	% of total	% of valid
Valid	996	Some other condition (Not non-normative)	2	0.1%	100.0%
		Total	2	0.1%	100%
Missing	999	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	996	996

SC1PCDTA8 - OS-Condition disability/mental problem 1: Child #8

Туре	Code
C1PCDTA8	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: C1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc?"]

			Frequency	% of total	% of valid
Valid	996	Some other condition (Not non-normative)	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	999	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	996	996

SC1PCDTA9 - OS-Condition disability/mental problem 1: Child #9

Туре	Code
C1PCDTA9	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: C1PCDT1

InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record
	all the conditions in a few moments, but tell me, which of these do you
	consider to be the primary condition?" AND IF NECESSARY, ASK: "What was
	the specific condition requiring group home/special education/etc?"]

			Frequency	% of total	% of valid
Valid	996	Some other condition (Not non-normative)	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	999	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	996	996

SC1PCDTA11 - OS-Condition disability/mental problem 1: Child #11

Туре	Code
C1PCDTA11	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: C1PCDT1
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc?"]

			Frequency	% of total	% of valid
Valid	996	Some other condition (Not non-normative)	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	999	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	996	996

C1PCDTB1 - OS-Condition disability/mental problem 2: Child #1

Туре	Code
C1PCDTB1	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: C1PCDT2

InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record
	all the conditions in a few moments, but tell me, which of these do you
	consider to be the primary condition?" AND IF NECESSARY, ASK: "What was
	the specific condition requiring group home/special education/etc?"]

			Frequency	% of total	% of valid
Valid	650	Anxiety or anxiety disorder	1	0.0%	33.3%
	773	Paranoid/paranoia	1	0.0%	33.3%
	996	Some other condition (Not non-normative)	1	0.0%	33.3%
		Total	3	0.1%	100%
Missing	999	INAPP	3,134	99.9%	
		Total	3,134	99.9%	

Valid	Invalid	Minimum	Maximum
3	3134	650	996

SC1PCDTB2 - OS-Condition disability/mental problem 2: Child #2

Туре	Code
C1PCDTB2	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: C1PCDT2
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc?"]

			Frequency	% of total	% of valid
Valid	653	Drug abuse	2	0.1%	100.0%
		Total	2	0.1%	100%
Missing	999	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	653	653

SC1PCDTB3 - OS-Condition disability/mental problem 2: Child #3

Туре	Code
C1PCDTB3	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: C1PCDT2

InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record
	all the conditions in a few moments, but tell me, which of these do you
	consider to be the primary condition?" AND IF NECESSARY, ASK: "What was
	the specific condition requiring group home/special education/etc?"]

			Frequency	% of total	% of valid
Valid	996	Some other condition (Not non-normative)	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	999	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	996	996

SC1PCDTB4 - OS-Condition disability/mental problem 2: Child #4

Type	Code
C1PCDTB4	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: C1PCDT2
InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record all the conditions in a few moments, but tell me, which of these do you consider to be the primary condition?" AND IF NECESSARY, ASK: "What was the specific condition requiring group home/special education/etc?"]

			Frequency	% of total	% of valid
Valid	645	Alcoholism	1	0.0%	50.0%
	996	Some other condition (Not non-normative)	1	0.0%	50.0%
		Total	2	0.1%	100%
Missing	999	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	645	996

SC1PCDTC2 - OS-Condition disability/mental problem 3: Child #2

Туре	Code
C1PCDTC2	What type of developmental disability or serious mental health problem does (KHNAME) have?
Notes	Root variable: C1PCDT3

InterviewerInstruction	[INTERVIEWER: IF RESPONSE IS MORE THAN ONE CONDITION, ASK: "I'll record
	all the conditions in a few moments, but tell me, which of these do you
	consider to be the primary condition?" AND IF NECESSARY, ASK: "What was
	the specific condition requiring group home/special education/etc?"]

			Frequency	% of total	% of valid
Valid	996	Some other condition (Not non-normative)	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	999	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	996	996

Туре	Code			
C1PCDOA1	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?			
Notes	Root variable: C1PCDO1			
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]			

	Frequency	% of total	% of valid
		,	,

Valid	101	Asperger's syndrome	1	0.0%	2.1%
10	102	Autism	2	0.1%	4.2%
	103	Cerebral palsy (CP)	1	0.0%	2.1%
	113	Mental retardation (MR)	1	0.0%	2.1%
	222	Attention deficit disorder (ADD)	2	0.1%	4.2%
	223	Attention deficit hyperactivity disorder (ADHD)	1	0.0%	2.1%
	224	Handicapped	2	0.1%	4.2%
	226	Learning disability/problems (LD)	3	0.1%	6.3%
	230	Speech and language problems	1	0.0%	2.1%
	332	Seizure disorder	2	0.1%	4.2%
	433	Brain damage	1	0.0%	2.1%
538	538	Bipolar disorder (Manic depressive disorder)	3	0.1%	6.3%
	542	Schizophrenia/schizoaffective/sch disorder	izophrenifor 1 m	0.0%	2.1%
	645	Alcoholism	3	0.1%	6.3%
	646	Alzheimer's	1	0.0%	2.1%
	650	Anxiety or anxiety disorder	1	0.0%	2.1%
	652	Dementia	1	0.0%	2.1%
	772	Nerves/nervous condition	2	0.1%	4.2%
	779	Suicidal/suicide attempt	1	0.0%	2.1%
	802	Tourette's	2	0.1%	4.2%
	875	Depression	3	0.1%	6.3%
996	Some other condition (Not non-normative)	13	0.4%	27.1%	
		Total	48	1.5%	100%
Missing	999	INAPP	3,089	98.5%	
		Total	3,089	98.5%	

Valid	Invalid	Minimum	Maximum
48	3089	101	996

Type Code C1PCDOA2 - OS-Any other condition 1: Child #2 Type Code C1PCDOA2 Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions? Notes Root variable: C1PCDO1 InterviewerInstruction [INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

Valid	223	Attention deficit hyperactivity disorder (ADHD)	3	0.1%	9.1%
	224	Handicapped	1	0.0%	3.0%
226	Learning disability/problems (LD)	1	0.0%	3.0%	
	433	Brain damage	2	0.1%	6.1%
	538	Bipolar disorder (Manic depressive disorder)	1	0.0%	3.0%
	542	Schizophrenia/schizoaffective/sch disorder	izophrenifor 1 m	0.0%	3.0%
650	650	Anxiety or anxiety disorder	2	0.1%	6.1%
	653	Drug abuse	3	0.1%	9.1%
655	655	Obsessive compulsive disorder (OCD)	1	0.0%	3.0%
	769	Mood problem/disorder	2	0.1%	6.1%
770	Mentally ill	1	0.0%	3.0%	
	802	Tourette's	1	0.0%	3.0%
	875	Depression	4	0.1%	12.1%
996	Some other condition (Not non-normative)	10	0.3%	30.3%	
		Total	33	1.1%	100%
Missing	999	INAPP	3,104	98.9%	
		Total	3,104	98.9%	

Valid	Invalid	Minimum	Maximum
33	3104	223	996

C1PCDOA3 - OS-Any other condition 1: Child #3 Type Code C1PCDOA3 Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions? Notes Root variable: C1PCDO1 InterviewerInstruction [INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

	Frequency	% of total	% of valid	
--	-----------	------------	------------	--

Valid	222	Attention deficit disorder (ADD)	1	0.0%	8.3%
	223	Attention deficit hyperactivity disorder (ADHD)	1	0.0%	8.3%
	226	Learning disability/problems (LD)	1	0.0%	8.3%
	538	Bipolar disorder (Manic depressive disorder)	1	0.0%	8.3%
	542	Schizophrenia/schizoaffective/sch disorder	izophrenifor 1 m	0.0%	8.3%
	802	Tourette's	1	0.0%	8.3%
	875	Depression	1	0.0%	8.3%
	996	Some other condition (Not non-normative)	5	0.2%	41.7%
		Total	12	0.4%	100%
Missing	999	INAPP	3,125	99.6%	
		Total	3,125	99.6%	

Valid	Invalid	Minimum	Maximum
12	3125	222	996

Type Code C1PCDOA4 - OS-Any other condition 1: Child #4 Type Code C1PCDOA4 Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions? Notes Root variable: C1PCDO1 InterviewerInstruction [INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

			Frequency	% of total	% of valid
Valid	226	Learning disability/problems (LD)	2	0.1%	28.6%
	650	Anxiety or anxiety disorder	3	0.1%	42.9%
	772	Nerves/nervous condition	1	0.0%	14.3%
	996	Some other condition (Not non-normative)	1	0.0%	14.3%
		Total	7	0.2%	100%
Missing	999	INAPP	3,130	99.8%	
		Total	3,130	99.8%	

Valid	Invalid	Minimum	Maximum
7	3130	226	996

☆ C1PCDOA5 - OS-Any other condition 1: Child #5

Туре	Code
C1PCDOA5	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: C1PCDO1
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

			Frequency	% of total	% of valid
Valid	996	Some other condition (Not non-normative)	2	0.1%	100.0%
		Total	2	0.1%	100%
Missing	999	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	996	996

SC1PCDOA6 - OS-Any other condition 1: Child #6

Туре	Code
C1PCDOA6	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: C1PCDO1
InterviewerInstruction [INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD I	

			Frequency	% of total	% of valid
Valid	996	Some other condition (Not non-normative)	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	999	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	996	996

[™] C1PCDOA7 - OS-Any other condition 1: Child #7

Туре	Code
C1PCDOA7	Now, does (KHNAME) have any other developmental disabilities or serious
	long term mental health conditions?

Notes	Root variable: C1PCDO1
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

			Frequency	% of total	% of valid
Valid	996	Some other condition (Not non-normative)	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	999	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	996	996

SC1PCDOA8 - OS-Any other condition 1: Child #8€

Туре	Code
C1PCDOA8	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: C1PCDO1
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

			Frequency	% of total	% of valid
Valid	104	Cognitive disability	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	999	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	104	104

[™] C1PCDOA9 - OS-Any other condition 1: Child #9

Туре	Code
C1PCDOA9	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: C1PCDO1
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

			Frequency	% of total	% of valid
Valid	113	Mental retardation (MR)	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	999	INAPP	3,136	100.0%	

	Total			3,136	100.0%
Valid	Invalid	Minimum	Maximum		
1	3136	113	113		

C1PCDOB1 - OS-Any other condition 2: Child #1			
Туре	Code		
C1PCDOB1	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?		
Notes	Root variable: C1PCDO2		
InterviewerInstruction [INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]			

			Frequency	% of total	% of valid
	230	Speech and language problems	1	0.0%	16.7%
	331	Epilepsy	1	0.0%	16.7%
	332	Seizure disorder	1	0.0%	16.7%
	650	Anxiety or anxiety disorder	2	0.1%	33.3%
	996	Some other condition (Not non-normative)	1	0.0%	16.7%
		Total	6	0.2%	100%
Missing	999	INAPP	3,131	99.8%	
		Total	3,131	99.8%	

Valid	Invalid	Minimum	Maximum
6	3131	230	996

Type Code C1PCDOB2 - OS-Any other condition 2: Child #2 Type Code C1PCDOB2 Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions? Notes Root variable: C1PCDO2 InterviewerInstruction [INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

			Frequency	% of total	% of valid
Valid	105	Developmental disability (DD)	1	0.0%	25.0%
	650	Anxiety or anxiety disorder	3	0.1%	75.0%
		Total	4	0.1%	100%
Missing	999	INAPP	3,133	99.9%	
		Total	3,133	99.9%	

Valid	Invalid	Minimum	Maximum
4	3133	105	650

InterviewerInstruction

C1PCDOB3 - OS-Any other condition 2: Child #3 Type Code C1PCDOB3 Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions? Notes Root variable: C1PCDO2

[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

			Frequency	% of total	% of valid
Valid	655	Obsessive compulsive disorder (OCD)	1	0.0%	50.0%
	996	Some other condition (Not non-normative)	1	0.0%	50.0%
		Total	2	0.1%	100%
Missing	999	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	655	996

Type Code C1PCDOB4 - OS-Any other condition 2: Child #4 Type Code C1PCDOB4 Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions? Notes Root variable: C1PCDO2 InterviewerInstruction [INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

			Frequency	% of total	% of valid
Valid	656	Panic attacks/disorder	2	0.1%	50.0%
	996	Some other condition (Not non-normative)	2	0.1%	50.0%
		Total	4	0.1%	100%
Missing	999	INAPP	3,133	99.9%	
		Total	3,133	99.9%	

Valid	Invalid	Minimum	Maximum
4	3133	656	996

SC1PCDOB9 - OS-Any other condition 2: Child #9

Туре	Code
C1PCDOB9	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: C1PCDO2
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

			Frequency	% of total	% of valid
Valid	653	Drug abuse	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	999	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	653	653

% C1PCDOC1 - OS-Any other condition 3: Child #1

Туре	Code
C1PCDOC1	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: C1PCDO3
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

			Frequency	% of total	% of valid
Valid	113	Mental retardation (MR)	1	0.0%	50.0%
	655	Obsessive compulsive disorder (OCD)	1	0.0%	50.0%
		Total	2	0.1%	100%
Missing	999	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	113	655

SC1PCDOC2 - OS-Any other condition 3: Child #2

Туре	Code
C1PCDOC2	Now, does (KHNAME) have any other developmental disabilities or serious
	long term mental health conditions?

Notes	Root variable: C1PCDO3
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

			Frequency	% of total	% of valid
Valid	224	Handicapped	1	0.0%	33.3%
	433	Brain damage	1	0.0%	33.3%
	660	Sleep disorder (Insomnia)	1	0.0%	33.3%
		Total	3	0.1%	100%
Missing	999	INAPP	3,134	99.9%	
		Total	3,134	99.9%	

Valid	Invalid	Minimum	Maximum
3	3134	224	660

☆ C1PCDOD2 - OS-Any other condition 4: Child #2

Туре	Code
C1PCDOD2	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: C1PCDO4
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

			Frequency	% of total	% of valid
Valid	226	Learning disability/problems (LD)	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	999	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	226	226

SC1PCDOE2 - OS-Any other condition 5: Child #2

Туре	Code
C1PCDOE2	Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions?
Notes	Root variable: C1PCDO5
InterviewerInstruction	[INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

			Frequency	% of total	% of valid
Valid	996	Some other condition (Not non-	1	0.0%	100.0%
		normative)			

		Total	1	0.0%	100%
Missing	999	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	996	996

Type Code C1PCDOF2 - OS-Any other condition 6: Child #2 Type Code C1PCDOF2 Now, does (KHNAME) have any other developmental disabilities or serious long term mental health conditions? Notes Root variable: C1PCDO6 InterviewerInstruction [INTERVIEWER: IF R LISTED OTHER CONDITIONS IN 'C420', RECORD HERE.]

			Frequency	% of total	% of valid
Valid	224	Handicapped	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	999	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	224	224

☆ C1PD2A - OS-Recipient of the most personal care #1

Туре	Code
C1PD2A	To whom did you give the MOST personal care?
BackwardSkip	(C1PD1 = NO, DK, OR REFUSED)
ForwardSkip	IF C1PD2 = OTHER, GO TO C1PD3. OTHERWISE GO TO C1PD4.
Notes	Root variable: C1PD2

			Frequency	% of total	% of valid
Valid	1	Friend	30	1.0%	39.5%
	2	Aunt	7	0.2%	9.2%
	6	Boyfriend/girlfriend	2	0.1%	2.6%
	8	In-laws	14	0.4%	18.4%
	9	Other: Family member	9	0.3%	11.8%
	10	Other: Non family member	6	0.2%	7.9%
	11	Other	8	0.3%	10.5%
		Total	76	2.4%	100%
Missing	99	INAPP	3,061	97.6%	

	Total			3,061	97.6%	
Valid	Invalid	Minimum	Maximum			
76	3061	1	11			

[™] C1PD2B - OS-Recipient of the most personal care #2				
Туре	Code			
C1PD2B To whom did you give the MOST personal care?				
BackwardSkip	(C1PD1 = NO, DK, OR REFUSED)			
ForwardSkip IF C1PD2 = OTHER, GO TO C1PD3. OTHERWISE GO TO C1PD4.				
Notes	Root variable: C1PD2			

			Frequency	% of total	% of valid
Valid	1	Friend	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	1	1

C1PD4A - OS-Condition caused recipient to need personal care #1 Type Code C1PD4A What condition, illness, or disability caused her/him to need personal care? BackwardSkip (C1PD1 = NO, DK, OR REFUSED) Notes Root variable: C1PD4

	Frequency	% of total	% of valid
--	-----------	------------	------------

Valid	4	Diabetes	3	0.1%	0.7%
	5	Other cancer	46	1.5%	10.8%
	6	Old age	49	1.6%	11.5%
	7	Mental disease	28	0.9%	6.6%
	8	Dementia/Alzheimer	48	1.5%	11.3%
	9	Surgery	38	1.2%	8.9%
	10	Parkinson's disease	7	0.2%	1.6%
	11	Depression	6	0.2%	1.4%
	12	Stroke	32	1.0%	7.5%
	14	Accident/injury/negative life event	10	0.3%	2.4%
	15	Back/spine	5	0.2%	1.2%
	18	Heart	19	0.6%	4.5%
	19	Other	81	2.6%	19.1%
	21	Brain	13	0.4%	3.1%
	22	Broken bone	9	0.3%	2.1%
	23	Lung/asthma	5	0.2%	1.2%
	24	Disabled	11	0.4%	2.6%
	25	Hip/knee replacement	15	0.5%	3.5%
		Total	425	13.5%	100%
Missing	99	INAPP	2,712	86.5%	
		Total	2,712	86.5%	

Valid	Invalid	Minimum	Maximum
425	2712	4	25

Туре	Code
C1PD4B	What condition, illness, or disability caused her/him to need personal care?
BackwardSkip	(C1PD1 = NO, DK, OR REFUSED)
Notes	Root variable: C1PD4

Frequency	% of total	% of valid
rrequericy	/0 UI (Utai	70 OI Vallu

Valid	4	Diabetes	7	0.2%	9.0%
	5	Other cancer	1	0.0%	1.3%
	6	Old age	9	0.3%	11.5%
	7	Mental disease	5	0.2%	6.4%
	8	Dementia/Alzheimer	7	0.2%	9.0%
	9	Surgery	5	0.2%	6.4%
	10	Parkinson's disease	4	0.1%	5.1%
	11	Depression	3	0.1%	3.8%
	12	Stroke	3	0.1%	3.8%
	14	Accident/injury/negative life event	2	0.1%	2.6%
	15	Back/spine	7	0.2%	9.0%
	18	Heart	15	0.5%	19.2%
	19	Other	1	0.0%	1.3%
	21	Brain	1	0.0%	1.3%
	22	Broken bone	4	0.1%	5.1%
	23	Lung/asthma	4	0.1%	5.1%
		Total	78	2.5%	100%
Missing	99	INAPP	3,059	97.5%	
		Total	3,059	97.5%	

Valid	Invalid	Minimum	Maximum
78	3059	4	23

Type Code C1PD4C - OS-Condition caused recipient to need personal care #3 Type Code C1PD4C What condition, illness, or disability caused her/him to need personal care? BackwardSkip (C1PD1 = NO, DK, OR REFUSED) Notes Root variable: C1PD4

			Frequency	% of total	% of valid
Valid	4	Diabetes	2	0.1%	14.3%
	6	Old age	3	0.1%	21.4%
	7	Mental disease	1	0.0%	7.1%
	9	Surgery	1	0.0%	7.1%
	15	Back/spine	1	0.0%	7.1%
	18	Heart	3	0.1%	21.4%
	21	Brain	1	0.0%	7.1%
	22	Broken bone	1	0.0%	7.1%
	25	Hip/knee replacement	1	0.0%	7.1%
		Total	14	0.4%	100%

Missing	99	INAPP	3,123	99.6%	
		Total	3,123	99.6%	

Valid	Invalid	Minimum	Maximum
14	3123	4	25

% C1PD4D - OS-Condition caused recipient to need personal care #4

Туре	Code
C1PD4D	What condition, illness, or disability caused her/him to need personal care?
BackwardSkip	(C1PD1 = NO, DK, OR REFUSED)
Notes	Root variable: C1PD4

			Frequency	% of total	% of valid
Valid	23	Lung/asthma	2	0.1%	66.7%
	25	Hip/knee replacement	1	0.0%	33.3%
		Total	3	0.1%	100%
Missing	99	INAPP	3,134	99.9%	
		Total	3,134	99.9%	

Valid	Invalid	Minimum	Maximum
3	3134	23	25

SC1PD4E - OS-Condition caused recipient to need personal care #5

Туре	Code
C1PD4E	What condition, illness, or disability caused her/him to need personal care?
BackwardSkip (C1PD1 = NO, DK, OR REFUSED)	
Notes	Root variable: C1PD4

			Frequency	% of total	% of valid
Valid	15	Back/spine	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	15	15

🕯 C1PD8AA - OS-The reason for no longer helping recipient

and of the tendent to		
Туре	Code	

C1PD8AA	Why are you no longer helping? Is it because (he/she) no longer needs care, someone else is helping (him/her), (he/she) is deceased, or for some other reason?
Notes	Root variable: C1PD8A
InterviewerInstruction	[INTERVIEWER: ALLOW 2.]

			Frequency	% of total	% of valid
Valid	2	No longer live together	13	0.4%	59.1%
	4	Other	5	0.2%	22.7%
	5	Someone else is helping	4	0.1%	18.2%
		Total	22	0.7%	100%
Missing	9	INAPP	3,115	99.3%	
		Total	3,115	99.3%	

Valid	Invalid	Minimum	Maximum
22	3115	2	5

SECTIFE 19 C1PE1A7A - OS-Institution setting where participant has lived last 5 years

Туре	Code
C1PE1A7A	Since we last interviewed you in [M2PhoneMO], [M2PhoneYR], have you lived in SOME OTHER INSTITUTIONAL SETTING?
BackwardSkip	(C1PE1 = NO, DK, OR REFUSED)
Notes	Root variable: C1PE1A7

			Frequency	% of total	% of valid
Valid	1	Hospital/rehab center	6	0.2%	40.0%
	5	Other	5	0.2%	33.3%
	6	Assisted-living facility	4	0.1%	26.7%
		Total	15	0.5%	100%
Missing	9	INAPP	3,122	99.5%	
		Total	3,122	99.5%	

Valid	Invalid	Minimum	Maximum
15	3122	1	6

% C1PF1A - OS-Other Spanish origin #1

Туре	Code
C1PF1A	Are you of Spanish, Hispanic or Latino descent, that is, Mexican, Mexican American, Chicano, Puerto Rican, Cuban or some other Spanish origin?
Notes	Root variable: C1PF1

			Frequency	% of total	% of valid
Valid	2	Columbian	1	0.0%	2.4%
	4	Spanish	15	0.5%	35.7%
	5	Portuguese	2	0.1%	4.8%
	7	Brazilian	2	0.1%	4.8%
	9	Latino	10	0.3%	23.8%
	10	South American	1	0.0%	2.4%
	11	Central American	1	0.0%	2.4%
	12	Other	9	0.3%	21.4%
	13	Mixed racial origins	1	0.0%	2.4%
		Total	42	1.3%	100%
Missing	98	REFUSED/MISSING	1	0.0%	
	99	INAPP	3,094	98.6%	
		Total	3,095	98.7%	

Valid	Invalid	Minimum	Maximum
42	3095	2	13

at is, Mexican, Mexican other Spanish origin?
other Spanish origin:

			Frequency	% of total	% of valid
Valid	5	Portuguese	2	0.1%	100.0%
		Total	2	0.1%	100%
Missing	99	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	5	5

SC1PF2AA - OS-Other main ethnic background or origins #1

Туре	Code
C1PF2AA	(In addition to being American) What is your main ethnic background or origins?
Notes	Root variable: C1PF2A
InterviewerInstruction	[INTERVIEWER: YOU MAY ENTER UP TO 3 GROUPS.]

			Frequency	% of total	% of valid
Valid	1	Denmark	56	1.8%	11.5%
	2	American/United States	27	0.9%	5.5%
	3	African American	10	0.3%	2.0%
	4	Caucasian	11	0.4%	2.3%
	5	Netherland	45	1.4%	9.2%
	6	Great Britain	11	0.4%	2.3%
	7	Native American	18	0.6%	3.7%
	8	Scandinavian	14	0.4%	2.9%
	9	European	65	2.1%	13.3%
	10	Switzerland	11	0.4%	2.3%
	11	Finland	13	0.4%	2.7%
	13	Other	64	2.0%	13.1%
	17	Lithuania	15	0.5%	3.1%
	18	Jewish	13	0.4%	2.7%
	19	Wales	58	1.8%	11.9%
	20	Belgium	9	0.3%	1.8%
	21	Austria	14	0.4%	2.9%
	22	French Canadian	13	0.4%	2.7%
	26	Slovakia	6	0.2%	1.2%
	27	Middle Eastern	10	0.3%	2.0%
	30	Scotland	5	0.2%	1.0%
		Total	488	15.6%	100%
Missing	99	INAPP	2,649	84.4%	
		Total	2,649	84.4%	

Valid	Invalid	Minimum	Maximum
488	2649	1	30

InterviewerInstruction

Type Code C1PF2BA - OS-Other main ethnic background or origins #2 C1PF2BA (In addition to being American) What is your main ethnic background or origins? Notes Root variable: C1PF2B

[INTERVIEWER: YOU MAY ENTER UP TO 3 GROUPS.]

Frequency	% of total	% of valid
rrequericy	70 OI LOLAI	70 OI Vallu

Valid	1	Denmark	2	0.1%	9.5%
	3	African American	1	0.0%	4.8%
	5	Netherland	3	0.1%	14.3%
	6	Great Britain	1	0.0%	4.8%
	9	European	2	0.1%	9.5%
	10	Switzerland	1	0.0%	4.8%
	11	Finland	2	0.1%	9.5%
	13	Other	1	0.0%	4.8%
	17	Lithuania	1	0.0%	4.8%
	19	Wales	2	0.1%	9.5%
	21	Austria	2	0.1%	9.5%
	26	Slovakia	1	0.0%	4.8%
	27	Middle Eastern	1	0.0%	4.8%
	30	Scotland	1	0.0%	4.8%
		Total	21	0.7%	100%
Missing	99	INAPP	3,116	99.3%	
		Total	3,116	99.3%	

Valid	Invalid	Minimum	Maximum
21	3116	1	30

Notes

C1PF3A - OS-Other which best describes background or origins Type Code C1PF3A Which group best describes your background or origins? BackwardSkip (C1PF2A = DK OR REFUSED) OR (C1PF2B = DK OR REFUSED)

			Frequency	% of total	% of valid
Valid	1	All equally together	63	2.0%	67.0%
	4	American	10	0.3%	10.6%
	5	Scandinavian	6	0.2%	6.4%
	11	European	2	0.1%	2.1%
	12	Other	13	0.4%	13.8%
		Total	94	3.0%	100%
Missing	99	INAPP	3,043	97.0%	
		Total	3,043	97.0%	

Root variable: C1PF3

Valid	Invalid	Minimum	Maximum
94	3043	1	12

[⋘] C1PF7AA - OS-Other main racial origins			
Туре	Code		
C1PF7AA	What are your main racial origins - that is, what race or races are your parents, grandparents, and other ancestors?		
ForwardSkip	IF C1PF7A = REFUSED, GO TO C1PF9.		
Notes	Root variable: C1PF7A		
InterviewerInstruction	[INTERVIEWER: ENTER ALL THAT APPLY.]		

			Frequency	% of total	% of valid
Valid	1	White	141	4.5%	69.1%
	4	Asian	9	0.3%	4.4%
	6	Other	22	0.7%	10.8%
	7	Hispanic/Latino	25	0.8%	12.3%
	8	Mixed race	7	0.2%	3.4%
		Total	204	6.5%	100%
Missing	99	INAPP	2,933	93.5%	
		Total	2,933	93.5%	

Valid	Invalid	Minimum	Maximum
204	2933	1	8

InterviewerInstruction

Type Code C1PF8AA Which do you feel best describes your racial background? White, Black or African American, American Indian or Alaska Native, Asian, or Native Hawaiian or Pacific Islander? BackwardSkip (C1PF7A = REFUSED) Notes Root variable: C1PF8A

[INTERVIEWER: ENTER ALL THAT APPLY.]

			Frequency	% of total	% of valid
Valid	1	White	4	0.1%	30.8%
	4	Asian	1	0.0%	7.7%
	6	Other	3	0.1%	23.1%
	7	Hispanic/Latino	3	0.1%	23.1%
	8	Mixed race	2	0.1%	15.4%
		Total	13	0.4%	100%
Missing	99	INAPP	3,124	99.6%	
		Total	3,124	99.6%	

Valid	Invalid	Minimum	Maximum
13	3124	1	8

☆ C1PF12BA - OS-Country of citizenship #1

Туре	Code
C1PF12BA	In what country do you have citizenship?
BackwardSkip	(C1PF12 = YES)
Notes	Root variable: C1PF12B

			Frequency	% of total	% of valid
Valid	1	Canada	1	0.0%	10.0%
	9	United Kingdom	3	0.1%	30.0%
	11	Other	6	0.2%	60.0%
		Total	10	0.3%	100%
Missing	99	INAPP	3,127	99.7%	
		Total	3,127	99.7%	

Valid	Invalid	Minimum	Maximum
10	3127	1	11

SC1PF12BB - OS-Country of citizenship #2

Туре	Code
C1PF12BB	In what country do you have citizenship?
BackwardSkip	(C1PF12 = YES)
Notes	Root variable: C1PF12B

			Frequency	% of total	% of valid
Valid	2	Argentina	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	2	2

🚳 C1SA14OA - OS-Vitamin, mineral, or herbal supplements you take

regularly #1

Tuno	Code
туре	Code

C1SA14OA	Please check below any of the following vitamin, mineral, or herbal supplements you take regularly-that is, at least a couple of times a week?
Notes	Root variable: C1SA14O

			Frequency	% of total	% of valid
Valid	1	Magnesium	63	2.0%	6.3%
	2	Folic Acid	21	0.7%	2.1%
	3	Vitamin D	303	9.7%	30.3%
	5	Potassium	13	0.4%	1.3%
	7	Vitamin E	22	0.7%	2.2%
	8	Niacin	11	0.4%	1.1%
	9	Probiotic	12	0.4%	1.2%
	10	Vitamin B/B-12/B complex	121	3.9%	12.1%
	11	CoQ10	82	2.6%	8.2%
	12	Other	274	8.7%	27.4%
	13	Zinc	7	0.2%	0.7%
	14	Cinnamon	9	0.3%	0.9%
	16	Biotin	28	0.9%	2.8%
	17	Lutein	7	0.2%	0.7%
	18	Other Vitamin	28	0.9%	2.8%
		Total	1,001	31.9%	100%
Missing	99	INAPP	2,136	68.1%	
		Total	2,136	68.1%	

Valid	Invalid	Minimum	Maximum
1001	2136	1	18

SC1SA14OB - OS-Vitamin, mineral, or herbal supplements you take

regularly #2

Туре	Code
C1SA14OB	Please check below any of the following vitamin, mineral, or herbal supplements you take regularly-that is, at least a couple of times a week?
Notes	Root variable: C1SA14O

Frequency	% of total	% of valid
ricquericy	/0 O1 total	70 OI Valla

Valid	1	Magnesium	12	0.4%	4.3%
	2	Folic Acid	3	0.1%	1.1%
	3	Vitamin D	73	2.3%	26.0%
	4	Melatonin	1	0.0%	0.4%
	5	Potassium	4	0.1%	1.4%
	7	Vitamin E	19	0.6%	6.8%
	8	Niacin	7	0.2%	2.5%
	9	Probiotic	7	0.2%	2.5%
	10	Vitamin B/B-12/B complex	89	2.8%	31.7%
	11	CoQ10	4	0.1%	1.4%
	12	Other	16	0.5%	5.7%
	13	Zinc	9	0.3%	3.2%
	14	Cinnamon	9	0.3%	3.2%
	16	Biotin	9	0.3%	3.2%
	17	Lutein	8	0.3%	2.8%
	18	Other Vitamin	11	0.4%	3.9%
		Total	281	9.0%	100%
Missing	99	INAPP	2,856	91.0%	
		Total	2,856	91.0%	

Valid	Invalid	Minimum	Maximum
281	2856	1	18

🚳 C1SA14OC - OS-Vitamin, mineral, or herbal supplements you take

regularly #3

Туре	Code
C1SA14OC	Please check below any of the following vitamin, mineral, or herbal supplements you take regularly-that is, at least a couple of times a week?
Notes	Root variable: C1SA14O

Frequency	% of total	% of valid
Freduency	/0 UI LULAI	70 OI Vallu

Valid	3	Vitamin D	16	0.5%	19.3%
	5	Potassium	3	0.1%	3.6%
	7	Vitamin E	11	0.4%	13.3%
	8	Niacin	3	0.1%	3.6%
	9	Probiotic	4	0.1%	4.8%
	10	Vitamin B/B-12/B complex	26	0.8%	31.3%
	11	CoQ10	9	0.3%	10.8%
	12	Other	2	0.1%	2.4%
	13	Zinc	3	0.1%	3.6%
	17	Lutein	3	0.1%	3.6%
	18	Other Vitamin	3	0.1%	3.6%
		Total	83	2.6%	100%
Missing	99	INAPP	3,054	97.4%	
		Total	3,054	97.4%	

Valid	Invalid	Minimum	Maximum
83	3054	3	18

SC1SA14OD - OS-Vitamin, mineral, or herbal supplements you take

regularly #4

Туре	Code
C1SA14OD	Please check below any of the following vitamin, mineral, or herbal supplements you take regularly-that is, at least a couple of times a week?
Notes	Root variable: C1SA14O

			Frequency	% of total	% of valid
Valid	3	Vitamin D	17	0.5%	53.1%
	5	Potassium	2	0.1%	6.3%
	7	Vitamin E	3	0.1%	9.4%
	10	Vitamin B/B-12/B complex	1	0.0%	3.1%
	11	CoQ10	4	0.1%	12.5%
	13	Zinc	1	0.0%	3.1%
	17	Lutein	4	0.1%	12.5%
		Total	32	1.0%	100%
Missing	99	INAPP	3,105	99.0%	
		Total	3,105	99.0%	

Valid	Invalid	Minimum	Maximum
32	3105	3	17

🕯 C1SA14OE - OS-Vitamin, mineral, or herbal supplements you take

regularly #5

Туре	Code
C1SA14OE	Please check below any of the following vitamin, mineral, or herbal supplements you take regularly-that is, at least a couple of times a week?
Notes	Root variable: C1SA14O

			Frequency	% of total	% of valid
Valid	1	Magnesium	1	0.0%	11.1%
	3	Vitamin D	4	0.1%	44.4%
	5	Potassium	1	0.0%	11.1%
	7	Vitamin E	2	0.1%	22.2%
	17	Lutein	1	0.0%	11.1%
		Total	9	0.3%	100%
Missing	99	INAPP	3,128	99.7%	
		Total	3,128	99.7%	

Valid	Invalid	Minimum	Maximum
9	3128	1	17

SC1SA14OF - OS-Vitamin, mineral, or herbal supplements you take

regularly #6

Туре	Code
C1SA14OF	Please check below any of the following vitamin, mineral, or herbal
	supplements you take regularly-that is, at least a couple of times a week?
Notes	Root variable: C1SA14O

			Frequency	% of total	% of valid
Valid	7	Vitamin E	1	0.0%	25.0%
	10	Vitamin B/B-12/B complex	2	0.1%	50.0%
	17	Lutein	1	0.0%	25.0%
		Total	4	0.1%	100%
Missing	99	INAPP	3,133	99.9%	
		Total	3,133	99.9%	

Valid	Invalid	Minimum	Maximum
4	3133	7	17

SC1SA17IA - OS-Location where pain primarily located #1

Туре	Code
C1SA17IA	Where is your pain primarily located?
Notes	Root variable: C1SA17I

			Frequency	% of total	% of valid
Valid	1	Chest	5	0.2%	4.4%
	2	Abdomen	4	0.1%	3.5%
	3	Ankle	5	0.2%	4.4%
	4	Spine	12	0.4%	10.5%
	5	Other	46	1.5%	40.4%
	7	Wrist	3	0.1%	2.6%
	9	Leg	4	0.1%	3.5%
	10	Pelvis	2	0.1%	1.8%
	14	Joint	16	0.5%	14.0%
	19	Finger	5	0.2%	4.4%
	22	Stomach	6	0.2%	5.3%
	24	Intestine	3	0.1%	2.6%
	25	Ear	3	0.1%	2.6%
		Total	114	3.6%	100%
Missing	99	INAPP	3,023	96.4%	
		Total	3,023	96.4%	

Valid	Invalid	Minimum	Maximum
114	3023	1	25

SC1SA17IB - OS-Location where pain primarily located #2

Туре	Code
C1SA17IB	Where is your pain primarily located?
Notes	Root variable: C1SA17I

			Frequency	% of total	% of valid
Valid	3	Ankle	1	0.0%	33.3%
	4	Spine	1	0.0%	33.3%
	10	Pelvis	1	0.0%	33.3%
		Total	3	0.1%	100%
Missing	99	INAPP	3,134	99.9%	
		Total	3,134	99.9%	

Valid Invalid Minimum Maxi

3	3134	3	10
J	3137	J	10

SC1SA17IC - OS-Location where pain primarily located #3

Туре	Code
C1SA17IC	Where is your pain primarily located?
BackwardSkip	(C1SA15 = NO)
Notes	Root variable: C1SA17I

			Frequency	% of total	% of valid
Valid	22	Stomach	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	22	22

SC1SA19A - OE-Diagnosis given by physician or other health care

Туре	Code
C1SA19A	What was the diagnosis?
BackwardSkip	(C1SA15 = NO) OR (`C1PA18 = NO)
Notes	Root variable: C1SA19

Eroguenev	% of total	% of valid
Frequency	% OI total	% OI Vallu

Valid	1	Fibromyalgia	31	1.0%	3.7%
	2	Migraine/headache	16	0.5%	1.9%
	3	Back/spine/disc/Scoliosis/rib	214	6.8%	25.5%
	4	Carpal Tunnel Syndrome	1	0.0%	0.1%
	5	Bone spur	7	0.2%	0.8%
	6	Injury from accident	20	0.6%	2.4%
	7	Other	112	3.6%	13.3%
	9	Hip problem/Sciatica	51	1.6%	6.1%
	10	Other muscle problem	33	1.1%	3.9%
	11	Other knee problem	49	1.6%	5.8%
	12	Plantar Fasciitis/foot/ankle problem	33	1.1%	3.9%
	13	Arthritis	184	5.9%	21.9%
	14	Other joint problem/gout	32	1.0%	3.8%
	15	Neck/shoulder problem	17	0.5%	2.0%
	16	Nerve problem	39	1.2%	4.6%
	17	Cervical problem	1	0.0%	0.1%
		Total	840	26.8%	100%
Missing	99	INAPP	2,297	73.2%	
		Total	2,297	73.2%	

Valid	Invalid	Minimum	Maximum
840	2297	1	17

SC1SA19B - OE-Diagnosis given by physician or other health care

Туре	Code
C1SA19B	What was the diagnosis?
BackwardSkip	(C1SA15 = NO) OR (`C1PA18 = NO)
Notes	Root variable: C1SA19

Treduction 70 Of total 70 Of valid		Frequency	% of total	% of valid
------------------------------------	--	-----------	------------	------------

Valid	1	Fibromyalgia	2	0.1%	0.7%
	2	Migraine/headache	4	0.1%	1.5%
	3	Back/spine/disc/Scoliosis/rib	30	1.0%	11.1%
	5	Bone spur	4	0.1%	1.5%
	6	Injury from accident	2	0.1%	0.7%
	7	Other	1	0.0%	0.4%
	9	Hip problem/Sciatica	1	0.0%	0.4%
	10	Other muscle problem	3	0.1%	1.1%
	11	Other knee problem	35	1.1%	13.0%
	12	Plantar Fasciitis/foot/ankle problem	12	0.4%	4.4%
	13	Arthritis	107	3.4%	39.6%
	14	Other joint problem/gout	10	0.3%	3.7%
	15	Neck/shoulder problem	32	1.0%	11.9%
	16	Nerve problem	27	0.9%	10.0%
		Total	270	8.6%	100%
Missing	99	INAPP	2,867	91.4%	
		Total	2,867	91.4%	

Valid	Invalid	Minimum	Maximum
270	2867	1	16

SC1SA19C - OE-Diagnosis given by physician or other health care

Туре	Code
C1SA19C	What was the diagnosis?
BackwardSkip	(C1SA15 = NO) OR (`C1PA18 = NO)
Notes	Root variable: C1SA19

	Frequency	% of total	% of valid

Valid	3	Back/spine/disc/Scoliosis/rib	2	0.1%	2.3%
	5	Bone spur	4	0.1%	4.5%
	6	Injury from accident	2	0.1%	2.3%
	9	Hip problem/Sciatica	3	0.1%	3.4%
	10	Other muscle problem	2	0.1%	2.3%
	11	Other knee problem	11	0.4%	12.5%
	12	Plantar Fasciitis/foot/ankle problem	4	0.1%	4.5%
	13	Arthritis	32	1.0%	36.4%
	14	Other joint problem/gout	2	0.1%	2.3%
	15	Neck/shoulder problem	18	0.6%	20.5%
	16	Nerve problem	8	0.3%	9.1%
		Total	88	2.8%	100%
Missing	99	INAPP	3,049	97.2%	
		Total	3,049	97.2%	

Valid	Invalid	Minimum	Maximum
88	3049	3	16

SC1SA19D - OE-Diagnosis given by physician or other health care

Туре	Code
C1SA19D	What was the diagnosis?
BackwardSkip	(C1SA15 = NO) OR (`C1PA18 = NO)
Notes	Root variable: C1SA19

			Frequency	% of total	% of valid
Valid	5	Bone spur	2	0.1%	9.5%
	6	Injury from accident	2	0.1%	9.5%
	9	Hip problem/Sciatica	2	0.1%	9.5%
	12	Plantar Fasciitis/foot/ankle problem	2	0.1%	9.5%
	13	Arthritis	1	0.0%	4.8%
	14	Other joint problem/gout	3	0.1%	14.3%
	15	Neck/shoulder problem	9	0.3%	42.9%
		Total	21	0.7%	100%
Missing	99	INAPP	3,116	99.3%	
		Total	3,116	99.3%	

valia livalia lviilillialii lviaxillialii	Valid	Invalid	Minimum	Maximum
---	-------	---------	---------	---------

21	3116	5	15
	3110	J	10

😘 C1SA19E - OE-Diagnosis given by physician or other health care

professional about pain #5

Туре	Code
C1SA19E	What was the diagnosis?
BackwardSkip	(C1SA15 = NO) OR (`C1PA18 = NO)
Notes	Root variable: C1SA19

			Frequency	% of total	% of valid
Valid	1	Fibromyalgia	1	0.0%	20.0%
	12	Plantar Fasciitis/foot/ankle problem	1	0.0%	20.0%
	15	Neck/shoulder problem	3	0.1%	60.0%
		Total	5	0.2%	100%
Missing	99	INAPP	3,132	99.8%	
		Total	3,132	99.8%	

Valid	Invalid	Minimum	Maximum
5	3132	1	15

SC1SA19F - OE-Diagnosis given by physician or other health care

Туре	Code
C1SA19F	What was the diagnosis?
BackwardSkip	(C1SA15 = NO) OR (`C1PA18 = NO)
Notes	Root variable: C1SA19

			Frequency	% of total	% of valid
Valid	15	Neck/shoulder problem	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	15	15

SC1SA39ACA - OS-Reason for losing 10 pounds or more during the past 12

months #1

Туре	Code
C1SA39ACA	Why did you lose 10 pounds or more during the past 12 months? Because of SOME OTHER REASON. PLEASE SPECIFY?
BackwardSkip	(C1PA39 = NO)
Notes	Root variable: C1SA39AC

			Frequency	% of total	% of valid
Valid	2	Stress	14	0.4%	8.0%
	3	Workout	5	0.2%	2.9%
	4	Depression	4	0.1%	2.3%
	5	Other	38	1.2%	21.8%
	6	Stressful life event	10	0.3%	5.7%
	7	Gastric bypass	1	0.0%	0.6%
	8	Work/job	8	0.3%	4.6%
	9	Surgery/disease	49	1.6%	28.2%
	10	Medication	13	0.4%	7.5%
	11	Changed eating habit	19	0.6%	10.9%
	14	Improved health condition	7	0.2%	4.0%
	15	Death	6	0.2%	3.4%
		Total	174	5.5%	100%
Missing	99	INAPP	2,963	94.5%	
		Total	2,963	94.5%	

Valid	Invalid	Minimum	Maximum
174	2963	2	15

SC1SA39ACB - OS-Reason for losing 10 pounds or more during the past 12

months #2

Туре	Code
C1SA39ACB	Why did you lose 10 pounds or more during the past 12 months? Because of SOME OTHER REASON. PLEASE SPECIFY?
BackwardSkip	(C1PA39 = NO)
Notes	Root variable: C1SA39AC

Frequency	% of total	% of valid
ricquericy	/0 OI total	70 OI Valla

Valid	Depression 1	0.0%	12.5%		
	8	Work/job	2	0.1%	25.0%
	9	Surgery/disease	2	0.1%	25.0%
	11	Changed eating habit	2	0.1%	25.0%
	15	Death	1	0.0%	12.5%
		Total	8	0.3%	100%
Missing	99	INAPP	3,129	99.7%	
		Total	3,129	99.7%	

Valid	Invalid	Minimum	Maximum
8	3129	4	15

SC1SA44GA - OS-Place when sick or need advice about health #1

Туре	Code
C1SA44GA	Where do you usually go if you are sick or need advice about your health - SOME OTHER KIND OF PLACE. PLEASE SPECIFY?
Notes	Root variable: C1SA44G

			Frequency	% of total	% of valid
Valid	1	Chiropractor	11	0.4%	5.2%
	2	Acupuncturist	6	0.2%	2.8%
	3	Family doctor/specialty doctor	10	0.3%	4.7%
	4	Military hospital	11	0.4%	5.2%
	6	Web MD/Internet	25	0.8%	11.8%
	7	Veteran's hospital	56	1.8%	26.5%
	8	Drug store/pharmacy	4	0.1%	1.9%
	9	Family/friend who is a doctor/nurse	15	0.5%	7.1%
	11	Naturopathic doctor	8	0.3%	3.8%
	14	Free clinic/family health center	5	0.2%	2.4%
	17	Other	37	1.2%	17.5%
	18	Clinic/health center	23	0.7%	10.9%
		Total	211	6.7%	100%
Missing	99	INAPP	2,926	93.3%	
		Total	2,926	93.3%	

Valid	Invalid	Minimum	Maximum
211	2926	1	18

SC1SA44GB - OS-Place when sick or need advice about health #2

Туре	Code
C1SA44GB	Where do you usually go if you are sick or need advice about your health -
	SOME OTHER KIND OF PLACE. PLEASE SPECIFY?
Notes	Root variable: C1SA44G

			Frequency	% of total	% of valid
Valid	1	Chiropractor	1	0.0%	33.3%
	11	Naturopathic doctor	1	0.0%	33.3%
	18	Clinic/health center	1	0.0%	33.3%
		Total	3	0.1%	100%
Missing	99	INAPP	3,134	99.9%	
		Total	3,134	99.9%	

Valid	Invalid	Minimum	Maximum
3	3134	1	18

SC1SA45A - OS-Of those places you selected to go when you are sick or need advice about health, which place do you go most often #1

Туре	Code
C1SA45A	Of those you selected above, which place do you go most often?
PreQuestionText	Where do you usually go if you are sick or need advice about your health?
Notes	Root variable: C1SA45

			Frequency	% of total	% of valid
Valid	1	Family doctor/specialty doctor	8	0.3%	5.9%
	2	Chiropractor	6	0.2%	4.4%
	4	Web MD/Internet	14	0.4%	10.4%
	6	Military hospital	8	0.3%	5.9%
	7	Drug store	3	0.1%	2.2%
	8	Veteran's hospital	45	1.4%	33.3%
	9	Family who is a doctor/nurse	6	0.2%	4.4%
	11	Naturopathic doctor	5	0.2%	3.7%
	12	Free clinic/family health center	5	0.2%	3.7%
	16	Other	26	0.8%	19.3%
	17	Clinic/health center	9	0.3%	6.7%
		Total	135	4.3%	100%
Missing	99	INAPP	3,002	95.7%	
		Total	3,002	95.7%	

135	3002	1	17
133	3002	_	±,

SC1SA45B - OS-Of those places you selected to go when you are sick or need advice about health, which place do you go most often #2

Туре	Code
C1SA45B	Of those you selected above, which place do you go most often?
PreQuestionText	Where do you usually go if you are sick or need advice about your health?
Notes	Root variable: C1SA45

			Frequency	% of total	% of valid
Valid	2	Chiropractor	1	0.0%	33.3%
	4	Web MD/Internet	1	0.0%	33.3%
	11	Naturopathic doctor	1	0.0%	33.3%
		Total	3	0.1%	100%
Missing	99	INAPP	3,134	99.9%	
		Total	3,134	99.9%	

Valid	Invalid	Minimum	Maximum
3	3134	2	11

SC1SA46GA - OS-Nontraditional health practitioner for health care #1

Туре	Code
C1SA46GA	Who do you see for health care - HOMEOPATHIC, ALTERNATIVE,
	COMPLEMENTARY, OR OTHER NONTRADITIONAL HEALTH PRACTITIONER.
	PLEASE SPECIFY?
Notes	Root variable: C1SA46G

			Frequency	% of total	% of valid
Valid	2	Massage therapist	8	0.3%	7.0%
	3	Acupuncturist	19	0.6%	16.7%
	4	Naturopathic doctor	13	0.4%	11.4%
	5	Homeopathic doctor	11	0.4%	9.6%
	6	Herbalist	2	0.1%	1.8%
	10	Veteran's hospital	5	0.2%	4.4%
	11	Nurse/other non-doctor practitioner	4	0.1%	3.5%
	12	Family doctor/specialty doctor	21	0.7%	18.4%
	13	Other	24	0.8%	21.1%
	15	Cardiologist	6	0.2%	5.3%
	18	Alternative	1	0.0%	0.9%

		Total	114	3.6%	100%
Missing	99	INAPP	3,023	96.4%	
		Total	3,023	96.4%	

Valid	Invalid	Minimum	Maximum
114	3023	2	18

SC1SA46GB - OS-Nontraditional health practitioner for health care #2

Туре	Code
C1SA46GB	Who do you see for health care - HOMEOPATHIC, ALTERNATIVE, COMPLEMENTARY, OR OTHER NONTRADITIONAL HEALTH PRACTITIONER.
	PLEASE SPECIFY?
Notes	Root variable: C1SA46G

			Frequency	% of total	% of valid
Valid 2	2	Massage therapist	1	0.0%	12.5%
	3	Acupuncturist	5	0.2%	62.5%
	6	Herbalist	2	0.1%	25.0%
		Total	8	0.3%	100%
Missing	99	INAPP	3,129	99.7%	
		Total	3,129	99.7%	

Valid	Invalid	Minimum	Maximum
8	3129	2	6

SC1SA46GC - OS-Nontraditional health practitioner for health care #3

Туре	Code
C1SA46GC	Who do you see for health care - HOMEOPATHIC, ALTERNATIVE, COMPLEMENTARY, OR OTHER NONTRADITIONAL HEALTH PRACTITIONER. PLEASE SPECIFY?
Notes	Root variable: C1SA46G

			Frequency	% of total	% of valid
Valid	3	Acupuncturist	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	3	3

SECTION SECTION SECTI

Туре	Code	
C1SA46GD	Who do you see for health care - HOMEOPATHIC, ALTERNATIVE,	
	COMPLEMENTARY, OR OTHER NONTRADITIONAL HEALTH PRACTITIONER.	
	PLEASE SPECIFY?	
Notes	Root variable: C1SA46G	

			Frequency	% of total	% of valid
Valid	4	Naturopathic doctor	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	4	4

🕯 C1SA46HA - OS-Explain about the situation that you have no one in

particular for health care #1

Туре	Code
C1SA46HA	Who do you see for health care - NO ONE IN PARTICULAR. PLEASE SPECIFY?
Notes	Root variable: C1SA46H

			Frequency	% of total	% of valid
Valid	1	No insurance	5	0.2%	6.4%
	2	Don't/rarely go to doctor	10	0.3%	12.8%
	3	Don't have doctor	1	0.0%	1.3%
	7	Treat/search myself	2	0.1%	2.6%
	8	Whoever available/cheapest	4	0.1%	5.1%
	10	Clinic	10	0.3%	12.8%
	12	Urgent care center	2	0.1%	2.6%
	13	Other	14	0.4%	17.9%
	14	Other doctor/specialty doctor	20	0.6%	25.6%
	15	Veteran's hospital	10	0.3%	12.8%
		Total	78	2.5%	100%
Missing	99	INAPP	3,059	97.5%	
		Total	3,059	97.5%	

Valid	Invalid	Minimum	Maximum
78	3059	1	15

SC1SA46HB - OS-Explain about the situation that you have no one in particular for health care #2

Туре	Code
C1SA46HB	Who do you see for health care - NO ONE IN PARTICULAR. PLEASE SPECIFY?
Notes	Root variable: C1SA46H

			Frequency	% of total	% of valid
Valid	1	No insurance	1	0.0%	50.0%
	15	Veteran's hospital	1	0.0%	50.0%
		Total	2	0.1%	100%
Missing	99	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	1	15

SC1SA47A - OS-Nontraditional health practitioner go most often and no one in particular go most often #1

Туре	Code
C1SA47A	Of those you selected above, which one do you see most often?
PreQuestionText	Who do you see for health care?
Notes	Root variable: C1SA47

			Frequency	% of total	% of valid
Valid	1	Other	20	0.6%	18.7%
	2	Don't/rarely go to doctor	10	0.3%	9.3%
	3	Massage	6	0.2%	5.6%
	4	Naturopathy	2	0.1%	1.9%
	5	Veteran's hospital	9	0.3%	8.4%
	6	Alternative	2	0.1%	1.9%
	9	Whoever available	2	0.1%	1.9%
	10	Acupuncturist	10	0.3%	9.3%
	11	Don't have doctor	5	0.2%	4.7%
	12	Clinic/hospital	13	0.4%	12.1%
	13	Urgent care	2	0.1%	1.9%
	15	Other doctor/specialty doctor	23	0.7%	21.5%
	18	Emergency room	1	0.0%	0.9%
	19	Search myself/internet	2	0.1%	1.9%

		Total	107	3.4%	100%
Missing	99	INAPP	3,030	96.6%	
		Total	3,030	96.6%	

Valid	Invalid	Minimum	Maximum
107	3030	1	19

🚳 C1SA47B - OS-Nontraditional health practitioner go most often and no

one in particular go most often #2

Туре	Code
C1SA47B	Of those you selected above, which one do you see most often?
PreQuestionText	Who do you see for health care?
Notes	Root variable: C1SA47

			Frequency	% of total	% of valid
Valid	18	Emergency room	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	18	18

SECTION C1SA51KA - OS-Self-help, mutual help, or support group #1

Туре	Code
C1SA51KA	Self-help groups are groups organized and run by people who get together on the basis of a common experience or goal to mutually help or support one another. Please check whether you ever attended one of these meetings and if so, indicate the age you first attended and how many times you attended in the past 12 months ANY OTHER SELF-HELP GROUP, MUTUAL HELP GROUP, OR SUPPORT GROUP? PLEASE ENTER THE NAME(S) OF THE GROUP(S).
Notes	Root variable: C1SA51K

	Frequency	% of total	% of valid
		, , , , , , , , , , , , , , , , , , , ,	, , , , , , , , , , , , , , , , , , , ,

Valid	1	Weight watchers	11	0.4%	7.1%
	2	Bible study/Christian group	34	1.1%	21.8%
	4	Divorce care group	7	0.2%	4.5%
	6	Codependence anonymous	7	0.2%	4.5%
	7	Celebrate recovery	4	0.1%	2.6%
	9	Other	34	1.1%	21.8%
	10	Emotion/depression related group	12	0.4%	7.7%
	13	Personal growth group	1	0.0%	0.6%
	14	Mother's group	3	0.1%	1.9%
	15	Women/wife group	6	0.2%	3.8%
	16	Addiction recovery group	5	0.2%	3.2%
	17	Disease related group	31	1.0%	19.9%
	19	LGBTQ group	1	0.0%	0.6%
		Total	156	5.0%	100%
Missing	99	INAPP	2,981	95.0%	
		Total	2,981	95.0%	

Valid	Invalid	Minimum	Maximum
156	2981	1	19

☆ C1SA51KB - OS-Self-help, mutual help, or support group #2					
Туре	Code				
C1SA51KB	Self-help groups are groups organized and run by people who get together on the basis of a common experience or goal to mutually help or support one another. Please check whether you ever attended one of these meetings and if so, indicate the age you first attended and how many times you attended in the past 12 months ANY OTHER SELF-HELP GROUP, MUTUAL HELP GROUP, OR SUPPORT GROUP? PLEASE ENTER THE NAME(S) OF THE GROUP(S).				
Notes	Root variable: C1SA51K				

			Frequency	% of total	% of valid
Valid	2	Bible study/Christian group	3	0.1%	60.0%
	9	Other	1	0.0%	20.0%
	16	Addiction recovery group	1	0.0%	20.0%
		Total	5	0.2%	100%
Missing	99	INAPP	3,132	99.8%	
		Total	3,132	99.8%	

Valid	Invalid	Minimum	Maximum
5	3132	2	16

☆ C1SA52SA - OS-Nontraditional remedy or therapy #1			
Туре	Code		
C1SA52SA	In the past 12 months, either to treat a physical health problem, to treat an emotional or personal problem, to maintain or enhance your wellness, or to prevent the onset of illness, how often did you use - ANY OTHER NON-TRADITIONAL REMEDY OR THERAPY?		
Notes	Root variable: C1SA52S		

			Frequency	% of total	% of valid
Valid	1	Spiritual practice/Reiki	4	0.1%	6.2%
	2	Essential oil	3	0.1%	4.6%
	3	Prayer/church	3	0.1%	4.6%
	4	Exercise or movement therapy	9	0.3%	13.8%
	5	Special diet	8	0.3%	12.3%
	6	Vitamins	2	0.1%	3.1%
	8	Herbal therapy	3	0.1%	4.6%
	10	Music/television	2	0.1%	3.1%
	12	Muscle related therapy	3	0.1%	4.6%
	17	Other	23	0.7%	35.4%
	18	Artwork	1	0.0%	1.5%
	19	Bone related therapy	2	0.1%	3.1%
	21	Positive mindset	1	0.0%	1.5%
	25	Physical therapy	1	0.0%	1.5%
		Total	65	2.1%	100%
Missing	99	INAPP	3,072	97.9%	
		Total	3,072	97.9%	

Valid	Invalid	Minimum	Maximum
65	3072	1	25

Type Code C1SA52SB - OS-Nontraditional remedy or therapy #2 Type Code C1SA52SB In the past 12 months, either to treat a physical health problem, to treat an emotional or personal problem, to maintain or enhance your wellness, or to prevent the onset of illness, how often did you use - ANY OTHER NON-TRADITIONAL REMEDY OR THERAPY? Notes Root variable: C1SA52S

	Frequency	% of total	% of valid
--	-----------	------------	------------

Valid	4	Exercise or movement therapy	1	0.0%	25.0%
	8	Herbal therapy	2	0.1%	50.0%
	22	Accupressure	1	0.0%	25.0%
		Total	4	0.1%	100%
Missing	99	INAPP	3,133	99.9%	
		Total	3,133	99.9%	

Valid	Invalid	Minimum	Maximum
4	3133	4	22

% C1SB8A1A - OE-Name of the birth control and the dosage starting with the

most recent #1

Туре	Code
C1SB8A1A	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT).
BackwardSkip	(<u>C1PRSEX</u> = MALE) OR (C1SB8A2 = NO AND C1SB8A3 = NO)
Notes	Root variable: C1SB8A1

			Frequency	% of total	% of valid
Valid	3	IUD	19	0.6%	11.8%
	4	Depo-Provera	10	0.3%	6.2%
	5	Loestrin	1	0.0%	0.6%
	6	Other	76	2.4%	47.2%
	7	Ortho-Novum	43	1.4%	26.7%
	10	Lo/Ovral	12	0.4%	7.5%
		Total	161	5.1%	100%
Missing	97	DON'T KNOW	540	17.2%	
	99	INAPP	2,436	77.7%	
		Total	2,976	94.9%	

Valid	Invalid	Minimum	Maximum
161	2976	3	10

% C1SB8A1B - OE-Name of the birth control and the dosage starting with the

most recent #2

Туре	Code

C1SB8A1B	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT).
BackwardSkip	(<u>C1PRSEX</u> = MALE) OR (C1SB8A2 = NO AND C1SB8A3 = NO)
Notes	Root variable: C1SB8A1

			Frequency	% of total	% of valid
Valid	4	Depo-Provera	1	0.0%	33.3%
	7	Ortho-Novum	1	0.0%	33.3%
	10	Lo/Ovral	1	0.0%	33.3%
		Total	3	0.1%	100%
Missing	97	DON'T KNOW	5	0.2%	
	99	INAPP	3,129	99.7%	
		Total	3,134	99.9%	

Valid	Invalid	Minimum	Maximum
3	3134	4	10

SC1SB8B1A - OE-Name of the fertility drug and the dosage starting with the

most recent #1

Туре	Code
C1SB8B1A	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FERTILITY DRUGS?
BackwardSkip	(<u>C1PRSEX</u> = MALE) OR (C1SB8B2 = NO AND C1SB8B3 = NO)
Notes	Root variable: C1SB8B1

			Frequency	% of total	% of valid
Valid	1	Clomid	23	0.7%	53.5%
	2	Lupron	1	0.0%	2.3%
	4	Estradiol	1	0.0%	2.3%
	5	HCG	3	0.1%	7.0%
	6	Progesterone	2	0.1%	4.7%
	8	Other	12	0.4%	27.9%
	11	Pergonal	1	0.0%	2.3%
		Total	43	1.4%	100%
0	97	DON'T KNOW	15	0.5%	
	99	INAPP	3,079	98.2%	

	Tot	al		3,094	98.6%	
Valid	Invalid	Minimum	Maxim	um		
43	3094	1	11			

SC1SB8B1B - OE-Name of the fertility drug and the dosage starting with the

most recent #2

Туре	Code
C1SB8B1B	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FERTILITY DRUGS?
BackwardSkip	(<u>C1PRSEX</u> = MALE) OR (C1SB8B2 = NO AND C1SB8B3 = NO)
Notes	Root variable: C1SB8B1

			Frequency	% of total	% of valid
Valid	1	Clomid	3	0.1%	42.9%
	4	Estradiol	1	0.0%	14.3%
	6	Progesterone	1	0.0%	14.3%
	8	Other	1	0.0%	14.3%
	11	Pergonal	1	0.0%	14.3%
		Total	7	0.2%	100%
Missing	99	INAPP	3,130	99.8%	
		Total	3,130	99.8%	

Valid	Invalid	Minimum	Maximum
7	3130	1	11

SC1SB8B1C - OE-Name of the fertility drug and the dosage starting with the

most recent #3

Туре	Code
C1SB8B1C	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FERTILITY DRUGS?
BackwardSkip	(<u>C1PRSEX</u> = MALE) OR (C1SB8B2 = NO AND C1SB8B3 = NO)
Notes	Root variable: C1SB8B1

	Frequency	% of total	% of valid
--	-----------	------------	------------

Valid	1	Clomid	1	0.0%	50.0%
	2	Lupron	1	0.0%	50.0%
		Total	2	0.1%	100%
Missing	99	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	1	2

SC1SB8C1A - OE-Name of the female hormone and the dosage starting

with the most recent #1

Туре	Code
C1SB8C1A	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FEMALE HORMONES?
BackwardSkip	(C1PRSEX = MALE) OR (C1SB8C2 = NO AND C1SB8C3 = NO)
Notes	Root variable: C1SB8C1

			Frequency	% of total	% of valid
Valid	1	Premarin	110	3.5%	27.0%
	4	Estrogen patch	1	0.0%	0.2%
	5	Progesterone cream	2	0.1%	0.5%
	6	Estrace cream	1	0.0%	0.2%
	8	Estradiol	31	1.0%	7.6%
	9	Other	103	3.3%	25.2%
	12	Progesterone	34	1.1%	8.3%
	13	Estrogen	83	2.6%	20.3%
	14	Progesterone oil injection	1	0.0%	0.2%
	16	Estrace	11	0.4%	2.7%
	17	Prempro	31	1.0%	7.6%
		Total	408	13.0%	100%
Missing	97	DON'T KNOW	73	2.3%	
	99	INAPP	2,656	84.7%	
		Total	2,729	87.0%	

Valid	Invalid	Minimum	Maximum
408	2729	1	17

SC1SB8C1B - OE-Name of the female hormone and the dosage starting with the most recent #2

Туре	Code
C1SB8C1B	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FEMALE HORMONES?
BackwardSkip	(C1PRSEX = MALE) OR (C1SB8C2 = NO AND C1SB8C3 = NO)
Notes	Root variable: C1SB8C1

			Frequency	% of total	% of valid
Valid	1	Premarin	6	0.2%	13.6%
	8	Estradiol	7	0.2%	15.9%
	9	Other	3	0.1%	6.8%
	12	Progesterone	2	0.1%	4.5%
	13	Estrogen	19	0.6%	43.2%
	16	Estrace	3	0.1%	6.8%
	17	Prempro	4	0.1%	9.1%
		Total	44	1.4%	100%
Missing	99	INAPP	3,093	98.6%	
		Total	3,093	98.6%	

Valid	Invalid	Minimum	Maximum
44	3093	1	17

SC1SB8C1C - OE-Name of the female hormone and the dosage starting with

the most recent #3

Туре	Code
C1SB8C1C	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FEMALE HORMONES?
BackwardSkip	(C1PRSEX = MALE) OR (C1SB8C2 = NO AND C1SB8C3 = NO)
Notes	Root variable: C1SB8C1

Valid	8 Estradiol 1	0.0%	25.0%		
	12	Progesterone	1	0.0%	25.0%
	16	Estrace	1	0.0%	25.0%
	17	Prempro	1	0.0%	25.0%
		Total	4	0.1%	100%
Missing	99	INAPP	3,133	99.9%	
		Total	3,133	99.9%	

Valid	Invalid	Minimum	Maximum
4	3133	8	17

SC1SB8C1D - OE-Name of the female hormone and the dosage starting

with the most recent #4

Туре	Code
C1SB8C1D	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FEMALE HORMONES?
BackwardSkip	(C1PRSEX = MALE) OR (C1SB8C2 = NO AND C1SB8C3 = NO)
Notes	Root variable: C1SB8C1

			Frequency	% of total	% of valid
Valid	8	Estradiol	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	8	8

SC1SB8C1E - OE-Name of the female hormone and the dosage starting with

the most recent #5

Туре	Code
C1SB8C1E	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FEMALE HORMONES?
BackwardSkip	(C1PRSEX = MALE) OR (C1SB8C2 = NO AND C1SB8C3 = NO)

Notes Root variable: C1SB8C1

			Frequency	% of total	% of valid
Valid	12	Progesterone	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	12	12

% C1SB8C1F - OE-Name of the female hormone and the dosage starting with

the most recent #6

Туре	Code
C1SB8C1F	Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name[s] of the medication[s] and their dosage[s] - FEMALE HORMONES?
BackwardSkip	(C1PRSEX = MALE) OR (C1SB8C2 = NO AND C1SB8C3 = NO)
Notes	Root variable: C1SB8C1

			Frequency	% of total	% of valid
Valid	13	Estrogen	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	13	13

SC1SB10A - OE-Specialty of the doctor that prescribed the female

hormones #1

Туре	Code
C1SB10A	What was the specialty of the doctor that prescribed the female hormones? (e.g., Generalist, Obstetrician/Gynecologist, Internist)
BackwardSkip	(<u>C1PRSEX</u> = MALE) OR (C1SB9 = NO)
Notes	Root variable: C1SB10

Valid	1	Obstetrician/Gynecologist	335	10.7%	68.5%
	2	Other	29	0.9%	5.9%
	4	Generalist/family doctor/MD	89	2.8%	18.2%
	6	Internist	36	1.1%	7.4%
		Total	489	15.6%	100%
Missing	7	DON'T KNOW	1	0.0%	
	9	INAPP	2,647	84.4%	
		Total	2,648	84.4%	

Valid	Invalid	Minimum	Maximum
489	2648	1	6

SC1SB10B - OE-Specialty of the doctor that prescribed the female

hormones #2

Туре	Code
C1SB10B	What was the specialty of the doctor that prescribed the female hormones? (e.g., Generalist, Obstetrician/Gynecologist, Internist)
BackwardSkip	(<u>C1PRSEX</u> = MALE) OR (C1SB9 = NO)
Notes	Root variable: C1SB10

			Frequency	% of total	% of valid
Valid	1	Obstetrician/Gynecologist	20	0.6%	95.2%
	3	Fertility specialist	1	0.0%	4.8%
		Total	21	0.7%	100%
Missing	9	INAPP	3,116	99.3%	
		Total	3,116	99.3%	

Valid	Invalid	Minimum	Maximum
21	3116	1	3

SC1SB12GA - OS-Reason for beginning take hormones #1

Туре	Code
C1SB12GA	Did you begin taking hormones - BECAUSE OF SOME OTHER REASON?
BackwardSkip	(<u>C1PRSEX</u> = MALE) OR (C1SB9 = NO)
Notes	Root variable: C1SB12G

Valid 1	1	Depression/moodiness	7	0.2%	5.9%
	3	Hysterectomy	27	0.9%	22.7%
	4	For birth control	3	0.1%	2.5%
	7	Low/imbalanced hormones	10	0.3%	8.4%
	8	To avoid menopausal symptoms	15	0.5%	12.6%
	11	Heavy menstrual	3	0.1%	2.5%
	13	Preventive purpose	4	0.1%	3.4%
	14	Due to surgery/disease	20	0.6%	16.8%
	16	Other	19	0.6%	16.0%
	17	MD recommended	6	0.2%	5.0%
	18	Insomnia	5	0.2%	4.2%
		Total	119	3.8%	100%
Missing	99	INAPP	3,018	96.2%	
		Total	3,018	96.2%	

Valid	Invalid	Minimum	Maximum
119	3018	1	18

SECTION SECTION SECTI

Туре	Code
C1SB12GB	Did you begin taking hormones - BECAUSE OF SOME OTHER REASON?
BackwardSkip	(C1PRSEX = MALE) OR (C1SB9 = NO)
Notes	Root variable: C1SB12G

			Frequency	% of total	% of valid
Valid	8	To avoid menopausal symptoms	1	0.0%	25.0%
	13	Preventive purpose	1	0.0%	25.0%
	14	Due to surgery/disease	2	0.1%	50.0%
		Total	4	0.1%	100%
Missing	99	INAPP	3,133	99.9%	
		Total	3,133	99.9%	

Valid	Invalid	Minimum	Maximum
4	3133	8	14

SC1SB16DA - OS-Reason for stopping take female hormones #1

Туре	Code
C1SB16DA	Did you stop taking female hormones because you - HAD ANOTHER REASON?
BackwardSkip	(<u>C1PRSEX</u> = MALE) OR (C1SB9 = NO) OR (C1SB14 = NO)
Notes	Root variable: C1SB16D

			Frequency	% of total	% of valid
Valid	2	Didn't work	8	0.3%	6.8%
	3	Cannot afford it	4	0.1%	3.4%
	5	Side effect	22	0.7%	18.6%
	7	Doctor's advice	35	1.1%	29.7%
	9	Breast related disease	18	0.6%	15.3%
	10	Other	20	0.6%	16.9%
	11	Treatment no longer needed	5	0.2%	4.2%
	12	Received other treatment/surgery	5	0.2%	4.2%
	14	Reports/publications	1	0.0%	0.8%
		Total	118	3.8%	100%
Missing	99	INAPP	3,019	96.2%	
		Total	3,019	96.2%	

Valid	Invalid	Minimum	Maximum
118	3019	2	14

SC1SB16DB - OS-Reason for stopping take female hormones #2

Туре	Code
C1SB16DB	Did you stop taking female hormones because you - HAD ANOTHER REASON?
BackwardSkip	(C1PRSEX = MALE) OR (C1SB9 = NO) OR (C1SB14 = NO)
Notes	Root variable: C1SB16D

			Frequency	% of total	% of valid
Valid	5	Side effect	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	5	5

SC1SB20GA - OS-Nutritional or herbal supplements have regularly taken

over the past month for menopausal symptoms #1

Туре	Code
C1SB20GA	Over the past month, have you regularly taken (at least a couple of times a
	week) any of the following for menopausal symptoms NUTRITIONAL OR
	HERBAL SUPPLEMENTS?

BackwardSkip	(<u>C1PRSEX</u> = MALE) OR (C1SB19 = NO)
Notes	Root variable: C1SB20G

			Frequency	% of total	% of valid
Valid	1	Estroven	3	0.1%	9.1%
	2	Fish oil	2	0.1%	6.1%
	5	DHEA	1	0.0%	3.0%
	7	Biotin	1	0.0%	3.0%
	9	Vitamin E	2	0.1%	6.1%
	10	Vitamin B	1	0.0%	3.0%
	12	Multi vitamin	2	0.1%	6.1%
	19	Other	15	0.5%	45.5%
	20	Other nutritional or herbal supplements	6	0.2%	18.2%
		Total	33	1.1%	100%
Missing	99	INAPP	3,104	98.9%	
		Total	3,104	98.9%	

Valid	Invalid	Minimum	Maximum
33	3104	1	20

SC1SB20GB - OS-Nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #2

Туре	Code
C1SB20GB	Over the past month, have you regularly taken (at least a couple of times a week) any of the following for menopausal symptoms NUTRITIONAL OR HERBAL SUPPLEMENTS?
BackwardSkip	(C1PRSEX = MALE) OR (C1SB19 = NO)
Notes	Root variable: C1SB20G

			Frequency	% of total	% of valid
Valid	2	Fish oil	1	0.0%	25.0%
	11	Vitamin D	2	0.1%	50.0%
	20	Other nutritional or herbal supplements	1	0.0%	25.0%
		Total	4	0.1%	100%
Missing	99	INAPP	3,133	99.9%	
		Total	3,133	99.9%	

Valid	Invalid	Minimum	Maximum
4	3133	2	20

SC1SB20GC - OS-Nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #3

Туре	Code
C1SB20GC	Over the past month, have you regularly taken (at least a couple of times a week) any of the following for menopausal symptoms NUTRITIONAL OR HERBAL SUPPLEMENTS?
BackwardSkip	(C1PRSEX = MALE) OR (C1SB19 = NO)
Notes	Root variable: C1SB20G

			Frequency	% of total	% of valid
Valid	12	Multi vitamin	1	0.0%	100.0%
		Total	1	0.0%	100%
Missing	99	INAPP	3,136	100.0%	
		Total	3,136	100.0%	

Valid	Invalid	Minimum	Maximum
1	3136	12	12

SC1SC2LA - OS-Main reason without healthcare coverage

Туре	Code
C1SC2LA	What is/are the main reason(s) you are without healthcare coverage?
BackwardSkip	(C1SC1 = YES)
ForwardSkip	GO TO C1SC4.
Notes	Root variable: C1SC2L

Fraguena	% of total	0/ of volid
Frequency	% of total	% of valid

Valid	1	Don't need it	1	0.0%	2.9%
	2	Self-employed	5	0.2%	14.3%
	3	Lost job	4	0.1%	11.4%
	4	Benefit not started yet/will begin soon	2	0.1%	5.7%
	5	Cannot afford it	2	0.1%	5.7%
	6	Discharged from military	8	0.3%	22.9%
	7	In a share/charity program	1	0.0%	2.9%
	8	Disabled	2	0.1%	5.7%
	9	Lost welfare eligibiliy	2	0.1%	5.7%
	11	Job does not offer it	1	0.0%	2.9%
	12	Other	3	0.1%	8.6%
	13	Covered by VA, military, gov.	3	0.1%	8.6%
	14	Don't want	1	0.0%	2.9%
		Total	35	1.1%	100%
Missing	99	INAPP	3,102	98.9%	
		Total	3,102	98.9%	

Valid	Invalid	Minimum	Maximum
35	3102	1	14

SC1SG35A - OE-What were those borrowed funds used for #1			
Туре	Code		
C1SG35A	What were those borrowed funds used for?		
BackwardSkip	(C1SG34 = NO)		
Notes	Root variable: C1SG35		

	Frequency	% of total	% of valid
		/0 O1 CO CO1	/o or varia

Valid	1	Pay bills	40	1.3%	24.5%
	2	Home purchase	22	0.7%	13.5%
	3	Pay debt	9	0.3%	5.5%
	4	Living expenses	8	0.3%	4.9%
	5	Car purchase	12	0.4%	7.4%
	6	Tuition	5	0.2%	3.1%
	7	Pay loans	8	0.3%	4.9%
	8	Pay credit card	5	0.2%	3.1%
	9	Other	21	0.7%	12.9%
	11	Vacation	4	0.1%	2.5%
	12	Help/support family/friend	9	0.3%	5.5%
	13	Car repair	1	0.0%	0.6%
	14	Business investment	4	0.1%	2.5%
	15	Medical expenses	6	0.2%	3.7%
	16	Home improvement/repairs	9	0.3%	5.5%
		Total	163	5.2%	100%
Missing	99	INAPP	2,974	94.8%	
		Total	2,974	94.8%	

Valid	Invalid	Minimum	Maximum
163	2974	1	16

C1SG35B - OE-What were those borrowed funds used for #2 Type Code C1SG35B What were those borrowed funds used for? BackwardSkip (C1SG34 = NO) Notes Root variable: C1SG35

			Frequency	% of total	% of valid
Valid	2	Home purchase	2	0.1%	10.5%
	3	Pay debt	5	0.2%	26.3%
	4	Living expenses	2	0.1%	10.5%
	7	Pay loans	2	0.1%	10.5%
	8	Pay credit card	3	0.1%	15.8%
	13	Car repair	2	0.1%	10.5%
	15	Medical expenses	2	0.1%	10.5%
	16	Home improvement/repairs	1	0.0%	5.3%
		Total	19	0.6%	100%
Missing	99	INAPP	3,118	99.4%	
		Total	3,118	99.4%	

Valid	Invalid	Minimum	Maximum
19	3118	2	16

SC1SG35C - OE-What were those borrowed funds used for #3

Туре	Code
C1SG35C	What were those borrowed funds used for?
BackwardSkip	(C1SG34 = NO)
Notes	Root variable: C1SG35

			Frequency	% of total	% of valid
Valid	3	Pay debt	1	0.0%	50.0%
	7	Pay loans	1	0.0%	50.0%
		Total	2	0.1%	100%
Missing	99	INAPP	3,135	99.9%	
		Total	3,135	99.9%	

Valid	Invalid	Minimum	Maximum
2	3135	3	7

SC1SG37DA - OS-Spouse/partner's other type of retirement account #1

Туре	Code
C1SG37DA	Think about all of your and your spouse/partner's retirement accounts; approximately what percentage of these investments are in?
Notes	Root variable: C1SG37D

			Frequency	% of total	% of valid
Valid	1	401K/403B/retirement account	73	2.3%	18.0%
	2	Real estate	53	1.7%	13.1%
	3	Mutual fund/money market	104	3.3%	25.6%
	5	Pension/annuity/insurance	101	3.2%	24.9%
	6	Savings/checking account	25	0.8%	6.2%
	7	Other	50	1.6%	12.3%
		Total	406	12.9%	100%
Missing	99	INAPP	2,731	87.1%	
		Total	2,731	87.1%	

Valid	Invalid	Minimum	Maximum
406	2731	1	7

🕯 C1SG37DB - OS-Spouse/partner's other type of retirement account #2

Туре	Code
C1SG37DB	Think about all of your and your spouse/partner's retirement accounts; approximately what percentage of these investments are in?
Notes	Root variable: C1SG37D

			Frequency	% of total	% of valid
Valid	1	401K/403B/retirement account	2	0.1%	20.0%
	2	Real estate	2	0.1%	20.0%
	3	Mutual fund/money market	6	0.2%	60.0%
		Total	10	0.3%	100%
Missing	99	INAPP	3,127	99.7%	
		Total	3,127	99.7%	

Valid	Invalid	Minimum	Maximum
10	3127	1	3

SC1SG40A - OS-Primary residence

Туре	Code
C1SG40A	Which of the following best describes your primary residence?
Notes	Root variable: C1SG40

			Frequency	% of total	% of valid
Valid	1	Farm	7	0.2%	6.7%
	2	Duplex	16	0.5%	15.4%
	3	Town house	21	0.7%	20.2%
	4	Live with family members	7	0.2%	6.7%
	5	Manufactured	7	0.2%	6.7%
	6	Housing	5	0.2%	4.8%
	7	Other	41	1.3%	39.4%
		Total	104	3.3%	100%
Missing	99	INAPP	3,033	96.7%	
		Total	3,033	96.7%	

Valid	Invalid	Minimum	Maximum
104	3033	1	7

SC1SG48EA - OS-Types of non-retirement assets #1

Type	Code	
. / -	0000	

C1SG48EA	Excluding retirement accounts, think about all other assets owned by you and
	your spouse/partner. Approximately what percentage of these non-
	retirement assets are in?
Notes	Root variable: C1SG48E

			Frequency	% of total	% of valid
Valid	1	Car	24	0.8%	11.5%
	2	Mutual fund/money market	43	1.4%	20.7%
	4	Savings/checking account	24	0.8%	11.5%
	5	IRA/retirement account	14	0.4%	6.7%
	6	House	17	0.5%	8.2%
	7	Business	4	0.1%	1.9%
	8	Metals/jewel	8	0.3%	3.8%
	10	Insurance/annuity	40	1.3%	19.2%
	12	Collectables/antiques/liquid	7	0.2%	3.4%
	14	Other	27	0.9%	13.0%
		Total	208	6.6%	100%
Missing	99	INAPP	2,929	93.4%	
		Total	2,929	93.4%	

Valid	Invalid	Minimum	Maximum
208	2929	1	14

Type Code C1SG48EB - OS-Types of non-retirement assets #2 C1SG48EB Excluding retirement accounts, think about all other assets owned by you and your spouse/partner. Approximately what percentage of these non-retirement assets are in? Notes Root variable: C1SG48E

			Frequency	% of total	% of valid
Valid	1	Car	1	0.0%	8.3%
	2	Mutual fund/money market	2	0.1%	16.7%
	4	Savings/checking account	2	0.1%	16.7%
	8	Metals/jewel	3	0.1%	25.0%
	12	Collectables/antiques/liquid	4	0.1%	33.3%
		Total	12	0.4%	100%
Missing	99	INAPP	3,125	99.6%	
		Total	3,125	99.6%	

Valid	Invalid	Minimum	Maximum
12	3125	1	12

SC1SI7A - OE-Which state would you most like to live in for the next 10

years

Туре	Code
C1SI7A	Thinking back over all the places you've lived during your lifetime, including where you live now, which state would you most like to live in for the next 10 years if you could easily move there now?
Notes	Root variable: C1SI7

			Frequency	% of total	% of valid
Valid	4	Canada	2	0.1%	22.2%
	8	France	1	0.0%	11.1%
	10	US	1	0.0%	11.1%
	11	Costa Rica	1	0.0%	11.1%
	12	Spain	1	0.0%	11.1%
	13	Mexico	2	0.1%	22.2%
	14	Puerto Rico	1	0.0%	11.1%
		Total	9	0.3%	100%
Missing	97	DON'T KNOW	1	0.0%	
	99	INAPP	3,127	99.7%	
		Total	3,128	99.7%	

Valid	Invalid	Minimum	Maximum
9	3128	4	14

SC1SN1AA - OS-Religious preference #1

Туре	Code
C1SN1AA	What is your religious preference?
Notes	Root variable: C1SN1A

Frequency	% of total	% of valid
riequency	/0 UI (U(a)	∕₀ UI Vallu

Valid	2	Christian	17	0.5%	13.1%
	6	Christian Scientist	2	0.1%	1.5%
	7	Self-realization fellowship	1	0.0%	0.8%
	8	Other	53	1.7%	40.8%
	10	Jehovah's Witness	1	0.0%	0.8%
	12	Church of Christ	20	0.6%	15.4%
	13	No religious preference	4	0.1%	3.1%
	15	Non-denominational	9	0.3%	6.9%
	17	Baptist	10	0.3%	7.7%
	18	Freethought	1	0.0%	0.8%
	19	Wicca	4	0.1%	3.1%
	22	Coptic Orthodox Christian	1	0.0%	0.8%
	25	Native American Belief	3	0.1%	2.3%
	31	Wesleyanism	2	0.1%	1.5%
	32	Foursquare church	1	0.0%	0.8%
	35	Presbyterian	1	0.0%	0.8%
		Total	130	4.1%	100%
Missing	99	INAPP	3,007	95.9%	
		Total	3,007	95.9%	

Valid	Invalid	Minimum	Maximum
130	3007	2	35

SC1SN1BA - OS-Religious preference #2

Туре	Code
C1SN1BA	What is your religious preference?
Notes	Root variable: C1SN1B

			Frequency	% of total	% of valid
Valid	2	Christian	3	0.1%	75.0%
	12	Church of Christ	1	0.0%	25.0%
		Total	4	0.1%	100%
Missing	99	INAPP	3,133	99.9%	
		Total	3,133	99.9%	

Valid	Invalid	Minimum	Maximum
4	3133	2	12

SC1SP4MA - OS-Main reason for discrimination #1

Type	Code
. 100	

C1SP4MA	What was the main reason for the discrimination you experienced? - SOME OTHER REASON FOR DISCRIMINATION?
BackwardSkip	(C1SP3 = NO)
Notes	Root variable: C1SP4M

% of valid	% of total	Frequency			
13.5%	0.5%	17	Appearance	2	Valid
4.8%	0.2%	6	Didn't like me	3	
2.4%	0.1%	3	Language	4	
4.0%	0.2%	5	Financial status	5	
7.9%	0.3%	10	Race/ethnicity/nationality	6	
5.6%	0.2%	7	Disease/mental illness/depression	8	
4.8%	0.2%	6	Marital status	9	
3.2%	0.1%	4	Physical/learning disability	10	
4.8%	0.2%	6	Occupation	11	
2.4%	0.1%	3	Social relations	12	
0.8%	0.0%	1	Education	14	
4.0%	0.2%	5	Have children/pregnancy	15	
2.4%	0.1%	3	Jealousy/retaliation	16	
6.3%	0.3%	8	Personality/taste	17	
31.0%	1.2%	39	Other	18	
2.4%	0.1%	3	Political stance	20	
100%	4.0%	126	Total		
	96.0%	3,011	INAPP	99	Missing
	96.0%	3,011	Total		
	0.1% 4.0% 96.0%	3 126 3,011	Political stance Total INAPP	20	Missing

Valid	Invalid	Minimum	Maximum
126	3011	2	20

Type Code C1SP4MB - OS-Main reason for discrimination #2 Type Code C1SP4MB What was the main reason for the discrimination you experienced? - SOME OTHER REASON FOR DISCRIMINATION? BackwardSkip (C1SP3 = NO) Notes Root variable: C1SP4M

			Frequency	% of total	% of valid
Valid	6	Race/ethnicity/nationality	1	0.0%	16.7%
	9	Marital status	4	0.1%	66.7%
	20	Political stance	1	0.0%	16.7%

		Total	6	0.2%	100%
Missing	99	INAPP	3,131	99.8%	
		Total	3,131	99.8%	

Valid	Invalid	Minimum	Maximum
6	3131	6	20