



MIDUS DNA Methylation Age Data

MIDUS DNA Methylation Age Data

Abstract

MIDUS is releasing Methylation Age scores data derived from DNA. See associated documentation for details.

Title

MIDUS DNA Methylation Age Data

Related Materials

Other

- [Readme](#)
- [Documentation](#)

M2MR1_GEN_DNAmaAge_N2118_20221027

Title	M2MR1_GEN_DNAmaAge_N2118_20221027
File Name	M2MR1_GEN_DNAmaAge_N2118_20221027.sav
Case Quantity	2118
Variable Count	19

M2MRID - M2 AND MR Public IDs combined in a single variable

Type	Numeric (Integer)				
Display Values	2				
Stats	1				

Valid	Invalid	Minimum	Maximum	Mean	StdDev
2118	0	10002	39977	23028.720...	10360.625...

SAMPLMAJ - Major sample identification

Type	Code				
Display Values	1				
Stats	1				

			Frequency	% of total	% of valid
Valid	1	CORE MAIN RDD	640	30.22%	30.22%
	2	CORE SIBLING	6	0.28%	0.28%
	3	CORE TWIN	388	18.32%	18.32%
	4	CORE CITY OVERSAMPLE	20	0.94%	0.94%
	13	CORE MILWAUKEE	201	9.49%	9.49%
	20	REFRESHER MAIN	746	35.22%	35.22%
	21	REFRESHER MILWAUKEE	117	5.52%	5.52%
		Total	2,118	100%	100%

Valid	Invalid	Minimum	Maximum
2118	0	1	21

M2MRCASE - Which sample is R in? 1=M2, 2=MR1

Type	Code
Display Values	1
Stats	1

			Frequency	% of total	% of valid
Valid	1	M2	1,255	59.25%	59.25%
	2	MR1	863	40.75%	40.75%
	3	M3 NEWTWIN		0%	0%
		Total	2,118	100%	100%

Valid	Invalid	Minimum	Maximum
2118	0	1	2

GENCONSENT - Did R consent to genetics 1=Yes, 2=No

Type	Code
Display Values	1
Stats	1

			Frequency	% of total	% of valid
Valid	1	YES	2,009	94.85%	94.85%
	2	NO	109	5.15%	5.15%
		Total	2,118	100%	100%
Missing	9	INAPP-M3NEWTWIN		0%	
		Total	0	0%	

Valid	Invalid	Minimum	Maximum
2118	0	1	2

BRA6DTISSUE - Tissue sample source for DNA

Type	Code
Display Values	1
Stats	1

			Frequency	% of total	% of valid
Valid	0	NONE	229	10.81%	10.81%
	1	BLOOD	1,418	66.95%	66.95%
	2	SALIVA	471	22.24%	22.24%
		Total	2,118	100%	100%
Missing	9	INAPP-M3NEWTWIN		0%	
		Total	0	0%	

Valid	Invalid	Minimum	Maximum
-------	---------	---------	---------

2118	0	0	2
------	---	---	---

BRA6DMAVAIL - Is Methylation score data available?

Type	Code
ForwardSkip	IF BRA6DMAVAIL = 2, SKIP BRA6DMQCCORR TO BRA6DMAGEDUNEDINPACE
Display Values	1
Stats	1

			Frequency	% of total	% of valid
Valid	1	YES	1,310	61.85%	61.85%
	2	NO	808	38.15%	38.15%
		Total	2,118	100%	100%
Missing	9	INAPP-M3NEWTWIN		0%	
		Total	0	0%	

Valid	Invalid	Minimum	Maximum
2118	0	1	2

BRA6DMQCCORR - Correlation between the sample DNAm profile and the gold standard reference profile

Type	Numeric (Double)
Numeric Details	Decimals: 4
BackwardSkip	(BRA6DMAVAIL = 2)
Display Values	2
Stats	2

			Frequency	% of total	% of valid
Missing	9.0000	INAPP	808	38.15%	
		Total	808	38.15%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1310	808	0.9306	0.9744	0.9698843...	0.0027901...

BRA6DMQCDIF - Difference the sample DNAm profile from the gold standard reference profile

Type	Numeric (Double)
Numeric Details	Decimals: 4
BackwardSkip	(BRA6DMAVAIL = 2)
Display Values	2
Stats	2

			Frequency	% of total	% of valid
Missing	9.0000	INAPP	808	38.15%	

		Total	808	38.15%	
--	--	-------	-----	--------	--

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1310	808	0.051	0.0795	0.0546251...	0.0022431...

BRA6DMQCFEMALE - Participant sex as inferred from X chromosome methylation abundance

Type	Numeric (Integer)
BackwardSkip	(BRA6DMAVAIL = 2)
Display Values	1
Stats	1

			Frequency	% of total	% of valid
Missing	.		1	0.05%	
	9	INAPP	808	38.15%	
		Total	809	38.2%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1309	809	0	1	0.5576776...	0.4968519...

BRA6DMXCHR - X chromosome methylation

Type	Numeric (Double)
Numeric Details	Decimals: 4
BackwardSkip	(BRA6DMAVAIL = 2)
Display Values	2
Stats	2

			Frequency	% of total	% of valid
Missing	9.0000	INAPP	808	38.15%	
		Total	808	38.15%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1310	808	0.3065	0.5435	0.4092324...	0.0755935...

BRA6DMARRAYID - Individual microarray used to assay samples

Type	Text
BackwardSkip	(BRA6DMAVAIL = 2)
Display Values	3
Stats	3

Valid	Invalid
2118	0

BRA6DMPLATE - Individual 96-well plate storing samples for assay

Type	Numeric (Integer)
BackwardSkip	(BRA6DMAVAIL = 2)
Display Values	2
Stats	1

			Frequency	% of total	% of valid
Missing	99	INAPP	808	38.15%	
		Total	808	38.15%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1310	808	1	14	7.4923664...	4.0205187...

BRA6DMWELL - Individual well within the 96-well plate

Type	Text
BackwardSkip	(BRA6DMAVAIL = 2)
Display Values	3
Stats	3

Valid	Invalid
2118	0

BRA6DMAGEHORVATH - DNA methylation age - Horvath

Type	Numeric (Double)
Numeric Details	Decimals: 4
BackwardSkip	(BRA6DMAVAIL = 2)
Display Values	2
Stats	2

			Frequency	% of total	% of valid
Missing	999.0000	INAPP	808	38.15%	
		Total	808	38.15%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1310	808	25.3443	107.2746	55.460805...	11.118578...

BRA6DMAGEHORVATH2 - DNA methylation age - Horvath2 (Skin)

Type	Numeric (Double)
Numeric Details	Decimals: 4
BackwardSkip	(BRA6DMAVAIL = 2)
Display Values	2
Stats	2

			Frequency	% of total	% of valid
Missing	999.0000	INAPP	808	38.15%	

		Total	808	38.15%	
--	--	-------	-----	--------	--

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1310	808	18.8184	98.3801	51.906437...	12.444525...

BRA6DMAGEHANNUM - DNA methylation age - Hannum

Type	Numeric (Double)
Numeric Details	Decimals: 4
BackwardSkip	(BRA6DMAVAIL = 2)
Display Values	2
Stats	2

			Frequency	% of total	% of valid
Missing	999.0000	INAPP	808	38.15%	
		Total	808	38.15%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1310	808	14.0105	110.4416	42.441519...	11.456398...

BRA6DMAGEPHENOAGE - DNA methylation age - PhenoAge

Type	Numeric (Double)
Numeric Details	Decimals: 4
BackwardSkip	(BRA6DMAVAIL = 2)
Display Values	2
Stats	2

			Frequency	% of total	% of valid
Missing	999.0000	INAPP	808	38.15%	
		Total	808	38.15%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1310	808	10.2689	85.0056	43.636760...	12.994821...

BRA6DMAGEGRIMAGE - DNA methylation age - GrimAge

Type	Numeric (Double)
Numeric Details	Decimals: 4
BackwardSkip	(BRA6DMAVAIL = 2)
Display Values	2
Stats	2

			Frequency	% of total	% of valid
Missing	999.0000	INAPP	808	38.15%	
		Total	808	38.15%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1310	808	22.497	104.5895	52.649525...	11.125769...

BRA6DMAGEDUNEDINPACE - DNA methylation age - DunedinPACE

Type	Numeric (Double)
Numeric Details	Decimals: 4
BackwardSkip	(BRA6DMAVAIL = 2)
Display Values	2
Stats	2

			Frequency	% of total	% of valid
Missing	9.0000	INAPP	808	38.15%	
		Total	808	38.15%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1310	808	0.5336	1.4541	0.9909680...	0.1374513...