

MIDUS Core Mortality

MIDUS Core Mortality

Abstract

Starting at wave 2, MIDUS began tracking the mortality status of its participants through a variety of methods, including mortality closeout interviews during survey fielding, National Death Index searches, online tracing resources, as well as routine longitudinal sample maintenance. This Core mortality dataset includes all decedents and cause of death for National and Milwaukee cases and is current for NDI records through 2016.

Related Materials

Documentation

- [MIDUS_Core_DocumentationOfMortality_20200210](#)

MIDUS_Core_MortalityCauseData_N1511_20200210

| | |
|----------------|--|
| File Name | MIDUS_Core_MortalityCauseData_N1511_20200210.sav |
| Case Quantity | 1511 |
| Variable Count | 10 |

M2ID - MIDUS 2 ID number

| | | | | | |
|-------|-------------------|---------|---------|----------|---------|
| Type | Numeric (Integer) | | | | |
| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
| 1511 | 0 | 10002 | 19186 | 14633.31 | 2644.02 |

M2FAMNUM - MIDUS 2 Family number

| Type | | | Numeric (Integer) | | |
|---------|---------|---------|-------------------|------------|------------|
| | | | Frequency | % of total | % of valid |
| Missing | . | | 86 | 5.7% | |
| | | Total | 86 | 5.7% | |
| | | | | | |
| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
| 1425 | 86 | 100001 | 120954 | 107822.06 | 7655.89 |

SAMPLMAJ - Major sample identification (aka Sample)

| | |
|------|------|
| Type | Code |
|------|------|

| | | | Frequency | % of total | % of valid |
|-------|----|-----------------|-----------|------------|------------|
| Valid | 1 | MAIN RDD | 774 | 51.2% | 51.2% |
| | 2 | SIBLING | 177 | 11.7% | 11.7% |
| | 3 | TWIN | 324 | 21.4% | 21.4% |
| | 4 | CITY OVERSAMPLE | 150 | 9.9% | 9.9% |
| | 13 | MILWAUKEE | 86 | 5.7% | 5.7% |
| | | Total | 1,511 | 100.0% | 100% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 1511 | 0 | 1 | 13 |

B1PRSEX - Respondent's sex

| Type | Code |
|------|------|
|------|------|

| | | | Frequency | % of total | % of valid |
|-------|---|--------|-----------|------------|------------|
| Valid | 1 | MALE | 792 | 52.4% | 52.4% |
| | 2 | FEMALE | 719 | 47.6% | 47.6% |
| | | Total | 1,511 | 100.0% | 100% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 1511 | 0 | 1 | 2 |

DECEASED - Decedent status

| Type | Code |
|------|------|
|------|------|

| | | | Frequency | % of total | % of valid |
|-------|---|-------|-----------|------------|------------|
| Valid | 1 | YES | 1,511 | 100.0% | 100.0% |
| | | Total | 1,511 | 100.0% | 100% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 1511 | 0 | 1 | 1 |

DOD_M - Month of death

| Type | Numeric (Integer) |
|------|-------------------|
|------|-------------------|

| | | | Frequency | % of total | % of valid |
|---------|----|------------|-----------|------------|------------|
| Missing | -7 | DON'T KNOW | 5 | 0.3% | |
| | | Total | 5 | 0.3% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 1506 | 5 | 1 | 12 | 6.47 | 3.56 |

DOD_Y - Year of death

| | |
|------|-------------------|
| Type | Numeric (Integer) |
|------|-------------------|

| | | | Frequency | % of total | % of valid |
|---------|----|------------|-----------|------------|------------|
| Missing | -7 | DON'T KNOW | 5 | 0.3% | |
| | | Total | 5 | 0.3% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|---------|--------|
| 1506 | 5 | 1995 | 2018 | 2007.51 | 5.85 |

CAUSE_ICD9 - Underlying cause of death from 2016 NDI search - ICD9 codes (death occurred 1979-1998)

| | |
|------|------|
| Type | Code |
|------|------|

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 1511 | 0 | 0 | 0 |

CAUSE_ICD10 - Underlying cause of death from 2016 NDI search - ICD10 codes (death occurred 1999 and beyond)

| | |
|------|------|
| Type | Code |
|------|------|

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 1511 | 0 | 0 | 0 |

ICD_SOURCE - Source of ICD code based on 2016 NDI search

| | |
|------|------|
| Type | Code |
|------|------|

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Valid | 1 | ICD CODE DERIVED FROM MORTALITY CLOSEOUT OR LONGITUDINAL SAMPLE MAINTENANCE | 18 | 1.2% | 1.3% |
| | 2 | ICD CODE DERIVED FROM 2016 NDI SEARCH | 1,384 | 91.6% | 98.7% |
| | | Total | 1,402 | 92.8% | 100% |
| Missing | -8 | DECEASED, BUT NO CAUSE OF DEATH FOUND | 109 | 7.2% | |
| | | Total | 109 | 7.2% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 1402 | 109 | 1 | 2 |