![MIDUS - Midlife in the United States - A National Study of Health & Well-Being]

MIDUS 2 Project 3

# 📘 MIDUS 2 Project 3

## Abstract

In 1994/1995, the MacArthur Midlife Research Network carried out a national survey of over 7,000 Americans aged 25 to 74. The purpose of the study was to investigate the role of behavioral, psychological, and social factors in understanding age-related differences in physical and mental health. A description of the study and findings from it are available at http://www.midus.wisc.edu.

With support from the National Institute on Aging, a longitudinal follow-up of the original MIDUS samples (core sample (N = 3,487), metropolitan over-samples (N = 757), twins (N = 957 pairs), and siblings (N = 950)) was conducted in 2004-2006. Guiding hypotheses, at the most general level, were that behavioral and psychosocial factors are consequential for health (physical and mental).

The purpose of the Cognitive Project was to determine how cognition is related to overall mental and physical health. Specific goals were: (1) to characterize the nature and range of midlife cognitive performance, relative to those younger and older, across multiple domains in a nationally representative sample (MIDUS); and (2) to examine the relationship between biopsychosocial factors (e.g., SES, health status, health-promoting behaviors, metabolic and cardiovascular biomarkers, depression, personality, control beliefs, stressful life events) and individual differences in cognitive functioning. The development of a cognitive battery for the second wave of testing of the Midlife Development in the United States (MIDUS) study provided an opportunity to examine the cognitive performance of young, middle-aged and older adults from a wide range of education levels in a large-scale, national sample.

As part of the Cognitive Project of the MIDUS II the Brief Test of Adult Cognition by Telephone (BTACT) (Lachman and Tun, 2008; Tun and Lachman, 2006) was administered. More information about the BTACT can be found at www.brandeis.edu/projects/lifespan. The BTACT represents the first comprehensive cognitive battery, including measures of speed and reaction time, to be administered by telephone to a national sample across the adult years and into later life. With a response rate of over 86 percent for the cognitive testing component of the MIDUS II, a cognitive data set of unprecedented range in terms of age, gender, socioeconomic status (SES), education, and geographic diversity was produced.

**Title**

MIDUS 2 Project 3

**Subtitle**

Cognitive Project, 2004-2006

## Related Materials

### Documentation

- README
- Data Notes
- Protocol
- Variable naming

### Reports

- M2 Documentation of Post-stratification Weights

## M2P3

| Title | M2P3 |
|---|---|
| File Name | M2_P3_BTACT_N4512_20211123.sav |
| Case Quantity | 4512 |
| Variable Count | 223 |

## M2ID - MIDUS 2 ID number

| Type | Numeric (Integer) |
|---|---|

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4512 | 0 | 10002 | 19193 |

## M2FAMNUM - MIDUS 2 Family number

| Type | Numeric (Integer) |
|---|---|

| | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Missing | 999999 | INAPP - NON-NATIONAL SAMPLE | 306 | 6.78% | |
| | | Total | 306 | 6.78% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4206 | 306 | 100001 | 120968 |

## SAMPLMAJ - Major sample identification

| Type | Code |
|---|---|

| | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|

| Valid | 1 | CORE MAIN RDD | 1858 | 41.18% | 41.18% |
|---|---|---|---|---|---|
| | 2 | CORE SIBLING | 663 | 14.69% | 14.69% |
| | 3 | CORE TWIN | 1264 | 28.01% | 28.01% |
| | 4 | CORE CITY OVERSAMPLE | 421 | 9.33% | 9.33% |
| | 13 | CORE MILWAUKEE | 306 | 6.78% | 6.78% |
| | 14 | CORE BOSTON NEW | 0 | 0% | 0% |
| | | Total | 4,512 | 100% | 100% |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4512 | 0 | 1 | 13 |

## B1PAGE_M2 - Respondent's calculated age at MIDUS 2 Project 1 phone interview

| Type | Numeric (Integer) |
|---|---|

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4512 | 0 | 28 | 84 | 55.803634... | 12.310852... |

## B1PRAGE_2019 - Respondent's calculated age at MIDUS 2 Project 1 phone interview, updated as of 2019

| Type | Numeric (Integer) |
|---|---|

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4512 | 0 | 28 | 84 | 55.793882... | 12.316921... |

## B1PRSEX - Respondent's sex

| Type | Code |
|---|---|

| | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 1 | MALE | 2027 | 44.92% | 44.92% |
| | 2 | FEMALE | 2485 | 55.08% | 55.08% |
| | | Total | 4,512 | 100% | 100% |
| Missing | 8 | REFUSED OR MISSING | 0 | 0% | |
| | | Total | 0 | 0% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4512 | 0 | 1 | 2 |

## B3PIDATE_MO - Month of interview

| Type | Code |
|------|------|
| Pre-Question Text | In this phone interview I will ask you to try and do some exercises that involve remembering and making judgments about words and numbers. Before we begin, I need to tell you a few things. Your participation is completely voluntary. If you prefer not answer any question, just let me know and we will go on to the next question. The information that you give me will be confidential and used for statistical analysis only. It will be identified only by computer code and at no time will your name or other identifying information be attached to the survey results. Therefore, I won't be able to give any specific feedback. After the whole study is completed we will send you a summary of our overall findings.<br><br>These tasks are not harmful in any way. The exercises will take about 15 minutes. Do you have any questions about your participation in this study?<br>We will be tape recording the interview today so that we can score the exercises later. Do I have your permission to go ahead with this?<br>First I would like to make sure that you are able to hear me clearly. Please repeat these numbers after me: 2,8,3,6,9. Could you hear me clearly?<br>Now you will hear some words and numbers. Please do not use a paper and pencil for any of the questions. We suggest that you close your eyes while you are doing these to help you concentrate. Some of the questions will be easy for you, and some will be harder. We do not expect anyone to get all of these correct – just do the best you can. |
| Interviewer Instructions | If participant seems distraced, or there is noise or commotion in background such as young children, TV or other people talking, say "it is important that you are able to concentrate without being distracted while we do these exercises. Would it be better for me to call you back another time?" If so, make an appointment for another time. |

| PreQuestionText | In this phone interview I will ask you to try and do some exercises that involve remembering and making judgments about words and numbers. Before we begin, I need to tell you a few things. Your participation is completely voluntary. If you prefer not answer any question, just let me know and we will go on to the next question. The information that you give me will be confidential and used for statistical analysis only. It will be identified only by computer code and at no time will your name or other identifying information be attached to the survey results. Therefore, I won't be able to give any specific feedback. After the whole study is completed we will send you a summary of our overall findings. These tasks are not harmful in any way. The exercises will take about 15 minutes. Do you have any questions about your participation in this study? We will be tape recording the interview today so that we can score the exercises later. Do I have your permission to go ahead with this? First I would like to make sure that you are able to hear me clearly. Please repeat these numbers after me: 2,8,3,6,9. Could you hear me clearly? Now you will hear some words and numbers. Please do not use a paper and pencil for any of the questions. We suggest that you close your eyes while you are doing these to help you concentrate. Some of the questions will be easy for you, and some will be harder. We do not expect anyone to get all of these correct – just do the best you can. |
|---|---|
| InterviewerInstruction | If participant seems distraced, or there is noise or commotion in background such as young children, TV or other people talking, say "it is important that you are able to concentrate without being distracted while we do these exercises. Would it be better for me to call you back another time?" If so, make an appointment for another time. |

| | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 1 | January | 303 | 6.72% | 6.72% |
| | 2 | February | 284 | 6.29% | 6.29% |
| | 3 | March | 385 | 8.53% | 8.53% |
| | 4 | April | 452 | 10.02% | 10.02% |
| | 5 | May | 596 | 13.21% | 13.21% |
| | 6 | June | 493 | 10.93% | 10.93% |
| | 7 | July | 533 | 11.81% | 11.81% |
| | 8 | August | 456 | 10.11% | 10.11% |
| | 9 | September | 164 | 3.63% | 3.63% |
| | 10 | October | 257 | 5.7% | 5.7% |
| | 11 | November | 323 | 7.16% | 7.16% |
| | 12 | December | 266 | 5.9% | 5.9% |
| | | Total | 4,512 | 100% | 100% |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4512 | 0 | 1 | 12 |

## B3PIDATE_YR - Year of interview

| Type | Code |
|------|------|
| Pre-Question Text | In this phone interview I will ask you to try and do some exercises that involve remembering and making judgments about words and numbers. Before we begin, I need to tell you a few things. Your participation is completely voluntary. If you prefer not answer any question, just let me know and we will go on to the next question. The information that you give me will be confidential and used for statistical analysis only. It will be identified only by computer code and at no time will your name or other identifying information be attached to the survey results. Therefore, I won't be able to give any specific feedback. After the whole study is completed we will send you a summary of our overall findings.<br>These tasks are not harmful in any way. The exercises will take about 15 minutes. Do you have any questions about your participation in this study?<br>We will be tape recording the interview today so that we can score the exercises later. Do I have your permission to go ahead with this?<br>First I would like to make sure that you are able to hear me clearly. Please repeat these numbers after me: 2,8,3,6,9. Could you hear me clearly?<br>Now you will hear some words and numbers. Please do not use a paper and pencil for any of the questions. We suggest that you close your eyes while you are doing these to help you concentrate. Some of the questions will be easy for you, and some will be harder. We do not expect anyone to get all of these correct – just do the best you can. |
| Interviewer Instructions | If participant seems distraced, or there is noise or commotion in background such as young children, TV or other people talking, say "it is important that you are able to concentrate without being distracted while we do these exercises. Would it be better for me to call you back another time?" If so, make an appointment for another time. |

| PreQuestionText | In this phone interview I will ask you to try and do some exercises that involve remembering and making judgments about words and numbers. Before we begin, I need to tell you a few things. Your participation is completely voluntary. If you prefer not answer any question, just let me know and we will go on to the next question. The information that you give me will be confidential and used for statistical analysis only. It will be identified only by computer code and at no time will your name or other identifying information be attached to the survey results. Therefore, I won't be able to give any specific feedback. After the whole study is completed we will send you a summary of our overall findings.<br>These tasks are not harmful in any way. The exercises will take about 15 minutes. Do you have any questions about your participation in this study? We will be tape recording the interview today so that we can score the exercises later. Do I have your permission to go ahead with this?<br>First I would like to make sure that you are able to hear me clearly. Please repeat these numbers after me: 2,8,3,6,9. Could you hear me clearly?<br>Now you will hear some words and numbers. Please do not use a paper and pencil for any of the questions. We suggest that you close your eyes while you are doing these to help you concentrate. Some of the questions will be easy for you, and some will be harder. We do not expect anyone to get all of these correct – just do the best you can. |
| --- | --- |
| InterviewerInstruction | If participant seems distraced, or there is noise or commotion in background such as young children, TV or other people talking, say "it is important that you are able to concentrate without being distracted while we do these exercises. Would it be better for me to call you back another time?" If so, make an appointment for another time. |

|  |  |  | Frequency | % of total | % of valid |
| --- | --- | --- | --- | --- | --- |
| Valid | 2004 |  | 2576 | 57.09% | 57.09% |
|  | 2005 |  | 1797 | 39.83% | 39.83% |
|  | 2006 |  | 139 | 3.08% | 3.08% |
|  | 2007 |  | 0 | 0% | 0% |
|  | 2008 |  | 0 | 0% | 0% |
|  | 2009 |  | 0 | 0% | 0% |
|  |  | Total | 4,512 | 100% | 100% |

| Valid | Invalid | Minimum | Maximum |
| --- | --- | --- | --- |
| 4512 | 0 | 2004 | 2006 |

## B3TWLIFP - Word List Immediate flagged problematic?

| Type | Code |
| --- | --- |

| Interviewer Instructions | (Read with one second interval betwween each word) Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
|---|---|
| Pre-Question Text | I am going to read a list of 15 words. Listen carefully. When I am finished, you are to repeat as many of the words as you can remember. It doesn't matter in what order you repeat them. Just try to remember as many as you can. I will say each word only once time, and I cannot repeat any words. You will have up to one and a half minutes, and I will not say anything until I tell you that your time is up. Do you have any question? Are you ready? DRUM, CURTAIN, BELL, COFFEE, SCHOOL, PARENT, MOON, GARDEN, HAT, FARMER, NOSE, TURDEY, COLOR, HOUSE, RIVER. Now tell me as many words as you can remember. |
| PreQuestionText | I am going to read a list of 15 words. Listen carefully. When I am finished, you are to repeat as many of the words as you can remember. It doesn't matter in what order you repeat them. Just try to remember as many as you can. I will say each word only once time, and I cannot repeat any words. You will have up to one and a half minutes, and I will not say anything until I tell you that your time is up. Do you have any question? Are you ready? Now tell me as many words as you can remember. |
| Notes | Filter Variable |
| InterviewerInstruction | (Read with one second interval betwween each word) Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

|  |  |  | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 1 | YES | 8 | 0.18% | 0.18% |
|  | 2 | NO | 4504 | 99.82% | 99.82% |
|  |  | Total | 4,512 | 100% | 100% |
| Missing | 8 | REFUSED OR MISSING | 0 | 0% |  |
|  |  | Total | 0 | 0% |  |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4512 | 0 | 1 | 2 |

## 🗒 B3TWLI1 - Word List Immediate: Recalled word 1

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #1 |

| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
|---|---|

|  |  |  | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | 1975 | 43.77% | 43.99% |
|  | 2 | WORD 2 | 137 | 3.04% | 3.05% |
|  | 3 | WORD 3 | 73 | 1.62% | 1.63% |
|  | 4 | WORD 4 | 85 | 1.88% | 1.89% |
|  | 5 | WORD 5 | 94 | 2.08% | 2.09% |
|  | 6 | WORD 6 | 40 | 0.89% | 0.89% |
|  | 7 | WORD 7 | 70 | 1.55% | 1.56% |
|  | 8 | WORD 8 | 42 | 0.93% | 0.94% |
|  | 9 | WORD 9 | 42 | 0.93% | 0.94% |
|  | 10 | WORD 10 | 107 | 2.37% | 2.38% |
|  | 11 | WORD 11 | 87 | 1.93% | 1.94% |
|  | 12 | WORD 12 | 141 | 3.13% | 3.14% |
|  | 13 | WORD 13 | 85 | 1.88% | 1.89% |
|  | 14 | WORD 14 | 386 | 8.55% | 8.6% |
|  | 15 | WORD 15 | 1059 | 23.47% | 23.59% |
|  | 90 | OTHER WORD NOT IN LIST | 67 | 1.48% | 1.49% |
|  |  | Total | 4,490 | 99.51% | 100% |
| Missing | 98 | REFUSED OR MISSING | 22 | 0.49% |  |
|  | 99 | INAPP | 0 | 0% |  |
|  |  | Total | 22 | 0.49% |  |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4490 | 22 | 1 | 90 |

## 📇 B3TWLI2 - Word List Immediate: Recalled word 2

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #2 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

|  | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 192 | 4.26% | 4.29% |
| | 2 | WORD 2 | | 1058 | 23.45% | 23.62% |
| | 3 | WORD 3 | | 306 | 6.78% | 6.83% |
| | 4 | WORD 4 | | 203 | 4.5% | 4.53% |
| | 5 | WORD 5 | | 195 | 4.32% | 4.35% |
| | 6 | WORD 6 | | 121 | 2.68% | 2.7% |
| | 7 | WORD 7 | | 76 | 1.68% | 1.7% |
| | 8 | WORD 8 | | 95 | 2.11% | 2.12% |
| | 9 | WORD 9 | | 135 | 2.99% | 3.01% |
| | 10 | WORD 10 | | 141 | 3.13% | 3.15% |
| | 11 | WORD 11 | | 118 | 2.62% | 2.63% |
| | 12 | WORD 12 | | 266 | 5.9% | 5.94% |
| | 13 | WORD 13 | | 102 | 2.26% | 2.28% |
| | 14 | WORD 14 | | 970 | 21.5% | 21.65% |
| | 15 | WORD 15 | | 372 | 8.24% | 8.3% |
| | 90 | OTHER WORD NOT IN LIST | | 130 | 2.88% | 2.9% |
| | | Total | | 4,480 | 99.29% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 32 | 0.71% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 32 | 0.71% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4480 | 32 | 1 | 90 |

## B3TWLI3 - Word List Immediate: Recalled word 3

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #3 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | | | |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 248 | 5.5% | 5.58% |
| | 2 | WORD 2 | | 281 | 6.23% | 6.32% |
| | 3 | WORD 3 | | 470 | 10.42% | 10.57% |
| | 4 | WORD 4 | | 243 | 5.39% | 5.47% |
| | 5 | WORD 5 | | 335 | 7.42% | 7.54% |
| | 6 | WORD 6 | | 257 | 5.7% | 5.78% |
| | 7 | WORD 7 | | 136 | 3.01% | 3.06% |
| | 8 | WORD 8 | | 189 | 4.19% | 4.25% |
| | 9 | WORD 9 | | 186 | 4.12% | 4.18% |
| | 10 | WORD 10 | | 312 | 6.91% | 7.02% |
| | 11 | WORD 11 | | 253 | 5.61% | 5.69% |
| | 12 | WORD 12 | | 399 | 8.84% | 8.98% |
| | 13 | WORD 13 | | 179 | 3.97% | 4.03% |
| | 14 | WORD 14 | | 507 | 11.24% | 11.41% |
| | 15 | WORD 15 | | 254 | 5.63% | 5.71% |
| | 90 | OTHER WORD NOT IN LIST | | 196 | 4.34% | 4.41% |
| | | Total | | 4,445 | 98.52% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 67 | 1.48% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 67 | 1.48% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4445 | 67 | 1 | 90 |

## B3TWLI4 - Word List Immediate: Recalled word 4

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #4 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | 249 | 5.52% | 5.78% |
|---|---|---|---|---|---|
| | 2 | WORD 2 | 239 | 5.3% | 5.55% |
| | 3 | WORD 3 | 173 | 3.83% | 4.02% |
| | 4 | WORD 4 | 247 | 5.47% | 5.74% |
| | 5 | WORD 5 | 334 | 7.4% | 7.76% |
| | 6 | WORD 6 | 338 | 7.49% | 7.85% |
| | 7 | WORD 7 | 146 | 3.24% | 3.39% |
| | 8 | WORD 8 | 244 | 5.41% | 5.67% |
| | 9 | WORD 9 | 192 | 4.26% | 4.46% |
| | 10 | WORD 10 | 383 | 8.49% | 8.9% |
| | 11 | WORD 11 | 360 | 7.98% | 8.36% |
| | 12 | WORD 12 | 358 | 7.93% | 8.32% |
| | 13 | WORD 13 | 164 | 3.63% | 3.81% |
| | 14 | WORD 14 | 408 | 9.04% | 9.48% |
| | 15 | WORD 15 | 278 | 6.16% | 6.46% |
| | 90 | OTHER WORD NOT IN LIST | 192 | 4.26% | 4.46% |
| | | Total | 4,305 | 95.41% | 100% |
| Missing | 98 | REFUSED OR MISSING | 207 | 4.59% | |
| | 99 | INAPP | 0 | 0% | |
| | | Total | 207 | 4.59% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4305 | 207 | 1 | 90 |

## B3TWLI5 - Word List Immediate: Recalled word 5

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #5 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | | |
|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | 280 | 6.21% | 7% |
| | 2 | WORD 2 | 228 | 5.05% | 5.7% |
| | 3 | WORD 3 | 171 | 3.79% | 4.28% |
| | 4 | WORD 4 | 151 | 3.35% | 3.78% |
| | 5 | WORD 5 | 326 | 7.23% | 8.15% |
| | 6 | WORD 6 | 295 | 6.54% | 7.38% |
| | 7 | WORD 7 | 159 | 3.52% | 3.98% |
| | 8 | WORD 8 | 266 | 5.9% | 6.65% |
| | 9 | WORD 9 | 190 | 4.21% | 4.75% |
| | 10 | WORD 10 | 355 | 7.87% | 8.88% |
| | 11 | WORD 11 | 285 | 6.32% | 7.13% |
| | 12 | WORD 12 | 283 | 6.27% | 7.08% |
| | 13 | WORD 13 | 176 | 3.9% | 4.4% |
| | 14 | WORD 14 | 280 | 6.21% | 7% |
| | 15 | WORD 15 | 271 | 6.01% | 6.78% |
| | 90 | OTHER WORD NOT IN LIST | 283 | 6.27% | 7.08% |
| | | Total | 3,999 | 88.63% | 100% |
| Missing | 98 | REFUSED OR MISSING | 513 | 11.37% | |
| | 99 | INAPP | 0 | 0% | |
| | | Total | 513 | 11.37% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 3999 | 513 | 1 | 90 |

## B3TWLI6 - Word List Immediate: Recalled word 6

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #6 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 218 | 4.83% | 6.25% |
| | 2 | WORD 2 | | 246 | 5.45% | 7.05% |
| | 3 | WORD 3 | | 196 | 4.34% | 5.62% |
| | 4 | WORD 4 | | 147 | 3.26% | 4.21% |
| | 5 | WORD 5 | | 283 | 6.27% | 8.11% |
| | 6 | WORD 6 | | 251 | 5.56% | 7.19% |
| | 7 | WORD 7 | | 156 | 3.46% | 4.47% |
| | 8 | WORD 8 | | 244 | 5.41% | 6.99% |
| | 9 | WORD 9 | | 200 | 4.43% | 5.73% |
| | 10 | WORD 10 | | 248 | 5.5% | 7.11% |
| | 11 | WORD 11 | | 237 | 5.25% | 6.79% |
| | 12 | WORD 12 | | 201 | 4.45% | 5.76% |
| | 13 | WORD 13 | | 192 | 4.26% | 5.5% |
| | 14 | WORD 14 | | 172 | 3.81% | 4.93% |
| | 15 | WORD 15 | | 210 | 4.65% | 6.02% |
| | 90 | OTHER WORD NOT IN LIST | | 288 | 6.38% | 8.25% |
| | | Total | | 3,489 | 77.33% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 1023 | 22.67% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 1,023 | 22.67% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 3489 | 1023 | 1 | 90 |

## 🗃 B3TWLI7 - Word List Immediate: Recalled word 7

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #7 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | | | |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 172 | 3.81% | 6.19% |
| | 2 | WORD 2 | | 187 | 4.14% | 6.73% |
| | 3 | WORD 3 | | 169 | 3.75% | 6.08% |
| | 4 | WORD 4 | | 131 | 2.9% | 4.71% |
| | 5 | WORD 5 | | 219 | 4.85% | 7.88% |
| | 6 | WORD 6 | | 185 | 4.1% | 6.65% |
| | 7 | WORD 7 | | 134 | 2.97% | 4.82% |
| | 8 | WORD 8 | | 186 | 4.12% | 6.69% |
| | 9 | WORD 9 | | 144 | 3.19% | 5.18% |
| | 10 | WORD 10 | | 160 | 3.55% | 5.76% |
| | 11 | WORD 11 | | 180 | 3.99% | 6.47% |
| | 12 | WORD 12 | | 157 | 3.48% | 5.65% |
| | 13 | WORD 13 | | 174 | 3.86% | 6.26% |
| | 14 | WORD 14 | | 141 | 3.13% | 5.07% |
| | 15 | WORD 15 | | 163 | 3.61% | 5.86% |
| | 90 | OTHER WORD NOT IN LIST | | 278 | 6.16% | 10% |
| | | Total | | 2,780 | 61.61% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 1732 | 38.39% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 1,732 | 38.39% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 2780 | 1732 | 1 | 90 |

## B3TWLI8 - Word List Immediate: Recalled word 8

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #8 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | 118 | 2.62% | 5.87% |
|---|---|---|---|---|---|
| | 2 | WORD 2 | 125 | 2.77% | 6.22% |
| | 3 | WORD 3 | 140 | 3.1% | 6.97% |
| | 4 | WORD 4 | 90 | 1.99% | 4.48% |
| | 5 | WORD 5 | 162 | 3.59% | 8.06% |
| | 6 | WORD 6 | 140 | 3.1% | 6.97% |
| | 7 | WORD 7 | 107 | 2.37% | 5.32% |
| | 8 | WORD 8 | 121 | 2.68% | 6.02% |
| | 9 | WORD 9 | 111 | 2.46% | 5.52% |
| | 10 | WORD 10 | 118 | 2.62% | 5.87% |
| | 11 | WORD 11 | 110 | 2.44% | 5.47% |
| | 12 | WORD 12 | 125 | 2.77% | 6.22% |
| | 13 | WORD 13 | 102 | 2.26% | 5.07% |
| | 14 | WORD 14 | 97 | 2.15% | 4.83% |
| | 15 | WORD 15 | 122 | 2.7% | 6.07% |
| | 90 | OTHER WORD NOT IN LIST | 222 | 4.92% | 11.04% |
| | | Total | 2,010 | 44.55% | 100% |
| Missing | 98 | REFUSED OR MISSING | 2502 | 55.45% | |
| | 99 | INAPP | 0 | 0% | |
| | | Total | 2,502 | 55.45% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 2010 | 2502 | 1 | 90 |

## B3TWLI9 - Word List Immediate: Recalled word 9

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #9 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | 75 | 1.66% | 5.56% |
|---|---|---|---|---|---|
| | 2 | WORD 2 | 89 | 1.97% | 6.6% |
| | 3 | WORD 3 | 78 | 1.73% | 5.79% |
| | 4 | WORD 4 | 64 | 1.42% | 4.75% |
| | 5 | WORD 5 | 102 | 2.26% | 7.57% |
| | 6 | WORD 6 | 100 | 2.22% | 7.42% |
| | 7 | WORD 7 | 58 | 1.29% | 4.3% |
| | 8 | WORD 8 | 77 | 1.71% | 5.71% |
| | 9 | WORD 9 | 71 | 1.57% | 5.27% |
| | 10 | WORD 10 | 72 | 1.6% | 5.34% |
| | 11 | WORD 11 | 83 | 1.84% | 6.16% |
| | 12 | WORD 12 | 69 | 1.53% | 5.12% |
| | 13 | WORD 13 | 77 | 1.71% | 5.71% |
| | 14 | WORD 14 | 79 | 1.75% | 5.86% |
| | 15 | WORD 15 | 89 | 1.97% | 6.6% |
| | 90 | OTHER WORD NOT IN LIST | 165 | 3.66% | 12.24% |
| | | Total | 1,348 | 29.88% | 100% |
| Missing | 98 | REFUSED OR MISSING | 3164 | 70.12% | |
| | 99 | INAPP | 0 | 0% | |
| | | Total | 3,164 | 70.12% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 1348 | 3164 | 1 | 90 |

## B3TWLI10 - Word List Immediate: Recalled word 10

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #10 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | | |
|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | 43 | 0.95% | 5.18% |
| | 2 | WORD 2 | 56 | 1.24% | 6.75% |
| | 3 | WORD 3 | 36 | 0.8% | 4.34% |
| | 4 | WORD 4 | 51 | 1.13% | 6.14% |
| | 5 | WORD 5 | 47 | 1.04% | 5.66% |
| | 6 | WORD 6 | 47 | 1.04% | 5.66% |
| | 7 | WORD 7 | 45 | 1% | 5.42% |
| | 8 | WORD 8 | 58 | 1.29% | 6.99% |
| | 9 | WORD 9 | 46 | 1.02% | 5.54% |
| | 10 | WORD 10 | 35 | 0.78% | 4.22% |
| | 11 | WORD 11 | 41 | 0.91% | 4.94% |
| | 12 | WORD 12 | 51 | 1.13% | 6.14% |
| | 13 | WORD 13 | 62 | 1.37% | 7.47% |
| | 14 | WORD 14 | 43 | 0.95% | 5.18% |
| | 15 | WORD 15 | 46 | 1.02% | 5.54% |
| | 90 | OTHER WORD NOT IN LIST | 123 | 2.73% | 14.82% |
| | | Total | 830 | 18.4% | 100% |
| Missing | 98 | REFUSED OR MISSING | 3682 | 81.6% | |
| | 99 | INAPP | 0 | 0% | |
| | | Total | 3,682 | 81.6% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 830 | 3682 | 1 | 90 |

## B3TWLI11 - Word List Immediate: Recalled word 11

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #11 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 20 | 0.44% | 3.9% |
| | 2 | WORD 2 | | 36 | 0.8% | 7.02% |
| | 3 | WORD 3 | | 30 | 0.66% | 5.85% |
| | 4 | WORD 4 | | 24 | 0.53% | 4.68% |
| | 5 | WORD 5 | | 40 | 0.89% | 7.8% |
| | 6 | WORD 6 | | 30 | 0.66% | 5.85% |
| | 7 | WORD 7 | | 24 | 0.53% | 4.68% |
| | 8 | WORD 8 | | 32 | 0.71% | 6.24% |
| | 9 | WORD 9 | | 29 | 0.64% | 5.65% |
| | 10 | WORD 10 | | 18 | 0.4% | 3.51% |
| | 11 | WORD 11 | | 40 | 0.89% | 7.8% |
| | 12 | WORD 12 | | 20 | 0.44% | 3.9% |
| | 13 | WORD 13 | | 23 | 0.51% | 4.48% |
| | 14 | WORD 14 | | 41 | 0.91% | 7.99% |
| | 15 | WORD 15 | | 42 | 0.93% | 8.19% |
| | 90 | OTHER WORD NOT IN LIST | | 64 | 1.42% | 12.48% |
| | | Total | | 513 | 11.37% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 3999 | 88.63% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 3,999 | 88.63% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 513 | 3999 | 1 | 90 |

## 🎲 B3TWLI12 - Word List Immediate: Recalled word 12

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #12 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 20 | 0.44% | 7.02% |
| | 2 | WORD 2 | | 18 | 0.4% | 6.32% |
| | 3 | WORD 3 | | 14 | 0.31% | 4.91% |
| | 4 | WORD 4 | | 7 | 0.16% | 2.46% |
| | 5 | WORD 5 | | 17 | 0.38% | 5.96% |
| | 6 | WORD 6 | | 17 | 0.38% | 5.96% |
| | 7 | WORD 7 | | 12 | 0.27% | 4.21% |
| | 8 | WORD 8 | | 18 | 0.4% | 6.32% |
| | 9 | WORD 9 | | 18 | 0.4% | 6.32% |
| | 10 | WORD 10 | | 10 | 0.22% | 3.51% |
| | 11 | WORD 11 | | 13 | 0.29% | 4.56% |
| | 12 | WORD 12 | | 15 | 0.33% | 5.26% |
| | 13 | WORD 13 | | 27 | 0.6% | 9.47% |
| | 14 | WORD 14 | | 11 | 0.24% | 3.86% |
| | 15 | WORD 15 | | 22 | 0.49% | 7.72% |
| | 90 | OTHER WORD NOT IN LIST | | 46 | 1.02% | 16.14% |
| | | Total | | 285 | 6.32% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4227 | 93.68% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,227 | 93.68% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 285 | 4227 | 1 | 90 |

## 🎴 B3TWLI13 - Word List Immediate: Recalled word 13

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #13 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | 14 | 0.31% | 9.59% |
| | 2 | WORD 2 | 9 | 0.2% | 6.16% |
| | 3 | WORD 3 | 10 | 0.22% | 6.85% |
| | 4 | WORD 4 | 2 | 0.04% | 1.37% |
| | 5 | WORD 5 | 6 | 0.13% | 4.11% |
| | 6 | WORD 6 | 5 | 0.11% | 3.42% |
| | 7 | WORD 7 | 6 | 0.13% | 4.11% |
| | 8 | WORD 8 | 6 | 0.13% | 4.11% |
| | 9 | WORD 9 | 12 | 0.27% | 8.22% |
| | 10 | WORD 10 | 11 | 0.24% | 7.53% |
| | 11 | WORD 11 | 13 | 0.29% | 8.9% |
| | 12 | WORD 12 | 7 | 0.16% | 4.79% |
| | 13 | WORD 13 | 11 | 0.24% | 7.53% |
| | 14 | WORD 14 | 8 | 0.18% | 5.48% |
| | 15 | WORD 15 | 7 | 0.16% | 4.79% |
| | 90 | OTHER WORD NOT IN LIST | 19 | 0.42% | 13.01% |
| | | Total | 146 | 3.24% | 100% |
| Missing | 98 | REFUSED OR MISSING | 4366 | 96.76% | |
| | 99 | INAPP | 0 | 0% | |
| | | Total | 4,366 | 96.76% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 146 | 4366 | 1 | 90 |

## 🍃 B3TWLI14 - Word List Immediate: Recalled word 14

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #14 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | 0 | 0% | 0% |
|---|---|---|---|---|---|
| | 2 | WORD 2 | 7 | 0.16% | 8.86% |
| | 3 | WORD 3 | 5 | 0.11% | 6.33% |
| | 4 | WORD 4 | 2 | 0.04% | 2.53% |
| | 5 | WORD 5 | 2 | 0.04% | 2.53% |
| | 6 | WORD 6 | 4 | 0.09% | 5.06% |
| | 7 | WORD 7 | 6 | 0.13% | 7.59% |
| | 8 | WORD 8 | 4 | 0.09% | 5.06% |
| | 9 | WORD 9 | 6 | 0.13% | 7.59% |
| | 10 | WORD 10 | 0 | 0% | 0% |
| | 11 | WORD 11 | 6 | 0.13% | 7.59% |
| | 12 | WORD 12 | 5 | 0.11% | 6.33% |
| | 13 | WORD 13 | 8 | 0.18% | 10.13% |
| | 14 | WORD 14 | 9 | 0.2% | 11.39% |
| | 15 | WORD 15 | 8 | 0.18% | 10.13% |
| | 90 | OTHER WORD NOT IN LIST | 7 | 0.16% | 8.86% |
| | | Total | 79 | 1.75% | 100% |
| Missing | 98 | REFUSED OR MISSING | 4433 | 98.25% | |
| | 99 | INAPP | 0 | 0% | |
| | | Total | 4,433 | 98.25% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 79 | 4433 | 2 | 90 |

## B3TWLI15 - Word List Immediate: Recalled word 15

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #15 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 3 | 0.07% | 8.11% |
| | 2 | WORD 2 | | 1 | 0.02% | 2.7% |
| | 3 | WORD 3 | | 1 | 0.02% | 2.7% |
| | 4 | WORD 4 | | 2 | 0.04% | 5.41% |
| | 5 | WORD 5 | | 5 | 0.11% | 13.51% |
| | 6 | WORD 6 | | 2 | 0.04% | 5.41% |
| | 7 | WORD 7 | | 2 | 0.04% | 5.41% |
| | 8 | WORD 8 | | 2 | 0.04% | 5.41% |
| | 9 | WORD 9 | | 1 | 0.02% | 2.7% |
| | 10 | WORD 10 | | 2 | 0.04% | 5.41% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 3 | 0.07% | 8.11% |
| | 14 | WORD 14 | | 1 | 0.02% | 2.7% |
| | 15 | WORD 15 | | 5 | 0.11% | 13.51% |
| | 90 | OTHER WORD NOT IN LIST | | 7 | 0.16% | 18.92% |
| | | Total | | 37 | 0.82% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4475 | 99.18% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,475 | 99.18% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 37 | 4475 | 1 | 90 |

## B3TWLI16 - Word List Immediate: Recalled word 16

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #16 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 0 | 0% | 0% |
| | 2 | WORD 2 | | 1 | 0.02% | 6.25% |
| | 3 | WORD 3 | | 0 | 0% | 0% |
| | 4 | WORD 4 | | 0 | 0% | 0% |
| | 5 | WORD 5 | | 0 | 0% | 0% |
| | 6 | WORD 6 | | 1 | 0.02% | 6.25% |
| | 7 | WORD 7 | | 2 | 0.04% | 12.5% |
| | 8 | WORD 8 | | 0 | 0% | 0% |
| | 9 | WORD 9 | | 1 | 0.02% | 6.25% |
| | 10 | WORD 10 | | 3 | 0.07% | 18.75% |
| | 11 | WORD 11 | | 4 | 0.09% | 25% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 0 | 0% | 0% |
| | 14 | WORD 14 | | 2 | 0.04% | 12.5% |
| | 15 | WORD 15 | | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | | 2 | 0.04% | 12.5% |
| | | Total | | 16 | 0.35% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4496 | 99.65% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,496 | 99.65% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 16 | 4496 | 2 | 90 |

## B3TWLI17 - Word List Immediate: Recalled word 17

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #17 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 1 | 0.02% | 9.09% |
| | 2 | WORD 2 | | 1 | 0.02% | 9.09% |
| | 3 | WORD 3 | | 1 | 0.02% | 9.09% |
| | 4 | WORD 4 | | 0 | 0% | 0% |
| | 5 | WORD 5 | | 0 | 0% | 0% |
| | 6 | WORD 6 | | 0 | 0% | 0% |
| | 7 | WORD 7 | | 0 | 0% | 0% |
| | 8 | WORD 8 | | 1 | 0.02% | 9.09% |
| | 9 | WORD 9 | | 0 | 0% | 0% |
| | 10 | WORD 10 | | 0 | 0% | 0% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 1 | 0.02% | 9.09% |
| | 14 | WORD 14 | | 1 | 0.02% | 9.09% |
| | 15 | WORD 15 | | 2 | 0.04% | 18.18% |
| | 90 | OTHER WORD NOT IN LIST | | 3 | 0.07% | 27.27% |
| | | Total | | 11 | 0.24% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4501 | 99.76% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,501 | 99.76% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 11 | 4501 | 1 | 90 |

## B3TWLI18 - Word List Immediate: Recalled word 18

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #18 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 0 | 0% | 0% |
| | 2 | WORD 2 | | 2 | 0.04% | 33.33% |
| | 3 | WORD 3 | | 0 | 0% | 0% |
| | 4 | WORD 4 | | 0 | 0% | 0% |
| | 5 | WORD 5 | | 0 | 0% | 0% |
| | 6 | WORD 6 | | 1 | 0.02% | 16.67% |
| | 7 | WORD 7 | | 1 | 0.02% | 16.67% |
| | 8 | WORD 8 | | 1 | 0.02% | 16.67% |
| | 9 | WORD 9 | | 0 | 0% | 0% |
| | 10 | WORD 10 | | 0 | 0% | 0% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 1 | 0.02% | 16.67% |
| | 14 | WORD 14 | | 0 | 0% | 0% |
| | 15 | WORD 15 | | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | | 0 | 0% | 0% |
| | | Total | | 6 | 0.13% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4506 | 99.87% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,506 | 99.87% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 6 | 4506 | 2 | 13 |

## 🗃 B3TWLI19 - Word List Immediate: Recalled word 19

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #19 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | 0 | 0% | 0% |
|-------|----|---------------------|-------|--------|------|
|       | 2 | WORD 2 | 0 | 0% | 0% |
|       | 3 | WORD 3 | 0 | 0% | 0% |
|       | 4 | WORD 4 | 0 | 0% | 0% |
|       | 5 | WORD 5 | 0 | 0% | 0% |
|       | 6 | WORD 6 | 0 | 0% | 0% |
|       | 7 | WORD 7 | 0 | 0% | 0% |
|       | 8 | WORD 8 | 1 | 0.02% | 20% |
|       | 9 | WORD 9 | 0 | 0% | 0% |
|       | 10 | WORD 10 | 0 | 0% | 0% |
|       | 11 | WORD 11 | 1 | 0.02% | 20% |
|       | 12 | WORD 12 | 0 | 0% | 0% |
|       | 13 | WORD 13 | 1 | 0.02% | 20% |
|       | 14 | WORD 14 | 1 | 0.02% | 20% |
|       | 15 | WORD 15 | 0 | 0% | 0% |
|       | 90 | OTHER WORD NOT IN LIST | 1 | 0.02% | 20% |
|       |    | Total | 5 | 0.11% | 100% |
| Missing | 98 | REFUSED OR MISSING | 4507 | 99.89% | |
|       | 99 | INAPP | 0 | 0% | |
|       |    | Total | 4,507 | 99.89% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 5 | 4507 | 8 | 90 |

## B3TWLI20 - Word List Immediate: Recalled word 20

| Type | Code |
|------|------|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #20 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|-----------|-----------|-----------|

| Valid | 1 | WORD 1 | 0 | 0% | 0% |
|---|---|---|---|---|---|
| | 2 | WORD 2 | 0 | 0% | 0% |
| | 3 | WORD 3 | 0 | 0% | 0% |
| | 4 | WORD 4 | 1 | 0.02% | 25% |
| | 5 | WORD 5 | 1 | 0.02% | 25% |
| | 6 | WORD 6 | 0 | 0% | 0% |
| | 7 | WORD 7 | 0 | 0% | 0% |
| | 8 | WORD 8 | 0 | 0% | 0% |
| | 9 | WORD 9 | 0 | 0% | 0% |
| | 10 | WORD 10 | 0 | 0% | 0% |
| | 11 | WORD 11 | 0 | 0% | 0% |
| | 12 | WORD 12 | 0 | 0% | 0% |
| | 13 | WORD 13 | 1 | 0.02% | 25% |
| | 14 | WORD 14 | 0 | 0% | 0% |
| | 15 | WORD 15 | 1 | 0.02% | 25% |
| | 90 | OTHER WORD NOT IN LIST | 0 | 0% | 0% |
| | | Total | 4 | 0.09% | 100% |
| Missing | 98 | REFUSED OR MISSING | 4508 | 99.91% | |
| | 99 | INAPP | 0 | 0% | |
| | | Total | 4,508 | 99.91% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4 | 4508 | 4 | 15 |

## B3TWLI21 - Word List Immediate: Recalled word 21

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #21 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Comparability Notes | Not included in M3P7. |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | 0 | 0% | 0% |
|---|---|---|---|---|---|
| | 2 | WORD 2 | 0 | 0% | 0% |
| | 3 | WORD 3 | 0 | 0% | 0% |
| | 4 | WORD 4 | 0 | 0% | 0% |
| | 5 | WORD 5 | 0 | 0% | 0% |
| | 6 | WORD 6 | 0 | 0% | 0% |
| | 7 | WORD 7 | 0 | 0% | 0% |
| | 8 | WORD 8 | 0 | 0% | 0% |
| | 9 | WORD 9 | 0 | 0% | 0% |
| | 10 | WORD 10 | 0 | 0% | 0% |
| | 11 | WORD 11 | 1 | 0.02% | 50% |
| | 12 | WORD 12 | 0 | 0% | 0% |
| | 13 | WORD 13 | 1 | 0.02% | 50% |
| | 14 | WORD 14 | 0 | 0% | 0% |
| | 15 | WORD 15 | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | 0 | 0% | 0% |
| | | Total | 2 | 0.04% | 100% |
| Missing | 98 | REFUSED OR MISSING | 4510 | 99.96% | |
| | 99 | INAPP | 0 | 0% | |
| | | Total | 4,510 | 99.96% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 2 | 4510 | 11 | 13 |

## B3TWLI22 - Word List Immediate: Recalled word 22

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #22 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Comparability Notes | Not included in M3P7. |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 0 | 0% | 0% |
| | 2 | WORD 2 | | 0 | 0% | 0% |
| | 3 | WORD 3 | | 0 | 0% | 0% |
| | 4 | WORD 4 | | 0 | 0% | 0% |
| | 5 | WORD 5 | | 0 | 0% | 0% |
| | 6 | WORD 6 | | 0 | 0% | 0% |
| | 7 | WORD 7 | | 0 | 0% | 0% |
| | 8 | WORD 8 | | 0 | 0% | 0% |
| | 9 | WORD 9 | | 0 | 0% | 0% |
| | 10 | WORD 10 | | 0 | 0% | 0% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 0 | 0% | 0% |
| | 14 | WORD 14 | | 1 | 0.02% | 50% |
| | 15 | WORD 15 | | 1 | 0.02% | 50% |
| | 90 | OTHER WORD NOT IN LIST | | 0 | 0% | 0% |
| | | Total | | 2 | 0.04% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4510 | 99.96% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,510 | 99.96% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 2 | 4510 | 14 | 15 |

## 🪙 B3TWLI23 - Word List Immediate: Recalled word 23

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #23 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Comparability Notes | Not included in M3P7. |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 0 | 0% | 0% |
| | 2 | WORD 2 | | 0 | 0% | 0% |
| | 3 | WORD 3 | | 0 | 0% | 0% |
| | 4 | WORD 4 | | 0 | 0% | 0% |
| | 5 | WORD 5 | | 0 | 0% | 0% |
| | 6 | WORD 6 | | 0 | 0% | 0% |
| | 7 | WORD 7 | | 0 | 0% | 0% |
| | 8 | WORD 8 | | 0 | 0% | 0% |
| | 9 | WORD 9 | | 0 | 0% | 0% |
| | 10 | WORD 10 | | 0 | 0% | 0% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 0 | 0% | 0% |
| | 14 | WORD 14 | | 0 | 0% | 0% |
| | 15 | WORD 15 | | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | | 1 | 0.02% | 100% |
| | | Total | | 1 | 0.02% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4511 | 99.98% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,511 | 99.98% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 1 | 4511 | 90 | 90 |

## B3TWLI24 - Word List Immediate: Recalled word 24

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #24 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Comparability Notes | Not included in M3P7. |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | 0 | 0% | 0% |
|---|---|---|---|---|---|
| | 2 | WORD 2 | 1 | 0.02% | 100% |
| | 3 | WORD 3 | 0 | 0% | 0% |
| | 4 | WORD 4 | 0 | 0% | 0% |
| | 5 | WORD 5 | 0 | 0% | 0% |
| | 6 | WORD 6 | 0 | 0% | 0% |
| | 7 | WORD 7 | 0 | 0% | 0% |
| | 8 | WORD 8 | 0 | 0% | 0% |
| | 9 | WORD 9 | 0 | 0% | 0% |
| | 10 | WORD 10 | 0 | 0% | 0% |
| | 11 | WORD 11 | 0 | 0% | 0% |
| | 12 | WORD 12 | 0 | 0% | 0% |
| | 13 | WORD 13 | 0 | 0% | 0% |
| | 14 | WORD 14 | 0 | 0% | 0% |
| | 15 | WORD 15 | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | 0 | 0% | 0% |
| | | Total | 1 | 0.02% | 100% |
| Missing | 98 | REFUSED OR MISSING | 4511 | 99.98% | |
| | 99 | INAPP | 0 | 0% | |
| | | Total | 4,511 | 99.98% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 1 | 4511 | 2 | 2 |

## 🐾 B3TWLI25 - Word List Immediate: Recalled word 25

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #25 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Comparability Notes | Not included in M3P7. |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | | 0 | 0% | 0% |
|---|---|---|---|---|---|---|
| | 2 | WORD 2 | | 0 | 0% | 0% |
| | 3 | WORD 3 | | 0 | 0% | 0% |
| | 4 | WORD 4 | | 0 | 0% | 0% |
| | 5 | WORD 5 | | 0 | 0% | 0% |
| | 6 | WORD 6 | | 0 | 0% | 0% |
| | 7 | WORD 7 | | 0 | 0% | 0% |
| | 8 | WORD 8 | | 0 | 0% | 0% |
| | 9 | WORD 9 | | 0 | 0% | 0% |
| | 10 | WORD 10 | | 0 | 0% | 0% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 0 | 0% | 0% |
| | 14 | WORD 14 | | 0 | 0% | 0% |
| | 15 | WORD 15 | | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | | 1 | 0.02% | 100% |
| | | Total | | 1 | 0.02% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4511 | 99.98% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,511 | 99.98% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 1 | 4511 | 90 | 90 |

## B3TWLI26 - Word List Immediate: Recalled word 26

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Question Text | Word List Immediate: Recalled #26 |
| InterviewerInstruction | Record words recalled correctly by entering the one or two letter code, as well as repetitions of same word and intrusions. If person stops before 1 1/2 minutes isup, say, "There's still time left, can you think of any more?" |
| Comparability Notes | Not included in M3P7. |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | | 0 | 0% | 0% |
|---|---|---|---|---|---|---|
| | 2 | WORD 2 | | 0 | 0% | 0% |
| | 3 | WORD 3 | | 0 | 0% | 0% |
| | 4 | WORD 4 | | 0 | 0% | 0% |
| | 5 | WORD 5 | | 0 | 0% | 0% |
| | 6 | WORD 6 | | 0 | 0% | 0% |
| | 7 | WORD 7 | | 0 | 0% | 0% |
| | 8 | WORD 8 | | 0 | 0% | 0% |
| | 9 | WORD 9 | | 0 | 0% | 0% |
| | 10 | WORD 10 | | 1 | 0.02% | 100% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 0 | 0% | 0% |
| | 14 | WORD 14 | | 0 | 0% | 0% |
| | 15 | WORD 15 | | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | | 0 | 0% | 0% |
| | | Total | | 1 | 0.02% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4511 | 99.98% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,511 | 99.98% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 1 | 4511 | 10 | 10 |

## B3TWLITU - Word List Immediate: Total unique words recalled

| Type | Numeric (Integer) |
|---|---|
| Notes | Range: 0 to 15; sum of all correct, unique responses from B3TWLI1 to B3TWLI26. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4493 | 19 | 0 | 15 | 6.6823948... | 2.2939473... |

## B3TWLITR - Word List Immediate: Total repetitions

| Type | Numeric (Integer) |
|---|---|
| Notes | Sum of all repeated responses from B3TWLI1 to B3TWLI26. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4493 | 19 | 0 | 14 | 0.2566214... | 0.7050756... |

## B3TWLITI - Word List Immediate: Total intrusions

| Type | Numeric (Integer) |
|---|---|
| Notes | Sum of all non-list intrusions from B3TWLI1 to B3TWLI26. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4493 | 19 | 0 | 7 | 0.4660583... | 0.8018336... |

## B3TDBFP - Digits Backward flagged problematic?

| Type | Code |
|---|---|
| Interviewer Instructions | Read in monotone, 1 sec per number. Drop your voice on the last digit to indicate it is time to respond. If they get the first trial on one level, more on to the next level. Discontinue after 2 trials missed on a level). |
| Pre-Question Text | I am going to say some string of numbers, and when I am done I would like you to repeat them backwards, in the reverse order from which I said them. So if I said "3,8", you would say "8,3". Do you understand? The sets will get larger as we go. |
| PreQuestionText | I am going to say some string of numbers, and when I am done I would like you to repeat them backwards, in the reverse order from which I said them. So if I said "3,8", you would say "8,3". Do you understand? The sets will get larger as we go. |
| Notes | Filter Variable |
| InterviewerInstruction | Read in monotone, 1 sec per number. Drop your voice on the last digit to indicate it is time to respond. If they get the first trial on one level, more on to the next level. Discontinue after 2 trials missed on a level). |

|  |  |  | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 1 | YES | 16 | 0.35% | 0.35% |
|  | 2 | NO | 4496 | 99.65% | 99.65% |
|  |  | Total | 4,512 | 100% | 100% |
| Missing | 8 | REFUSED OR MISSING | 0 | 0% |  |
|  |  | Total | 0 | 0% |  |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4512 | 0 | 1 | 2 |

## B3TDBS - Digits Backward: highest number digits recall

| Type | Numeric (Integer) |
|---|---|
| B3TDBS | Digits Backward: highest # digits recall |
| Comparability Notes | Not computed in M3P7. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4496 | 16 | 0 | 8 | 4.9648576... | 1.5326224... |

## 🔳 B3TCTFFP - Category Fluency flagged problematic?

| Type | Code |
|---|---|
| Interviewer Instructions | If person stops before 1 minute is up, say "There's still more time, can you think of any more?" If person asks whether birds, fish, insects, reptiles, etc. are acceptable, say yes. |
| Pre-Question Text | Now I am going to give you a category and you will name things that belongin that category. Let's practice with the category "fruit". You could say peach, or pear. Can you think of any other fruits? In a moment I will give you another category. When I say begin, yuou will name all the things from this new category you can think, as fast as you can. You will have one minute to do this. I will let you know when your time is up. The new category is animals. do you have any questions? Ready? Begin. |
| PreQuestionText | Now I am going to give you a category and you will name things that belongin that category. Let's practice with the category "fruit". You could say peach, or pear. Can you think of any other fruits? In a moment I will give you another category. When I say begin, yuou will name all the things from this new category you can think, as fast as you can. You will have one minute to do this. I will let you know when your time is up. The new category is animals. do you have any questions? Ready? Begin. |
| Notes | Filter Variable. |
| InterviewerInstruction | If person stops before 1 minute is up, say "There's still more time, can you think of any more?" If person asks whether birds, fish, insects, reptiles, etc. are acceptable, say yes. |
| Comparability Notes | Not computed in M3P7. |

|  |  |  | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 1 | YES | 18 | 0.4% | 0.4% |
|  | 2 | NO | 4494 | 99.6% | 99.6% |
|  |  | Total | 4,512 | 100% | 100% |
| Missing | 8 | REFUSED OR MISSING | 0 | 0% |  |
|  |  | Total | 0 | 0% |  |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4512 | 0 | 1 | 2 |

## 🔳 B3TCTFLU - Category Fluency: Total unique items

| Type | Numeric (Integer) |
|---|---|
| Notes | Sum of all in-category, unique items named. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|

| | | | | | |
|---|---|---|---|---|---|
| 4498 | 14 | 0 | 42 | 18.581814... | 6.1672702... |

## B3TCTFLR - Category Fluency: Total repetitions

| Type | Numeric (Integer) |
|---|---|
| Notes | Sum of repeated items named in-category. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4498 | 14 | 0 | 8 | 0.3283681... | 0.7268784... |

## B3TCTFLI - Category Fluency: Total intrusions

| Type | Numeric (Integer) |
|---|---|
| Notes | Sum of all non-category intrusions. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4498 | 14 | 0 | 16 | 0.0515784... | 0.5763930... |

## B3TNSFP - Number Series flagged problematic?

| Type | Code |
|---|---|
| Interviewer Instructions | Pause after each of the first 4 items for okay response; after the last item, say AND the next number is …? |
| Pre-Question Text | In the next exercise I will read you a series of numbers that may get larger or smaller in value. At the end you will try to figure out what the next number would be. So if the numbers were 2,4,6,8,10, the next number would be 12. After I say each number I will pause for as long as you need, and then you should say "okay" when you ready for me to go on to the next number in the group. So if I said 2, you should say "okay" when you are ready for me to go on to the next number, then I say 4, you say okay, 6, okay, 8, okay, 10, and at the end I will ask you what you think the next number would be. In this case the next number would be 12, as each number has increased by 2. |
| PreQuestionText | In the next exercise I will read you a series of numbers that may get larger or smaller in value. At the end you will try to figure out what the next number would be. So if the numbers were 2,4,6,8,10, the next number would be 12. After I say each number I will pause for as long as you need, and then you should say "okay" when you ready for me to go on to the next number in the group. So if I said 2, you should say "okay" when you are ready for me to go on to the next number, then I say 4, you say okay, 6, okay, 8, okay, 10, and at the end I will ask you what you think the next number would be. In this case the next number would be 12, as each number has increased by 2. |
| Notes | Filter Variable |
| InterviewerInstruction | Pause after each of the first 4 items for okay response; after the last item, say AND the next number is …? |

|  |  |  | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 1 | YES | 2 | 0.04% | 0.04% |
|  | 2 | NO | 4510 | 99.96% | 99.96% |
|  |  | Total | 4,512 | 100% | 100% |
| Missing | 8 | REFUSED OR MISSING | 0 | 0% |  |
|  |  | Total | 0 | 0% |  |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4512 | 0 | 1 | 2 |

## B3TNS1 - Number Series 1: Response

| Type | Numeric (Integer) |
|---|---|
| PreQuestionText | Let's try one for practice: 35 (okay), 30 (okay), 25, (okay), 20(okay), 15 (okay), AND the next number would be ….???? (The answer should be 10 as each number has decreased by 5). There will be different patterns, and some of these will be harder than others, so just do the best you can. If you are not sure of the answer, it is okay to guess. Do you have any questions? |
| InterviewerInstruction | Pause after each of the first 4 items for okay response; after the last item, say AND the next number is …? |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4375 | 137 | 2 | 100 | 44.9152 | 4.4398005… |

## B3TNS2 - Number Series 2: Response

| Type | Numeric (Integer) |
|---|---|
| PreQuestionText | Okay. Are you ready for another? The next set is: |
| InterviewerInstruction | Pause after each of the first 4 items for okay response; after the last item, say AND the next number is …? |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4391 | 121 | 2 | 100 | 65.962423… | 4.2615192… |

## B3TNS3 - Number Series 3: Response

| Type | Numeric (Integer) |
|---|---|
| PreQuestionText | Okay. Are you ready for another? The next set is: |
| InterviewerInstruction | Pause after each of the first 4 items for okay response; after the last item, say AND the next number is …? |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4358 | 154 | 1 | 200 | 22.996328… | 4.0590076… |

## B3TNS4 - Number Series 4: Response

| Type | Numeric (Integer) |
|---|---|
| PreQuestionText | Okay. Are you ready for another? The next set is: |
| InterviewerInstruction | Pause after each of the first 4 items for okay response; after the last item, say AND the next number is …? |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4275 | 237 | 0 | 150 | 5.1139181... | 4.8195690... |

## B3TNS5 - Number Series 5: Response

| Type | Numeric (Integer) |
|---|---|
| PreQuestionText | Okay. Are you ready for another? The next set is: |
| InterviewerInstruction | Pause after each of the first 4 items for okay response; after the last item, say AND the next number is …? |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 3801 | 711 | 0 | 200 | 31.209418... | 12.579696... |

## B3TNS1C - Number Series 1: Correct?

| Type | Code |
|---|---|
| Question Text | Number Series #1: correct? |

| | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 1 | YES, CORRECT | 1643 | 36.41% | 36.74% |
| | 2 | NO, INCORRECT | 2829 | 62.7% | 63.26% |
| | | Total | 4,472 | 99.11% | 100% |
| Missing | 8 | REFUSED OR MISSING | 40 | 0.89% | |
| | 9 | INAPP | 0 | 0% | |
| | | Total | 40 | 0.89% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4472 | 40 | 1 | 2 |

## B3TNS2C - Number Series 2: Correct?

| Type | Code |
|---|---|
| Question Text | Number Series #2: correct? |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 1 | YES, CORRECT | 3412 | 75.62% | 76.3% |
| | 2 | NO, INCORRECT | 1060 | 23.49% | 23.7% |
| | | Total | 4,472 | 99.11% | 100% |
| Missing | 8 | REFUSED OR MISSING | 40 | 0.89% | |
| | 9 | INAPP | 0 | 0% | |
| | | Total | 40 | 0.89% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4472 | 40 | 1 | 2 |

## B3TNS3C - Number Series 3: Correct?

| Type | Code |
|---|---|
| Question Text | Number Series #3: correct? |

| | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 1 | YES, CORRECT | 1663 | 36.86% | 37.19% |
| | 2 | NO, INCORRECT | 2809 | 62.26% | 62.81% |
| | | Total | 4,472 | 99.11% | 100% |
| Missing | 8 | REFUSED OR MISSING | 40 | 0.89% | |
| | 9 | INAPP | 0 | 0% | |
| | | Total | 40 | 0.89% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4472 | 40 | 1 | 2 |

## B3TNS4C - Number Series 4: Correct?

| Type | Code |
|---|---|
| Question Text | Number Series #4: correct? |

| | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 1 | YES, CORRECT | 1628 | 36.08% | 36.4% |
| | 2 | NO, INCORRECT | 2844 | 63.03% | 63.6% |
| | | Total | 4,472 | 99.11% | 100% |
| Missing | 8 | REFUSED OR MISSING | 40 | 0.89% | |
| | 9 | INAPP | 0 | 0% | |
| | | Total | 40 | 0.89% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4472 | 40 | 1 | 2 |

## B3TNS5C - Number Series 5: Correct?

| Type | Code |
|---|---|
| Question Text | Number Series #5: correct? |

| | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 1 | YES, CORRECT | 1375 | 30.47% | 30.75% |
| | 2 | NO, INCORRECT | 3097 | 68.64% | 69.25% |
| | | Total | 4,472 | 99.11% | 100% |
| Missing | 8 | REFUSED OR MISSING | 40 | 0.89% | |
| | 9 | INAPP | 0 | 0% | |
| | | Total | 40 | 0.89% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4472 | 40 | 1 | 2 |

## B3TNSTOT - Number Series: Total correct

| Type | Numeric (Integer) |
|---|---|

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4467 | 45 | 0 | 5 | 2.1761808... | 1.5294061... |

## B3TBKFP - Backward Counting flagged problematic?

| Type | Code |
|---|---|
| Interviewer Instructions | Record final number reached, and number of errors |
| Notes | Filter Variable |
| InterviewerInstruction | Record final number reached, and number of errors |

| | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 1 | YES | 12 | 0.27% | 0.27% |
| | 2 | NO | 4500 | 99.73% | 99.73% |
| | | Total | 4,512 | 100% | 100% |
| Missing | 8 | REFUSED OR MISSING | 0 | 0% | |
| | | Total | 0 | 0% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4512 | 0 | 1 | 2 |

## B3TBKCT - Backward Counting: Last number reached

| Type | Numeric (Integer) |
|---|---|
| PreQuestionText | Next, I would like to see how fast you can count backwards. When I give the signal to begin, start counting backwards from 100 out loud, as fast as you can. So you will say 100, 99, 98 and so on. You will have half a minute. Do you have any questions? I will let you know when the time is up. Begin (time for 30 seconds). |
| InterviewerInstruction | Record final number reached, and number of errors |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4479 | 33 | 0 | 99 | 62.457021... | 11.500912... |

## B3TBKERR - Backward Counting: Number of errors

| Type | Numeric (Integer) |
|---|---|
| InterviewerInstruction | Record final number reached, and number of errors |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4479 | 33 | 0 | 90 | 0.8725161... | 2.1734833... |

## B3TBKTOT - Backward Counting: Total number counted Correctly (100-(B3TBKCT+B3TBKERR))

| Type | Numeric (Integer) |
|---|---|
| InterviewerInstruction | Record final number reached, and number of errors |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4479 | 33 | -13 | 100 | 36.670462... | 11.754196... |

## B3TWLDFP - Word List Delayed flagged problematic?

| Type | Code |
|---|---|
| Interviewer Instructions | (WAIT FOR SUBJECT TO RESPOND YES. MAKE SURE THEY UNDERSTAND THAT IT IS THE WORD LIST, NOT THE CATEGORY FLUENCY TEST). Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Pre-Question Text | Do you remember the very first list of 15 words that I read to you in the beginning? It was the very first thing we did. I want you to tell me as many of the words from that list as you can. You will have up to one minute. I will tell you when your time is up. |
| PreQuestionText | Do you remember the very first list of 15 words that I read to you in the beginning? It was the very first thing we did. I want you to tell me as many of the words from that list as you can. You will have up to one minute. I will tell you when your time is up. |

| Notes | Filter Variable |
|---|---|
| InterviewerInstruction | (WAIT FOR SUBJECT TO RESPOND YES. MAKE SURE THEY UNDERSTAND THAT IT IS THE WORD LIST, NOT THE CATEGORY FLUENCY TEST). Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

|  |  |  | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 1 | YES | 13 | 0.29% | 0.29% |
|  | 2 | NO | 4499 | 99.71% | 99.71% |
|  |  | Total | 4,512 | 100% | 100% |
| Missing | 8 | REFUSED OR MISSING | 0 | 0% |  |
|  |  | Total | 0 | 0% |  |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4512 | 0 | 1 | 2 |

## B3TWLD1 - Word List Delayed: Recalled word 1

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #1 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

|  | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | 921 | 20.41% | 22.75% |
|-------|-----|--------------------|-------|--------|--------|
|       | 2 | WORD 2 | 408 | 9.04% | 10.08% |
|       | 3 | WORD 3 | 229 | 5.08% | 5.66% |
|       | 4 | WORD 4 | 163 | 3.61% | 4.03% |
|       | 5 | WORD 5 | 213 | 4.72% | 5.26% |
|       | 6 | WORD 6 | 193 | 4.28% | 4.77% |
|       | 7 | WORD 7 | 120 | 2.66% | 2.96% |
|       | 8 | WORD 8 | 167 | 3.7% | 4.12% |
|       | 9 | WORD 9 | 136 | 3.01% | 3.36% |
|       | 10 | WORD 10 | 327 | 7.25% | 8.08% |
|       | 11 | WORD 11 | 191 | 4.23% | 4.72% |
|       | 12 | WORD 12 | 136 | 3.01% | 3.36% |
|       | 13 | WORD 13 | 89 | 1.97% | 2.2% |
|       | 14 | WORD 14 | 311 | 6.89% | 7.68% |
|       | 15 | WORD 15 | 127 | 2.81% | 3.14% |
|       | 90 | OTHER WORD NOT IN LIST | 318 | 7.05% | 7.85% |
|       |    | Total | 4,049 | 89.74% | 100% |
| Missing | 98 | REFUSED OR MISSING | 463 | 10.26% | |
|       | 99 | INAPP | 0 | 0% | |
|       |    | Total | 463 | 10.26% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 4049 | 463 | 1 | 90 |

## 🧩 B3TWLD2 - Word List Delayed: Recalled word 2

| Type | Code |
|------|------|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #2 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|--|-----------|------------|------------|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 212 | 4.7% | 5.4% |
| | 2 | WORD 2 | | 462 | 10.24% | 11.78% |
| | 3 | WORD 3 | | 320 | 7.09% | 8.16% |
| | 4 | WORD 4 | | 158 | 3.5% | 4.03% |
| | 5 | WORD 5 | | 298 | 6.6% | 7.6% |
| | 6 | WORD 6 | | 274 | 6.07% | 6.98% |
| | 7 | WORD 7 | | 126 | 2.79% | 3.21% |
| | 8 | WORD 8 | | 214 | 4.74% | 5.46% |
| | 9 | WORD 9 | | 140 | 3.1% | 3.57% |
| | 10 | WORD 10 | | 297 | 6.58% | 7.57% |
| | 11 | WORD 11 | | 250 | 5.54% | 6.37% |
| | 12 | WORD 12 | | 154 | 3.41% | 3.93% |
| | 13 | WORD 13 | | 106 | 2.35% | 2.7% |
| | 14 | WORD 14 | | 293 | 6.49% | 7.47% |
| | 15 | WORD 15 | | 131 | 2.9% | 3.34% |
| | 90 | OTHER WORD NOT IN LIST | | 488 | 10.82% | 12.44% |
| | | Total | | 3,923 | 86.95% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 589 | 13.05% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 589 | 13.05% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 3923 | 589 | 1 | 90 |

## B3TWLD3 - Word List Delayed: Recalled word 3

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #3 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | 174 | 3.86% | 4.77% |
|---|---|---|---|---|---|
| | 2 | WORD 2 | 272 | 6.03% | 7.46% |
| | 3 | WORD 3 | 240 | 5.32% | 6.59% |
| | 4 | WORD 4 | 151 | 3.35% | 4.14% |
| | 5 | WORD 5 | 303 | 6.72% | 8.32% |
| | 6 | WORD 6 | 306 | 6.78% | 8.4% |
| | 7 | WORD 7 | 109 | 2.42% | 2.99% |
| | 8 | WORD 8 | 224 | 4.96% | 6.15% |
| | 9 | WORD 9 | 158 | 3.5% | 4.34% |
| | 10 | WORD 10 | 279 | 6.18% | 7.66% |
| | 11 | WORD 11 | 203 | 4.5% | 5.57% |
| | 12 | WORD 12 | 165 | 3.66% | 4.53% |
| | 13 | WORD 13 | 115 | 2.55% | 3.16% |
| | 14 | WORD 14 | 278 | 6.16% | 7.63% |
| | 15 | WORD 15 | 147 | 3.26% | 4.03% |
| | 90 | OTHER WORD NOT IN LIST | 520 | 11.52% | 14.27% |
| | | Total | 3,644 | 80.76% | 100% |
| Missing | 98 | REFUSED OR MISSING | 868 | 19.24% | |
| | 99 | INAPP | 0 | 0% | |
| | | Total | 868 | 19.24% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 3644 | 868 | 1 | 90 |

## B3TWLD4 - Word List Delayed: Recalled word 4

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #4 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | 128 | 2.84% | 4.05% |
|-------|----|--------|------|--------|--------|
| | 2 | WORD 2 | 152 | 3.37% | 4.81% |
| | 3 | WORD 3 | 122 | 2.7% | 3.86% |
| | 4 | WORD 4 | 120 | 2.66% | 3.8% |
| | 5 | WORD 5 | 255 | 5.65% | 8.06% |
| | 6 | WORD 6 | 230 | 5.1% | 7.27% |
| | 7 | WORD 7 | 110 | 2.44% | 3.48% |
| | 8 | WORD 8 | 216 | 4.79% | 6.83% |
| | 9 | WORD 9 | 123 | 2.73% | 3.89% |
| | 10 | WORD 10 | 222 | 4.92% | 7.02% |
| | 11 | WORD 11 | 213 | 4.72% | 6.74% |
| | 12 | WORD 12 | 153 | 3.39% | 4.84% |
| | 13 | WORD 13 | 157 | 3.48% | 4.97% |
| | 14 | WORD 14 | 256 | 5.67% | 8.1% |
| | 15 | WORD 15 | 146 | 3.24% | 4.62% |
| | 90 | OTHER WORD NOT IN LIST | 559 | 12.39% | 17.68% |
| | | Total | 3,162 | 70.08% | 100% |
| Missing | 98 | REFUSED OR MISSING | 1350 | 29.92% | |
| | 99 | INAPP | 0 | 0% | |
| | | Total | 1,350 | 29.92% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3162 | 1350 | 1 | 90 |

## B3TWLD5 - Word List Delayed: Recalled word 5

| Type | Code |
|------|------|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #5 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|--|-----------|------------|------------|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 128 | 2.84% | 5.12% |
| | 2 | WORD 2 | | 101 | 2.24% | 4.04% |
| | 3 | WORD 3 | | 111 | 2.46% | 4.44% |
| | 4 | WORD 4 | | 89 | 1.97% | 3.56% |
| | 5 | WORD 5 | | 184 | 4.08% | 7.36% |
| | 6 | WORD 6 | | 161 | 3.57% | 6.44% |
| | 7 | WORD 7 | | 101 | 2.24% | 4.04% |
| | 8 | WORD 8 | | 152 | 3.37% | 6.08% |
| | 9 | WORD 9 | | 112 | 2.48% | 4.48% |
| | 10 | WORD 10 | | 160 | 3.55% | 6.4% |
| | 11 | WORD 11 | | 122 | 2.7% | 4.88% |
| | 12 | WORD 12 | | 135 | 2.99% | 5.4% |
| | 13 | WORD 13 | | 116 | 2.57% | 4.64% |
| | 14 | WORD 14 | | 182 | 4.03% | 7.28% |
| | 15 | WORD 15 | | 116 | 2.57% | 4.64% |
| | 90 | OTHER WORD NOT IN LIST | | 531 | 11.77% | 21.23% |
| | | Total | | 2,501 | 55.43% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 2011 | 44.57% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 2,011 | 44.57% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 2501 | 2011 | 1 | 90 |

## B3TWLD6 - Word List Delayed: Recalled word 6

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #6 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 108 | 2.39% | 5.74% |
| | 2 | WORD 2 | | 84 | 1.86% | 4.47% |
| | 3 | WORD 3 | | 81 | 1.8% | 4.31% |
| | 4 | WORD 4 | | 76 | 1.68% | 4.04% |
| | 5 | WORD 5 | | 126 | 2.79% | 6.7% |
| | 6 | WORD 6 | | 121 | 2.68% | 6.43% |
| | 7 | WORD 7 | | 77 | 1.71% | 4.09% |
| | 8 | WORD 8 | | 110 | 2.44% | 5.85% |
| | 9 | WORD 9 | | 93 | 2.06% | 4.94% |
| | 10 | WORD 10 | | 99 | 2.19% | 5.26% |
| | 11 | WORD 11 | | 87 | 1.93% | 4.63% |
| | 12 | WORD 12 | | 92 | 2.04% | 4.89% |
| | 13 | WORD 13 | | 98 | 2.17% | 5.21% |
| | 14 | WORD 14 | | 120 | 2.66% | 6.38% |
| | 15 | WORD 15 | | 80 | 1.77% | 4.25% |
| | 90 | OTHER WORD NOT IN LIST | | 429 | 9.51% | 22.81% |
| | | Total | | 1,881 | 41.69% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 2631 | 58.31% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 2,631 | 58.31% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 1881 | 2631 | 1 | 90 |

## B3TWLD7 - Word List Delayed: Recalled word 7

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #7 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | | 66 | 1.46% | 4.94% |
|---|---|---|---|---|---|---|
| | 2 | WORD 2 | | 50 | 1.11% | 3.74% |
| | 3 | WORD 3 | | 63 | 1.4% | 4.71% |
| | 4 | WORD 4 | | 57 | 1.26% | 4.26% |
| | 5 | WORD 5 | | 85 | 1.88% | 6.36% |
| | 6 | WORD 6 | | 77 | 1.71% | 5.76% |
| | 7 | WORD 7 | | 79 | 1.75% | 5.91% |
| | 8 | WORD 8 | | 72 | 1.6% | 5.39% |
| | 9 | WORD 9 | | 72 | 1.6% | 5.39% |
| | 10 | WORD 10 | | 53 | 1.17% | 3.96% |
| | 11 | WORD 11 | | 67 | 1.48% | 5.01% |
| | 12 | WORD 12 | | 72 | 1.6% | 5.39% |
| | 13 | WORD 13 | | 70 | 1.55% | 5.24% |
| | 14 | WORD 14 | | 78 | 1.73% | 5.83% |
| | 15 | WORD 15 | | 57 | 1.26% | 4.26% |
| | 90 | OTHER WORD NOT IN LIST | | 319 | 7.07% | 23.86% |
| | | Total | | 1,337 | 29.63% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 3175 | 70.37% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 3,175 | 70.37% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 1337 | 3175 | 1 | 90 |

## B3TWLD8 - Word List Delayed: Recalled word 8

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #8 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 46 | 1.02% | 5.15% |
| | 2 | WORD 2 | | 40 | 0.89% | 4.47% |
| | 3 | WORD 3 | | 26 | 0.58% | 2.91% |
| | 4 | WORD 4 | | 40 | 0.89% | 4.47% |
| | 5 | WORD 5 | | 50 | 1.11% | 5.59% |
| | 6 | WORD 6 | | 45 | 1% | 5.03% |
| | 7 | WORD 7 | | 41 | 0.91% | 4.59% |
| | 8 | WORD 8 | | 45 | 1% | 5.03% |
| | 9 | WORD 9 | | 41 | 0.91% | 4.59% |
| | 10 | WORD 10 | | 41 | 0.91% | 4.59% |
| | 11 | WORD 11 | | 47 | 1.04% | 5.26% |
| | 12 | WORD 12 | | 49 | 1.09% | 5.48% |
| | 13 | WORD 13 | | 41 | 0.91% | 4.59% |
| | 14 | WORD 14 | | 60 | 1.33% | 6.71% |
| | 15 | WORD 15 | | 38 | 0.84% | 4.25% |
| | 90 | OTHER WORD NOT IN LIST | | 244 | 5.41% | 27.29% |
| | | Total | | 894 | 19.81% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 3618 | 80.19% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 3,618 | 80.19% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 894 | 3618 | 1 | 90 |

## B3TWLD9 - Word List Delayed: Recalled word 9

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #9 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 26 | 0.58% | 4.55% |
| | 2 | WORD 2 | | 29 | 0.64% | 5.08% |
| | 3 | WORD 3 | | 17 | 0.38% | 2.98% |
| | 4 | WORD 4 | | 25 | 0.55% | 4.38% |
| | 5 | WORD 5 | | 41 | 0.91% | 7.18% |
| | 6 | WORD 6 | | 31 | 0.69% | 5.43% |
| | 7 | WORD 7 | | 19 | 0.42% | 3.33% |
| | 8 | WORD 8 | | 24 | 0.53% | 4.2% |
| | 9 | WORD 9 | | 28 | 0.62% | 4.9% |
| | 10 | WORD 10 | | 24 | 0.53% | 4.2% |
| | 11 | WORD 11 | | 28 | 0.62% | 4.9% |
| | 12 | WORD 12 | | 27 | 0.6% | 4.73% |
| | 13 | WORD 13 | | 34 | 0.75% | 5.95% |
| | 14 | WORD 14 | | 38 | 0.84% | 6.65% |
| | 15 | WORD 15 | | 28 | 0.62% | 4.9% |
| | 90 | OTHER WORD NOT IN LIST | | 152 | 3.37% | 26.62% |
| | | Total | | 571 | 12.66% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 3941 | 87.34% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 3,941 | 87.34% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 571 | 3941 | 1 | 90 |

## B3TWLD10 - Word List Delayed: Recalled word 10

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #10 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 17 | 0.38% | 4.71% |
| | 2 | WORD 2 | | 13 | 0.29% | 3.6% |
| | 3 | WORD 3 | | 23 | 0.51% | 6.37% |
| | 4 | WORD 4 | | 17 | 0.38% | 4.71% |
| | 5 | WORD 5 | | 21 | 0.47% | 5.82% |
| | 6 | WORD 6 | | 17 | 0.38% | 4.71% |
| | 7 | WORD 7 | | 23 | 0.51% | 6.37% |
| | 8 | WORD 8 | | 15 | 0.33% | 4.16% |
| | 9 | WORD 9 | | 17 | 0.38% | 4.71% |
| | 10 | WORD 10 | | 12 | 0.27% | 3.32% |
| | 11 | WORD 11 | | 24 | 0.53% | 6.65% |
| | 12 | WORD 12 | | 22 | 0.49% | 6.09% |
| | 13 | WORD 13 | | 28 | 0.62% | 7.76% |
| | 14 | WORD 14 | | 21 | 0.47% | 5.82% |
| | 15 | WORD 15 | | 10 | 0.22% | 2.77% |
| | 90 | OTHER WORD NOT IN LIST | | 81 | 1.8% | 22.44% |
| | | Total | | 361 | 8% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4151 | 92% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,151 | 92% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 361 | 4151 | 1 | 90 |

## B3TWLD11 - Word List Delayed: Recalled word 11

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #11 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | | 12 | 0.27% | 5.13% |
|---|---|---|---|---|---|---|
| | 2 | WORD 2 | | 11 | 0.24% | 4.7% |
| | 3 | WORD 3 | | 7 | 0.16% | 2.99% |
| | 4 | WORD 4 | | 14 | 0.31% | 5.98% |
| | 5 | WORD 5 | | 11 | 0.24% | 4.7% |
| | 6 | WORD 6 | | 8 | 0.18% | 3.42% |
| | 7 | WORD 7 | | 14 | 0.31% | 5.98% |
| | 8 | WORD 8 | | 11 | 0.24% | 4.7% |
| | 9 | WORD 9 | | 8 | 0.18% | 3.42% |
| | 10 | WORD 10 | | 9 | 0.2% | 3.85% |
| | 11 | WORD 11 | | 10 | 0.22% | 4.27% |
| | 12 | WORD 12 | | 12 | 0.27% | 5.13% |
| | 13 | WORD 13 | | 17 | 0.38% | 7.26% |
| | 14 | WORD 14 | | 18 | 0.4% | 7.69% |
| | 15 | WORD 15 | | 10 | 0.22% | 4.27% |
| | 90 | OTHER WORD NOT IN LIST | | 62 | 1.37% | 26.5% |
| | | Total | | 234 | 5.19% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4278 | 94.81% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,278 | 94.81% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 234 | 4278 | 1 | 90 |

## B3TWLD12 - Word List Delayed: Recalled word 12

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #12 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | 11 | 0.24% | 7.69% |
|---|---|---|---|---|---|
| | 2 | WORD 2 | 4 | 0.09% | 2.8% |
| | 3 | WORD 3 | 7 | 0.16% | 4.9% |
| | 4 | WORD 4 | 3 | 0.07% | 2.1% |
| | 5 | WORD 5 | 7 | 0.16% | 4.9% |
| | 6 | WORD 6 | 7 | 0.16% | 4.9% |
| | 7 | WORD 7 | 6 | 0.13% | 4.2% |
| | 8 | WORD 8 | 3 | 0.07% | 2.1% |
| | 9 | WORD 9 | 8 | 0.18% | 5.59% |
| | 10 | WORD 10 | 7 | 0.16% | 4.9% |
| | 11 | WORD 11 | 10 | 0.22% | 6.99% |
| | 12 | WORD 12 | 3 | 0.07% | 2.1% |
| | 13 | WORD 13 | 10 | 0.22% | 6.99% |
| | 14 | WORD 14 | 4 | 0.09% | 2.8% |
| | 15 | WORD 15 | 8 | 0.18% | 5.59% |
| | 90 | OTHER WORD NOT IN LIST | 45 | 1% | 31.47% |
| | | Total | 143 | 3.17% | 100% |
| Missing | 98 | REFUSED OR MISSING | 4369 | 96.83% | |
| | 99 | INAPP | 0 | 0% | |
| | | Total | 4,369 | 96.83% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 143 | 4369 | 1 | 90 |

## B3TWLD13 - Word List Delayed: Recalled word 13

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #13 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 2 | 0.04% | 2.38% |
| | 2 | WORD 2 | | 4 | 0.09% | 4.76% |
| | 3 | WORD 3 | | 4 | 0.09% | 4.76% |
| | 4 | WORD 4 | | 1 | 0.02% | 1.19% |
| | 5 | WORD 5 | | 2 | 0.04% | 2.38% |
| | 6 | WORD 6 | | 8 | 0.18% | 9.52% |
| | 7 | WORD 7 | | 4 | 0.09% | 4.76% |
| | 8 | WORD 8 | | 3 | 0.07% | 3.57% |
| | 9 | WORD 9 | | 6 | 0.13% | 7.14% |
| | 10 | WORD 10 | | 2 | 0.04% | 2.38% |
| | 11 | WORD 11 | | 7 | 0.16% | 8.33% |
| | 12 | WORD 12 | | 1 | 0.02% | 1.19% |
| | 13 | WORD 13 | | 5 | 0.11% | 5.95% |
| | 14 | WORD 14 | | 2 | 0.04% | 2.38% |
| | 15 | WORD 15 | | 3 | 0.07% | 3.57% |
| | 90 | OTHER WORD NOT IN LIST | | 30 | 0.66% | 35.71% |
| | | Total | | 84 | 1.86% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4428 | 98.14% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,428 | 98.14% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 84 | 4428 | 1 | 90 |

## B3TWLD14 - Word List Delayed: Recalled word 14

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #14 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 2 | 0.04% | 3.77% |
| | 2 | WORD 2 | | 3 | 0.07% | 5.66% |
| | 3 | WORD 3 | | 4 | 0.09% | 7.55% |
| | 4 | WORD 4 | | 1 | 0.02% | 1.89% |
| | 5 | WORD 5 | | 1 | 0.02% | 1.89% |
| | 6 | WORD 6 | | 4 | 0.09% | 7.55% |
| | 7 | WORD 7 | | 1 | 0.02% | 1.89% |
| | 8 | WORD 8 | | 2 | 0.04% | 3.77% |
| | 9 | WORD 9 | | 1 | 0.02% | 1.89% |
| | 10 | WORD 10 | | 2 | 0.04% | 3.77% |
| | 11 | WORD 11 | | 4 | 0.09% | 7.55% |
| | 12 | WORD 12 | | 3 | 0.07% | 5.66% |
| | 13 | WORD 13 | | 4 | 0.09% | 7.55% |
| | 14 | WORD 14 | | 2 | 0.04% | 3.77% |
| | 15 | WORD 15 | | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | | 19 | 0.42% | 35.85% |
| | | Total | | 53 | 1.17% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4459 | 98.83% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,459 | 98.83% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 53 | 4459 | 1 | 90 |

## B3TWLD15 - Word List Delayed: Recalled word 15

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #15 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | 1 | 0.02% | 3.23% |
|---|---|---|---|---|---|
| | 2 | WORD 2 | 1 | 0.02% | 3.23% |
| | 3 | WORD 3 | 0 | 0% | 0% |
| | 4 | WORD 4 | 3 | 0.07% | 9.68% |
| | 5 | WORD 5 | 0 | 0% | 0% |
| | 6 | WORD 6 | 0 | 0% | 0% |
| | 7 | WORD 7 | 0 | 0% | 0% |
| | 8 | WORD 8 | 1 | 0.02% | 3.23% |
| | 9 | WORD 9 | 2 | 0.04% | 6.45% |
| | 10 | WORD 10 | 1 | 0.02% | 3.23% |
| | 11 | WORD 11 | 2 | 0.04% | 6.45% |
| | 12 | WORD 12 | 1 | 0.02% | 3.23% |
| | 13 | WORD 13 | 1 | 0.02% | 3.23% |
| | 14 | WORD 14 | 1 | 0.02% | 3.23% |
| | 15 | WORD 15 | 2 | 0.04% | 6.45% |
| | 90 | OTHER WORD NOT IN LIST | 15 | 0.33% | 48.39% |
| | | Total | 31 | 0.69% | 100% |
| Missing | 98 | REFUSED OR MISSING | 4481 | 99.31% | |
| | 99 | INAPP | 0 | 0% | |
| | | Total | 4,481 | 99.31% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 31 | 4481 | 1 | 90 |

## B3TWLD16 - Word List Delayed: Recalled word 16

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #16 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | | 1 | 0.02% | 6.67% |
|---|---|---|---|---|---|---|
| | 2 | WORD 2 | | 0 | 0% | 0% |
| | 3 | WORD 3 | | 1 | 0.02% | 6.67% |
| | 4 | WORD 4 | | 0 | 0% | 0% |
| | 5 | WORD 5 | | 0 | 0% | 0% |
| | 6 | WORD 6 | | 0 | 0% | 0% |
| | 7 | WORD 7 | | 1 | 0.02% | 6.67% |
| | 8 | WORD 8 | | 0 | 0% | 0% |
| | 9 | WORD 9 | | 1 | 0.02% | 6.67% |
| | 10 | WORD 10 | | 1 | 0.02% | 6.67% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 1 | 0.02% | 6.67% |
| | 14 | WORD 14 | | 1 | 0.02% | 6.67% |
| | 15 | WORD 15 | | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | | 8 | 0.18% | 53.33% |
| | | Total | | 15 | 0.33% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4497 | 99.67% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,497 | 99.67% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 15 | 4497 | 1 | 90 |

## B3TWLD17 - Word List Delayed: Recalled word 17

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #17 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | | 0 | 0% | 0% |
|---|---|---|---|---|---|---|
| | 2 | WORD 2 | | 1 | 0.02% | 8.33% |
| | 3 | WORD 3 | | 0 | 0% | 0% |
| | 4 | WORD 4 | | 1 | 0.02% | 8.33% |
| | 5 | WORD 5 | | 0 | 0% | 0% |
| | 6 | WORD 6 | | 1 | 0.02% | 8.33% |
| | 7 | WORD 7 | | 0 | 0% | 0% |
| | 8 | WORD 8 | | 0 | 0% | 0% |
| | 9 | WORD 9 | | 0 | 0% | 0% |
| | 10 | WORD 10 | | 0 | 0% | 0% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 1 | 0.02% | 8.33% |
| | 13 | WORD 13 | | 0 | 0% | 0% |
| | 14 | WORD 14 | | 1 | 0.02% | 8.33% |
| | 15 | WORD 15 | | 1 | 0.02% | 8.33% |
| | 90 | OTHER WORD NOT IN LIST | | 6 | 0.13% | 50% |
| | | Total | | 12 | 0.27% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4500 | 99.73% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,500 | 99.73% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 12 | 4500 | 2 | 90 |

## B3TWLD18 - Word List Delayed: Recalled word 18

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #18 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | | Frequency | % of total | % of valid |
|---|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|-------|----|----------------------|--|------|-------|--------|
| Valid | 1  | WORD 1               || 0    | 0%    | 0%     |
|       | 2  | WORD 2               || 0    | 0%    | 0%     |
|       | 3  | WORD 3               || 0    | 0%    | 0%     |
|       | 4  | WORD 4               || 0    | 0%    | 0%     |
|       | 5  | WORD 5               || 0    | 0%    | 0%     |
|       | 6  | WORD 6               || 0    | 0%    | 0%     |
|       | 7  | WORD 7               || 2    | 0.04% | 22.22% |
|       | 8  | WORD 8               || 0    | 0%    | 0%     |
|       | 9  | WORD 9               || 0    | 0%    | 0%     |
|       | 10 | WORD 10              || 0    | 0%    | 0%     |
|       | 11 | WORD 11              || 0    | 0%    | 0%     |
|       | 12 | WORD 12              || 0    | 0%    | 0%     |
|       | 13 | WORD 13              || 1    | 0.02% | 11.11% |
|       | 14 | WORD 14              || 0    | 0%    | 0%     |
|       | 15 | WORD 15              || 0    | 0%    | 0%     |
|       | 90 | OTHER WORD NOT IN LIST || 6  | 0.13% | 66.67% |
|       |    | Total                || 9    | 0.2%  | 100%   |
| Missing | 98 | REFUSED OR MISSING  || 4503 | 99.8% |        |
|       | 99 | INAPP                || 0    | 0%    |        |
|       |    | Total                || 4,503 | 99.8% |       |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 9     | 4503    | 7       | 90      |

## B3TWLD19 - Word List Delayed: Recalled word 19

| Type | Code |
|------|------|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #19 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|--|-----------|------------|------------|

| Valid | 1 | WORD 1 | | 0 | 0% | 0% |
|---|---|---|---|---|---|---|
| | 2 | WORD 2 | | 0 | 0% | 0% |
| | 3 | WORD 3 | | 0 | 0% | 0% |
| | 4 | WORD 4 | | 0 | 0% | 0% |
| | 5 | WORD 5 | | 1 | 0.02% | 12.5% |
| | 6 | WORD 6 | | 0 | 0% | 0% |
| | 7 | WORD 7 | | 0 | 0% | 0% |
| | 8 | WORD 8 | | 0 | 0% | 0% |
| | 9 | WORD 9 | | 0 | 0% | 0% |
| | 10 | WORD 10 | | 0 | 0% | 0% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 0 | 0% | 0% |
| | 14 | WORD 14 | | 2 | 0.04% | 25% |
| | 15 | WORD 15 | | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | | 5 | 0.11% | 62.5% |
| | | Total | | 8 | 0.18% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4504 | 99.82% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,504 | 99.82% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 8 | 4504 | 5 | 90 |

## B3TWLD20 - Word List Delayed: Recalled word 20

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #20 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | | | |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 0 | 0% | 0% |
| | 2 | WORD 2 | | 0 | 0% | 0% |
| | 3 | WORD 3 | | 0 | 0% | 0% |
| | 4 | WORD 4 | | 1 | 0.02% | 25% |
| | 5 | WORD 5 | | 0 | 0% | 0% |
| | 6 | WORD 6 | | 0 | 0% | 0% |
| | 7 | WORD 7 | | 0 | 0% | 0% |
| | 8 | WORD 8 | | 0 | 0% | 0% |
| | 9 | WORD 9 | | 0 | 0% | 0% |
| | 10 | WORD 10 | | 0 | 0% | 0% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 0 | 0% | 0% |
| | 14 | WORD 14 | | 0 | 0% | 0% |
| | 15 | WORD 15 | | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | | 3 | 0.07% | 75% |
| | | Total | | 4 | 0.09% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4508 | 99.91% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,508 | 99.91% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4 | 4508 | 4 | 90 |

## B3TWLD21 - Word List Delayed: Recalled word 21

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #21 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Comparability Notes | Not included in M3P7. |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | | | |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 0 | 0% | 0% |
| | 2 | WORD 2 | | 0 | 0% | 0% |
| | 3 | WORD 3 | | 0 | 0% | 0% |
| | 4 | WORD 4 | | 0 | 0% | 0% |
| | 5 | WORD 5 | | 1 | 0.02% | 25% |
| | 6 | WORD 6 | | 0 | 0% | 0% |
| | 7 | WORD 7 | | 0 | 0% | 0% |
| | 8 | WORD 8 | | 0 | 0% | 0% |
| | 9 | WORD 9 | | 0 | 0% | 0% |
| | 10 | WORD 10 | | 0 | 0% | 0% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 0 | 0% | 0% |
| | 14 | WORD 14 | | 0 | 0% | 0% |
| | 15 | WORD 15 | | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | | 3 | 0.07% | 75% |
| | | Total | | 4 | 0.09% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4508 | 99.91% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,508 | 99.91% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4 | 4508 | 5 | 90 |

## B3TWLD22 - Word List Delayed: Recalled word 22

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #22 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Comparability Notes | Not included in M3P7. |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| | | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 1 | 0.02% | 33.33% |
| | 2 | WORD 2 | | 0 | 0% | 0% |
| | 3 | WORD 3 | | 0 | 0% | 0% |
| | 4 | WORD 4 | | 0 | 0% | 0% |
| | 5 | WORD 5 | | 0 | 0% | 0% |
| | 6 | WORD 6 | | 0 | 0% | 0% |
| | 7 | WORD 7 | | 0 | 0% | 0% |
| | 8 | WORD 8 | | 0 | 0% | 0% |
| | 9 | WORD 9 | | 0 | 0% | 0% |
| | 10 | WORD 10 | | 0 | 0% | 0% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 0 | 0% | 0% |
| | 14 | WORD 14 | | 0 | 0% | 0% |
| | 15 | WORD 15 | | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | | 2 | 0.04% | 66.67% |
| | | Total | | 3 | 0.07% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4509 | 99.93% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,509 | 99.93% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 3 | 4509 | 1 | 90 |

## B3TWLD23 - Word List Delayed: Recalled word 23

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #23 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Comparability Notes | Not included in M3P7. |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | | 0 | 0% | 0% |
|---|---|---|---|---|---|---|
| | 2 | WORD 2 | | 0 | 0% | 0% |
| | 3 | WORD 3 | | 0 | 0% | 0% |
| | 4 | WORD 4 | | 0 | 0% | 0% |
| | 5 | WORD 5 | | 0 | 0% | 0% |
| | 6 | WORD 6 | | 0 | 0% | 0% |
| | 7 | WORD 7 | | 0 | 0% | 0% |
| | 8 | WORD 8 | | 0 | 0% | 0% |
| | 9 | WORD 9 | | 0 | 0% | 0% |
| | 10 | WORD 10 | | 0 | 0% | 0% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 0 | 0% | 0% |
| | 14 | WORD 14 | | 0 | 0% | 0% |
| | 15 | WORD 15 | | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | | 3 | 0.07% | 100% |
| | | Total | | 3 | 0.07% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4509 | 99.93% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,509 | 99.93% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 3 | 4509 | 90 | 90 |

## 🗃 B3TWLD24 - Word List Delayed: Recalled word 24

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #24 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Comparability Notes | Not included in M3P7. |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | | 0 | 0% | 0% |
|-------|----|--------------------|----|-------|---------|------|
| | 2 | WORD 2 | | 0 | 0% | 0% |
| | 3 | WORD 3 | | 0 | 0% | 0% |
| | 4 | WORD 4 | | 0 | 0% | 0% |
| | 5 | WORD 5 | | 0 | 0% | 0% |
| | 6 | WORD 6 | | 0 | 0% | 0% |
| | 7 | WORD 7 | | 0 | 0% | 0% |
| | 8 | WORD 8 | | 0 | 0% | 0% |
| | 9 | WORD 9 | | 0 | 0% | 0% |
| | 10 | WORD 10 | | 0 | 0% | 0% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 0 | 0% | 0% |
| | 14 | WORD 14 | | 0 | 0% | 0% |
| | 15 | WORD 15 | | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | | 2 | 0.04% | 100% |
| | | Total | | 2 | 0.04% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4510 | 99.96% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,510 | 99.96% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 2 | 4510 | 90 | 90 |

## B3TWLD25 - Word List Delayed: Recalled word 25

| Type | Code |
|------|------|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #25 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Comparability Notes | Not included in M3P7. |

| | Frequency | % of total | % of valid |
|------|-----------|------------|------------|

| | | | | | | |
|---|---|---|---|---|---|---|
| Valid | 1 | WORD 1 | | 0 | 0% | 0% |
| | 2 | WORD 2 | | 0 | 0% | 0% |
| | 3 | WORD 3 | | 0 | 0% | 0% |
| | 4 | WORD 4 | | 0 | 0% | 0% |
| | 5 | WORD 5 | | 0 | 0% | 0% |
| | 6 | WORD 6 | | 0 | 0% | 0% |
| | 7 | WORD 7 | | 0 | 0% | 0% |
| | 8 | WORD 8 | | 0 | 0% | 0% |
| | 9 | WORD 9 | | 0 | 0% | 0% |
| | 10 | WORD 10 | | 0 | 0% | 0% |
| | 11 | WORD 11 | | 0 | 0% | 0% |
| | 12 | WORD 12 | | 0 | 0% | 0% |
| | 13 | WORD 13 | | 0 | 0% | 0% |
| | 14 | WORD 14 | | 0 | 0% | 0% |
| | 15 | WORD 15 | | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | | 2 | 0.04% | 100% |
| | | Total | | 2 | 0.04% | 100% |
| Missing | 98 | REFUSED OR MISSING | | 4510 | 99.96% | |
| | 99 | INAPP | | 0 | 0% | |
| | | Total | | 4,510 | 99.96% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 2 | 4510 | 90 | 90 |

## B3TWLD26 - Word List Delayed: Recalled word 26

| Type | Code |
|---|---|
| Interviewer Instructions | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Question Text | Word List Delayed: Recalled #26 |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |
| Comparability Notes | Not included in M3P7. |

| | Frequency | % of total | % of valid |
|---|---|---|---|

| Valid | 1 | WORD 1 | 0 | 0% | 0% |
|---|---|---|---|---|---|
| | 2 | WORD 2 | 0 | 0% | 0% |
| | 3 | WORD 3 | 0 | 0% | 0% |
| | 4 | WORD 4 | 0 | 0% | 0% |
| | 5 | WORD 5 | 0 | 0% | 0% |
| | 6 | WORD 6 | 0 | 0% | 0% |
| | 7 | WORD 7 | 0 | 0% | 0% |
| | 8 | WORD 8 | 0 | 0% | 0% |
| | 9 | WORD 9 | 0 | 0% | 0% |
| | 10 | WORD 10 | 0 | 0% | 0% |
| | 11 | WORD 11 | 0 | 0% | 0% |
| | 12 | WORD 12 | 0 | 0% | 0% |
| | 13 | WORD 13 | 0 | 0% | 0% |
| | 14 | WORD 14 | 0 | 0% | 0% |
| | 15 | WORD 15 | 0 | 0% | 0% |
| | 90 | OTHER WORD NOT IN LIST | 2 | 0.04% | 100% |
| | | Total | 2 | 0.04% | 100% |
| Missing | 98 | REFUSED OR MISSING | 4510 | 99.96% | |
| | 99 | INAPP | 0 | 0% | |
| | | Total | 4,510 | 99.96% | |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 2 | 4510 | 90 | 90 |

## B3TWLDTU - Word List Delayed: Total unique words recalled

| Type | Numeric (Integer) |
|---|---|
| Notes | Range: 0 to 15; sum of all correct, unique responses from B3TWLD1 to B3TWLD26. |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4276 | 236 | 0 | 14 | 4.3627221… | 2.6332297… |

## B3TWLDTR - Word List Delayed: Total repetitions

| Type | Numeric (Integer) |
|---|---|
| Notes | Sum of all repeated responses from B3TWLD1 to B3TWLD26. |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4276 | 236 | 0 | 16 | 0.1005612... | 0.4886450... |

## B3TWLDTI - Word List Delayed: Total intrusions

| Type | Numeric (Integer) |
|---|---|
| Notes | Sum of all non-list intrusions from B3TWLD1 to B3TWLD26. |
| InterviewerInstruction | Record words recalled, including intrusions and repetitions. If person stops before 1 minute is up, say, "there is still more time can you think of any more?" |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4276 | 236 | 0 | 26 | 0.9048175... | 1.5782335... |

## B3TWLF - Word List: Proportion forgot between immediate and delayed

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 2 |
| Notes | Computed Variable, (B3TWLITU-B3TWLDTU)/B3TWLITU. |
| Comparability Notes | Not computed in M3P7. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4260 | 252 | -1.4 | 1 | 0.3835507... | 0.2786382... |

## B3TCOMPZ1 - Zscore BTACT Composite Score - computed for MIDUS national sample only (N=4206)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | Not computed in M3P7. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 3973 | 539 | -2.943415... | 3.6361811... | 4.91E-17 | 0.9999999... |

## B3TEMZ1 - Zscore Episodic Memory - computed for MIDUS national sample only (N=4206)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |

| Notes | Computed Variable |
|---|---|
| Comparability Notes | Not computed in M3P7. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4189 | 323 | -3.070529... | 3.8270774... | -1.31E-17 | 0.9999999... |

## B3TEFZ1 - Zscore Executive Functioning - computed for MIDUS national sample only (N=4206)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | Not computed in M3P7. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4198 | 314 | -7.371379... | 3.3908099... | 7.78E-17 | 0.9999999... |

## B3TCOMPZ2 - Zscore BTACT Composite Score - computed for Milwaukee sample only (N=306)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | Not in M3 or M3P7. |
| Comparability Class | General Item Availability |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 274 | 4238 | -2.339115... | 2.8315641... | -3.82E-17 | 1 |

## B3TEMZ2 - Zscore Episodic Memory - computed for Milwaukee sample only (N=306)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | Not in M3 or M3P7. |
| Comparability Class | General Item Availability |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|

| 304 | 4208 | -2.794154... | 3.6901745... | 2.3E-17 | 1 |

## B3TEFZ2 - Zscore Executive Functioning - computed for Milwaukee sample only (N=306)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | Not in M3 or M3P7. |
| Comparability Class | General Item Availability |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 306 | 4206 | -3.293324... | 2.9635613... | 9.54E-18 | 1 |

## B3TCOMPZ3 - Zscore BTACT Composite Score - computed for complete sample (MIDUS + Milwaukee; N=4512)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | Not in M3 or M3P7. |
| Comparability Class | General Item Availability |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4247 | 265 | -2.885696... | 3.6252944... | -1.01E-16 | 0.9999999... |

## B3TEMZ3 - Zscore Episodic Memory - computed for complete sample (MIDUS + Milwaukee; N=4512)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | Not in M3 or M3P7. |
| Comparability Class | General Item Availability |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4493 | 19 | -3.042593... | 3.8329352... | -2.35E-17 | 0.9999999... |

## B3TEFZ3 - Zscore Executive Functioning - computed for complete sample (MIDUS + Milwaukee; N=4512)

| | |
|---|---|
| Type | Numeric (Integer) |
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | Not in M3 or M3P7. |
| Comparability Class | General Item Availability |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4504 | 8 | -6.927160... | 3.3610987... | 1.06E-16 | 0.9999999... |

## B3TSWN1 - SGST: normal single-task trial 1

| | |
|---|---|
| Type | Numeric (Integer) |
| Numeric Details | Decimals: 3 |
| B3TSWN1 | RED/GREEN TASK: BASELINE NORMAL - GREEN/GO |
| PreQuestionText | Next I am going to see how quickly you can respond to the words RED and GREEN. Every time I say READ you will say STOP, and every time I say GREEN you will say GO. Try to be accurate , but respond as quickly as you can. So when I say RED you will say ...And when I say GREEN you will say... Do you have any questions? Let's begin. This will last about 1 minute. |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4088 | 424 | 0.394739229 | 9.752380952 | 1.2306306... | 0.5458196... |

## B3TSWN2 - SGST: normal single-task trial 2

| | |
|---|---|
| Type | Numeric (Integer) |
| Numeric Details | Decimals: 3 |
| B3TSWN2 | RED/GREEN TASK: BASELINE NORMAL - RED/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4234 | 278 | 0.446984127 | 5.909478458 | 0.8755116... | 0.2841051... |

## B3TSWN3 - SGST: normal single-task trial 3

| | |
|---|---|
| Type | Numeric (Integer) |
| Numeric Details | Decimals: 3 |
| B3TSWN3 | RED/GREEN TASK: BASELINE NORMAL - GREEN/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4224 | 288 | 0.342494331 | 12.73614512 | 0.9579479... | 0.4140547... |

## B3TSWN4 - SGST: normal single-task trial 4

| | |
|---|---|
| Type | Numeric (Integer) |
| Numeric Details | Decimals: 3 |
| B3TSWN4 | RED/GREEN TASK: BASELINE NORMAL - RED/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4250 | 262 | 0.346848073 | 4.371156463 | 0.8472453... | 0.2392019... |

## B3TSWN5 - SGST: normal single-task trial 5

| | |
|---|---|
| Type | Numeric (Integer) |
| Numeric Details | Decimals: 3 |
| B3TSWN5 | RED/GREEN TASK: BASELINE NORMAL - RED/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4234 | 278 | 0.435351474 | 6.344852608 | 0.9474607... | 0.2939441... |

## B3TSWN6 - SGST: normal single-task trial 6

| | |
|---|---|
| Type | Numeric (Integer) |
| Numeric Details | Decimals: 3 |
| B3TSWN6 | RED/GREEN TASK: BASELINE NORMAL - GREEN/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4256 | 256 | 0.365714286 | 5.224489796 | 0.7745698... | 0.2174133... |

## B3TSWN7 - SGST: normal single-task trial 7

| | |
|---|---|
| Type | Numeric (Integer) |
| Numeric Details | Decimals: 3 |
| B3TSWN7 | RED/GREEN TASK: BASELINE NORMAL - RED/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4240 | 272 | 0.417868481 | 7.13723356 | 0.9599033... | 0.2867733... |

## B3TSWN8 - SGST: normal single-task trial 8

| | |
|---|---|
| Type | Numeric (Integer) |
| Numeric Details | Decimals: 3 |
| B3TSWN8 | RED/GREEN TASK: BASELINE NORMAL - GREEN/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4247 | 265 | 0.319274376 | 8.957097506 | 0.8079097... | 0.2766529... |

## B3TSWN9 - SGST: normal single-task trial 9

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWN9 | RED/GREEN TASK: BASELINE NORMAL - RED/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4237 | 275 | 0.406349206 | 4.9661678 | 0.9297960... | 0.2611499... |

## B3TSWN10 - SGST: normal single-task trial 10

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWN10 | RED/GREEN TASK: BASELINE NORMAL - GREEN/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4244 | 268 | 0.336689342 | 5.265124717 | 0.8093918... | 0.2422294... |

## B3TSWN11 - SGST: normal single-task trial 11

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWN11 | RED/GREEN TASK: BASELINE NORMAL - RED/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4235 | 277 | 0.441179138 | 5.006802721 | 0.9218664... | 0.2794560... |

## B3TSWN12 - SGST: normal single-task trial 12

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |

| B3TSWN12 | RED/GREEN TASK: BASELINE NORMAL - GREEN/GO |
|---|---|
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4246 | 266 | 0.310566893 | 3.506213152 | 0.8037546... | 0.2362485... |

## B3TSWN13 - SGST: normal single-task trial 13

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWN13 | RED/GREEN TASK: BASELINE NORMAL - GREEN/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4241 | 271 | 0.325079365 | 7.105306122 | 0.8667213... | 0.2697470... |

## B3TSWN14 - SGST: normal single-task trial 14

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWN14 | RED/GREEN TASK: BASELINE NORMAL - RED/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4264 | 248 | 0.406439909 | 4.27244898 | 0.8374474... | 0.2110248... |

## B3TSWN15 - SGST: normal single-task trial 15

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWN15 | RED/GREEN TASK: BASELINE NORMAL - RED/STOP |

| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
|---|---|
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4247 | 265 | 0.417959184 | 4.156371882 | 0.8953246... | 0.2558669... |

## B3TSWN16 - SGST: normal single-task trial 16

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWN16 | RED/GREEN TASK: BASELINE NORMAL - GREEN/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4256 | 256 | 0.365714286 | 4.73106576 | 0.7737014... | 0.2099428... |

## B3TSWN17 - SGST: normal single-task trial 17

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWN17 | RED/GREEN TASK: BASELINE NORMAL - RED/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4237 | 275 | 0.404897959 | 3.622312925 | 0.9196280... | 0.2550360... |

## B3TSWN18 - SGST: normal single-task trial 18

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWN18 | RED/GREEN TASK: BASELINE NORMAL - GREEN/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |

| Comparability Notes | SGST not included in M3P7 protocol. |
| --- | --- |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
| --- | --- | --- | --- | --- | --- |
| 4252 | 260 | 0.116190476 | 6.222947846 | 0.7974155... | 0.2357535... |

## B3TSWN19 - SGST: normal single-task trial 19

| Type | Numeric (Integer) |
| --- | --- |
| Numeric Details | Decimals: 3 |
| B3TSWN19 | RED/GREEN TASK: BASELINE NORMAL - GREEN/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
| --- | --- | --- | --- | --- | --- |
| 4247 | 265 | 0.371519274 | 6.217142857 | 0.8281902... | 0.2556091... |

## B3TSWN20 - SGST: normal single-task trial 20

| Type | Numeric (Integer) |
| --- | --- |
| Numeric Details | Decimals: 3 |
| B3TSWN20 | RED/GREEN TASK: BASELINE NORMAL - RED/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
| --- | --- | --- | --- | --- | --- |
| 4254 | 258 | 0.359909297 | 8.823582766 | 0.8189231... | 0.2227377... |

## B3TSWR1 - SGST: reverse single-task trial 1

| Type | Numeric (Integer) |
| --- | --- |
| Numeric Details | Decimals: 3 |
| B3TSWR1 | RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP |
| PreQuestionText | Now you will do just the reverse of what you have been doing. So when you hear RED you will say GO, and when you hear GREEN you will say STOP. Do you have any questions? When I say RED you will say... and when I say GREEN you will say... Try to be accurate, but answer as quickly as you can. |

| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
|---|---|
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4088 | 424 | 0.380226757 | 7.871564626 | 1.2856637... | 0.4912282... |

## B3TSWR2 - SGST: reverse single-task trial 2

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWR2 | RED/GREEN TASK: REVERSE BASELINE - RED/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4237 | 275 | 0.371519274 | 8.225668934 | 0.8696783... | 0.3492648... |

## B3TSWR3 - SGST: reverse single-task trial 3

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWR3 | RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4189 | 323 | 0.397619048 | 5.439274376 | 1.0404599... | 0.3927422... |

## B3TSWR4 - SGST: reverse single-task trial 4

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWR4 | RED/GREEN TASK: REVERSE BASELINE - RED/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |

| Comparability Notes | SGST not included in M3P7 protocol. |
|---|---|

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4209 | 303 | 0.30185941 | 5.868843537 | 0.8867808... | 0.3567279... |

## B3TSWR5 - SGST: reverse single-task trial 5

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWR5 | RED/GREEN TASK: REVERSE BASELINE - RED/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4155 | 357 | 0.069659864 | 6.548027211 | 1.0456733... | 0.4005042... |

## B3TSWR6 - SGST: reverse single-task trial 6

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWR6 | RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4229 | 283 | 0.406349206 | 7.262040816 | 0.9517208... | 0.3416760... |

## B3TSWR7 - SGST: reverse single-task trial 7

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWR7 | RED/GREEN TASK: REVERSE BASELINE - RED/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|

| 4103 | 409 | 0.359909297 | 13.59528345 | 1.1046095... | 0.4942707... |

## B3TSWR8 - SGST: reverse single-task trial 8

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWR8 | RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4134 | 378 | 0.058049887 | 6.135782313 | 1.0819441... | 0.4331030... |

## B3TSWR9 - SGST: reverse single-task trial 9

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWR9 | RED/GREEN TASK: REVERSE BASELINE - RED/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4126 | 386 | 0.325079365 | 6.826666667 | 1.0684431... | 0.4466082... |

## B3TSWR10 - SGST: reverse single-task trial 10

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWR10 | RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4104 | 408 | 0.383129252 | 7.784489796 | 1.1024904... | 0.4863843... |

## B3TSWR11 - SGST: reverse single-task trial 11

| | |
|---|---|
| Type | Numeric (Integer) |
| Numeric Details | Decimals: 3 |
| B3TSWR11 | RED/GREEN TASK: REVERSE BASELINE - RED/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4116 | 396 | 0.383129252 | 5.33478458 | 1.0555728... | 0.4433804... |

## B3TSWR12 - SGST: reverse single-task trial 12

| | |
|---|---|
| Type | Numeric (Integer) |
| Numeric Details | Decimals: 3 |
| B3TSWR12 | RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4136 | 376 | 0.11600907 | 8.666848073 | 1.0894525... | 0.4666981... |

## B3TSWR13 - SGST: reverse single-task trial 13

| | |
|---|---|
| Type | Numeric (Integer) |
| Numeric Details | Decimals: 3 |
| B3TSWR13 | RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4129 | 383 | 0.412154195 | 7.015328798 | 1.0585418... | 0.3877261... |

## B3TSWR14 - SGST: reverse single-task trial 14

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWR14 | RED/GREEN TASK: REVERSE BASELINE - RED/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4223 | 289 | 0.168253968 | 5.490068027 | 0.8894179... | 0.3367793... |

## B3TSWR15 - SGST: reverse single-task trial 15

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWR15 | RED/GREEN TASK: REVERSE BASELINE - RED/GO |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4124 | 388 | 0.330884354 | 6.385487528 | 0.9751426... | 0.4139825... |

## B3TSWR16 - SGST: reverse single-task trial 16

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWR16 | RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4203 | 309 | 0.452789116 | 7.395555556 | 0.9815578... | 0.3878900... |

## B3TSWR17 - SGST: reverse single-task trial 17

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |

| B3TSWR17 | RED/GREEN TASK: REVERSE BASELINE - RED/GO |
|---|---|
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4113 | 399 | 0.383129252 | 7.151746032 | 1.0882308... | 0.4790559... |

## B3TSWR18 - SGST: reverse single-task trial 18

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWR18 | RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4134 | 378 | 0.423764172 | 6.513197279 | 1.0938075... | 0.4562230... |

## B3TSWR19 - SGST: reverse single-task trial 19

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWR19 | RED/GREEN TASK: REVERSE BASELINE - GREEN/STOP |
| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4135 | 377 | 0.139319728 | 7.807709751 | 1.0496438... | 0.4154334... |

## B3TSWR20 - SGST: reverse single-task trial 20

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWR20 | RED/GREEN TASK: REVERSE BASELINE - RED/GO |

| InterviewerInstruction | Do 20 trials. Allow 1 second between response and next cue. Record accuracy with 1 for correct answers, 0 for incorrect or self-corrections, 2 for invalid trials. |
|---|---|
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4212 | 300 | 0.354104308 | 6.064761905 | 0.8903349... | 0.3734394... |

## B3TSWX1 - SGST: mixed-task trial 1 'normal...green'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX1 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO |
| PreQuestionText | Now we are going to mix up these two types of response. When I give the cue NORMAL, you will respond the way you did at first: RED means STOP, GREEN means GO. But when I say REVERSE, you will give the reverse response: RED means GO, GREEN means STOP. We will alternate between the NORMAL and the REVERSE every few trials. Let's try a few for practice. Do you have any questions? Try to be accurate, but answer as quickly as you can. This will take about one minute. |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4119 | 393 | 0.446893424 | 14.41378685 | 1.1905755... | 0.8321586... |

## B3TSWX2 - SGST: mixed-task trial 2 'red'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX2 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4204 | 308 | 0.420861678 | 9.578231293 | 0.9553447... | 0.3864936... |

## B3TSWX3 - SGST: mixed-task trial 3 'green'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX3 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4203 | 309 | 0.359909297 | 6.519002268 | 0.9983192... | 0.3795130... |

## B3TSWX4 - SGST: mixed-task trial 4 'reverse...red'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX4 | RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/RED/GO |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4060 | 452 | 0.510839002 | 9.583945578 | 1.2855466... | 0.5246912... |

## B3TSWX5 - SGST: mixed-task trial 5 'red'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX5 | RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/RED/GO |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4121 | 391 | 0.057959184 | 7.523265306 | 1.0833956... | 0.4917011... |

## B3TSWX6 - SGST: mixed-task trial 6 'green'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |

| B3TSWX6 | RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/GREEN/STOP |
|---|---|
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4167 | 345 | 0.313469388 | 7.755464853 | 1.0598838... | 0.4721639... |

## B3TSWX7 - SGST: mixed-task trial 7 'red'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX7 | RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/RED/GO |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4054 | 458 | 0.475986395 | 10.53605442 | 1.2291073... | 0.5701676... |

## B3TSWX8 - SGST: mixed-task trial 8 'red'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX8 | RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/RED/GO |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4088 | 424 | 0.116099773 | 11.10929705 | 1.0467248... | 0.4462945... |

## B3TSWX9 - SGST: mixed-task trial 9 'normal...red'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX9 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP |

| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
|---|---|
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4172 | 340 | 0.528253968 | 11.81895692 | 1.2047584... | 0.5716930... |

## B3TSWX10 - SGST: mixed-task trial 10 'green'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX10 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4209 | 303 | 0.37877551 | 6.037188209 | 0.9688707... | 0.4136687... |

## B3TSWX11 - SGST: mixed-task trial 11 'red'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX11 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4073 | 439 | 0.487619048 | 11.58675737 | 1.1989914... | 0.5015831... |

## B3TSWX12 - SGST: mixed-task trial 12 'green'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX12 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |

| Comparability Notes | SGST not included in M3P7 protocol. |
|---|---|

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4157 | 355 | 0.267029478 | 10.69278912 | 0.9224045... | 0.4248862... |

## B3TSWX13 - SGST: mixed-task trial 13 'green'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX13 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4147 | 365 | 0.441179138 | 8.96 | 0.9828373... | 0.3775374... |

## B3TSWX14 - SGST: mixed-task trial 14 'red'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX14 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4153 | 359 | 0.179954649 | 9.15446712 | 1.0175903... | 0.3420794... |

## B3TSWX15 - SGST: mixed-task trial 15 'reverse...green'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX15 | RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/GREEN/STOP |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|

| 3928 | 584 | 0.568888889 | 12.05115646 | 1.4254481... | 0.7007600... |

## B3TSWX16 - SGST: mixed-task trial 16 'green'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX16 | RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/GREEN/STOP |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4098 | 414 | 0.481814059 | 9.125442177 | 1.0971990... | 0.4738306... |

## B3TSWX17 - SGST: mixed-task trial 17 'red'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX17 | RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/RED/GO |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4125 | 387 | 0.325079365 | 9.582585034 | 0.9961071... | 0.4723837... |

## B3TSWX18 - SGST: mixed-task trial 18 'green'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX18 | RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/GREEN/STOP |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4005 | 507 | 0.47600907 | 10.68988662 | 1.2625402... | 0.5577202... |

## B3TSWX19 - SGST: mixed-task trial 19 'normal...green'

| | |
|---|---|
| Type | Numeric (Integer) |
| Numeric Details | Decimals: 3 |
| B3TSWX19 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4188 | 324 | 0.45569161 | 14.00743764 | 1.1535297... | 0.6063725... |

## B3TSWX20 - SGST: mixed-task trial 20 'red'

| | |
|---|---|
| Type | Numeric (Integer) |
| Numeric Details | Decimals: 3 |
| B3TSWX20 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4209 | 303 | 0.150929705 | 9.729160998 | 1.0327432... | 0.4525281... |

## B3TSWX21 - SGST: mixed-task trial 21 'green'

| | |
|---|---|
| Type | Numeric (Integer) |
| Numeric Details | Decimals: 3 |
| B3TSWX21 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4126 | 386 | 0.412154195 | 9.122539683 | 1.1299348... | 0.5423902... |

## B3TSWX22 - SGST: mixed-task trial 22 'green'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX22 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4161 | 351 | 0.417959184 | 6.934058957 | 0.9356402... | 0.3430747... |

## B3TSWX23 - SGST: mixed-task trial 23 'red'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX23 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4167 | 345 | 0.384580499 | 5.848526077 | 0.9601633... | 0.3149223... |

## B3TSWX24 - SGST: mixed-task trial 24 'reverse...green'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX24 | RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/GREEN/STOP |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 3898 | 614 | 0.551473923 | 11.07600907 | 1.4196147... | 0.7471484... |

## B3TSWX25 - SGST: mixed-task trial 25 'green'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |

| B3TSWX25 | RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/GREEN/STOP |
|---|---|
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4076 | 436 | 0.240907029 | 13.60108844 | 1.0504108... | 0.4626906... |

## B3TSWX26 - SGST: mixed-task trial 26 'red'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX26 | RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/RED/GO |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4109 | 403 | 0.162539683 | 7.732244898 | 0.9790235... | 0.4470557... |

## B3TSWX27 - SGST: mixed-task trial 27 'green'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX27 | RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/GREEN/STOP |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 3965 | 547 | 0.156734694 | 8.237278912 | 1.2580353... | 0.5863936... |

## B3TSWX28 - SGST: mixed-task trial 28 'red'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX28 | RED/GREEN TASK: EXPERIMENTAL TRIALS - REVERSE/RED/GO |

| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
|---|---|
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 3977 | 535 | 0.355555556 | 9.935238095 | 1.1708805... | 0.5848453... |

## B3TSWX29 - SGST: mixed-task trial 29 'normal...red'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX29 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4120 | 392 | 0.188662132 | 12.24124717 | 1.2736620... | 0.5909561... |

## B3TSWX30 - SGST: mixed-task trial 30 'green'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX30 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4205 | 307 | 0.220589569 | 8.231496599 | 0.9394649... | 0.4240723... |

## B3TSWX31 - SGST: mixed-task trial 31 'red'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX31 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/RED/STOP |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |

| Comparability Notes | SGST not included in M3P7 protocol. |
|---|---|

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4135 | 377 | 0.179954649 | 5.979138322 | 1.1213485... | 0.4281169... |

## B3TSWX32 - SGST: mixed-task trial 32 'green'

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| B3TSWX32 | RED/GREEN TASK: EXPERIMENTAL TRIALS - NORMAL/GREEN/GO |
| InterviewerInstruction | Allow one second between cue word (normal or switch) and stimulus color item. Also allow one second between subject's response and the next stimulus item. Record correct, incorrect, and invalid trials. |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4156 | 356 | 0.357006803 | 7.36 | 0.9191619... | 0.3942182... |

## B3TSTN - SGST: normal single-task number correct

| Type | Numeric (Integer) |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4300 | 212 | 0 | 20 | 19.705348... | 1.4943233... |

## B3TSVN - SGST: normal single-task number invalid

| Type | Numeric (Integer) |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4300 | 212 | 0 | 20 | 0.0425581... | 0.6080050... |

## B3TSPN - SGST: normal single-task percent correct

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 2 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4299 | 213 | 0 | 1 | 0.9871608... | 0.0697088... |

## B3TSMN - SGST: normal single-task median reaction time

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4291 | 221 | 0.488344671 | 5.021315193 | 0.8443229... | 0.1774040... |

## B3TSTR - SGST: reverse single-task number correct

| Type | Numeric (Integer) |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4304 | 208 | 0 | 20 | 19.307388... | 1.7703581... |

## B3TSVR - SGST: reverse single-task number invalid

| Type | Numeric (Integer) |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4304 | 208 | 0 | 4 | 0.0236988... | 0.1864468... |

## B3TSPR - SGST: reverse single-task percent correct

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 2 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4304 | 208 | 0 | 1 | 0.9664650... | 0.0877624... |

## B3TSMR - SGST: reverse single-task median reaction time

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4291 | 221 | 0.475963719 | 3.2101473925 | 0.9613013... | 0.2173055... |

## B3TSMB - SGST: mean (B3TSMN, B3TSMR)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4303 | 209 | 0.521729025 | 5.021315193 | 0.9039024... | 0.1880850... |

## B3TSTXNO - SGST: mixed-task normal nonswitch trials number correct

| Type | Numeric (Integer) |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4305 | 207 | 0 | 12 | 11.590708... | 1.3043774... |

## B3TSVXNO - SGST: mixed-task normal nonswitch trials number invalid

| Type | Numeric (Integer) |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4305 | 207 | 0 | 12 | 0.0253193... | 0.3094845... |

## B3TSPXNO - SGST: mixed-task normal nonswitch trials percent correct

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 2 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4304 | 208 | 0 | 1 | 0.9678463... | 0.1054606... |

## B3TSTXRO - SGST: mixed-task reverse nonswitch trials number correct

| Type | Numeric (Integer) |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4305 | 207 | 0 | 11 | 10.403019... | 1.5530998... |

## B3TSVXRO - SGST: mixed-task reverse nonswitch trials number invalid

| Type | Numeric (Integer) |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4305 | 207 | 0 | 11 | 0.0322880... | 0.3242491... |

## B3TSPXRO - SGST: mixed-task reverse nonswitch trials percent correct

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 2 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4303 | 209 | 0 | 1 | 0.9482607... | 0.1378418... |

## B3TSTXBO - SGST: mixed-task nonswitch trials number correct

| Type | Numeric (Integer) |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4305 | 207 | 0 | 23 | 21.993728... | 2.4421194... |

## B3TSVXBO - SGST: mixed-task nonswitch trials number invalid

| Type | Numeric (Integer) |
|---|---|

| Notes | Computed Variable |
|---|---|
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4305 | 207 | 0 | 23 | 0.0576074... | 0.5795687... |

## B3TSPXBO - SGST: mixed-task nonswitch trials percent correct

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 2 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4304 | 208 | 0 | 1 | 0.9585188... | 0.1027755... |

## B3TSTXNS - SGST: mixed-task normal switch trials number correct

| Type | Numeric (Integer) |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4305 | 207 | 0 | 3 | 2.8989547... | 0.3711998... |

## B3TSVXNS - SGST: mixed-task normal switch trials number invalid

| Type | Numeric (Integer) |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4305 | 207 | 0 | 3 | 0.0065040... | 0.0985700... |

## B3TSPXNS - SGST: mixed-task normal switch trials percent correct

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 2 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4303 | 209 | 0 | 1 | 0.9684328... | 0.1197975... |

## B3TSTXRS - SGST: mixed-task reverse switch trials number correct

| Type | Numeric (Integer) |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4305 | 207 | 0 | 3 | 2.7609756... | 0.5369791... |

## B3TSVXRS - SGST: mixed-task reverse switch trials number invalid

| Type | Numeric (Integer) |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4305 | 207 | 0 | 3 | 0.0083623... | 0.1197299... |

## B3TSPXRS - SGST: mixed-task reverse switch trials percent correct

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 2 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4301 | 211 | 0 | 1 | 0.9228086... | 0.1755281... |

## B3TSTXBS - SGST: mixed-task switch trials number correct

| Type | Numeric (Integer) |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4305 | 207 | 0 | 6 | 5.6599303... | 0.7439561... |

## B3TSVXBS - SGST: mixed-task switch trials number invalid

| Type | Numeric (Integer) |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4305 | 207 | 0 | 6 | 0.0148664... | 0.1873363... |

## B3TSPXBS - SGST: mixed-task switch trials percent correct

| Type | Numeric (Integer) |
|------|-------------------|
| Numeric Details | Decimals: 2 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4303 | 209 | 0 | 1 | 0.9456503... | 0.1204817... |

## B3TSTXBB - SGST: all mixed-task number correct

| Type | Numeric (Integer) |
|------|-------------------|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4305 | 207 | 0 | 29 | 27.653658... | 3.0097658... |

## B3TSVXBB - SGST: all mixed-task number invalid

| Type | Numeric (Integer) |
|------|-------------------|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4305 | 207 | 0 | 29 | 0.0724738... | 0.7277345... |

## B3TSPXBB - SGST: all mixed-task percent correct

| Type | Numeric (Integer) |
|------|-------------------|
| Numeric Details | Decimals: 2 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4304 | 208 | 0 | 1 | 0.9558200... | 0.1001911... |

## B3TSMXNO - SGST: mixed-task normal nonswitch median reaction time

| Type | Numeric (Integer) |
|------|-------------------|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4293 | 219 | 0.220589569 | 9.441814059 | 0.9548727... | 0.2561215... |

## B3TSMXRO - SGST: mixed-task reverse nonswitch median reaction time

| Type | Numeric (Integer) |
|------|-------------------|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4276 | 236 | 0.162539683 | 8.684263039 | 1.0378961... | 0.2901415... |

## B3TSMXBO - SGST: mixed-task nonswitch trials median reaction time

| Type | Numeric (Integer) |
|------|-------------------|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4298 | 214 | 0.220589569 | 9.15446712 | 0.9870246... | 0.2520505... |

## B3TSMXNS - SGST: mixed-task normal switch median reaction time

| Type | Numeric (Integer) |
|------|-------------------|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4284 | 228 | 0.188662132 | 14.00743764 | 1.1682459... | 0.4880601... |

## B3TSMXRS - SGST: mixed-task reverse switch median reaction time

| Type | Numeric (Integer) |
|------|-------------------|

| Numeric Details | Decimals: 3 |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4268 | 244 | 0.568888889 | 8.719092971 | 1.3309118... | 0.4949464... |

## B3TSMXBS - SGST: mixed-task switch trials median reaction time

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4294 | 218 | 0.188662132 | 6.321632653 | 1.2174724... | 0.3902375... |

## B3TSMXBB - SGST: mean (B3TSMXBO, B3TSMXBS)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4298 | 214 | 0.2133333335 | 7.3607199545 | 1.1020423... | 0.2930107... |

## B3TSCGBA - SGST: General Switch Cost, absolute (B3TSMXBB-B3TSMB)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4296 | 216 | -3.796462... | 6.1641723... | 0.1987769... | 0.2343230... |

## B3TSCGBR - SGST: General Switch Cost, relative (B3TSCGBA/B3TSMB)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |

| Notes | Computed Variable |
|-------|-------------------|
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4296 | 216 | -0.784770... | 5.1516314... | 0.2265302... | 0.2315010... |

## B3TSCGNA - SGST: General Switch Cost (normal), absolute [mean(B3TSMXNO, B3TSMXNS)-B3TSMN]

| Type | Numeric (Integer) |
|------|-------------------|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4282 | 230 | -3.776145125 | 6.217142856 | 0.2169459... | 0.2855314... |

## B3TSCGNR - SGST: General Switch Cost (normal), relative (B3TSCGNA/B3TSMN)

| Type | Numeric (Integer) |
|------|-------------------|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4282 | 230 | -0.791997... | 5.9901408... | 0.2639910... | 0.2982768... |

## B3TSCGRA - SGST: General Switch Cost (reverse), absolute [mean(B3TSMXRO, B3TSMXRS)-B3TSMR]

| Type | Numeric (Integer) |
|------|-------------------|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
| 4274 | 238 | -0.837358277 | 6.218599773 | 0.2251595... | 0.2896537... |

## B3TSCGRR - SGST: General Switch Cost (reverse), relative (B3TSCGRA/B3TSMR)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4274 | 238 | -0.778675... | 4.5634074... | 0.2492101... | 0.2936748... |

## B3TSCLBA - SGST: Local Switch Cost, absolute (B3TSMXBS-B3TSMXBO)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4294 | 218 | -3.587494331 | 4.995192744 | 0.2302495... | 0.2975755... |

## B3TSCLBR - SGST: Local Switch Cost, relative (B3TSCLBA/B3TSMXBO)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4294 | 218 | -0.391884... | 3.7658643... | 0.2370170... | 0.2573660... |

## B3TSCLNA - SGST: Local Switch Cost (normal), absolute (B3TSMXNS-B3TSMXNO)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4282 | 230 | -4.478548753 | 12.62004535 | 0.2151346... | 0.4231717... |

## B3TSCLNR - SGST: Local Switch Cost (normal), relative (B3TSCLNA/B3TSMXNO)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4282 | 230 | -0.474331... | 9.0962343... | 0.2300057... | 0.3669525... |

## B3TSCLRA - SGST: Local Switch Cost (reverse), absolute (B3TSMXRS-B3TSMXRO)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4258 | 254 | -2.20590703 | 7.320181406 | 0.2942091... | 0.4178315... |

## B3TSCLRR - SGST: Local Switch Cost (reverse), relative (B3TSCLRA/B3TSMXRO)

| Type | Numeric (Integer) |
|---|---|
| Numeric Details | Decimals: 3 |
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|---|---|---|---|---|---|
| 4258 | 254 | -0.609934... | 6.8571428... | 0.2961244... | 0.3791717... |

## B3TSFV - SGST: Filter invalid cases

| Type | Code |
|---|---|

| Notes | Computed Variable |
|---|---|
| Comparability Notes | SGST not included in M3P7 protocol. |

| | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 0 | NOT SELECTED | 218 | 4.83% | 4.83% |
| | 1 | SELECTED | 4294 | 95.17% | 95.17% |
| | | Total | 4,512 | 100% | 100% |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4512 | 0 | 0 | 1 |

## B3TSFC - SGST: Filter cases with low accuracy or extreme latencies

| Type | Code |
|---|---|
| Notes | Computed Variable |
| Comparability Notes | SGST not included in M3P7 protocol. |

| | | | Frequency | % of total | % of valid |
|---|---|---|---|---|---|
| Valid | 0 | NOT SELECTED | 556 | 12.32% | 12.32% |
| | 1 | SELECTED | 3956 | 87.68% | 87.68% |
| | | Total | 4,512 | 100% | 100% |

| Valid | Invalid | Minimum | Maximum |
|---|---|---|---|
| 4512 | 0 | 0 | 1 |