

VARIABLE NAMES & EXPLANATIONS FOR MIDUS 3 PROJECT 5

Character 1: MIDUS Sample

C = MIDUS 3

Character 2: Project #

5 = Project #5

Character 3: Measure

S = Self-reports

B = Startle Eyeblink

C = Corrugator EMG

L = Zygomaticus EMG

K = Heart Rate Variability (QRSTool and CMetX – used in MR1 only)

V = Heart Rate Variability (NeuroKit2 – used in M3)

R = Psychophysiology Emotional Response Task - Response Times

A = Psychophysiology Emotional Response Task - Response Accuracy

N = CANTAB Cognitive measures

D = Cube & Paper Test

F = Free Recall

T = Picture Ratings

P = Participant Characteristics

H = Handedness

O = Hearing Test

I = General MRI Information

E = Extracted Structural Brain Measurements

W = Extracted Diffusion Weighted Imaging Measurements

Remaining characters differ to build discrete variables, but all within the given measure type set by character 3.

For Ch3 = S (i.e., Self-reports):

Character(s) 4 (& 5): Scale

DP = Dispositional Positive Affect Scale (DPES)

P = Positive and Negative Affect Schedule (PANAS)

IR = Interpersonal Reactivity Index (IRI)

S = Spielberger State-Trait Anxiety Scale (STAI)

E = Emotion Regulation Questionnaire (ERQ)

For Ch4 & 5 = DP (i.e., DPES):

Character 6: Subscale

C = Contentment

J = Joy

H = Hope

L = Love/Attachment

D = Desire

O = Compassion

P = Pride

G = Gratitude

A = Amusement

W = Awe

I = Interest

T = All scales summary score

Characters 7 & 8: Measure

None = Summary Measures

Numbers = Individual Questions

For Ch4 = P (i.e., PANAS):

Character 5: Time Point

1 = PANAS-Now, Time 1 (prior to Psychophysiology Emotional Response Task)

2 = PANAS-Now, Time 2 (after Psychophysiology Emotional Response Task)

3 = PANAS-Now, Time 3 (prior to fMRI Emotional Response Task)

4 = PANAS-Now, Time 4 (after fMRI Emotional Response Task)

G = PANAS-General

Character 6: Subscale

P = Positive Affect

N = Negative Affect

Characters 7 & 8: Measure

None = Summary Measures

Numbers = Individual Questions

For Ch4 & 5 = IRI (i.e., IRI):

Characters 6 & 7: Subscale

PT = Perspective-Taking Scale

FS = Fantasy Scale

EC = Empathic Concern Scale

PD = Personal Distress Scale

None = All scales summary score

Characters 8 & 9: Measure

None = Summary Measures

Numbers = Individual Questions

For Ch4 = S (i.e., STAI):

Character 5: Time Point

1 = STAI-X1, Time 1 (prior to Psychophysiology Emotional Response Task)

2 = STAI-X1, Time 2 (after Psychophysiology Emotional Response Task)

3 = STAI-X1, Time 3 (prior to fMRI Emotional Response Task)

4 = STAI-X1, Time 4 (after fMRI Emotional Response Task)

T = STAI-X2, Trait anxiety form of STAI

Characters 6 & 7: Measure

None = Summary Measures

Numbers = Individual Questions numbers.

For Ch4 = E (i.e., ERQ):

Character 5: Subscale

R = Reappraisal

S = Suppression

Characters 6 & 7: Measure

None = Summary Measures

Numbers = Individual Questions numbers.

For Ch3 = B (i.e., Eyeblink Startle):

C5B = Number of valid eyeblink startle responses measured over entire paradigm.

C5BF = Filter for good eyeblink startle response data

Character 4: Picture Valence

N = Negative

O = Neutral

P = Positive

Character 5: Probe Time

E = Early (2900 ms after picture onset)

M = Mid (4400 ms after picture onset)

L = Late (5900 ms after picture onset)

Character 6: Metric

A = Amplitude (includes only responses, so assesses height of response)

M = Magnitude (includes no responses as a zero, so averaging will be affected by no responses)

For Ch3 = C or L (i.e., Corrugator and Zygomaticus EMG):

C5C = Filter for good corrugator data (bad corrugator data might exhibit high levels of noise and/or artifact)

C5L = Filter for good zygomatic data (bad zygomatic data might exhibit high levels of noise and/or artifact)

Character 4: Picture Valence

N = Negative

O = Neutral

P = Positive

Character 5: Time

E = Early (1-4 seconds following picture onset)

M = Middle (5-8 seconds following picture onset)

L = Late (9-12 seconds following picture onset)

For Ch3 = V (i.e., Heart Rate Variability – processed with NeuroKit2):

Character 4: Session Type

1 = Psychophysiology baseline

2 = MRI resting state

Character 5:

Q = Data Quality Filter

B = Beats Removed Filter

M = Total time masked out in seconds

I = Number of IBI's used

T = Time measures

F = Frequency measures

N = Nonlinear measures

For Ch5 = I (Number of IBI's used):

Character 6:

T = Total IBIs

N = IBIs used for Nonlinear stats

For Ch5 = T (i.e., Time measures):

Characters 6 & 7:

MH = Mean Heart Rate

MI = Mean Interbeat Interval

SDN = Standard Deviation of RR beats (SDNN)

RM = Root Mean Squared Successive Differences of RR intervals (RMSSD)

PN = Percent of RR intervals over 50 milliseconds (pNN50)

SD = Standard deviation of successive differences between RR intervals (SDSD)

For Ch5 = F (i.e., Frequency measures):

Characters 6 – 9:

LF = Spectral power of low frequencies (.04-.15 Hz)

HF = Spectral power of high frequencies (.15-.4 Hz)

TP = Total spectral power

LFHF = Ratio obtained by dividing the low frequency power by the high frequency power

LFN = Normalized low frequency, dividing the low frequency power by the total power

HFN = Normalize high frequency, dividing the high frequency power by the total power

LNHF = Log transformed HF

For Ch5 = N (i.e., Nonlinear measures):

Characters 6 – 8:

CV = Cardiovagal index (CVI) (Toichi, 1997)

CS = Cardiosympathetic Index (CSI) (Toichi, 1997)

CA = Contributions of heart rate accelerations to short-term HRV (Piskorski, 2011)

CD = Contributions of heart rate decelerations to short-term HRV (Piskorski, 2011)

SDA = Short term variance of contributions to accelerations (Piskorski, 2011)

SDD = Short-term variance of contributions to decelerations (Piskorski, 2011)

For Ch3 = R or A (i.e., Psychophysiology Emotional Response Task reaction time and accuracy):

Character 4: Picture Valence

N = Negative

O = Neutral

P = Positive

For Ch3 = N (i.e., CANTAB cognitive assessments):

Character 4: Test type

M = Motor Screening Task (MOT)

I = Intra-Extra Dimensional Set Shift (IED)

A = Affective Go/No-Go (AGN)

S = Information Sampling Task (IST)

T = Attention Switching Task (AST)

E = Emotion Recognition Task (ERT)

G = Cambridge Gambling Task (CGT)

For Ch4 = M (i.e., MOT):

Character 5: Measure

E = Mean Error

L = Mean Latency

For Ch4 = I (i.e., IED):

Character(s) 5 (& 6): Measure type

Numbers = Summary stage-related measures. See table in

M3_P5_DOCUMENTATION_OF_CANTAB_20260206 for list of measures

T = Totals

C = Calculated Measures
S = Stages

For Ch5 = T or C:

Characters 6 & 7: Measure

Numbers = Total measures. See table in
M3_P5_DOCUMENTATION_OF_CANTAB_20260206 for list
of measures

For Ch5 = S:

Character 6: Type

T = Trials per stage

E = Errors per stage

Character 7: Stage Number

Numbers = Stages #1-9

For Ch4 = A (i.e., AGN):

Character 5: Measure

R = Affective Response Bias (Mean)

L = Mean Correct Latency

T = Total Incorrect (Commissions/Omissions errors)

For Ch5 = L:

Characters 6 & 7: Trial Type

Numbers = Condition (Positive/Negative/Neutral, Shift/Non-shift)

For Ch5 = T:

Character 6: Total Incorrect Responses/Non-responses

M = Total Commissions

O = Total Omissions

Character 7: Trial Type

None = Total

Numbers = Condition (Positive/Negative/Neutral, Shift/Non-shift)

For Ch4 = S (i.e., IST):

Characters 5 & 6: Measure

Numbers = See table in *M3_P5_DOCUMENTATION_OF_CANTAB_20260206*
for list of measures

For Ch4 = T (i.e., AST):

Character 5: Measure Type

T = Totals

P = Percentages

L = Latency-Related Measures

C = Cost-Related Measures

For Ch5 = T, P, or L:

Characters 6 & 7: Measure

Numbers = See table in

M3_P5_DOCUMENTATION_OF_CANTAB_20260206 for list
of measures

For Ch5 = C:

Character 6: Measure/Trial Type

C = Mean Congruency Cost

S = Mean Switch Cost

For Ch6 = C or S:

Character 7: Response Type

C = Correct

I = Incorrect

None = All Responses (Correct & Incorrect)

For Ch4 = E (i.e., ERT):

Character 5: Measure Type

P = Percentages

T = Totals

L = Latency-Related Measures

For Ch5 = P or T:

Character 6: Response Type

C = Correct

I = Incorrect

Character 7: Stimulus Type

Numbers = See table in

M3_P5_DOCUMENTATION_OF_CANTAB_20260206 for list
of measures

None = Total Correct (All Stimulus Types)

For Ch5 = L:

Characters 6 & 7: Stimulus/Response Type

Numbers = See table in

M3_P5_DOCUMENTATION_OF_CANTAB_20260206 for list
of measures

None = Mean Overall Response Latency

For Ch4 = G (i.e., CGT):

Character 5: Measure Type

A = Delay Aversion

D = Deliberation Time

P = Overall Proportion Bet

Q = Quality of Decision-Making

J = Risk Adjustment

R = Risk Taking

Character 6: Trial Type

A = Ascending Trials

D = Descending Trials

None = All Trials

For Ch3 = D (i.e., Cube & Paper Test):

C5D = Cube & Paper Total Correct

Character 4: Measure

R = Cube & Paper Total Number of Responses

C = Cube subset

P = Paper subset

For Ch4 = C or P:

Character 5: Subset - Correct vs Number of Responses

A = Number of Correct Response

B = Number of Responses

For Ch3 = F (i.e., Free Recall):

Character 4: Measure

R = Total Recalled

M = Exposed to MRI pictures in addition to psychophysiology task pictures prior to completing free recall

S = Total Recalled (Social)

X = Total Recalled (Non-Social)

P = Total Recalled (Positive)

N = Total Recalled (Negative)

O = Total Recalled (Neutral)

For Ch3 = T (i.e., Picture Ratings):

Character 4: Rating Scale

V = Valence

A = Arousal

Character 5: Picture Valence

P = Positive

N = Negative

O = Neutral

Character 6: Session

1 = Psychophysiology

For Ch3 = P (i.e., Participant Characteristic):

C5PAGE = Age at P5 visit

C5PDATE_MO = Month of P5 data collection

C5PDATE_YR = Year of P5 data collection

For Ch3 = H (i.e., Handedness):

C5HAND = Handedness

For Ch3 = O (i.e., Hearing Test):

Character 4: Side of hearing test or hearing aid use

L = Left Ear

R = Right Ear

A = Hearing aid worn in at least one ear during test

For Ch4 = L or R:

Character 5: Frequency of tone

1 = 250 Hz

2 = 500 Hz

3 = 1000 Hz

4 = 2000 Hz

5 = 4000 Hz

For Ch3 = I (i.e., General MRI Information):

Character 4:

C = Filter for participation in MRI imaging protocol (completed at least T1-weighted structural scan)

F = Radiologist flagged abnormal structural MRI

N = Self-reported neurological condition

T = Time MRI started (military time)

For Ch4 = T:

Character 5: MRI scan

S = Structural scan start time

F = Functional scan start time

For Ch3 = E (i.e., Extracted Structural Brain Measurements):

Character 4: Measurement Type

A = Cortical Area

C = Cortical Curvature

T = Cortical Thickness

V = Cortical Volume

S = Subcortical Volume

B = Brain-Predicted Age

For Ch4 = A, C, T, V, S:

Character 5: Brain Hemisphere

L = Left Hemisphere

R = Right Hemisphere

N = N/A: Measure is bilateral

Character 6: Freesurfer Brain Atlas or Module

D = Destrieux

K = Desikan-Killiany

T = Desikan-Killiany-Tourville (DKT)

A = Aseg Subcortical Atlas or Hippocampal Subfield/Amygdala Nuclei Module

Characters 7 & 8:

Numbers = See table in

M3_P5_DOCUMENTATION_OF BRAIN_MEASURES_20260206
for list of measures

For Ch4 = B (i.e., Brain-Based Aging Algorithms):

Character 5: Algorithm

None = C5EB - Cole brainageR v1.0 - <https://github.com/james-cole/brainageR/tree/1.0>

C = Cole brainageR v2.0 - <https://github.com/james-cole/brainageR/tree/2.0>

T = TSAN brainage - PMID: 34086565 - <https://github.com/Milan-BUAA/TSAN-brain-age-estimation>

P = 3D-CNN brainage - PMID: 36595679 - https://github.com/irimia-laboratory/USC_BA_estimator

D = DunedinPACNI Dunedin Pace of Aging Calculated from NeuroImaging -
PMID: 40595015 - <https://github.com/etw11/DunedinPACNI>

For Ch3 = W (i.e., Extracted Diffusion Weighted Imaging Measurements):

Character 4: Measurement Type

F = Fractional Anisotropy (FA)

M = Mean Diffusivity (MD)

R = Radial Diffusivity (RD)

A = Axial Diffusivity (AD)
N = Mean Kurtosis (MK)
S = Radial Kurtosis (RK)
B = Axial Kurtosis (AK)
X = Axonal Water Fraction (AWF)
I = Intra-axonal diffusivity (ias_Da)
P = Extra-axonal radial diffusivity (eas_de_perp)
T = Extra-axonal tortuosity (eas_tort)
D = Neurite density index (NDI)
V = Orientation dispersion index (ODI)
C = Fraction of isotropic diffusion (FISO or CSF)

Character 5: Brain Hemisphere

G = Global Measure
L = Left Hemisphere
R = Right Hemisphere
N = N/A: Measure is bilateral

For Ch5 = G:

Character 6: Tissue type
None = White Matter
A = Gray Matter
C = Cerebrospinal fluid

For Ch5 = L, R, N:

Character 6: Method Used
H = Harvard Oxford Subcortical Atlas
I = IIT Atlas v4.1 (used in MR1 only)
K = IIT Atlas v5.0
J = JHU Atlas

Characters 7 & 8:

Numbers = See table in
M3_P5_DOCUMENTATION_OF_BRAIN_MEASURES_20260206
for list of measures

References:

Facial electromyography (corrugator, zygomatic, and eyeblink startle)

- Blumenthal, T.D., Cuthbert, B.N., Filion, D.L., Hackley, S., Lipp, O.V., & Van Boxtel, A. (2005). Committee report: Guidelines for human startle eyeblink electromyographic studies. *Psychophysiology*, 42, 1-15.
- Bradley, M. M., Codispoti, M., & Lang, P. J. (2006). A multi-process account of startle modulation during affective perception. *Psychophysiology*, 43(5), 486–497. doi: 10.1111/j.1469-8986.2006.00412.x
- Cacioppo, J. T., Petty, R. E., Losch, M. E., & Kim, H. S. (1986). Electromyographic activity over facial muscle regions can differentiate the valence and intensity of affective reactions. *Journal of Personality and Social Psychology*, 50(2), 260–268. <http://doi.org/10.1037/0022-3514.50.2.260>
- Larsen, J. T., Norris, C. J., & Cacioppo, J. T. (2003). Effects of positive and negative affect on electromyographic activity over zygomaticus major and corrugator supercilii. *Psychophysiology*, 40(5), 776–785. <http://doi.org/10.1111/1469-8986.00078>
- Tassinary, L. G., & Cacioppo, J. T. (2000). The Skeletomotor System: Surface Electromyography. In J. T. Cacioppo, L. G. Tassinary, & G. G. Berntson (Eds.), *Handbook of Psychophysiology* (2nd ed., pp. 163–199). Cambridge University Press.
- Tassinary, L. G., Cacioppo, J. T., & Vanman, E. J. (2007). The Skeletomotor System: Surface Electromyography. In J. T. Cacioppo, L. G. Tassinary, & G. G. Berntson (Eds.), *Handbook of Psychophysiology* (3rd ed., pp. 267–299). Cambridge University Press.

HRV

- Elgendi, M., Norton, I., Brearley, M., Abbott, D., & Schuurmans, D. (2013). Systolic peak detection in acceleration photoplethysmograms measured from emergency responders in tropical conditions. *PLoS one*, 8(10), e76585.
- Makowski, D. (2021). *Neurophysiological Data Analysis with NeuroKit2*. NeuroKit. <https://neuropsychology.github.io/NeuroKit/>
- Makowski, D., Pham, T., Lau, Z. J., Brammer, J. C., Lespinasse, F., Pham, H., Schölzel, C., & Chen, S. A. (2021). NeuroKit2: A Python toolbox for neurophysiological signal processing. *Behavior Research Methods*, 53(4), 1689-1696. <https://doi.org/10.3758/s13428-020-01516-y>
- Piskorski, J., & Guzik, P. (2011). Asymmetric properties of long-term and total heart rate variability. *Medical & biological engineering & computing*, 49(11), 1289-1297.
- Pham, T., Lau, Z. J., Chen, S. H., & Makowski, D. (2021). Heart Rate Variability in Psychology: A Review of HRV Indices and an Analysis Tutorial. *Sensors*, 21(12), 3998. <https://doi.org/10.3390/s21123998>
- Quigley, K. S., Gianaros, P. J., Norman, G. J., Jennings, J. R., Berntson, G. G., & de Geus, E. J. C. (2024). Publication guidelines for human heart rate and heart rate variability studies in psychophysiology—Part 1: Physiological underpinnings and foundations of measurement. *Psychophysiology*, 61, e14604. <https://doi.org/10.1111/psyp.14604>

Cube & Paper

- Gilbertson, M.W., Williston S.K., Paulus, L.A., Lasko, N.B., Gurvits, T.V., Shenton, M.E., Pitman, R.K., Orr, S.P. (2007). Configural cue performance in identical twins discordant for posttraumatic stress disorder: Theoretical implications for the role of hippocampal function. *Biol Psychiatry*, 62(5), 513-520.

Diffusion Weighted Imaging atlases

- Mori S, Oishi K, Jiang H, et al. (2008) Stereotaxic white matter atlas based on diffusion tensor imaging in an ICBM template. *Neuroimage*, 40(2), 570–582. doi:10.1016/j.neuroimage.2007.12.035
- Qi, X., & Arfanakis, K. (2021). Regionconnect: Rapidly extracting standardized brain connectivity information in voxel-wise neuroimaging studies. *NeuroImage*, 225, 117462. <https://doi.org/10.1016/j.neuroimage.2020.117462>

Zhang S, Arfanakis K. (2018) Evaluation of standardized and study-specific diffusion tensor imaging templates of the adult human brain: Template characteristics, spatial normalization accuracy, and detection of small inter-group FA differences. *Neuroimage*, 172, 40-50.

Harvard-Oxford Subcortical Structural Atlas

- Desikan, R. S., Ségonne, F., Fischl, B., Quinn, B. T., Dickerson, B. C., Blacker, D., Buckner, R. L., Dale, A. M., Maguire, R. P., Hyman, B. T., Albert, M. S., & Killiany, R. J. (2006). An automated labeling system for subdividing the human cerebral cortex on MRI scans into gyral based regions of interest. *NeuroImage*, 31(3), 968–980.
<https://doi.org/10.1016/j.neuroimage.2006.01.021>
- Frazier, J. A., Chiu, S., Breeze, J. L., Makris, N., Lange, N., Kennedy, D. N., Herbert, M. R., Bent, E. K., Koneru, V. K., Dieterich, M. E., Hodge, S. M., Rauch, S. L., Grant, P. E., Cohen, B. M., Seidman, L. J., Caviness, V. S., & Biederman, J. (2005). Structural brain magnetic resonance imaging of limbic and thalamic volumes in pediatric bipolar disorder. *The American journal of psychiatry*, 162(7), 1256–1265. <https://doi.org/10.1176/appi.ajp.162.7.1256>
- Goldstein, J. M., Seidman, L. J., Makris, N., Ahern, T., O'Brien, L. M., Caviness, V. S., Jr, Kennedy, D. N., Faraone, S. V., & Tsuang, M. T. (2007). Hypothalamic abnormalities in schizophrenia: sex effects and genetic vulnerability. *Biological psychiatry*, 61(8), 935–945.
<https://doi.org/10.1016/j.biopsych.2006.06.027>
- Makris, N., Goldstein, J. M., Kennedy, D., Hodge, S. M., Caviness, V. S., Faraone, S. V., Tsuang, M. T., & Seidman, L. J. (2006). Decreased volume of left and total anterior insular lobule in schizophrenia. *Schizophrenia research*, 83(2-3), 155–171.
<https://doi.org/10.1016/j.schres.2005.11.020>

Freesurfer-Based Structural MRI atlases and Modules

Desikan-Killiany-Tourville (DKT) Brain Atlas

Klein, A., & Tourville, J. (2012). 101 labeled brain images and a consistent human cortical labeling protocol. *Frontiers in neuroscience*, 6, 171. <https://doi.org/10.3389/fnins.2012.00171>

Desikan-Killiany Brain Atlas

Desikan R.S., Ségonne F., Fischl B., Quinn B.T., Dickerson B.C., Blacker D., Buckner R.L., Dale A.M., Maguire R.P., Hyman B.T., Albert M.S., & Killiany R.J. (2006). An automated labeling system for subdividing the human cerebral cortex on MRI scans into gyral based regions of interest. *NeuroImage*, 31(3), 968-980.

Destrieux Brain Atlas

Fischl B., van der Kouwe A., Destrieux C., Halgren E., Ségonne F., Salat D.H., Busa E., Seidman L.J., Goldstein J., Kennedy D., Caviness V., Makris N., Rosen B., & Dale A.M. (2004). Automatically parcellating the human cerebral cortex. *Cereb Cortex*, 14(1), 11-22.

Aseg Subcortical Brain Atlas

Fischl B., Salat D.H., Busa E., Albert M., Dieterich M., Haselgrove C., van der Kouwe A., Killiany R., Kennedy D., Klaveness S., Montillo A., Makris N., Rosen B., & Anders M. Dale A.M. (2002). Whole brain segmentation: automated labeling of neuroanatomical structures in the human brain. *Neuron*, 33, 341-355.

Hippocampal Subfields

Iglesias, J.E., Augustinack, J.C., Nguyen, K., Player, C.M., Player, A., Wright, M., Roy, N., Frosch, M.P., Mc Kee, A.C., Wald, L.L., Fischl, B., and Van Leemput, K.(2015). A computational atlas of the hippocampal formation using ex vivo, ultra-high resolution MRI: Application to adaptive segmentation of in vivo MRI. *NeuroImage*, 115, 117-137

Amygdala Nuclei

Saygin ZM & Kliemann D (joint 1st authors), Iglesias JE, van der Kouwe AJW, Boyd E, Reuter M, Stevens A, Van Leemput K, Mc Kee A, Frosch MP, Fischl B, Augustinack JC. (2017). High-resolution magnetic resonance imaging reveals nuclei of the human amygdala: manual segmentation to automatic atlas. *Neuroimage*, 155, 370-382.

Brain-Based Aging Algorithm

- Cheng J, Liu Z, Guan H, Wu Z, Zhu H, Jiang J, Wen W, Tao D, Liu T. Brain Age Estimation From MRI Using Cascade Networks With Ranking Loss. *IEEE Trans Med Imaging*. 2021 Dec;40(12):3400-3412. doi: 10.1109/TMI.2021.3085948. Epub 2021 Nov 30. PMID: 34086565.
- Cole JH, Leech R, Sharp DJ, for the Alzheimer's Disease Neuroimaging Initiative (2015). Prediction of brain age suggests accelerated atrophy after traumatic brain injury. *Ann Neurol* 77(4): 571-581.
- Cole, J. H., & Franke, K. (2017). Predicting Age Using Neuroimaging: Innovative Brain Ageing Biomarkers. *Trends in Neurosciences*, 40(12), 681–690.
<http://doi.org/10.1016/j.tins.2017.10.001>
- Cole JH, Poudel RPK, Tsagkrasoulis D, Caan MWA, Steves C, Spector TD, Montana G. Predicting brain age with deep learning from raw imaging data results in a reliable and heritable biomarker. *Neuroimage*. 2017 Dec;163:115-124. doi: 10.1016/j.neuroimage.2017.07.059. Epub 2017 Jul 29. PMID: 28765056.
- Cole JH, Ritchie SJ, Bastin ME, Valdes Hernandez MC, Munoz Maniega S, Royle N et al. (2018). Brain age predicts mortality. *Molecular psychiatry*, 23: 1385-1392.
- Whitman, E. T., Elliott, M. L., Knodt, A. R., Abraham, W. C., Anderson, T. J., Cutfield, N. J., Hogan, S., Ireland, D., Melzer, T. R., Ramrakha, S., Sugden, K., Theodore, R., Williams, B. S., Caspi, A., Moffitt, T. E., & Hariri, A. R. (2025). DunedinPACNI estimates the longitudinal Pace of Aging from a single brain image to track health and disease. *Nature aging*, 5(8), 1619–1636.
<https://doi.org/10.1038/s43587-025-00897-z>
- Yin, C., Imms, P., Cheng, M., Amgalan, A., Chowdhury, N. F., Massett, R. J., Chaudhari, N. N., Chen, X., Thompson, P. M., Bogdan, P., Irimia, A., & Alzheimer's Disease Neuroimaging Initiative (2023). Anatomically interpretable deep learning of brain age captures domain-specific cognitive impairment. *Proceedings of the National Academy of Sciences of the United States of America*, 120(2), e2214634120. <https://doi.org/10.1073/pnas.2214634120>

DPES

- Shiota, M. N., Keltner, D., & John O. P. (2006). Positive emotion dispositions differentially associated with Big Five personality and attachment style. *Journal of Positive Psychology*, 1, 61-71.

ERQ

- Gross, J.J., & John, O.P. (2003). Individual differences in two emotion regulation processes: Implications for affect, relationships, and well-being. *Journal of Personality and Social Psychology*, 85, 348-362.

IRI

- Davis, M. H. (1980). A multidimensional approach to individual differences in empathy. *JSAS Catalog of Selected Documents in Psychology*, 10, 85.
- Davis, M. H. (1983). Measuring individual differences in empathy: Evidence for a multidimensional approach. *Journal of Personality and Social Psychology*, 44, 113-126.

PANAS

- Watson, D., Clark, L. A., & Tellegen, A. (1988). Development and validation of brief measures of positive and negative affect: The PANAS scales. *Journal of Personality and Social Psychology*, 54, 1063-1070.

STAI-X

- Spielberger, C. D., Gorsuch, R. L., Lushene, R., Vagg, P. R., & Jacobs, G. A. (1983). *Manual for the State Trait Anxiety Inventory*. Palo Alto, CA: Consulting Psychologists Press.