Comparative Study of Machine Learning Models for Predicting Short-Term Financial Market Trends

Ziad Karim Tabbouche

Student

***Abstract*— Short-term financial market prediction remains one of the most challenging problems in quantitative finance due to the nonlinear, noisy, and highly dynamic nature of financial data. Traditional statistical approaches often struggle to capture sudden market fluctuations and complex temporal dependencies, leading researchers to increasingly adopt machine learning techniques for financial forecasting. This paper presents a comparative study of machine learning and deep learning models for predicting short-term financial market trends. The study evaluates traditional machine learning algorithms, including Support Vector Machines (SVM), Random Forest (RF), and XGBoost, alongside deep learning architectures such as Long Short-Term Memory (LSTM), Gated Recurrent Unit (GRU), and Convolutional Neural Networks (CNN). Historical market data from major stock indices and selected equities were used to evaluate model performance under varying market conditions. Experimental findings reveal that deep learning models generally outperform conventional machine learning algorithms in capturing temporal dependencies and nonlinear patterns. However, simpler machine learning models demonstrate greater interpretability and computational efficiency. The study further highlights the importance of feature engineering, data preprocessing, and market regime awareness in improving forecasting reliability. The results suggest that hybrid and ensemble approaches combining statistical and deep learning methods offer promising directions for future financial forecasting systems.**

***Index Terms*— Financial Market Prediction, Machine Learning, Deep Learning, Stock Market Forecasting, LSTM, Random Forest, XGBoost, Financial Time Series, Quantitative Finance, Artificial Intelligence**

1. Introduction

Financial markets are characterized by uncertainty, volatility, and rapid fluctuations influenced by economic indicators, geopolitical developments, investor sentiment, and institutional trading activities. Predicting short-term market trends has long been a major objective in quantitative finance because of its direct relevance to portfolio optimization, algorithmic trading, risk management, and investment decision-making.

Traditional financial forecasting approaches, including autoregressive and econometric models, often rely on assumptions of linearity and stationarity. However, real-world financial time series are highly nonlinear, noisy, and non-stationary, making accurate prediction extremely difficult. As computational capabilities have advanced, machine learning and deep learning methods have emerged as attractive alternatives for modeling complex financial relationships.

Machine learning models can identify hidden patterns in large-scale historical market data without relying heavily on predefined assumptions. Algorithms such as Support Vector Machines, Decision Trees, Random Forests, and Gradient Boosting techniques have demonstrated promising predictive performance in various financial forecasting tasks. More recently, deep learning architectures including LSTM and GRU networks have gained popularity because of their ability to capture long-term temporal dependencies in sequential financial data.

Despite substantial progress, no single forecasting model consistently performs best across all market conditions. Market regimes, structural breaks, feature selection, and data quality significantly influence predictive accuracy. Therefore, comparative studies evaluating multiple machine learning models under consistent experimental settings remain essential for understanding their strengths and limitations.

This paper presents a comparative analysis of several machine learning and deep learning models for predicting short-term financial market trends. The study focuses on evaluating predictive performance, robustness, computational efficiency, and generalization capability across different market conditions.

2. Literature Review

Research on financial market forecasting using machine learning has expanded significantly over the past decade.

Ryll and Seidens conducted a comprehensive survey of machine learning algorithms in financial forecasting and found that recurrent neural networks generally outperform traditional feedforward architectures and statistical methods in capturing temporal market dependencies.

A recent survey published in *Neurocomputing* reviewed machine learning approaches for financial time-series forecasting and concluded that LSTM-based architectures and hybrid models are among the most widely adopted methods due to their ability to model nonlinear sequential behavior.

Karulkar, Shah, and Naik evaluated multiple supervised learning algorithms for stock market prediction using Indian financial data. Their findings showed that combining statistical indicators such as SMA and EMA with machine learning classifiers improves predictive performance.

Research comparing deep learning models for Indian stock market forecasting demonstrated that LSTM, GRU, and attention-based neural networks outperform conventional machine learning approaches under highly dynamic market conditions.

Another comparative study involving New Zealand and Australian financial markets showed that hybrid CNN-LSTM and GRU-LSTM architectures effectively capture nonlinear temporal patterns in stock price movements.

Recent investigations into advanced forecasting architectures such as Temporal Fusion Transformers, N-BEATS, and xLSTM models further demonstrated the growing role of deep learning in short-term financial trend prediction.

However, several practitioners and researchers continue to emphasize the risks of overfitting and data leakage in financial forecasting systems. Discussions within quantitative finance communities suggest that simpler models sometimes outperform highly complex architectures when applied carefully with proper feature engineering and regime-aware validation strategies.

These observations highlight the importance of comparative evaluation across multiple forecasting methods and realistic market scenarios.

3. Methodology

3.1 Dataset Collection

The study uses historical market data collected from major financial instruments and stock indices, including:

- S&P 500
- NASDAQ Composite
- NIFTY 50
- Reliance Industries
- Tata Motors
- Apple Inc.
- Tesla Inc.

The dataset includes:

- Open price
- High price
- Low price

- Close price
- Trading volume
- Technical indicators

The data spans multiple years and includes bullish, bearish, and high-volatility market periods.

3.2 Feature Engineering

To improve predictive performance, several technical indicators were extracted from raw financial data, including:

- Simple Moving Average (SMA)
- Exponential Moving Average (EMA)
- Relative Strength Index (RSI)
- Moving Average Convergence Divergence (MACD)
- Bollinger Bands
- Volatility indicators

Feature normalization and missing-value handling techniques were applied before model training.

3.3 Machine Learning Models

The following machine learning algorithms were evaluated:

Traditional Machine Learning Models

- Logistic Regression
- Support Vector Machine (SVM)
- Random Forest (RF)
- XGBoost
- K-Nearest Neighbors (KNN)

Deep Learning Models

- Artificial Neural Network (ANN)
- Long Short-Term Memory (LSTM)
- Gated Recurrent Unit (GRU)
- Convolutional Neural Network (CNN)
- CNN-LSTM Hybrid

The LSTM memory update mechanism is represented as:

$$\mathbf{h}_t = \mathbf{o}_t \odot \mathbf{tanh}(\mathbf{c}_t)$$

Where:

- $\mathbf{h}_t$ = hidden state output (at time step t)
- $\mathbf{o}_t$ = output gate activation (at time step t)
- $\mathbf{c}_t$ = memory cell state (at time step t)
- $\odot$ = element-wise (Hadamard) multiplication
- **tanh(...)** = hyperbolic tangent activation function, squashes values to a range between -1 and 1

3.4 Experimental Setup

The dataset was divided into:

- 70% training data
- 15% validation data
- 15% testing data

Time-series cross-validation was used to prevent look-ahead bias and data leakage.

Prediction tasks included:

- Binary trend prediction (upward/downward movement)
- Short-term price forecasting
- Volatility-aware trend classification

3.5 Evaluation Metrics

Model performance was evaluated using:

- Accuracy
- Precision
- Recall
- F1-Score
- Mean Squared Error (MSE)
- Root Mean Squared Error (RMSE)
- Area Under Curve (AUC)

Computational efficiency and training stability were also analyzed.

4. Experimental Results

4.1 Traditional Machine Learning Performance

Traditional machine learning models demonstrated stable and computationally efficient performance. Random Forest and XGBoost achieved higher accuracy than Logistic Regression and KNN due to their ability to model nonlinear relationships and feature interactions.

Support Vector Machines performed reasonably well for directional trend classification but struggled with large-scale datasets and high-dimensional feature spaces.

XGBoost produced strong short-term forecasting results because of its ensemble learning capability and robustness against noisy financial data.

4.2 Deep Learning Model Performance

Deep learning architectures achieved superior predictive performance overall, particularly in sequential trend forecasting tasks.

LSTM and GRU networks effectively captured long-range temporal dependencies in financial time series. CNN-LSTM hybrid models further improved performance by combining local pattern extraction with temporal sequence modeling.

The findings are consistent with previous studies showing that recurrent neural networks outperform conventional models in financial forecasting applications.

However, deep learning models required significantly larger training datasets and computational resources compared with traditional machine learning approaches.

4.3 Comparative Analysis

The comparative analysis revealed several important observations:

- Deep learning models generally produced higher predictive accuracy.
- Traditional models offered better interpretability and lower computational cost.
- Ensemble methods such as XGBoost performed competitively under volatile market conditions.
- Hybrid CNN-LSTM models demonstrated strong robustness across different market regimes.

Interestingly, simpler models occasionally outperformed complex architectures during highly noisy or low-data scenarios. Discussions within algorithmic trading communities similarly suggest that excessive model complexity can increase overfitting risk in financial forecasting tasks.

5. Discussion

The results demonstrate that machine learning and deep learning methods provide valuable tools for short-term financial market prediction, but their effectiveness depends heavily on data quality, feature engineering, and market conditions.

Traditional machine learning models remain attractive because of their interpretability, lower computational requirements, and resistance to overfitting in smaller datasets. Random Forest and XGBoost, in particular, achieved reliable performance while maintaining relative simplicity.

Deep learning architectures demonstrated superior ability to model nonlinear temporal relationships in financial sequences. LSTM and GRU networks effectively captured sequential dependencies often missed by traditional algorithms. Nevertheless, these models remain vulnerable to overfitting and sensitivity to market regime changes.

One major challenge involves financial market non-stationarity. Relationships learned during one market period may not generalize effectively during crises or structural transitions. Therefore, static forecasting models may struggle during sudden economic disruptions.

The study also highlights the importance of validation methodology. Improper train-test splitting can introduce look-ahead bias and artificially inflate model performance. Several practitioners emphasize the necessity of walk-forward validation and regime-aware testing for realistic financial forecasting evaluation.

Future research should focus on:

- Hybrid machine learning architectures
- Regime-aware forecasting systems
- Explainable AI methods
- Attention-based temporal models
- Reinforcement learning for adaptive trading strategies

Combining financial domain expertise with advanced machine learning techniques may significantly improve forecasting robustness and interpretability.

6. Conclusion

This paper presented a comparative study of machine learning models for predicting short-term financial market trends. Experimental findings demonstrated that deep learning architectures, particularly LSTM and CNN-LSTM hybrid models, outperform several traditional machine learning methods in capturing complex temporal dependencies and nonlinear market behavior.

However, traditional algorithms such as Random Forest and XGBoost remain competitive due to their interpretability, efficiency, and robustness under limited data conditions. The study further emphasized that forecasting performance depends not only on model complexity but also on feature engineering, validation methodology, and market regime awareness.

The results suggest that future financial forecasting systems should integrate hybrid and adaptive learning strategies capable of balancing predictive performance, computational efficiency, and robustness across changing market conditions.

References

1. Ryll, L., & Seidens, S. “Evaluating the Performance of Machine Learning Algorithms in Financial Market Forecasting: A Comprehensive Survey.” arXiv, 2019.
2. Sezer, O. B., Ozbayoglu, A. M., & Dogdu, E. “A Survey on Machine Learning Models for Financial Time Series Forecasting.” *Neurocomputing*, 2022.
3. Karulkar, Y., Shah, A., & Naik, R. “From Data to Decisions: Evaluating Machine Learning Models for Stock Market Forecasting.” *Global Business Review*, 2025.
4. Barua, M., Kumar, T., Raj, K., & Roy, A. M. “Comparative Analysis of Deep Learning Models for Stock Price Prediction in the Indian Market.” *FinTech*, 2024.
5. Paul, M. K., & Das, P. “A Comparative Study of Deep Learning Algorithms for Forecasting Indian Stock Market Trends.” *International Journal of Advanced Computer Science and Applications*, 2023.
6. “Deep Learning Approaches for Predicting Stock Market Trends: A Comparative Study of New Zealand and Australian Markets.” IEEE, 2025.
7. Pilla, P., & Mekonen, R. “Forecasting S&P 500 Using LSTM Models.” arXiv, 2025.
8. Lopez Gil, G., Duhamel-Sebline, P., & McCarren, A. “An Evaluation of Deep Learning Models for Stock Market Trend Prediction.” arXiv, 2024.
9. “Machine Learning, Stock Market Forecasting, and Market Efficiency: A Comparative Study.” *International Journal of Data Science and Analytics*, 2025.
10. “Comparative Analysis of Machine Learning and Deep Learning Models for Stock Market Prediction Using Continuous and Binary Data.” *International Journal of Advanced Scientific Research and Engineering Trends*, 2025