

Smarter technology for all

Servicing the ThinkSystem DB710S Fibre Channel SAN Switch

ES42718
April 2025

Lenovo

© Copyright Lenovo 2025

Lenovo

8001 Development Drive

Morrisville, North Carolina, 27560

Lenovo reserves the right to change product information and specifications at any time without notice. This publication might include technical inaccuracies or typographical errors. References herein to Lenovo products and services do not imply that Lenovo intends to make them available in all countries. Lenovo provides this publication as is, without warranty of any kind, either expressed or implied, including the implied warranties of merchantability or fitness for a particular purpose. Some jurisdictions do not allow disclaimer of expressed or implied warranties. Therefore, this disclaimer may not apply to you.

Data on competitive products is obtained from publicly obtained information and is subject to change without notice. Contact the manufacturer for the most recent information.

Lenovo and the Lenovo logo is a trademark or registered trademark of Lenovo Corporation or its subsidiaries in the United States, other countries, or both. Intel and the Intel logo is a trademark or registered trademark of Intel Corporation or its subsidiaries in the United States, other countries, or both. Other names and brands are the property of their respective owners.

The following terms are trademarks, registered trademarks, or service marks of Lenovo:

Access Connections, Active Protection System, Automated Solutions, Easy Eject Utility, Easy-Open Cover, IdeaCentre, IdeaPad, ImageUltra, Lenovo Care, Lenovo (logo), Lenovo, MaxBright, NetVista, New World. New Thinking, OneKey, PC As A Service, Rapid Restore, Remote Deployment Manager, Rescue and Recovery, ScrollPoint, Secure Data Disposal, Skylight, Software Delivery Center, System Information Gatherer, System Information Reporter, System Migration Assistant, System x, ThinkAccessories, ThinkAgile, ThinkCentre, ThinkDisk, ThinkDrive, ThinkLight, ThinkPad, ThinkPlus, ThinkScribe, ThinkServer, ThinkStation, ThinkStore, ThinkSystem, ThinkVantage, ThinkVision, ThinkWorld, TopSeller, TrackPoint, TransNote, UltraBase, UltraBay, UltraConnect, UltraNav, VeriFace.

For more information, go to: <https://www.lenovo.com/us/en/legal/copytrade/>.

The terms listed for the following partners are the property of their respective owners:

AMD Intel IBM Microsoft NVIDIA

The content in this document is subject to the existing non-disclosure agreement held between Lenovo and its Authorized Service Providers.

Preface

This document may not be copied or sold, either in part or in whole, without permission from the Lenovo ISG Services Education team.

Current release date: April 2025

Current release level: 1.0

The information in this publication is current as of the date of the latest revision and is subject to change at any time without notice.

To provide feedback or receive more information about this course, send an email to: ServicesEdu@Lenovo.com

Prerequisites

[ES42116 – Servicing the ThinkSystem DB720S Fibre Channel SAN Switch](#)

[ES42425 – Servicing the ThinkSystem DB730S Fibre Channel SAN Switch](#)

Objectives

After completing the course, you will be able to:

- Describe the features and specifications of the ThinkSystem DB710S Fibre Channel (FC) SAN Switch
- Describe the differences between the DB710S, DB720S, and DB730S models
- Describe the features of the SANnav management software
- Describe the features of the Fabric OS commands and Fabric Web Tools
- Describe the problem determination steps and explain how to troubleshoot issues with the DB710S FC SAN Switch

Product overview

Product description and front, rear, and inside views

Lenovo

ThinkSystem DB710S product overview


The ThinkSystem DB710S (machine type: 7DHN) is a Gen 7 Fibre Channel (FC) 1U rack switch. Eight ports are enabled with the base configuration, and Ports on Demand (PoD) licensing allows for 16 or 24 ports.

There are two DB710S models:

- 7DHN-CTO1WW (eight active port licenses with 32 Gbps SWL SFP+)
- 7DHN-CTO2WW (eight active port licenses with 64 Gbps SWL SFP+)



Front view




The DB710S is 1U switch with up to twenty-four 64 Gbps Fibre Channel ports. The front of the system features the following components:

- A USB port for firmware upgrades and system log downloads
- An RJ-45 system Ethernet port for management
- An RJ-45 serial console port
- A single, fixed 105 W AC power supply
- A pull-out tab showing the serial number and MAC address

Port numbering and trunk groups

The DB710S supports up to 24 Fibre Channel ports, which can be divided into three trunk groups:

- Trunk Port Group 3 (SFP+ FC Ports 0 to 7)
- Trunk Port Group 2 (SFP+ FC Ports 8 to 15)
- Trunk Port Group 1 (SFP+ FC Ports 16 to 23)



Note: For trunk groups to form, all the ports must belong to the same port group.

Rear view

- The DB710S has four integrated fixed fans and allows for a single fan failure.
- The DB710S has only back-to-front airflow (non-port-side air intake and port-side exhaust).

