


DG5000 product overview

Product description and front, rear, and inside views

Lenovo

Product overview


The DG5000 (MT: 7DE4) is an NVMe all-flash storage array based on QLC flash technology. It is a 2U storage enclosure that supports 24 2.5-inch internal NVMe QLC SSD drives. Each controller in an HA pair is compatible with a single DG240N NVMe QLC SSD expansion enclosure and supports up to 24 drives, for a total of 48 drives across the storage array. The DG5000 storage controller uses the same 2U enclosure as the ThinkSystem DM5100F. The management console interface is the same as that used in DM Series storage arrays.



DG5000 NVMe all-flash controller


Front view

The front of the DG5000 storage enclosure is equipped with 24 2.5-inch NVMe QLC SSD drives.



Rear view

The rear of the DG5000 storage enclosure supports two hot-swap redundant power supplies. The e1a and e1b 100 GbE ports can only be used with the DG240N NVMe expansion enclosure if the expansion adapter is installed.




DG5000 controller

Processor and memory (per controller)


- CPU: 2.2 GHz 12 Core
- Memory: 64 GB
 - 8 GB used for NVMEM

Onboard I/O ports (per controller)

- Two 25 Gb Ethernet – HA and cluster interconnect
- Two 10GBase-T – Host connectivity
- Two Mezzanine slots for I/O expansion
- One 1 Gb Ethernet – Management
- One RJ45 – console port
- One micro-B USB – console port
- One Type-A USB – read-only for NetBoot & OS updates



DG5000 controller inside view



DG5000 controller inside view – components removed

This image shows the inside of the controller after the removal of the Mezzanine Host Interface Cards (HICs), baffle, and NVDIMM battery.

