

Lenovo XClarity Essentials (LXCE)

- Quick Start Training

LXCE Home Page: <https://support.lenovo.com/us/en/solutions/LNVO-center>

Aaron Tang (tangww3@lenovo.com), LXCE Architect
Data Center Group
July-2017


The Lenovo logo is displayed vertically on a red rectangular background. The word "Lenovo" is written in white, with a small trademark symbol (TM) at the top right.

Agenda

- [1hour] Presentation (Q&A on Lync)
- [20min] Q&A summary
- [10min] Survey

Contents


- Assumptions about YOU
- What Will You Learn
- What's **Lenovo XClarity Essentials** (LXCE)
- **What Can You Do** with XClarity Essentials
- What's Next
 - **Where to find** product
 - **How to get** quick **start**
 - **How to get** support
- **Things** You Need **to Remember**
- Get More Information

The slide features a dark blue background with several decorative elements. At the top, a horizontal rounded rectangle contains a close-up of server rack components, including a blue indicator light and a circular fan. Below this, another rounded rectangle shows a different section of the server rack. To the right of the main text, there is a solid blue rounded rectangle and a smaller one containing a circular fan detail. At the bottom, a rounded rectangle shows server components with blue indicator lights. The title 'Assumptions about YOU' is centered in a large, white, sans-serif font.

Assumptions about YOU

Assumptions about YOU


- Used / Is using / Will some day use Lenovo XClarity Essentials / ToolsCenter
- Just interested

The background is a dark blue-grey color. It features several decorative elements: a horizontal strip at the top showing server racks with a blue circle icon; a horizontal strip below it showing server racks with a blue circle icon; a horizontal strip on the right side showing a server rack with a blue circle icon; a large horizontal blue rounded rectangle in the center; and a horizontal strip at the bottom showing server racks with a blue circle icon.

What Will You Learn

What Will You Learn

- What is **Lenovo XClarity Essentials** and its relationship with **ToolsCenter**
- How to play with **LXCE** for typical **system management tasks**
- Where to **find proper tools**
- How to quickly **get started**
- How to **get help** and **support**

The background of the slide features several horizontal, rounded rectangular images of server racks. These images are positioned at the top, middle, and bottom of the slide, showing various components like fans, cables, and indicator lights. The overall theme is data center infrastructure.

What's Lenovo XClarity Essentials (LXCE)

What's Lenovo XClarity Essentials (LXCE)

All-in-ONE portable
command line utility

```
OneCLI
Lenovo XClarity Essentials OneCLI: tc1010n-2.0.0
Copyright Lenovo Corp. 2013-2017 All Rights Reserved
Usage: OneCLI.exe [app] [cmd] [options]

app:
  config      Inventory device(s)
  inventory   Update firmware/driver/software
  update
  wlan
  rebootcom  Lan over ssh management
  rebootcom  Reboot com
  rebootcom  Reboot lan
  rebootcom  Reboot lan
  rebootcom  OS Power Manager
  rebootcom  Log Manager
  rebootcom  Log Manager
```

GUI tool for online
update

UpdateXpress

GUI tool for offline
firmware update

B0MC

XClarity
Essentials

- Rebranded from ToolsCenter, the NEW system management tool family launched at 8/8 together with ThinkSystem
- LXCE manages Lenovo ThinkSystem, System X, Flex Systems, CMM, I/O Module and ThinkServer
- LXCE simplifies system management tasks by providing the following major functions:
 - firmware and device driver update
 - system inventory and log collection
 - system setting configuration



What's **Lenovo XClarity Essentials** (LXCE) #2

LXCE OneCLI

- **Portable command line** utility for **Windows/Linux**
- **All-in-ONE utility** for key system management areas (**update**, **inventory** and **configuration**)
- **Platform Update** to remotely **update all firmware** on ThinkSystem
- Born for **Scripting** and **automation solution**
- Capable of **extension to large scale** / **batch management**


LXCE UpdateXpress


- **Portable GUI** software for **Windows/Linux**
- **Local** in-band and **remote out-of-band** update
- **Platform Update** to **remotely update all firmware** on ThinkSystem

LXCE BoMC (Bootable Media Creator)

- **Portable GUI software** for **Windows/Linux**
- Create **bootable media** (**ISO**, **USB Key**, **PXE image**) for **offline firmware update**
- Support both **Lenovo** and **IBM systems**

What's **Lenovo XClarity Essentials** (LXCE) #3



The background of the slide is a dark blue-grey color. It features several decorative elements: a horizontal strip at the top showing server racks with blue and orange lights; a horizontal strip in the middle showing server racks with blue and orange lights; a horizontal strip on the right side showing a server rack with a blue light; a horizontal strip at the bottom showing server racks with blue and orange lights; and a large, solid blue rounded rectangle in the center-left area.

What Can You Do with XClarity Essentials

What Can You Do with XClarity Essentials #1

Selected Typical Scenarios with How-To videos (Press Shift + F5 and [Click on me to download videos](#))

- **Firmware Update**

- [LXCE OneCLI] How to use OneCLI to acquire update packages for system(s) to be managed
- [LXCE OneCLI] How to use OneCLI to update firmware remotely through BMC without rebooting host OS
- [LXCE OneCLI] How to use OneCLI to update firmware remotely in the maintenance mode OS with host OS reboot required
- [LXCE OneCLI] How to use OneCLI to update firmware/device driver within host OS installed on the target system
- [LXCE UpdateXpress] How to use UpdateXpress to update firmware remotely through BMC
- [LXCE BoMC] How to use BoMC to create a bootable iso image that can be used to do offline firmware update for a supported systems

- **System Inventory and Log Collection**

- [LXCE OneCLI] How to use OneCLI to collect system inventory and logs (including FFDC) within host OS installed on the target system
- [LXCE OneCLI] How to use OneCLI to collect system inventory and logs (including FFDC) remotely through BMC and upload to System CARE (Multitool)

- **System Setting Configuration**

- [LXCE OneCLI] How to use OneCLI to read and change system settings remotely through BMC

What Can You Do with XClarity Essentials #2

How do firmware update remotely with command line tool (LXCE OneCLI)

Play How-To video

What Can You Do with XClarity Essentials #3

How do firmware update remotely with GUI tool (LXCE UpdateXpress)

TODO: play How-To video

What's Next

How to Find Lenovo XClarity Essentials (LXCE) #1

- From LXCE Homepage (<https://support.lenovo.com/my/en/solutions/HT115036>)

Lenovo SHOP SUPPORT

Support

Lenovo XClarity Essentials (ToolsCenter)

Identify Your Device

Enter your serial number, click the detect button, or select your product to find information specific to your device or [Browse Product](#)

[Detect Product](#) If you're using a Lenovo PC, please use the Detect Product button. Lenovo Service Bridge is required to be downloaded.

Enter serial number Submit

Help me find my product/serial number

IMPORTANT

The Digital Certificate Authority on Lenovo download service will be upgraded on September 21, 2018. After that date, you will need to use the latest version of the LXCE products (OneCLI version 2.3.0 or newer; BOMC version 11.3.0 or newer; UpdateXpress version 2.3.0 or newer) to successfully acquire updates.

Please click [here](#) for detail information.

In OneCLI 2.4.0 (released on 10/26/2018), to better serve the purpose of scripting and automation, program exit/return code (IMPORTANT: this is the CLI code you typically get by running command "echo %errorlevel%" for Windows and "echo \$?" for Linux) has been refined. If you are using OneCLI version 2.3.0 and before, when moving to 2.4.0, you may upgrade your scripting solution.

Please click [here](#) for detail information.


Lenovo XClarity Essentials (LXCE) is a collection of server management utilities which enable customers to manage Lenovo ThinkSystem, System x, and ThinkServer servers more efficiently, less complicated and cost-effective.

LXCE offering consists of [OneCLI](#), [UpdateXpress](#), and [Bootable Media Creator](#).

Lenovo XClarity Essentials (LXCE)
Simplifies system management

How to Find Lenovo XClarity Essentials (LXCE) #2

- Search on eSupport site (<https://datacentersupport.lenovo.com/>)
 - Type in search box “LXCE” or “ToolsCenter”



The screenshot shows the Lenovo Data Center Support website. The header includes the Lenovo logo, 'SHOP SUPPORT' links, a search icon, and a 'My Account' button. The main banner reads 'Data Center Support' and 'What can we help you search?'. Below the banner, the search term 'LXCE' is entered. The results are divided into two sections: 'SEARCH BY PRODUCT' and 'SUGGESTED SEARCHES'. The 'SEARCH BY PRODUCT' section features a highlighted result for 'Lenovo XClarity Essentials (LXCE/ToolsCenter) - Type LXCE' with links for 'Downloads', 'How To's', and 'User Guide'. The 'SUGGESTED SEARCHES' section states 'No suggestions match the term, please click the link at the bottom to' and includes a 'Show More Results' button.

Lenovo

SHOP SUPPORT

Q My Account

Data Center Support
What can we help you search?

LXCE

SEARCH BY PRODUCT

Lenovo XClarity Essentials (LXCE/ToolsCenter) -
Type LXCE

Downloads How To's User Guide

SUGGESTED SEARCHES

No suggestions match the term, please click the link at the bottom to

Show More Results


How to Quickly Get Started #1

- How-To videos provided for selected typical management tasks
- NOW Available at Lenovo internal co-work site
(Press Shift + F5 and [Click on me to download videos](#))
- To be published to external site

Name	Date modified	Type
 lxce-bomc-how-to-update-remote-machine-with-iso	6/23/2017 5:09 PM	File folder
 lxce-onecli-how-to-acquire	6/27/2017 2:13 PM	File folder
 lxce-onecli-how-to-bmu-update	7/4/2017 10:19 AM	File folder
 lxce-onecli-how-to-inband-inventory	7/4/2017 11:06 AM	File folder
 lxce-onecli-how-to-inband-update	6/26/2017 2:21 PM	File folder
 lxce-onecli-how-to-oob-config	6/26/2017 10:49 AM	File folder
 lxce-onecli-how-to-oob-inventory	6/20/2017 8:20 PM	File folder
 lxce-onecli-how-to-oob-update	7/4/2017 12:21 PM	File folder
 lxce-updatexpress-how-to-update-remote-machine	6/27/2017 10:17 AM	File folder

How to Quickly Get Started #2

- Sample scripts provided for selected typical management tasks (for study reference)
- NOW Available in OneCLI binary v2.0.0
(Press Shift + F5 and [Click on me to download internal version](#))
- Extract OneCLI binary and enter “Sample”, you will see the samples
(Press Shift + F5 and [Click on me to download sample](#))



```

1 echo -e "#:::#####"
2 echo -e "# Make sure to go through below "
3
4 echo -e "# - The script is put under <root>/sample/oob_inventory_with_ffdc.sh
5 # - <root> is where OneCLI zip package is extracted to
6 #
7 # This is a sample script of running OneCLI to do full inventory data collection
8 # with FFDC collected as well against a supported Lenovo system through BMC
9 # (See "global.config" on how to do this for a supported IBM system)
10 #
11 # Results include inventory for supported platform hardware components,
12 # IO options, FFDC, Operating System level logs.
13 #
14 # Note, the time to finish this job may vary depending on the complexity of your hardware
15 # configuration. Also, FFDC can grow big some time so FFDC collection may
16 # take some time.
17 #
18 # See command below for how to do out-of-band inventory against BMC with IP of 172.20.0.2
19 #
20 # See in user's guide for more details of command line options and advanced features
21 # Product home page: https://support.lenovo.com/us/en/documents/lhno-tcli
22 #:#####
23 "
24
25 echo -e "sample command: ./OneCli inventory getinfor --htmlreport --ffdc --bmc USERID:PASSWORD@172.20.0.2"
26

```

How to Get Support #1

Help Manual in Program: Syntax: `OneCli.exe` [application] [command] --help

Sample 1: `OneCli.exe --help`

```
D:\code\lnvgy_utl_tcli01n-2.0.0_winsrvr_x86-64>OneCli.exe --help

Lenovo XClarity Essentials OneCLI tcli01n-2.0.0
Licensed Materials - Property of Lenovo
(C) Copyright Lenovo Corp. 2013-2017 All Rights Reserved

Usage: OneCli.exe [apps] <cmds> [<options>]

Apps:

config          Configure bmc/uefi/cmm
inventory       Inventory device(s)
update          Update firmware/driver/software
misc
  usblan        Lan over usb management
  rebootcmm     Reboot cmm
  rebootiom     Reboot iom
  rebootbmc     Reboot bmc
  ospower       Os Power Manager
  logmgr        Log Manager
```

Sample 2: `OneCli.exe update --help`

```
D:\code\lnvgy_utl_tcli01n-2.0.0_winsrvr_x86-64>OneCli.exe update --help

Lenovo XClarity Essentials OneCLI tcli01n-2.0.0
Licensed Materials - Property of Lenovo
(C) Copyright Lenovo Corp. 2013-2017 All Rights Reserved

Usage: OneCli.exe update <cmds> [<options>]

Commands:

acquire          acquire package
compare          compare downloaded package version with installed
flash            flash fw/dd/sw package
query            query downloaded package xml files
scan             scan system information
```

How to Get Support #2

Frequently Asked Questions (Press Shift + F5 and [Click on me to download FAQ](#))

LENOVO

FAQ - Lenovo XClarity Essentials (LXCE)

Version 0.7
7/12/2017

Contents

1. Common Questions	1
2. Run and Trouble Shooting Questions.....	2
3. Inventory Questions.....	3
4. Update Questions.....	5
5. Configuration Questions	7
6. Help and Document Questions	8

1. Common Questions


Q: What is Lenovo XClarity Essentials (LXCE)? What's the relationship between LXCE and ToolsCenter?

A: It is the new brand name of the previously widely used "ToolsCenter" launched together with Lenovo ThinkSystem platform. It is a software product family providing essential management capability for all Lenovo systems. LXCE contains 3 individual software, including: OneCLI (all-in-one portable command line utility), UpdateXpress (portable GUI software) and Bootable Media Creator (portable GUI software). See for more info at the LXCE official home page (<https://support.lenovo.com/us/zh/solutions/lxvo-center>)

Q: What is Lenovo XClarity Essentials (LXCE) OneCLI?

A: It is an all-in-one portable command line utility that supports system information collection, firmware/device driver update, system configuration as well as other handful system management functions. This is especially useful for scripting solutions. See for more info at the LXCE OneCLI official home page (<https://support.lenovo.com/us/zh/solutions/lxvo-tcli>)


Q: What is Lenovo XClarity Essentials (LXCE) Bootable Media Creator (BoMC)?

The background of the slide is a dark blue-grey color. It features several horizontal, rounded rectangular cutouts that reveal images of server racks. These cutouts are positioned at the top, middle-right, and bottom of the slide. The server images show various components like fans, cables, and indicator lights. There are also solid blue rounded rectangular shapes: one in the upper right and a larger one in the lower left.

Things You Need to Remember

Things You Need to Remember

- ✓ LXCE (Lenovo XClarity Essentials) is the NEW product family rebranded from ToolsCenter for Lenovo systems management launched at 8/8 together with ThinkSystem
- ✓ LXCE has 3 products: OneCLI (all-in-one command line tool), UpdateXpress (GUI tool for online update) and BoMC (GUI tool for offline update)

The background features a dark blue-grey gradient with several horizontal, rounded rectangular cutouts showing close-up images of server racks. These images include details like cooling fans, indicator lights, and network ports. There are also solid blue rounded rectangular shapes scattered across the layout.

Get More Information

Get More Information

- **Press Shift + F5 to enter “Slide Show” mode and click on links below**
- [Access to online resources](#)
- [Download XClarity Essentials](#)
- [Video playlist of function demonstrations](#)
- [Product White Paper](#)
- [Frequently Asked Question](#)
- [User Documentation](#)
 - [LXCE OneCLI](#)
 - [LXCE UpdateXpress](#)
 - [LXCE BoMC \(Bootable Media Creator\)](#)
- **Contact**
 - ODTL: Tracy Yan43 Zhang zhangyan43@lenovo.com
 - Marketing: Charles Weber Jr cweber@lenovo.com
 - Architect: Aaron Tang (tangww3@lenovo.com)
 - TPM: Gavin P Wang wangpeng18@lenovo.com

Take 5 Minutes to Complete Survey

Click on the link and complete Survey form online

<http://www.eSurveysPro.com/Survey.aspx?id=e5beda46-b9cc-4bcc-b683-27e6e6f33a05>

thankS.

Different is better

Lenovo™