{CSS}
anatomy

```
selector { property: value; }
```

```
selector

( value

h1 { color: blue; }

property
```

```
h1 {
  font-family: "Courier New";
  text-align: center;
  font-size: 30px;
  color: blue;
}
```

```
selector { property: value; }
```

Selector

- Digunakan untuk memilih dan memanipulasi elemen spesifik pada HTML.
- Elemen HTML dipilih berdasarkan tag, id, class bahkan pola / pattern.
- Semakin kompleks struktur HTML, selector juga bisa semakin kompleks / spesifik

Selector

```
h1 { color: blue; }
```

dibaca: CSS, pilih seluruh elemen h1, lalu ubah teks didalamnya menjadi berwarna biru

```
selector { property: value; }
```

Property & Value

Dackground-attachment	elevation	page
background-color	empty-cells	page-break-after
background-image	float	page-break-before
background-position	font	page-break-inside
background-repeat	font-family	pause
border	font-size	pause-after
border-collapse	font-size-adjust	pause-before
border-color	font-stretch	pitch
border-spacing	font-style	pitch-range
border-style	font-variant	play-during
border-top	font-weight	position
border-right	height	quotes
border-bottom	left	richness

Property & Value

oackground-attachment	elevation	hage
background-color	empty-cells	page-break-after
background-image	float	page-break-before
background-position	font	page-break-inside
background-repeat	font-family	pause
border	3504+	pause-after
border-collapse	-s adju	pause-before
border-color	font-stretch	pitch
border-spacing	font-style	pitch-range
border-style	font-variant	play-during
border-top	font-weight	position
border-right	height	quotes
border-bottom	left	richness

Property & Value

nack&Lonlin-arracii	ment elevation	hage
background-color	empty-cells	page-break-after
background-image	float	page-break-before
background-position	https://developer.mozilla.org/en-US/	page-break-inside
background-repeat		pause
border	font-size	pause-after
border-collapse	font-size-adjust	pause-before
border-color	http://css-tricks.com/almanac	pitch
border-spacing	font-style	pitch-range
border-style	font-variant	play-during
border-top	font-weight	position
border-right	height	quotes
border-bottom	left	richness

sekian.

next?

Let's code!



channel YouTube:

webProgrammingUNPAS



gracias.

sandhikagalih@unpas.ac.id