## Technical Spec.

Display Type		
NOTITION   NOTITION	COMMON SPEC	
NUMER SUPPLY	Display Type	Multi Split Inverter (Art Cool Mirror)
Bluh   9000	COOLING CAPACITY	
POWER SUPPLY	kW (Min - Rating - Max)	2.64
0,V,Hz	Btu/h	9000
AR FLOW RATE (INDOOR UNIT)  CMM (H/M/L)  NOISE LEVEL  Indoor Unit (H/M/L/Sleep) (dB(A)=3)  REFRISERANT  Refrigerant  Refrigerant  CONNECTING TUBE  Liquid Side(mm/inch) Gas Side(mm/inch) Gas Side(mm/inch) 9.52  DIMENSION  Indoor Unit (WxHxD) (mm/inch) 895x.285x.205  NET WEIGHT Indoor Unit (wxHxD) (mm/inch) 11  CONNECTABLE OUTDOOR UNIT  Type/Series  Mutils / F DX series  POWER AND TRANSMISSION INTERUNIT CABLE  No. x mm 4x0.75 (including earth)  COIL	POWER SUPPLY	
CMM (H/ML)         7/6.5/6           NOISE LEVEL         Indoor Unit (H/M/L/Sleep) (dB(A)±3)         33/30/27/19           REFRIGERANT           Refrigerant         R410A           CONNECTING TUBE           Liquid Side(mm/inch)         6.35           Gas Side(mm/inch)         9.52           DIMENSION           Indoor Unit (WxHxD) (mm/inch)         895x285x205           NET WEIGHT           Indoor Unit(kg/lbs)         11           CONNECTABLE OUTDOOR UNIT           Type/Series         Multi F / F DX series           POWER AND TRANSMISSION INTERUNIT CABLE           No. x mm         4x0.75 (including earth)	ø,V,Hz	1/230/50
NOISE LEVEL           Indoor Unit (H/M/U/Sleep) (dB(A)±3)         33/30/27/19           REFRIGERANT         R410A           CONNECTING TUBE         Liquid Side(mm/inch)         6.35           Gas Side(mm/inch)         9.52           DIMENSION         Indoor Unit (WxHxD) (mm/inch)         895x285x205           NET WEIGHT         Indoor Unit(kg/libs)         11           CONNECTABLE OUTDOOR UNIT         Type/Series         Multi F / F DX series           POWER AND TRANSMISSION INTERUNIT CABLE         No. x mm         4x0.75 (including earth)           COIL         ***********************************	AIR FLOW RATE(INDOOR UNIT)	
Indoor Unit (H/M/L/Sleep) (dB(A)±3)         33/30/27/19           REFRIGERANT           CONNECTING TUBE           Liquid Side(mm/inch)         6.35           Gas Side(mm/inch)         9.52           DIMENSION           Indoor Unit (WxHxD) (mm/inch)         895x285x205           NET WEIGHT         11           CONNECTABLE OUTDOOR UNIT         Type/Series           Multi F / F DX series         POWER AND TRANSMISSION INTERUNIT CABLE           No. x mm         4x0.75 (including earth)	CMM (H/M/L)	7/6.5/6
REFRIGERANT           Refrigerant         R410A           CONNECTING TUBE           Liquid Side(mm/inch)         6.35           Gas Side(mm/inch)         9.52           DIMENSION           Indoor Unit (WxHxD) (mm/inch)         895x285x205           NET WEIGHT           Indoor Unit(kg/lbs)         11           CONNECTABLE OUTDOOR UNIT           Type/Series         Multi F / F DX series           POWER AND TRANSMISSION INTERUNIT CABLE           No. x mm         4x0.75 (including earth)	NOISE LEVEL	
Refrigerant         R410A           CONNECTING TUBE           Liquid Side(mm/inch)         6.35           Gas Side(mm/inch)         9.52           DIMENSION           Indoor Unit (WxHxD) (mm/inch)         895x285x205           NET WEIGHT           Indoor Unit(kg/lbs)         11           CONNECTABLE OUTDOOR UNIT           Type/Series         Multi F / F DX series           POWER AND TRANSMISSION INTERUNIT CABLE           No. x mm         4x0.75 (including earth)           COIL	Indoor Unit (H/M/L/Sleep) (dB(A)±3)	33/30/27/19
CONNECTING TUBE  Liquid Side(mm/inch) 6.35 Gas Side(mm/inch) 9.52  DIMENSION  Indoor Unit (WxHxD) (mm/inch) 895x285x205  NET WEIGHT  Indoor Unit(kg/lbs) 11  CONNECTABLE OUTDOOR UNIT  Type/Series Multi F / F DX series  POWER AND TRANSMISSION INTERUNIT CABLE  No. x mm 4x0.75 (including earth)  COIL	REFRIGERANT	
Liquid Side(mm/inch) 6.35 Gas Side(mm/inch) 9.52  DIMENSION  Indoor Unit (WxHxD) (mm/inch) 895x285x205  NET WEIGHT Indoor Unit(kg/lbs) 11  CONNECTABLE OUTDOOR UNIT  Type/Series Multi F / F DX series  POWER AND TRANSMISSION INTERUNIT CABLE  No. x mm 4x0.75 (including earth)  COIL	Refrigerant	R410A
DIMENSION Indoor Unit (WxHxD) (mm/inch)  NET WEIGHT Indoor Unit(kg/lbs)  11  CONNECTABLE OUTDOOR UNIT  Type/Series  Multi F / F DX series  POWER AND TRANSMISSION INTERUNIT CABLE  No. x mm  4x0.75 (including earth)  COIL	CONNECTING TUBE	
DIMENSION Indoor Unit (WxHxD) (mm/inch) 895x285x205  NET WEIGHT Indoor Unit(kg/lbs) 11  CONNECTABLE OUTDOOR UNIT  Type/Series Multi F / F DX series  POWER AND TRANSMISSION INTERUNIT CABLE No. x mm 4x0.75 (including earth)  COIL	Liquid Side(mm/inch)	6.35
Indoor Unit (WxHxD) (mm/inch)  NET WEIGHT  Indoor Unit(kg/lbs)  11  CONNECTABLE OUTDOOR UNIT  Type/Series  Multi F / F DX series  POWER AND TRANSMISSION INTERUNIT CABLE  No. x mm  4x0.75 (including earth)  COIL	Gas Side(mm/inch)	9.52
NET WEIGHT  Indoor Unit(kg/lbs)  11  CONNECTABLE OUTDOOR UNIT  Type/Series  Multi F / F DX series  POWER AND TRANSMISSION INTERUNIT CABLE  No. x mm  4x0.75 (including earth)  COIL	DIMENSION	
Indoor Unit(kg/lbs)  CONNECTABLE OUTDOOR UNIT  Type/Series  Multi F / F DX series  POWER AND TRANSMISSION INTERUNIT CABLE  No. x mm  4x0.75 (including earth)  COIL	Indoor Unit (WxHxD) (mm/inch)	895x285x205
Type/Series Multi F / F DX series  POWER AND TRANSMISSION INTERUNIT CABLE  No. x mm 4x0.75 (including earth)  COIL	NET WEIGHT	
Type/Series Multi F / F DX series  POWER AND TRANSMISSION INTERUNIT CABLE  No. x mm 4x0.75 (including earth)  COIL	Indoor Unit(kg/lbs)	11
POWER AND TRANSMISSION INTERUNIT CABLE  No. x mm 4x0.75 (including earth)  COIL	CONNECTABLE OUTDOOR UNIT	
No. x mm 4x0.75 (including earth)  COIL	Type/Series	Multi F / F DX series
COIL	POWER AND TRANSMISSION INTERUNIT CABLE	
	No. x mm	4x0.75 (including earth)
Row x Column x FPI 2R x 16C x 23	COIL	
	Row x Column x FPI	2R x 16C x 23

Price: SGD 475 (Including GST)