

```

package labs2;
import java.util.Scanner;
public class BSIT24_Tan_Migel_StudentPaymentSystem {
    public static void main (String[] args) {
        Scanner input = new Scanner (System.in);

        int rep = 1;
        String studNa;
        int studID = 0;
        int totTuition = 0;
        int choice;
        int pay;
        int transCount = 0;
        int standing = 0;
        int discCount = 0;

        System.out.println("Enter Student Name: ");
        studNa = input.nextLine();
        System.out.println("Enter Student ID: ");
        studID = input.nextInt();
        System.out.println("Enter Total Tuition Fee: ");
        totTuition = input.nextInt();

        int balance = totTuition;
        double newBalance = balance;

        do {
            System.out.println("\n\n====PAYMENT MENU====");
            System.out.println("1. Pay Tuition");
            System.out.println("2. Check Balance");
            System.out.println("3. Apply Discount");
            System.out.println("4. Exit");
            System.out.println("Enter Transaction: ");
            choice = input.nextInt();

            switch (choice) {
                case 1:
                    System.out.println("\n====Tuition Payment====");
                    System.out.println("Amount to pay: ");
                    pay = input.nextInt();

```

```

        if (pay > newBalance) {
            System.out.println("Invalid Payment! Must be exact.");
        } else {
            newBalance = newBalance - pay;
            System.out.println("You paid: " + pay + ", new
balance is: " + newBalance);
            transCount++;
        }
        break;

    case 2:
        System.out.println("\n====Checking Balance====");
        if (newBalance == 0) {
            System.out.println("Balance: No remaining balance.");
        } else {
            System.out.println("Balance: " + newBalance);
        }
        transCount++;
        break;

    case 3:
        System.out.println("\n====Discount Application====");
        System.out.println("Standing (1 for Regular, 2 for Scholar):
");
        standing = input.nextInt();

        if (standing == 1) {
            System.out.println("No discount, balance is: " +
newBalance);
        } else if (standing == 2 && discCount == 0) {
            newBalance = (newBalance * 0.8);
            discCount++;
            System.out.println("20% Discount, balance is: " +
newBalance);
        } else if (discCount > 0) {
            System.out.println("Cannot apply discount
anymore!");
        } else {
            System.out.println("Invalid input!");

```

```
    }  
    transCount++;  
    break;  
  
    case 4:  
        System.out.println("\n====Thank you!====");  
        System.out.println("Student Name: " + studNa);  
        System.out.println("Total Transactions: " + transCount);  
        System.out.println("Final Balance: " + newBalance);  
        System.out.println("\nExiting program...");  
        rep = 0;  
        break;  
  
    default:  
        System.out.println("Invalid input!");  
        System.out.println("Repeat again!");  
        rep = 1;  
    }  
} while (rep == 1);  
input.close();  
}  
}
```