

Quiz- Standard 5

Due Date October / 1st / 2021
Name Michael Ghattas
Student ID 109200649

Contents

1	Instructions	1
2	Honor Code (Make Sure to Virtually Sign)	2
3	Standard 5- Exchange Arguments	3
3.1	Problem 2	3

1 Instructions

- The solutions **should be typed**, using proper mathematical notation. We cannot accept hand-written solutions. Here's a short intro to L^AT_EX.
- You should submit your work through the **class Canvas page** only. Please submit one PDF file, compiled using this L^AT_EX template.
- You may not need a full page for your solutions; pagebreaks are there to help Gradescope automatically find where each problem is. Even if you do not attempt every problem, please submit this document with no fewer pages than the blank template (or Gradescope has issues with it).
- You **may not collaborate with other students. Copying from any source is an Honor Code violation. Furthermore, all submissions must be in your own words and reflect your understanding of the material.** If there is any confusion about this policy, it is your responsibility to clarify before the due date.
- Posting to **any** service including, but not limited to Chegg, Discord, Reddit, StackExchange, etc., for help on an assignment is a violation of the Honor Code.
- You **must** virtually sign the Honor Code (see Section 2). Failure to do so will result in your assignment not being graded.

2 Honor Code (Make Sure to Virtually Sign)

Problem 1.

- My submission is in my own words and reflects my understanding of the material.
- I have not collaborated with any other person.
- I have not posted to external services including, but not limited to Chegg, Discord, Reddit, StackExchange, etc.
- I have neither copied nor provided others solutions they can copy.

I agree to the above, Michael Ghattas.

□

3 Standard 5- Exchange Arguments

3.1 Problem 2

Problem 2. Suppose that there are n homework assignments, where the i th homework assignment has difficulty d_i . All of the assignments are released on the first day of class, and you may turn in one assignment per week. If you turn in assignment i on week k , then you receive $d_i(n - k)$ points. Do the following.

- (a) Consider a solution in which you turn in assignment j before assignment i , even though $d_j > d_i$. Show that you can increase the number of points earned by turning in assignment j before assignment i .

Answer:

- **Let n = Number of assignments** $\rightarrow n \in \mathbb{N}$
- **Let k = Number of weeks** = $\{k_i, \dots, k_j\}$, **where** $(k_j > k_i) \rightarrow k \in \mathbb{N}$
- **We assume** $\rightarrow n = |k|$
- **Thus** $\rightarrow (n - k_i) > (n - k_j)$

- **Let d = Assignment difficulty level** = $\{d_i, \dots, d_j\}$, **where** $(d_j > d_i) \rightarrow d \in \mathbb{N}$
- **Accordingly** $\rightarrow d_i(n - k_i) > d_i(n - k_j)$, **and** $d_j(n - k_i) > d_j(n - k_j)$
- **Since** $(d_j > d_i) \rightarrow d_j(n - k_i) > d_i(n - k_i)$

- **Thus** $\rightarrow d_j(n - k) > d_i(n - k)$, **as desired.**

□

- (b) Using part (a), describe a greedy algorithm to order the assignments in order to maximize the number of points earned. Pseudo-code is not required, but you should provide enough detail that a CSCI 2270 student could reasonably be expected to implement the solution from your description.

Answer:

Algorithm pseudocode:

function GradeMax(assignment[Number, Difficulty], Week(int)):

 Number = length(assignment(Number))

 assignment due = 0

 AssignmentList[] = 0

 for i in Number:

 while assignment[Difficulty] \nless assignment[Difficulty + 1]:

 assignment due = assignment[Difficulty + 1]

 if (assignment due == assignment(Difficulty)):

 assignment due == assignment(Number)

 AssignmentList[i] == assignment due

 return AssignmentList[];

□