FOLLOWUP_EXISTING48 — all48 cases, primary saved estimates
Diagnostic GT-derived common row scale; all method saturation counts shown

GT | CIE | Dual-CIE | G19 | DR | A+

r13_fresh_0020
row maxχ=4.892

CIE: NRMSE=0.1277, above-row-max=12
Dual-CIE: NRMSE=0.1314, above-row-max=12
G19: NRMSE=0.1343, above-row-max=13
DR: NRMSE=0.1283, above-row-max=12
A+: NRMSE=0.1269, above-row-max=12

Physical χ, shared row scale: 0 1 2 3 4

r13_fresh_0021
row maxχ=17.349

CIE: NRMSE=0.3427, above-row-max=58
Dual-CIE: NRMSE=0.0666, above-row-max=8
G19: NRMSE=0.0713, above-row-max=10
DR: NRMSE=0.0692, above-row-max=8
A+: NRMSE=0.0672, above-row-max=8

Physical χ, shared row scale: 0.0 2.5 5.0 7.5 10.0 12.5 15.0

r13_fresh_0022
row maxχ=14.903

CIE: NRMSE=0.0821, above-row-max=66
Dual-CIE: NRMSE=0.0835, above-row-max=64
G19: NRMSE=0.1242, above-row-max=59
DR: NRMSE=0.0929, above-row-max=60
A+: NRMSE=0.0836, above-row-max=60

Physical χ, shared row scale: 0 2 4 6 8 10 12 14

r13_fresh_0023
row maxχ=15.906

CIE: NRMSE=0.0273, above-row-max=0
Dual-CIE: NRMSE=0.0271, above-row-max=0
G19: NRMSE=0.0247, above-row-max=0
DR: NRMSE=0.0379, above-row-max=3
A+: NRMSE=0.0275, above-row-max=0

Physical χ, shared row scale: 0 2 4 6 8 10 12 14