FOLLOWUP_EXISTING48 — all48 cases, primary saved estimates
Diagnostic GT-derived common row scale; all method saturation counts shown

GT | CIE | Dual-CIE | G19 | DR | A+

r13_fresh_0032
row maxχ=13.209

CIE: NRMSE=0.0473, above-row-max=0
Dual-CIE: NRMSE=0.0511, above-row-max=1
G19: NRMSE=0.0946, above-row-max=10
DR: NRMSE=0.5639, above-row-max=101
A+: NRMSE=0.0503, above-row-max=2

Physical χ, shared row scale: 0 2 4 6 8 10 12

r13_fresh_0033
row maxχ=12.050

CIE: NRMSE=0.0973, above-row-max=75
Dual-CIE: NRMSE=0.0978, above-row-max=74
G19: NRMSE=0.1215, above-row-max=60
DR: NRMSE=0.1094, above-row-max=71
A+: NRMSE=0.0979, above-row-max=74

Physical χ, shared row scale: 0 2 4 6 8 10 12

r13_fresh_0034
row maxχ=15.762

CIE: NRMSE=0.0679, above-row-max=13
Dual-CIE: NRMSE=0.0682, above-row-max=13
G19: NRMSE=0.0661, above-row-max=12
DR: NRMSE=0.0721, above-row-max=11
A+: NRMSE=0.0681, above-row-max=13

Physical χ, shared row scale: 0 2 4 6 8 10 12 14

r13_fresh_0035
row maxχ=3.007

CIE: NRMSE=0.1071, above-row-max=72
Dual-CIE: NRMSE=0.1047, above-row-max=73
G19: NRMSE=0.1036, above-row-max=72
DR: NRMSE=0.1035, above-row-max=75
A+: NRMSE=0.1058, above-row-max=73

Physical χ, shared row scale: 0.0 0.5 1.0 1.5 2.0 2.5 3.0