FOLLOWUP_EXISTING48 — all48 cases, primary saved estimates
Diagnostic GT-derived common row scale; all method saturation counts shown

GT | CIE | Dual-CIE | G19 | DR | A+

r13_fresh_0040
row maxχ=13.840

CIE: NRMSE=0.1122, above-row-max=62
Dual-CIE: NRMSE=0.1175, above-row-max=60
G19: NRMSE=0.1163, above-row-max=61
DR: NRMSE=0.1284, above-row-max=64
A+: NRMSE=0.1112, above-row-max=59

Physical χ, shared row scale: 0 2 4 6 8 10 12

r13_fresh_0041
row maxχ=3.422

CIE: NRMSE=0.0935, above-row-max=98
Dual-CIE: NRMSE=0.0950, above-row-max=98
G19: NRMSE=0.0934, above-row-max=94
DR: NRMSE=0.0991, above-row-max=101
A+: NRMSE=0.0936, above-row-max=98

Physical χ, shared row scale: 0.0 0.5 1.0 1.5 2.0 2.5 3.0

r13_fresh_0042
row maxχ=16.111

CIE: NRMSE=0.4644, above-row-max=86
Dual-CIE: NRMSE=0.4549, above-row-max=90
G19: NRMSE=0.5013, above-row-max=90
DR: NRMSE=0.1383, above-row-max=27
A+: NRMSE=0.4588, above-row-max=89

Physical χ, shared row scale: 0.0 2.5 5.0 7.5 10.0 12.5 15.0

r13_fresh_0043
row maxχ=17.849

CIE: NRMSE=0.0472, above-row-max=7
Dual-CIE: NRMSE=0.0476, above-row-max=7
G19: NRMSE=0.0452, above-row-max=7
DR: NRMSE=0.0493, above-row-max=7
A+: NRMSE=0.0482, above-row-max=7

Physical χ, shared row scale: 0.0 2.5 5.0 7.5 10.0 12.5 15.0 17.5