Frozen blind predictions scored after freeze | INFO12: exact identifiable imaging; E1: response fits do not recover hidden material
No noise; independent state/response validation; numerical-error panels use the same ±1.5 scale as underobserved E1

INFO12_00
Hidden truth

Receiver SVD

Error m−truth
RMS 5.76e-13; data 1.5e-13

Exact Full-J TRF

Error m−truth
RMS 6.99e-12; data 1.2e-12

Frozen-J TRF

Error m−truth
RMS 5.50e-12; data 1.3e-12

INFO12_01
Hidden truth

Receiver SVD

Error m−truth
RMS 5.26e-13; data 9.9e-14

Exact Full-J TRF

Error m−truth
RMS 7.48e-16; data 2.8e-16

Frozen-J TRF

Error m−truth
RMS 9.32e-12; data 2.5e-12

INFO12_02
Hidden truth

Receiver SVD

Error m−truth
RMS 3.05e-13; data 6.0e-14

Exact Full-J TRF

Error m−truth
RMS 9.01e-13; data 1.4e-13

Frozen-J TRF

Error m−truth
RMS 1.17e-11; data 2.5e-12

E1_LOW6_00
Hidden truth

Receiver SVD

Rank deficient
No candidate

Rank deficient
No candidate

Exact Full-J TRF

Error m−truth
RMS 7.79e-01; data 2.9e-06

Frozen-J TRF

Error m−truth
RMS 7.46e-01; data 3.2e-12

E1_LOW6_01
Hidden truth

Receiver SVD

Rank deficient
No candidate

Rank deficient
No candidate

Exact Full-J TRF

Error m−truth
RMS 3.17e-01; data 1.9e-11

Frozen-J TRF

Error m−truth
RMS 3.13e-01; data 1.1e-09

E1_LOW6_02
Hidden truth

Receiver SVD

Rank deficient
No candidate

Rank deficient
No candidate

Exact Full-J TRF

Error m−truth
RMS 8.93e-01; data 7.0e-12

Frozen-J TRF

Error m−truth
RMS 8.31e-01; data 2.2e-11

y / wavelength
x / wavelength
real material contrast (common scale)
signed material error (common scale)