






CROSS_GRID / Mac; stopped runs retain terminal state; availability in CSV
Observed-object mean NRMSE
0.30
0.25
0.20
0.15
0.10
0
20
40
60
80
At most CPU_seconds
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn



CROSS_GRID / Mac; stopped runs retain terminal state; availability in CSV
Observed-object mean NRMSE
0.30
0.25
0.20
0.15
0.10
0
500
1000
1500
2000
2500
3000
At most LU
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn



CROSS_GRID / Mac; stopped runs retain terminal state; availability in CSV
Observed-object mean NRMSE
0.30
0.25
0.20
0.15
0.10
0
10000
20000
30000
40000
50000
60000
70000
At most complex_RHS
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn



CROSS_GRID / Mac; stopped runs retain terminal state; availability in CSV
Observed-object mean NRMSE
0.30
0.25
0.20
0.15
0.10
0
20
40
60
80
At most solver_CPU_seconds
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn



HELDOUT_FAMILY / Mac; stopped runs retain terminal state; availability in CSV
Observed-object mean NRMSE
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0
20
40
60
80
At most CPU_seconds
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn



HELDOUT_FAMILY / Mac; stopped runs retain terminal state; availability in CSV
Observed-object mean NRMSE
At most LU
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
0
500
1000
1500
2000
2500
3000
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn



HELDOUT_FAMILY / Mac; stopped runs retain terminal state; availability in CSV
Observed-object mean NRMSE
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0
10000
20000
30000
40000
50000
60000
70000
At most complex_RHS
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn



HELDOUT_FAMILY / Mac; stopped runs retain terminal state; availability in CSV
Observed-object mean NRMSE
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
0
20
40
60
80
At most solver_CPU_seconds
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn



HELDOUT_FAMILY / XINAN; stopped runs retain terminal state; availability in CSV
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn
Observed-object mean NRMSE
0.50
0.45
0.40
0.35
0.30
0.25
0.20
0.15
0
50
100
150
200
250
300
At most CPU_seconds



HELDOUT_FAMILY / XINAN; stopped runs retain terminal state; availability in CSV
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn
Observed-object mean NRMSE
0.50
0.45
0.40
0.35
0.30
0.25
0.20
0.15
0
1000
2000
3000
4000
5000
At most LU



HELDOUT_FAMILY / XINAN; stopped runs retain terminal state; availability in CSV
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn
Observed-object mean NRMSE
0.50
0.45
0.40
0.35
0.30
0.25
0.20
0.15
0
20000
40000
60000
80000
100000
120000
At most complex_RHS



HELDOUT_FAMILY / XINAN; stopped runs retain terminal state; availability in CSV
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn
Observed-object mean NRMSE
0.50
0.45
0.40
0.35
0.30
0.25
0.20
0.15
0
50
100
150
200
250
300
At most solver_CPU_seconds



IN_DISTRIBUTION / Mac; stopped runs retain terminal state; availability in CSV
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn
Observed-object mean NRMSE
0.1
0.2
0.3
0.4
0.5
0.6
0
20
40
60
80
At most CPU_seconds



IN_DISTRIBUTION / Mac; stopped runs retain terminal state; availability in CSV
Observed-object mean NRMSE
0.6
0.5
0.4
0.3
0.2
0.1
0
500
1000
1500
2000
2500
3000
At most LU
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn



IN_DISTRIBUTION / Mac; stopped runs retain terminal state; availability in CSV
Observed-object mean NRMSE
0.6
0.5
0.4
0.3
0.2
0.1
0
10000
20000
30000
40000
50000
60000
70000
At most complex_RHS
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn


IN_DISTRIBUTION / Mac; stopped runs retain terminal state; availability in CSV
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn
Observed-object mean NRMSE
0.1
0.2
0.3
0.4
0.5
0.6
0
20
40
60
80
At most solver_CPU_seconds


IN_DISTRIBUTION / XINAN; stopped runs retain terminal state; availability in CSV
Observed-object mean NRMSE
0.250
0.225
0.200
0.175
0.150
0.125
0.100
0.075
0
50
100
150
200
250
At most CPU_seconds
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn


IN_DISTRIBUTION / XINAN; stopped runs retain terminal state; availability in CSV
Observed-object mean NRMSE
At most LU
0.26
0.24
0.22
0.20
0.18
0.16
0.14
0.12
0.10
0
500
1000
1500
2000
2500
3000
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn


IN_DISTRIBUTION / XINAN; stopped runs retain terminal state; availability in CSV
Observed-object mean NRMSE
At most complex_RHS
0.10
0.12
0.14
0.16
0.18
0.20
0.22
0.24
0.26
0
10000
20000
30000
40000
50000
60000
70000
80000
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn


IN_DISTRIBUTION / XINAN; stopped runs retain terminal state; availability in CSV
Observed-object mean NRMSE
0.250
0.225
0.200
0.175
0.150
0.125
0.100
0.075
0
50
100
150
200
250
At most solver_CPU_seconds
a_plus / nn
a_plus / nn_affine_anchor
a_plus / nn_joint
a_plus_sourcewise / nn
a_plus_sourcewise / nn_affine_anchor
cie_dual / nn
cie_dual / nn_affine_anchor
physical_lbfgs / nn