

HELDOUT_FAMILY / r8_test_0024; all 15 primary arms; failures retained
Full shared object range [0.02, 20], including all prediction peaks


GT (offline authorized)
min=0.1; max=18.1



a_material / uniform
NRMSE=0.743; min=0.02; max=20




a_plus / nn
NRMSE=0.284; min=0.02; max=20




a_plus / nn_joint
NRMSE=0.719; min=0.02; max=20




a_plus / uniform
NRMSE=0.738; min=0.02; max=20




a_plus_sourcewise / nn
NRMSE=0.284; min=0.02; max=20




a_plus_sourcewise / uniform
NRMSE=0.746; min=0.02; max=20



cie_dual / nn
NRMSE=0.284; min=0.02; max=20



cie_dual / uniform
NRMSE=0.73; min=0.02; max=20




cie_single / nn
NRMSE=0.733; min=0.02; max=20




cie_single / uniform
NRMSE=0.735; min=0.02; max=20




global_dual / nn
NRMSE=0.284; min=0.02; max=20




global_dual / uniform
NRMSE=0.735; min=0.02; max=20




physical_lbfgs / dpcs
NRMSE=0.334; min=0.02; max=20




physical_lbfgs / nn
NRMSE=0.284; min=0.02; max=20




physical_lbfgs / uniform
NRMSE=0.356; min=0.02; max=20






HELDOUT_FAMILY / r8_test_0025; all 15 primary arms; failures retained
Full shared object range [0.02, 2.6], including all prediction peaks


GT (offline authorized)
min=0.1; max=2.6




a_material / uniform
NRMSE=0.213; min=0.02; max=1.97




a_plus / nn
NRMSE=0.213; min=0.02; max=1.97




a_plus / nn_joint
NRMSE=0.213; min=0.02; max=1.94




a_plus / uniform
NRMSE=0.213; min=0.02; max=1.97




a_plus_sourcewise / nn
NRMSE=0.213; min=0.02; max=1.97




a_plus_sourcewise / uniform
NRMSE=0.213; min=0.02; max=1.98




cie_dual / nn
NRMSE=0.213; min=0.02; max=1.93




cie_dual / uniform
NRMSE=0.213; min=0.02; max=1.98




cie_single / nn
NRMSE=0.209; min=0.02; max=1.94




cie_single / uniform
NRMSE=0.207; min=0.02; max=1.91




global_dual / nn
NRMSE=0.213; min=0.02; max=1.97




global_dual / uniform
NRMSE=0.213; min=0.02; max=1.96




physical_lbfgs / dpcs
NRMSE=0.214; min=0.02; max=1.96




physical_lbfgs / nn
NRMSE=0.214; min=0.02; max=1.94




physical_lbfgs / uniform
NRMSE=0.214; min=0.02; max=1.95






HELDOUT_FAMILY / r8_test_0026; all 15 primary arms; failures retained
Full shared object range [0.02, 20], including all prediction peaks


GT (offline authorized)
min=0.1; max=18.1




a_material / uniform
NRMSE=0.367; min=0.02; max=20




a_plus / nn
NRMSE=0.367; min=0.02; max=20




a_plus / nn_joint
NRMSE=0.578; min=0.02; max=20




a_plus / uniform
NRMSE=0.367; min=0.02; max=20




a_plus_sourcewise / nn
NRMSE=0.367; min=0.02; max=20




a_plus_sourcewise / uniform
NRMSE=0.367; min=0.02; max=20




cie_dual / nn
NRMSE=0.367; min=0.02; max=20




cie_dual / uniform
NRMSE=0.367; min=0.02; max=20




cie_single / nn
NRMSE=0.367; min=0.02; max=20




cie_single / uniform
NRMSE=0.367; min=0.02; max=20




global_dual / nn
NRMSE=0.367; min=0.02; max=20




global_dual / uniform
NRMSE=0.363; min=0.02; max=12.4




physical_lbfgs / dpcs
NRMSE=0.367; min=0.02; max=20




physical_lbfgs / nn
NRMSE=0.0603; min=0.02; max=19.8




physical_lbfgs / uniform
NRMSE=0.367; min=0.02; max=20






HELDOUT_FAMILY / r8_test_0027; all 15 primary arms; failures retained
Full shared object range [0.02, 20], including all prediction peaks


GT (offline authorized)
min=0.1; max=12.1




a_material / uniform
NRMSE=1.01; min=0.02; max=20




a_plus / nn
NRMSE=1.01; min=0.02; max=20




a_plus / nn_joint
NRMSE=1.06; min=0.02; max=20




a_plus / uniform
NRMSE=1.02; min=0.02; max=20




a_plus_sourcewise / nn
NRMSE=1.02; min=0.02; max=20




a_plus_sourcewise / uniform
NRMSE=1.02; min=0.02; max=20




cie_dual / nn
NRMSE=1.01; min=0.02; max=20




cie_dual / uniform
NRMSE=1.01; min=0.02; max=20




cie_single / nn
NRMSE=1.02; min=0.02; max=20




cie_single / uniform
NRMSE=1.01; min=0.02; max=20




global_dual / nn
NRMSE=1.01; min=0.02; max=20




global_dual / uniform
NRMSE=1.01; min=0.02; max=20




physical_lbfgs / dpcs
NRMSE=0.499; min=0.02; max=20




physical_lbfgs / nn
NRMSE=0.121; min=0.02; max=16.3




physical_lbfgs / uniform
NRMSE=0.461; min=0.02; max=20






HELDOUT_FAMILY / r8_test_0028; all 15 primary arms; failures retained
Full shared object range [0.02, 20], including all prediction peaks


GT (offline authorized)
min=0.1; max=18.1




a_material / uniform
NRMSE=0.543; min=0.02; max=20




a_plus / nn
NRMSE=0.538; min=0.02; max=20




a_plus / nn_joint
NRMSE=0.756; min=0.02; max=20




a_plus / uniform
NRMSE=0.558; min=0.02; max=20




a_plus_sourcewise / nn
NRMSE=0.548; min=0.02; max=20




a_plus_sourcewise / uniform
NRMSE=0.547; min=0.02; max=20




cie_dual / nn
NRMSE=0.644; min=0.02; max=20




cie_dual / uniform
NRMSE=0.605; min=0.02; max=20




cie_single / nn
NRMSE=0.655; min=0.02; max=20




cie_single / uniform
NRMSE=0.655; min=0.02; max=20




global_dual / nn
NRMSE=0.645; min=0.02; max=20




global_dual / uniform
NRMSE=0.646; min=0.02; max=20




physical_lbfgs / dpcs
NRMSE=0.366; min=0.02; max=20




physical_lbfgs / nn
NRMSE=0.0824; min=0.02; max=20




physical_lbfgs / uniform
NRMSE=0.339; min=0.02; max=20






HELDOUT_FAMILY / r8_test_0029; all 15 primary arms; failures retained
Full shared object range [0.02, 20], including all prediction peaks


GT (offline authorized)
min=0.1; max=18.1




a_material / uniform
NRMSE=0.117; min=0.02; max=18.6




a_plus / nn
NRMSE=0.118; min=0.02; max=18.5




a_plus / nn_joint
NRMSE=0.659; min=0.02; max=20




a_plus / uniform
NRMSE=0.119; min=0.02; max=18.7




a_plus_sourcewise / nn
NRMSE=0.117; min=0.02; max=18.6




a_plus_sourcewise / uniform
NRMSE=0.118; min=0.02; max=18.7




cie_dual / nn
NRMSE=0.118; min=0.02; max=18.6




cie_dual / uniform
NRMSE=0.117; min=0.02; max=18.4




cie_single / nn
NRMSE=0.117; min=0.02; max=18.6




cie_single / uniform
NRMSE=0.117; min=0.02; max=18.7




global_dual / nn
NRMSE=0.118; min=0.02; max=18.6




global_dual / uniform
NRMSE=0.118; min=0.02; max=18.7




physical_lbfgs / dpcs
NRMSE=0.349; min=0.02; max=20




physical_lbfgs / nn
NRMSE=0.117; min=0.02; max=18.6




physical_lbfgs / uniform
NRMSE=0.349; min=0.02; max=20






HELDOUT_FAMILY / r8_test_0030; all 15 primary arms; failures retained
Full shared object range [0.02, 5.29371], including all prediction peaks




HELDOUT_FAMILY / r8_test_0031; all 15 primary arms; failures retained
Full shared object range [0.02, 20], including all prediction peaks


GT (offline authorized)
min=0.1; max=6.1




a_material / uniform
NRMSE=0.129; min=0.02; max=6.55




a_plus / nn
NRMSE=0.13; min=0.02; max=6.58




a_plus / nn_joint
NRMSE=0.128; min=0.02; max=6.58




a_plus / uniform
NRMSE=0.13; min=0.02; max=6.59




a_plus_sourcewise / nn
NRMSE=0.129; min=0.02; max=6.58




a_plus_sourcewise / uniform
NRMSE=0.129; min=0.02; max=6.59




cie_dual / nn
NRMSE=0.131; min=0.02; max=6.54




cie_dual / uniform
NRMSE=0.128; min=0.02; max=6.56




cie_single / nn
NRMSE=0.13; min=0.02; max=6.58




cie_single / uniform
NRMSE=0.13; min=0.02; max=6.59




global_dual / nn
NRMSE=0.131; min=0.02; max=6.59




global_dual / uniform
NRMSE=0.128; min=0.02; max=6.56




physical_lbfgs / dpcs
NRMSE=0.878; min=0.02; max=20




physical_lbfgs / nn
NRMSE=0.131; min=0.02; max=6.61




physical_lbfgs / uniform
NRMSE=0.878; min=0.02; max=20






HELDOUT_FAMILY / r8_test_0032; all 15 primary arms; failures retained
Full shared object range [0.02, 20], including all prediction peaks


GT (offline authorized)
min=0.1; max=18.1



a_material / uniform
NRMSE=0.763; min=0.02; max=20




a_plus / nn
NRMSE=0.734; min=0.02; max=20




a_plus / nn_joint
NRMSE=0.702; min=0.02; max=20




a_plus / uniform
NRMSE=0.763; min=0.02; max=20




a_plus_sourcewise / nn
NRMSE=0.74; min=0.02; max=20




a_plus_sourcewise / uniform
NRMSE=0.691; min=0.02; max=20




cie_dual / nn
NRMSE=0.303; min=0.02; max=20




cie_dual / uniform
NRMSE=0.749; min=0.02; max=20




cie_single / nn
NRMSE=0.696; min=0.02; max=20




cie_single / uniform
NRMSE=0.741; min=0.02; max=20




global_dual / nn
NRMSE=0.745; min=0.02; max=20




global_dual / uniform
NRMSE=0.757; min=0.02; max=20




physical_lbfgs / dpcs
NRMSE=0.376; min=0.02; max=20




physical_lbfgs / nn
NRMSE=0.303; min=0.02; max=20




physical_lbfgs / uniform
NRMSE=0.376; min=0.02; max=20






HELDOUT_FAMILY / r8_test_0033; all 15 primary arms; failures retained
Full shared object range [0.02, 20], including all prediction peaks


GT (offline authorized)
min=0.1; max=12.1




a_material / uniform
NRMSE=0.492; min=0.02; max=20




a_plus / nn
NRMSE=0.479; min=0.02; max=20




a_plus / nn_joint
NRMSE=0.491; min=0.02; max=20




a_plus / uniform
NRMSE=0.491; min=0.02; max=20




a_plus_sourcewise / nn
NRMSE=0.434; min=0.02; max=20




a_plus_sourcewise / uniform
NRMSE=0.492; min=0.02; max=20




cie_dual / nn
NRMSE=0.49; min=0.02; max=20




cie_dual / uniform
NRMSE=0.492; min=0.02; max=20




cie_single / nn
NRMSE=0.113; min=0.02; max=13.2




cie_single / uniform
NRMSE=0.112; min=0.02; max=13.1




global_dual / nn
NRMSE=0.491; min=0.02; max=20




global_dual / uniform
NRMSE=0.492; min=0.02; max=20




physical_lbfgs / dpcs
NRMSE=0.829; min=0.02; max=20




physical_lbfgs / nn
NRMSE=0.114; min=0.02; max=13.2




physical_lbfgs / uniform
NRMSE=0.448; min=0.02; max=20






HELDOUT_FAMILY / r8_test_0034; all 15 primary arms; failures retained
Full shared object range [0.02, 20], including all prediction peaks


GT (offline authorized)
min=0.1; max=12.1




a_material / uniform
NRMSE=1.02; min=0.02; max=20




a_plus / nn
NRMSE=1.02; min=0.02; max=20




a_plus / nn_joint
NRMSE=0.933; min=0.02; max=20




a_plus / uniform
NRMSE=1.02; min=0.02; max=20




a_plus_sourcewise / nn
NRMSE=1.02; min=0.02; max=20




a_plus_sourcewise / uniform
NRMSE=1.02; min=0.02; max=20




cie_dual / nn
NRMSE=1.02; min=0.02; max=20




cie_dual / uniform
NRMSE=1.02; min=0.02; max=20




cie_single / nn
NRMSE=1.02; min=0.02; max=20




cie_single / uniform
NRMSE=1.02; min=0.02; max=20



global_dual / nn
NRMSE=1.02; min=0.02; max=20




global_dual / uniform
NRMSE=0.933; min=0.02; max=20



physical_lbfgs / dpcs
NRMSE=0.354; min=0.02; max=0.02




physical_lbfgs / nn
NRMSE=0.0543; min=0.02; max=12.4




physical_lbfgs / uniform
NRMSE=0.354; min=0.02; max=0.02






HELDOUT_FAMILY / r8_test_0035; all 15 primary arms; failures retained
Full shared object range [0.02, 20], including all prediction peaks


GT (offline authorized)
min=0.1; max=6.1




a_material / uniform
NRMSE=1.93; min=0.02; max=20




a_plus / nn
NRMSE=1.93; min=0.02; max=20




a_plus / nn_joint
NRMSE=1.93; min=0.02; max=20




a_plus / uniform
NRMSE=1.93; min=0.02; max=20




a_plus_sourcewise / nn
NRMSE=1.93; min=0.02; max=20




a_plus_sourcewise / uniform
NRMSE=1.93; min=0.02; max=20




cie_dual / nn
NRMSE=1.93; min=0.02; max=20




cie_dual / uniform
NRMSE=1.93; min=0.02; max=20




cie_single / nn
NRMSE=1.93; min=0.02; max=20




cie_single / uniform
NRMSE=1.93; min=0.02; max=20




global_dual / nn
NRMSE=1.93; min=0.02; max=20




global_dual / uniform
NRMSE=1.93; min=0.02; max=20



physical_lbfgs / dpcs
NRMSE=1.25; min=0.02; max=20



physical_lbfgs / nn
NRMSE=0.17; min=0.02; max=9.46



physical_lbfgs / uniform
NRMSE=0.588; min=0.02; max=20

