Name	Section	Date
		Dutt

CONCEPTUAL PHYSICS

Activity

Reflection and Refraction: Rainbows

There's a Spectrum on Your Eye

Diversion into Dispersion

Purpose

To produce a spectrum from white light and understand how it comes about

Apparatus

ray box (Rive or equivalent) blank sheet of white paper triangular or trapezoidal ray box prism

Discussion

- - G. T. C. C. C. C. One of the most famous images of Isacc Newton shows him using a prism to separate sunlight into a spectrum of colors. (See page 505 of Conceptual Physics 12th edition.) This process is called dispersion. Pure white light consists of all the colors of the spectrum. But different colors refract to different extents. This allows the prism to separate (disperse) the colors through differential refraction. The prism is capable of a wide dispersion when the differential refraction of light upon entering the prism is enhanced by differential refraction upon exiting the prism. Album cover designer, Storm Thorgerson, created an iconic image for the cover of Pink Floyd's Dark Side of the Moon depicting dispersion in a prism. Lab manual author, Dean Baird, painted Thorgerson's design onto a 10' x 30' wall outside his classroom at Rio Americano High School in Sacramento, California,

Procedure

SETUP

Step 1: Arrange the ray box so that a single beam of white light is emitted.

Step 2: Place the sheet on the table. Place the ray box on the sheet.

Step 3: Place the prism—*dull side down*—on the paper.

CREATING A SPECTRUM

Step 1: Experiment with different arrangements (different angles of incidence on different sides of the prism) until you can produce a spectrum of colors. Your spectrum will not be wide, but you will be able to distinguish colors. Once you have it, turn up a corner of your paper to see the spectrum more clearly. Show your instructor your configuration.

Step 2: In the space at the top of the next page, draw a magnified diagram of the configuration (incident ray and any refracted rays, the prism, and the emerging spectrum) as seen from directly above. Do not draw the light source in your diagram. Pay particular attention to the arrangement of the colors in the emerging beam; label red, violet, and yellow in your diagram. Include arrows to indicate the direction of travel of the beams. Use all the space; make your diagram big!



If using a trapezoidal prism, use only the triangular section; there should be no light beams in the square section.

							sa .									
	p 3: Label the following on				11-1	1	. 10									
 incident ray (air to plastic) internal ray (in plastic) exit ray (with spectrum) normals (one at the air to plastic boundary for the first refraction, and one at the plastic to air boundary for the second refraction) Step 4: Put your head down on the table and arrange the apparatus so that the emerging spectrum goes into your eye directly. Move your head around so that you see different colors one at a time. 																
									What do your partners see while you're doing this?							
										, , ,		9 1	7 (·	1	* .]
	e e e e e e e e e e e e e e e e e e e	vi	4, 34		, 51											
			1.	1.	1	5 5 N S	· .17 .									
Su	mming Up)\ - L									
1.	In what direction is the bea	m refracted as it	passes from	n air to pl	astic! M	ark your s	election and									
	include a diagram.															
	_toward the normal					14.50										
	away from the normal						4									
	not at all	ű z	pr s			٠,٠,٠										
2.	In what direction is the hea	In what direction is the beam refracted as it passes from plastic back to air? Mark your selection														
۷.	and include a diagram.	m remacted as it	passes ire.													
	toward the normal			# D #		* *	, " *									
	away from the normal	Í			in the	1 7	7 .									
	not at all	,	j,	· [for .) o									
3.	Which color undergoes the	greatest amoun	t of refract	on (is bei	nt the m	ost in the	process) and									
	which color undergoes the				n X		·1									
,	8 3 F2	× 28 p. 9	Es == ,													
				F .												
	*		*3	ï		9										
						1	***									
4.	Which color travels the fast	est in the prism (glass or pla	astic), and	l which o	olor trave	ls slowest?									
			E gu e													


Lab 14 Attachment

Perform the following experiment after you are done with the "Diversion into Dispersion" Conceptual Physics activity.

Experiment 2: White Light From Colors

Procedure

- 1. On the light source, slide the mask in front of the light to produce rays of red, green, and blue.
- 2. Place the convex lens in front of the color rays as shown in the illustration.
- 3. Place the sheet of paper behind the convex lens.
- 4. Slowly move the viewing screen until you find the position where all three colors intersect. Write a description of what you see.



Analysis

Write or draw a description of how the convex lens affects the path of the colored light rays.

What do you see at the point where all three colors intersect?

What do you see when you place the sheet of paper beyond the intersection point?