

Lab7 - Neural Nets and GradientBoosting

claudia.antunes@tecnico.ulisboa.pt [Switch account](#)



Your email will be recorded when you submit this form

* Required

Dataset NYC collisions

Set 1 - Gradient Boosting *

19 points

	None	Reasonable	Good	NA
Max depth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Nr of estimators	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Learning rate variation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Overfitting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Feature Selection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Set 1 - Gradient Boosting best model *

6 points

	0 - None	1 - Low	2 - Average	3 - High	Non Applicable
Best model evaluation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Confusion Matrix	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Features importance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Set 1 - Multi-Layer Perceptrons study *

19 points

	None	Reasonable	Good	NA
Nr of iterations	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Learning rate variation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Learning rate values	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Overfitting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Feature Selection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Set 1 - Multi-Layer Perceptron best model *

6 points

	0 - None	1 - Low	2 - Average	3 - High	Non Applicable
Best model evaluation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Confusion Matrix	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Loss evolution	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Page 2 of 3

[Back](#)[Next](#)[Clear form](#)This form was created inside of Instituto Superior Técnico. [Report Abuse](#)

Google Forms



Lab7 - Neural Nets and GradientBoosting

claudia.antunes@tecnico.ulisboa.pt [Switch account](#)



Your email will be recorded when you submit this form

* Required

Dataset AirQuality

Set 2 - Gradient Boosting *

19 points

	None	Reasonable	Good	NA
Max depth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Nr of estimators	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Learning rate variation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Overfitting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Feature Selection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Set 2 - Gradient Boosting best model *

6 points

	0 - None	1 - Low	2 - Average	3 - High	Non Applicable
Best model evaluation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Confusion Matrix	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Features importance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Set 2 - Multi-Layer Perceptrons study *

19 points

	None	Reasonable	Good	NA
Nr of iterations	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Learning rate variation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Learning rate values	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Overfitting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Feature Selection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Set 2 - Multi-Layer Perceptron best model *

6 points

	0 - None	1 - Low	2 - Average	3 - High	Non Applicable
Best model evaluation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Confusion Matrix	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Loss evolution	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Page 3 of 3

[Back](#)[Submit](#)[Clear form](#)This form was created inside of Instituto Superior Técnico. [Report Abuse](#)

Google Forms

