

## Guía

Se utilizo la documentación de Bootstrap ( <https://getbootstrap.com/> ) principalmente la inclusión vía CDN:

Docs

Examples

Icons

Themes

Blog

Search

CDN

v5.3

Install via package manager

Install Bootstrap's source Sass and JavaScript files via npm, RubyGems, Composer, or Meteor. Package managed installs don't include documentation or our full build scripts. You can also [use any demo from our Examples repo](#) to quickly jumpstart Bootstrap projects.

\$ npm install bootstrap@5.3.2

\$ gem install bootstrap -v 5.3.2

[Read our installation docs](#) for more info and additional package managers.

Include via CDN

When you only need to include Bootstrap's compiled CSS or JS, you can use [jsDelivr](#). See it in action with our simple [quick start](#), or [browse the examples](#) to jumpstart your next project. You can also choose to include Popper and our JS [separately](#).

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/boc

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/boc

Este comando se agregó al código HTML y en la misma línea se incorporó el estilo: rel="stylesheet"

Archivo

Editar

Selección

Ver

Ir

Ejecutar

...

IPC2-Bootstrap

login.html

login.peg

login.html

login.peg

1

<!DOCTYPE html>

2

<html lang="en">

3

<head>

4

<meta charset="utf-8">

5

<meta name="author" content="Kodinger">

6

<meta name="viewport" content="width=device-width,initial-scale=1">

7

<title>Inicio</title>

8

<link rel="stylesheet"

9

href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"

10

integrity="sha384-ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/I3TQUhCwR7x93voRt2M2w1T"

11

crossorigin="anonymous">

12

<!-- <link rel="stylesheet" type="text/css" href="css/my-login.css" -->

13

</head>

14

<body class="my-login-page">

15

<section class="h-100">

16

<div class="container h-100">

17

<div class="row justify-content-md-center h-100">

18

<div class="card-wrapper">

19

<div class="brand, row justify-content-md-center">

20



21

</div>

22

<div class="card fat">

23

<div class="card-body">

24

<h4 class="card-title">Login</h4>

25

<form method="POST" class="my-login-validation" novalidate="">

26

<div class="form-group">

27

<label for="email">Usuario</label>

28

<input id="email" type="email" class="form-control" name="email" value="" required autofocus>

29

<div class="invalid-feedback">

30

Email is invalid

31

</div>

32

</div>

El resultado final del código es la página de login:

Login

Usuario

Contraseña

☐ Recordarme

Login

¿No tienes una cuenta? [Crear cuenta](#)

Copyright © 2023 — IPC2-Bootstrap