

Unable to log into OpenShift web console with system:admin

✔ **SOLUTION VERIFICADA** - Actualizado 9 de Enero de 2018 a las 12:16 - English ▾ ()

Medio Ambiente

- Red Hat OpenShift Container Platform
 - 3.X

Cuestión

- We are able to install Openshift software, but could not login
- Tried `system/admin` , `system:admin` , and `system\:admin`
- We are able to log in using CLI:

```
# oc login -u system:admin -n default
Logged into "https://master.example.com8443" as "system:admin" using existing
credentials.
```

- Not able to login from dashboard to test out our new OpenShift cluster install as a cluster-admin user



Resolución

- To have cluster-admin access on the web console, give a new or existing user or group cluster-admin rights

```
//For a user
# oc adm policy add-cluster-role-to-user cluster-admin myuser

//For a group
# oc adm policy add-cluster-role-to-group cluster-admin mygroup
```

Causa Raíz

- The `system:admin` user cannot log in to web console as it is intended to only be used in the CLI

Producto(s) [Red Hat OpenShift Container Platform \(/taxonomy/products/openshift\)](/taxonomy/products/openshift)

Categoría [Learn more \(/category/learn-more\)](/category/learn-more)

Etiquetas [admin-console \(/tags/admin-console\)](/tags/admin-console) [authentication \(/tags/authentication\)](/tags/authentication)

This solution is part of Red Hat's fast-track publication program, providing a huge library of solutions that Red Hat engineers have created while supporting our customers. To give you the knowledge you need the instant it becomes available, these articles may be presented in a raw and unedited form.

People who viewed this solution also viewed



How can I view the users
for system:masters,
system:cluster-admins,
and system:admin?

OpenShift 3
system:admin user
access

OpenShift 4
system:admin
kubeconfig file

Solution - 24 jun. 2020

Solution - 13 jun. 2019

Solution - 16 jul. 2020

6 Comentarios

JP

Javier 31 January 2019 3:04 PM (<https://access.redhat.com/solutions/3315321#comment-1436221>)

Perdices (/user/26515161)

(/user/26515161) we can't access to our own cluster being admin.

COMMUNITY
MEMBER

22 Points

```
root@mymachine:/opt/openshift# ./oc adm policy add-cluster-role-to-user cluster-  
admin javierpastorperez Error from server (Forbidden):  
clusterrolebindings.rbac.authorization.k8s.io is forbidden: User "javierpastorperez"  
cannot list clusterrolebindings.rbac.authorization.k8s.io at the cluster scope: no RBAC  
policy matched
```

↩ Responder (/Ajax_comments/Reply/3315321/1436221)

JP

Javier 31 January 2019 3:08 PM (<https://access.redhat.com/solutions/3315321#comment-1436241>)

Perdices (/user/26515161)

(/user/26515161) Login as admin give us 500 error:



root@mymachine:/opt/openshift# ./oc login -u system Authentication required for
https://api.pro-eu-west-1.openshift.com:443 (openshift) Username: system Password:
Error from server (InternalError): Internal error occurred: unexpected response: 500

root@mymachine:/opt/openshift# ./oc version oc v3.11.0+0cbc58b kubernetes
v1.11.0+d4cacc0 features: Basic-Auth GSSAPI Kerberos SPNEGO

Server https://api.pro-eu-west-1.openshift.com:443 openshift v3.11.43 kubernetes
v1.11.0+d4cacc0

↩ Responder (/Ajax_comments/Reply/3315321/1436241)

SW

31 January 2019 11:55 PM (<https://access.redhat.com/solutions/3315321#comment-1436661>)

(/user/14039891) Steven Walter (/user/14039891)

RED HAT

ACTIVE
CONTRIBUTOR

309
Points

Hi, You'll actually need to use "system:admin" as the admin user. Unless
you've copied the kubeconfig off the master hosts (not particularly
recommended), system:admin is only available from the masters. You could:

```
$ ssh MASTER1
$ oc login -u system:admin
$ oc adm policy add-cluster-role-to-user cluster-admin MYUSER
```

You could then use MYUSER from your local machine to have cluster-admin
scoped privileges.

↩ Responder (/Ajax_comments/Reply/3315321/1436661)

JP

1 February 2019 5:19 AM

(<https://access.redhat.com/solutions/3315321#comment-1436821>)

(/user/26515161) Javier Perdices (/user/26515161)



COMMUNITY
MEMBER

22 Points

Hi, we've paid for an account in OpenShift Online, so we can't
ssh the master node (AFAIK).

And when we tried to login with system:admin from our
machine into remote instance, we got a 500 error:

```
root@mymachine:/opt/openshift# ./oc login -u system
Authentication required for https://api.pro-eu-west-
1.openshift.com:443 (openshift) Username: system Password:
Error from server (InternalError): Internal error occurred:
unexpected response: 500
```

↩ Responder (/Ajax_comments/Reply/3315321/1436821)

SW

1 February 2019 7:09 PM

(<https://access.redhat.com/solutions/3315321#comment-1437381>)

(/user/14039891) Steven Walter (/user/14039891)

RED HAT

ACTIVE
CONTRIBUTOR

309

Points

Hi, Ah. system:admin is a root-level user and not available for
OpenShift Online. It is only available for self-hosted
OpenShift Container Platform clusters.

↩ Responder (/Ajax_comments/Reply/3315321/1437381)

JP

2 February 2019 8:17 AM

(<https://access.redhat.com/solutions/3315321#comment-1437661>)

(/user/26515161) Javier Perdices (/user/26515161)

COMMUNITY
MEMBER

22 Points

So we can't login as root in our own pods?

↩ Responder (/Ajax_comments/Reply/3315321/1437661)



[Política de privacidad \(http://www.redhat.com/en/about/privacy-policy\)](http://www.redhat.com/en/about/privacy-policy) |
[Términos de uso del Portal del cliente \(https://access.redhat.com/help/terms/\)](https://access.redhat.com/help/terms/) |
[Todas las políticas y lineamientos \(http://www.redhat.com/en/about/all-policies-guidelines\)](http://www.redhat.com/en/about/all-policies-guidelines)
Derechos de autor © 2020 Red Hat, Inc.

