

A transfer across four parties

Alice is buying a position from a seller. The source custodian holds it today. The destination custodian will receive it for Alice. The example uses ten synthetic TEST units.

First, everyone prepares

1. The seller agrees to the trade and locks the source position.
2. The source custodian confirms the locked position and trade terms.
3. The destination custodian prepares and confirms its receiving permission.
4. Alice, the designated settler in this example, requests settlement.

The settler is one of these four parties. No fifth party takes ownership of their responsibilities.

The final transfer is one transaction

The final action withdraws the locked position, passes a typed release to the destination, creates the destination holding, and records completion. These effects belong to one eligible ledger transaction.

The earlier preparations are separate transactions. Grouping them in one diagram does not make the whole journey atomic.

Watch the refusal as well as the success

Choose **Try it** and follow **Transfer completes**. The displayed quantities come directly from the observed ledger result. Attempts to bypass the coordinator, settle as the wrong party, or settle again are refused.

Then select **Final transfer rolls back**. The destination rejects the final action. Ten units remain locked at the source and zero arrive at the destination. The earlier preparations remain in place; this reference does not implement cancellation or expiry.

This is a bounded transfer example, without a payment leg, fees, splitting, or an arbitrary settlement graph.

Try the story.

Preserved ledger recording · no new transactions. Choose Next to follow the first action.

ACTION 6 OF 6 · ALICE

Action refused

Request settlement

The destination refused receipt. The final transaction rolled back; earlier preparations remain.

Source · available

Source · locked

Destination · received

0 TEST

10 TEST

0 TEST

Available

Locked

Received

Workflow

waiting

Recorded actions: Transfer: final leg rejected

Step	Actor	Action	Outcome	Observed state
1	Seller	agree-trade	committed	agreed
2	Seller	lock-position	committed	agreed
3	Source	confirm-source	committed	source-confirmed
4	Destination	prepare-destination	committed	source-confirmed
5	Destination	confirm-destination	committed	ready
6	Alice	settle	rejected	ready

The original words, in context.

Read the source as a document. Exact original text is available inside each passage for auditing.

▼ Transfer use case and original asset references

Proposal · lines 118–132

Illustrative Execution Flows

Four-party token-transfer workflow

1. A Buyer and Seller agree a trade proposal that begins the workflow.
2. The source custodian validates that the token position is already locked and eligible for transfer.
3. The destination custodian confirms readiness to receive the asset under the required account or lock condition.
4. The Settler role is selected or fulfilled by one of the Buyer, Seller, source custodian, or destination custodian as applicable; it is not a separate fifth actor or a fixed identity.
5. The workflow engine tracks these as explicit domain-owned steps with clear execution rights, visible progression state, and handoff across independently owned workflow domains.
6. Once the required approvals and lock conditions are present, the final transfer path can collapse into one bounded atomic execution rather than remaining a staged sequence.
7. The flow demonstrates explicit multi-party progression where needed, with bounded atomic completion only where Canton authorization and workflow structure allow it.

Original diagram attachment was not included in the download.

Canonical source: BPMN | SVG

[Inspect original location ↗](#)

▼ **Transfer participants and domains**

Architecture · lines 505–520

4 · Reference workflows — participants & domains

Four-party token transfer

Role	Step kind	Owns
Buyer	Create	trade proposal (start event)
Seller	Exercise	trade proposal agreement
Source custodian	Exercise	position locked + eligible
Destination custodian	Exercise	receive readiness / lock condition
Settler	Atomic	fulfilled by one of the four — not a 5th party

[Inspect original location ↗](#)

What supports this chapter?

The sandbox uses preserved fourth-draft ledger recordings. Inputs and independently committed expectations still match their recorded SHA-256 fingerprints. No fresh 0.2 ledger run is claimed.

Open the coverage and product evidence map →

Read the existing implementation guide